

Q.1) (b)

Q.2) (c), (a)

Q.3) (a)

Q.4) (b)

Q.5) (c)

Q.6)




(b)

Q.7) (c)

Q.8) (a), (b)

Q.9)



$P \rightarrow next$
 $P = P \rightarrow next$

Q.10)



(b) while (P != null)

$P = P \rightarrow next$

Q.11) $P \rightarrow next == null$

Q.12) (a)

Q.13) (b)

Q.14) (b)

Q.15) (b)

Q.16) (d)

Q.17) (c)

Q.18) (b)

Q.19)

Q.20)

Q.21) (c)

Q.22) (b)

Q.23) Struct node {
int data;

Struct node *next;

int main() {

Struct node *P;

P = (Struct node *)


malloc(sizeof(Struct node));

$O(1)$

$O(n)$

$O(n)$

Q.24)





$$10 + 20 = 30$$

$$20 + 30 = 50$$

$$30 + 40 = 70$$

Ans

Q.25)



```
void insertEnd(struct node *head, int x){
```

```
    struct node *t = (struct node *) malloc(sizeof(struct node));
```

```
    t->data = x;
```

```
    t->next = null;
```

```
    struct node *p = head;
```

```
    while(p->next != null) {
```

```
        p = p->next;
```


```
    }
```

```
    p->next = t;
```

```
}
```


ANKAN ROY
52

Q.26)



temp = head

Q.27)



ANKAN ROY
52


$temp = head$

$temp \rightarrow next = temp \rightarrow next$


$temp \rightarrow next = temp \rightarrow next$

$temp \rightarrow next = null$

$free(temp)$;



Q.28)



①

$newnode \rightarrow data = 7$

$newnode \rightarrow next = head$

$head = newnode$

ANKAN ROY
52

②


$temp = head \rightarrow next \rightarrow next$;

~~temp =~~

$head \rightarrow next \rightarrow next = temp \rightarrow next$

$temp \rightarrow next = null$

$free(temp)$;




(iii) .

ANKAN ROY
52

```
temp = head  
while (temp → next != null) {  
    temp = temp → next  
}
```

```
temp → next = newnode  
newnode → data = 9  
newnode → next = null
```



ANKAN ROY
52

```
temp = head  
loop = temp  
temp = temp → next
```

```
temp = temp → next = null
```

```
temp = temp → next = null  
temp = temp → next
```