



Note: If you have already cloned the github repo in VS Code, start from step 10 to create and activate the pds environment that will be used for this lesson. Else, start from step 1.

1. Log in to Github
2. Go to <https://github.com/su-ntu-ctp/6m-data-1.6-intro-numpy>
3. Fork the repo to your account by clicking fork




4. Click “Create Fork” and you should see the repo in your github




5. Open VSCode and select Clone Git Repository


[For Windows users, please make sure you are on WSL (you should see a blue box on the bottom left of the screen.  Else, click on the  icon on the bottom left and choose Connect to WSL]




6. Copy and paste the URL of the repo into the popup window and click clone from url




7. Select an existing folder and click "Select as repository destination"



8. Click "Open" in the popup window




9. You should see the cloned repo and its contents towards the left of the VS Code screen




10. Next go to Terminal submenu (on the top of the VS Code screen) and click new terminal

(For Windows user, please make sure you are on WSL (you should see a blue box on the bottom left of the screen. `>< WSL: Ubuntu`)




11. You should see this appearing at the bottom of the VS Code screen



12. Copy and paste

```
conda env create -f environment.yml
```

into the terminal and press enter. This creates an environment with the required packages in order to run the notebook. Make sure you are in the directory that contains the environment.yml. Else you will get a file not found error.



NOTE: if you encounter the following 'conda not found' error message while running step 12, you will need to install miniconda first. Please refer to this link for the installation guide:

<https://github.com/su-ntu-ctp/6m-data-1.0-Welcome-Onboarding/blob/main/installation.md>

```
Command 'conda' not found, did you mean:  
  command 'conga' from snap conga (1.4.0)  
See 'snap info <snapname>' for additional versions.
```

13. You should see something like this once the environment is successfully created. pds is the name of the environment that we will use for the lesson.

```
done  
#  
# To activate this environment, use  
#  
#   $ conda activate pds  
#  
# To deactivate an active environment, use  
#  
#   $ conda deactivate  
  
rin@LAPTOP-2HD8K3AE:~/test/6m-data-1.6-intro-numpy$
```