## Oracle#05 By Mohammed Arshad

SL NO	Incident/Q uestion/Co ncept	APPLICABLE LAYER	Solution/Answer
31	Java/Data Class Not Found error	APPLICATION	Java Cache needs to be cleared in  Common_Top\_Pages directory.  Bounce Apache and the other services on the middle tier.
	Request URI:/OA_HT ML/AppsLoc alLogin.js p Exception: java.lang. NoClassDef FoundError :		\$ adapcctl.sh stop and then \$ adapcctl.sh start
32	Swap space error in Discoverer Desktop.	APPLICATION	Clear Cache from within the Discoverer.  Tools -> Options -> Cache (tab)  Press 'Clear Cache'.
33	To check a file version`	APPLICATION	(for foradidems, classfile, sql files etc)  adident Header adsetmmd.class (for class files)  Note: The environment to be sourced to make it work.
34	How to make sure the report server is	APPLICATION	Run this command on the command prompt - ps -ef   grep rwmts60

## Oracle#05 By Mohammed Arshad

	up and		ps -ef   grep FND (Concurrent
	running.		Managers.)
	ruming.		Managers. /
35	Command to	DATABASE	SELECT tablespace_name, sum ( blocks )
	check free		as free_blk , trunc ( sum ( bytes ) /
	space in		(1024*1024) ) as free m , max ( bytes )
	tablepsace		/ (1024) as big chunk k, count (*) as
	s.(This		num chunks
	analysis		FROM dba free space
	helps		GROUP BY tablespace name
	checking		cited by castespace_name
	if any of		
	the		
	tablepsace		
	s are		
	reaching		
	threshold		
	value)		
37	Command to		strings -a xlajelns.pkb  grep '\$Header'
	get		
	package		
	version /		
	form		strings -a xlajelns.pls  grep '\$Header'
	version/		
	AGTRIOII/		
	Sql script		strings -a xlajelns.sql  grep '\$Header'
	version		
			>strings -a apxpawkb.fmb  grep
			'\$Header'
38	To work		Common top\admins\scripts\
	with R12 E		
	Business		
	services.		
	SETATORS.		
39	Dos	ANY PROCESS.	C:\>PSKILL -9 PROCESSID
	command to		
	skill an		
	OS		

## Oracle#05 By Mohammed Arshad

	process	
40	Command to search for processes running at the OS level for a utility , FND, for example.	C:\>PS -EF  GREP [FND,]
	1	