

HONG KONG EXAMINATIONS AND ASSESSMENT AUTHORITY
HONG KONG DIPLOMA OF SECONDARY EDUCATION EXAMINATION 2017

BIOLOGY PAPER 1

8.30 am – 11.00 am (2 hours 30 minutes)

This paper must be answered in English

GENERAL INSTRUCTIONS

- (1) There are **TWO** sections, A and B, in this Paper. You are advised to finish Section A in about 35 minutes.
- (2) Section A consists of multiple-choice questions in this question paper. Section B contains conventional questions printed separately in Question-Answer Book B.
- (3) Answers to Section A should be marked on the Multiple-choice Answer Sheet while answers to Section B should be written in the spaces provided in Question-Answer Book B. **The Answer Sheet for Section A and the Question-Answer Book B for Section B will be collected separately at the end of the examination.**

INSTRUCTIONS FOR SECTION A (MULTIPLE-CHOICE QUESTIONS)

- (1) Read carefully the instructions on the Answer Sheet. After the announcement of the start of the examination, you should first stick a barcode label and insert the information required in the spaces provided. No extra time will be given for sticking on the barcode label after the 'Time is up' announcement.
- (2) When told to open this book, you should check that all the questions are there. Look for the words '**END OF SECTION A**' after the last question.
- (3) All questions carry equal marks.
- (4) **ANSWER ALL QUESTIONS.** You are advised to use an HB pencil to mark all the answers on the Answer Sheet, so that wrong marks can be completely erased with a clean rubber. You must mark the answers clearly; otherwise you will lose marks if the answers cannot be captured.
- (5) You should mark only **ONE** answer for each question. If you mark more than one answer, you will receive **NO MARKS** for that question.
- (6) No marks will be deducted for wrong answers.

Not to be taken away before the end of the examination session


There are 36 questions in this section.

The diagrams in this section are NOT necessarily drawn to scale.

1. Which of the following combinations correctly matches the process with the type of metabolism involved?

	Process	Type of metabolism
A.	digestion of lipids in the small intestine	anabolism
B.	storage of excess energy in the form of glycogen	catabolism
C.	assimilation of amino acids to form muscle fibres	anabolism
D.	absorption of digested food in the small intestine	catabolism

Directions: Questions 2 to 4 refer to the diagram below, which shows four test tubes prepared by a student to investigate the action of a starch-digesting enzyme X:



2. In which of the following regions of the human alimentary canal can enzyme X be found?

- (1) mouth cavity
(2) stomach
(3) small intestine

- A. (1) and (2) only
B. (1) and (3) only
C. (2) and (3) only
D. (1), (2) and (3)

3. The student conducted some tests on the content of each test tube at the beginning and after 30 minutes. Which of the following correctly shows the results of the tests for tube R at the beginning?

	Benedict's test	Iodine test	Test for proteins
A.	negative	positive	positive
B.	negative	positive	negative
C.	positive	negative	negative
D.	positive	negative	positive

4. Which of the following is **not** the purpose of the experimental design?

Design	Purpose
A. setting up tube P	to show the result of iodine test if starch is present
B. setting up tube Q	to show that enzyme X alone cannot give positive result in Benedict's test
C. setting up tube S	to show that enzyme X is denatured after boiling
D. setting up water bath	to simulate the temperature of the human body

5. Different animals produce different maltases to digest maltose. The maltases produced have different molecular sizes. Which of the following descriptions of these maltases is correct?

A. Their active sites have similar shape.
B. Their amino acid sequences are the same.
C. They have the same optimum temperature.
D. They have the same three-dimensional structure.

6. Which of the following reactions in photosynthesis takes place on the thylakoid membrane?

A. regeneration of carbon dioxide acceptor
B. reduction of 3-C compound
C. photolysis of water
D. carbon dioxide fixation

7. Which of the following combinations correctly matches the reaction in aerobic respiration with the location where it takes place?

	<i>Reaction in aerobic respiration</i>	<i>Location</i>
A.	regeneration of NAD	cytoplasm
B.	production of carbon dioxide	cytoplasm
C.	conversion of pyruvate to acetyl-CoA	mitochondrion
D.	conversion of triose phosphate to pyruvate	mitochondrion


8. In humans, blood group B is dominant to blood group O. In a family, the father and mother are of blood groups O and B respectively. They have two children who are of blood group B. The father concludes that his wife must be homozygous for blood group B. Is this conclusion correct?

A. No, because there are other blood groups besides blood groups B and O.
B. No, because even if the mother is heterozygous, each child has a 50% chance to be of blood group B.
C. Yes, because the father has no allele for blood group B, all alleles for blood group B must have come from the mother.
D. Yes, because if the mother is heterozygous, one child should be of blood group B and the other should be of blood group O.

9. If the base sequence on the coding strand of the DNA is AAC, which of the following combinations correctly shows the mRNA codon and the tRNA anticodon?

	<i>mRNA codon</i>	<i>tRNA anticodon</i>
A.	AAC	UUG
B.	AAC	TTG
C.	UUG	AAC
D.	TTG	AAC

Directions: Questions 10 and 11 refer to the diagram below. A high mountain resulting from an earthquake millions of years ago has led to the separation of areas I and II. A new tree species Q is found in area II:



10. Which of the following processes were likely to have been involved in the formation of new species Q?


- (1) mutation
- (2) isolation
- (3) natural selection

- A. (1) and (2) only
- B. (1) and (3) only
- C. (2) and (3) only
- D. (1), (2) and (3)

11. Which of the following descriptions of the above incident is most likely to be correct?

- A. Q is more adaptive than P.
- B. P grows equally well in areas I and II.
- C. Areas I and II have similar environmental conditions.
- D. P and Q belong to the same Family in the classification system.

12. The following graph shows the predicted change in biodiversity during the processes of primary and secondary succession in an ecosystem:




Which of the following combinations is correct?

- | | Type of succession | Explanation |
|----|-----------------------------|---|
| A. | I is primary succession. | A climax community is reached in I. |
| B. | I is secondary succession. | I has a higher biodiversity than II at the beginning. |
| C. | II is primary succession. | Pioneer community is involved in II. |
| D. | II is secondary succession. | II shows a slow increase in biodiversity. |

13. Water absorbed by trees is mostly used


- A. to replenish water loss.
- B. for storage in vacuoles.
- C. as a raw material in photosynthesis.
- D. as a medium for reactions to take place.

Directions: Questions 14 to 16 refer to the set-up below, which is used to investigate the effect of environmental factors on the transpiration rate of a leafy shoot. The leafy shoot was put into a beaker of red-coloured solution. After five hours, cross-sections of the shoot were cut starting from the top until red colour appeared in the cut section. The length of the remaining shoot was then measured.



14. Which of the following step(s) is / are necessary when preparing the set-up?
- (1) Smear vaseline onto the lower surface of the leaves.
 - (2) Add a layer of oil on the surface of the red-coloured solution.
 - (3) Cut the lower end of the leafy shoot under the red-coloured solution.
- A. (1) only
 B. (3) only
 C. (1) and (2) only
 D. (2) and (3) only
15. The length of the remaining shoot will be the longest if the experiment is conducted in
- A. hot and bright conditions.
 - B. hot and humid conditions.
 - C. cold and bright conditions.
 - D. cold and humid conditions.
16. A section of the remaining shoot was observed under a microscope. Which of the following diagrams correctly shows the appearance of the shoot section?

Key: ■ Stained red



17. Which of the following cell types contribute(s) to the support of a leaf in a woody flowering plant?


- (1) guard cells
- (2) xylem vessels
- (3) mesophyll cells

- A. (2) only
- B. (1) and (3) only
- C. (2) and (3) only
- D. (1), (2) and (3)

18. Which of the following descriptions of the circulatory system is correct?

- A. Veins have a large lumen because the blood pressure inside them is low.
- B. Arteries have a thick layer of elastic tissue because they have smaller lumen.
- C. The aorta has the highest blood pressure because it supplies blood to the whole body.
- D. The capillary network is a suitable site for material exchange because capillaries have the thinnest walls.

Directions: Questions 19 and 20 refer to the diagram below, which shows some structures of the female reproductive system in humans:



19. Which of the following combinations correctly shows the location where fertilisation and discharge of semen normally take place?


	<i>Fertilisation</i>	<i>Discharge of semen</i>
A.	1	2
B.	1	3
C.	2	2
D.	2	3

20. If location 1 is blocked in a 14-year-old girl, which of the following is most likely to occur?

- A. There is no ovulation.
- B. Her fertility decreases.
- C. There is no menstruation.
- D. Her breasts fail to develop.

Directions: Questions 21 to 23 refer to the following photomicrographs of the same magnification. The photomicrographs show some early stages of embryo development:


I. 1 cell



II. 4 cells



III. 16 cells



IV. More than 100 cells



21. Which of the following processes are taking place from stage I to stage IV?

- (1) cell division
- (2) cell enlargement
- (3) cell differentiation

- A. (1) and (2) only
- B. (1) and (3) only
- C. (2) and (3) only
- D. (1), (2) and (3)


22. How many cell cycles has the cell in stage I gone through to reach stage III?

- A. 2 cycles
- B. 3 cycles
- C. 4 cycles
- D. 5 cycles

23. Which of the following stages is ready for implantation?

- A. I
- B. II
- C. III
- D. IV


24. The graph below shows the growth curves of the head, reproductive system and whole body in humans:



Which of the following combinations correctly identifies curves I, II and III?

- | | I | II | III |
|----|---------------------|---------------------|---------------------|
| A. | whole body | reproductive system | head |
| B. | head | reproductive system | whole body |
| C. | head | whole body | reproductive system |
| D. | reproductive system | whole body | head |

Directions: Questions 25 and 26 refer to the diagram below, which shows the structures of a human ear:



25. Which of the following structures is **not** involved in hearing?
- 1
 - 2
 - 3
 - 4
26. Which of the following structures will vibrate when there are sound waves?
- 1 and 3 only
 - 2 and 3 only
 - 2, 3 and 4 only
 - 2, 4 and 5 only


27. Which of the following combinations correctly matches the problem of short sightedness and its correction?

	Problem	Correction
A.	image focussed behind the retina	wear concave lens
B.	image focussed behind the retina	wear convex lens
C.	image focussed in front of the retina	wear concave lens
D.	image focussed in front of the retina	wear convex lens

28. Which of the following correctly explains why our eyes feel tired if we have been reading a book for a long time?

- A. The ciliary body has contracted for a long time.
- B. The photosensitive cells have been over-stimulated.
- C. The lens has maintained a curved state for a long time.
- D. The suspensory ligament has been under tension for a long time.

29. The diagram below shows a motor neurone:




Which of the following statements correctly describes the motor neurone?

- A. X is connected to a muscle fibre.
 - B. Electrical impulses are transmitted from Y to X.
 - C. Synapses can be found at the end of both X and Y.
 - D. Electrical impulses are sent out at Y to the next neurone.
30. Which of the following **does not** belong to the central nervous system?

- A. medulla oblongata
- B. spinal cord
- C. cerebellum
- D. eye


31. The diagram below shows a low power drawing of the cut section of a root:



Which of the following correctly describes the relationship of auxin and different regions of the root?

- A. It affects cell division at P.
- B. It affects cell division at Q.
- C. It affects cell elongation at P.
- D. It affects cell elongation at Q.

Directions: Questions 32 and 33 refer to the diagram below, which shows some processes in the nitrogen cycle in nature:




32. Which of the following combinations correctly matches the microorganism involved in processes 3 and 6?

- | | |
|--|--|
| <p>3</p> <ul style="list-style-type: none"> A. denitrifying bacteria B. nitrogen-fixing bacteria C. fungi D. denitrifying bacteria | <p>6</p> <ul style="list-style-type: none"> A. nitrogen-fixing bacteria B. fungi C. denitrifying bacteria D. fungi |
|--|--|

33. Which of the following processes **does not** require the action of bacteria?

- A. 1
- B. 2
- C. 4
- D. 5

Directions: Questions 34 and 35 refer to the diagram below, which shows the flow of energy among organisms found in a grassland:



34. Which of the following statements correctly describe(s) the above organisms?

- (1) S is a heterotroph.
- (2) P is the secondary consumer.
- (3) Q has the largest total biomass.

- A. (1) only
- B. (2) only
- C. (1) and (3) only
- D. (2) and (3) only

35. If there is a decomposer in this group of organisms, it is most likely to be

- A. Q.
- B. R.
- C. S.
- D. T.

36. Which of the following combinations correctly matches the type of diabetes with its description?

Type of diabetes	Description
A. Insulin-dependent (type I)	Heredity is the major cause.
B. Insulin-dependent (type I)	Blood insulin level remains high.
C. Non-insulin-dependent (type II)	Blood insulin level remains low even after meal.
D. Non-insulin-dependent (type II)	Blood glucose level will drop significantly after insulin injection.

END OF SECTION A

Go on to Question-Answer Book B for questions on Section B