



Smart Contract Security Audit

<u>TechRate</u> September, 2021

Audit Details



Audited project

ASSX Token



Deployer address

0x1723aD8207049ee668111D36d22235eF273529D0




Client contacts:

ASSX Token team



Blockchain

Ethereum



Disclaimer

This is a limited report on our findings based on our analysis, in accordance with good industry practice as at the date of this report, in relation to cybersecurity vulnerabilities and issues in the framework and algorithms based on smart contracts, the details of which are set out in this report. In order to get a full view of our analysis, it is crucial for you to read the full report. While we have done our best in conducting our analysis and producing this report, it is important to note that you should not rely on this report and cannot claim against us on the basis of what it says or doesn't say, or how we produced it, and it is important for you to conduct your own independent investigations before making any decisions. We go into more detail on this in the below disclaimer below – please make sure to read it in full.

DISCLAIMER: By reading this report or any part of it, you agree to the terms of this disclaimer. If you do not agree to the terms, then please immediately cease reading this report, and delete and destroy any and all copies of this report downloaded and/or printed by you. This report is provided for information purposes only and on a non-reliance basis, and does not constitute investment advice. No one shall have any right to rely on the report or its contents, and TechRate and its affiliates (including holding companies, shareholders, subsidiaries, employees, directors, officers and other representatives) (TechRate) owe no duty of care towards you or any other person, nor does TechRate make any warranty or representation to any person on the accuracy or completeness of the report. The report is provided "as is", without any conditions, warranties or other terms of any kind except as set out in this disclaimer, and TechRate hereby excludes all representations, warranties, conditions and other terms (including, without limitation, the warranties implied by law of satisfactory quality, fitness for purpose and the use of reasonable care and skill) which, but for this clause, might have effect in relation to the report. Except and only to the extent that it is prohibited by law, TechRate hereby excludes all liability and responsibility, and neither you nor any other person shall have any claim against TechRate, for any amount or kind of loss or damage that may result to you or any other person (including without limitation, any direct, indirect, special, punitive, consequential or pure economic loss or damages, or any loss of income, profits, goodwill, data, contracts, use of money, or business interruption, and whether in delict, tort (including without limitation negligence), contract, breach of statutory duty, misrepresentation (whether innocent or negligent) or otherwise under any claim of any nature whatsoever in any jurisdiction) in any way arising from or connected with this report and the use, inability to use or the results of use of this report, and any reliance on this report.

The analysis of the security is purely based on the smart contracts alone. No applications or operations were reviewed for security. No product code has been reviewed.

Background

TechRate was commissioned by ASSX Token to perform an audit of smart contracts:

https://etherscan.io/address/0x55250813d5c4bc373fc17022e6ff8a3551990176#code

The purpose of the audit was to achieve the following:

- Ensure that the smart contract functions as intended.
- Identify potential security issues with the smart contract.

The information in this report should be used to understand the risk exposure of the smart contract, and as a guide to improve the security posture of the smart contract by remediating the issues that were identified.

Contracts Details


Token contract details for 16.09.2021

Contract name	ASSX Token			
Contract address	0x55250813D5C4bc373FC17022E6FF8a3551990176			
Total supply	5,000,000,000			
Token ticker	ASSX			
Decimals	18			
Token holders	2			
Transactions count	2			
Top 100 holders dominance	100%			
Contract deployer address	0x1723aD8207049ee668111D36d22235eF273529D0			
Contract's current owner address	0x1723aD8207049ee668111D36d22235eF273529D0			

ASSX Token Token Distribution



ASSX Token Contract Interaction Details



ASSX Token Top 10 Token Holders

Rank	Address	Quantity	Percentage	Analytics
1	0x1723ad8207049ee668111d36d22235ef273529d0	4,500,000,000	90.0000%	<u>~</u>
2	■ 0x4b566896cf8b3daf4217b94a8827a041f8fdf494	500,000,000	10.0000%	<u>~</u>



Contract functions details

- + Context - [Int] msgSender - [Int] _msgData + [Int] IERC20 - [Ext] totalSupply - [Ext] balanceOf - [Ext] transfer # - [Ext] allowance - [Ext] approve # - [Ext] transferFrom # + [Lib] SafeMath - [Int] add - [Int] sub - [Int] sub - [Int] mul - [Int] div - [Int] div - [Int] mod - [Int] mod + ERC20 (Context, IERC20) - [Pub] <Constructor># - [Pub] name - [Pub] symbol - [Pub] decimals - [Pub] totalSupply - [Pub] balanceOf - [Pub] transfer # - [Pub] allowance - [Pub] approve # - [Pub] transferFrom # - [Pub] increaseAllowance # - [Pub] decreaseAllowance # - [Int] transfer # - [Int] _mint # - [Int] burn # - [Int] _approve # - [Int] setupDecimals # - [Int] _beforeTokenTransfer # + Ownable (Context) - [Int] <Constructor> # - [Pub] owner - [Pub] renounceOwnership # - modifiers: onlyOwner - [Pub] transferOwnership #
- + Authorizable (Ownable)

- modifiers: onlyOwner

- [Pub] addAuthorized #- modifiers: onlyOwner- [Pub] removeAuthorized #- modifiers: onlyOwner
- + ASSXToken (ERC20, Ownable, Authorizable)
 - [Pub] <Constructor> #
 - [Pub] cap
 - [Pub] capUpdate #
 - modifiers: only Authorized
 - [Pub] lockFromUpdate #
 - modifiers: onlyAuthorized
 - [Pub] lockToUpdate #
 - modifiers: onlyAuthorized
 - [Pub] unlockedSupply
 - [Pub] lockedSupply
 - [Pub] circulatingSupply
 - [Pub] totalLock
 - [Int] beforeTokenTransfer#
 - [Int] transfer #
 - [Pub] mint #
 - modifiers: onlyOwner
 - [Pub] manualMint#
 - modifiers: onlyAuthorized
 - [Pub] totalBalanceOf
 - [Pub] lockOf
 - [Pub] lastUnlockBlock
 - [Pub] lock #
 - modifiers: onlyOwner
 - [Pub] canUnlockAmount
 - [Pub] unlock #
 - [Pub] transferAll #
 - [Ext] delegates
 - [Ext] delegate #
 - [Ext] delegateBySig #
 - [Ext] getCurrentVotes
 - [Ext] getPriorVotes
 - [Int] _delegate #
 - [Int] moveDelegates #
 - [Int] _writeCheckpoint #
 - [Int] safe32
 - [Int] getChainId
- (\$) = payable function # = non-constant function

Issues Checking Status

	Issue description	Checking status
1.	Compiler errors.	Passed
2.	Race conditions and Reentrancy. Cross-function race conditions.	Passed
3.	Possible delays in data delivery.	Passed
4.	Oracle calls.	Passed
5.	Front running.	Passed
6.	Timestamp dependence.	Passed
7.	Integer Overflow and Underflow.	Passed
8.	DoS with Revert.	Passed
9.	DoS with block gas limit.	Passed
10.	Methods execution permissions.	Passed
11.	Economy model of the contract.	Passed
12.	The impact of the exchange rate on the logic.	Passed
13.	Private user data leaks.	Passed
14.	Malicious Event log.	Passed
15.	Scoping and Declarations.	Passed
16.	Uninitialized storage pointers.	Passed
17.	Arithmetic accuracy.	Passed
18.	Design Logic.	Low issue
19.	Cross-function race conditions.	Passed
20.	Safe Open Zeppelin contracts implementation and usage.	Passed
21.	Fallback function security.	Passed

Security Issues

⊘ High Severity Issues

No high severity issues found.

No medium severity issues found.

- Low Severity Issues
 - 1. Manual mint limit check

Issue:

 Manual mint limit check should be done before adding tokens to not exceed manualMintLimit.

```
function manualMint(address _to, uint256 _amount) public onlyAuthorized {
    if(manualMinted < manualMintLimit){
        _mint(_to, _amount);
        _moveDelegates(address(0), _delegates[_to], _amount);
        manualMinted = manualMinted.add(_amount);
}</pre>
```

Recommendation:

Check manualMinted plus mint amount is less than manualMintLimit.

Owner privileges (In the period when the owner is not renounced)

Owner can add / remove authorized user.

```
function addAuthorized(address _toAdd) onlyOwner public {
    authorized[_toAdd] = true;
}

function removeAuthorized(address _toRemove) onlyOwner public {
    require(_toRemove != msg.sender);
    authorized[_toRemove] = false;
}
```

Owner can mint tokens up to capitalization amount.

```
function mint(address _to, uint256 _amount) public onlyOwner {
    _mint(_to, _amount);
    _movebelegates(address(0), _delegates[_to], _amount);
}

function _mint(address account, uint256 amount) internal virtual {
    require(account != address(0), "ERC20: mint to the zero address");

    _beforeTokenTransfer(address(0), account, amount);

    _totalSupply = _totalSupply.add(amount);
    _balances[account] = _balances[account].add(amount);
    emit Transfer(address(0), account, amount);
}

function _beforeTokenTransfer(address from, address to, uint256 amount) internal virtual override {
    super._beforeTokenTransfer(from, to, amount);

    if (from == address(0)) { // When minting tokens
        require(totalSupply().add(amount) <= _cap, "ERC20Capped: cap exceeded");
}
}</pre>
```

Owner can lock tokens of any user.

```
function lock(address _holder, uint256 _amount) public onlyOwner {
    require(_holder != address(0), "ERC20: lock to the zero address");
    require(_amount <= balanceOf(_holder), "ERC20: lock amount over blance");

    _transfer(_holder, address(this), _amount);

    _locks[_holder] = _locks[_holder].add(_amount);
    _totalLock = _totalLock.add(_amount);
    if (_lastUnlockBlock[_holder] < lockFromBlock) {
        _lastUnlockBlock[_holder] = lockFromBlock;
    }
    emit Lock(_holder, _amount);
}</pre>
```

Authorized privileges (owner is authorized user)

Authorized addresses can update capitalization amount.

```
// Update the total cap - can go up or down but wont destroy prevoius tokens.
function capUpdate(uint256 _newCap) public onlyAuthorized {
    _cap = _newCap;
}
```

 Authorized addresses can update lock from block / lock to block values.

```
// Update the lockFromBlock
function lockFromUpdate(uint256 _newLockFrom) public onlyAuthorized {
    lockFromBlock = _newLockFrom;
}

// Update the lockToBlock
function lockToUpdate(uint256 _newLockTo) public onlyAuthorized {
    lockToBlock = _newLockTo;
}
```

Authorized addresses can mint tokens up to manualMintLimit.

```
function manualMint(address _to, uint256 _amount) public onlyAuthorized {
    if(manualMinted < manualMintLimit){
        _mint(_to, _amount);
        _moveDelegates(address(0), _delegates[_to], _amount);
        manualMinted = manualMinted.add(_amount);
    }
}</pre>
```

Conclusion

Smart	contracts	contain	low	severity	issue	and	owner	/ authoriz	:ed
user p	rivileges!								

TechRate note:

Please check the disclaimer above and note, the audit makes no statements or warranties on business model, investment attractiveness or code sustainability. The report is provided for the only contract mentioned in the report and does not include any other potential contracts deployed by Owner.

