



TechRate
AUDIT COMPANY

Smart Contract Security Audit

Audit Details



Audited project

BillzHub



Deployer address

0x0fcf60b8516bdc4eadd3b0ede5cfa3341e6cc125



Client contacts:

BillzHub team



Blockchain

Binance Smart Chain



Project website:

<https://billzhub.world>

Disclaimer

This is a limited report on our findings based on our analysis, in accordance with good industry practice as at the date of this report, in relation to cybersecurity vulnerabilities and issues in the framework and algorithms based on smart contracts, the details of which are set out in this report. In order to get a full view of our analysis, it is crucial for you to read the full report. While we have done our best in conducting our analysis and producing this report, it is important to note that you should not rely on this report and cannot claim against us on the basis of what it says or doesn't say, or how we produced it, and it is important for you to conduct your own independent investigations before making any decisions. We go into more detail on this in the below disclaimer below – please make sure to read it in full.

DISCLAIMER: By reading this report or any part of it, you agree to the terms of this disclaimer. If you do not agree to the terms, then please immediately cease reading this report, and delete and destroy any and all copies of this report downloaded and/or printed by you. This report is provided for information purposes only and on a non-reliance basis, and does not constitute investment advice. No one shall have any right to rely on the report or its contents, and TechRate and its affiliates (including holding companies, shareholders, subsidiaries, employees, directors, officers and other representatives) (TechRate) owe no duty of care towards you or any other person, nor does TechRate make any warranty or representation to any person on the accuracy or completeness of the report. The report is provided "as is", without any conditions, warranties or other terms of any kind except as set out in this disclaimer, and TechRate hereby excludes all representations, warranties, conditions and other terms (including, without limitation, the warranties implied by law of satisfactory quality, fitness for purpose and the use of reasonable care and skill) which, but for this clause, might have effect in relation to the report. Except and only to the extent that it is prohibited by law, TechRate hereby excludes all liability and responsibility, and neither you nor any other person shall have any claim against TechRate, for any amount or kind of loss or damage that may result to you or any other person (including without limitation, any direct, indirect, special, punitive, consequential or pure economic loss or damages, or any loss of income, profits, goodwill, data, contracts, use of money, or business interruption, and whether in delict, tort (including without limitation negligence), contract, breach of statutory duty, misrepresentation (whether innocent or negligent) or otherwise under any claim of any nature whatsoever in any jurisdiction) in any way arising from or connected with this report and the use, inability to use or the results of use of this report, and any reliance on this report.

The analysis of the security is purely based on the smart contracts alone. No applications or operations were reviewed for security. No product code has been reviewed.

Background

TechRate was commissioned by BillzHub to perform an audit of smart contracts:

<https://bscscan.com/address/0xe161dfbc59a3598638ac99eeaeb66304576ead3a#code>

The purpose of the audit was to achieve the following:

- Ensure that the smart contract functions as intended.
- Identify potential security issues with the smart contract.

The information in this report should be used to understand the risk exposure of the smart contract, and as a guide to improve the security posture of the smart contract by remediating the issues that were identified.

Contracts Details

Token contract details for 12.10.2021

| | |
|----------------------------------|--|
| Contract name | BillzHub |
| Contract address | 0x0fcf60b8516bdc4eadd3b0ede5cfa3341e6cc125 |
| Total supply | 1,000,000,000,000 |
| Token ticker | Billz |
| Decimals | 8 |
| Token holders | 1 |
| Transactions count | 1 |
| Top 100 holders dominance | 100.00% |
| Liquidity fee | 60 |
| Tax fee | 20 |
| Total fees | 0 |
| Uniswap V2 pair | 0x8931b76d06ba77d603f99e031d407f8e6d1a0ee8 |
| Contract deployer address | 0x0fcf60b8516bdc4eadd3b0ede5cfa3341e6cc125 |
| Contract's current owner address | 0x0fcf60b8516bdc4eadd3b0ede5cfa3341e6cc125 |


BillzHub Token Distribution

The top 100 holders collectively own 100.00% (1,000,000,000,000.00 Tokens) of BillzHub

Token Total Supply: 1,000,000,000,000.00 Token | Total Token Holders: 1

BillzHub Top 100 Token Holders

Source: BscScan.com




(A total of 1,000,000,000,000.00 tokens held by the top 100 accounts from the total supply of 1,000,000,000,000.00 token)

BillzHub Contract Interaction Details

Time Series: Token Contract Overview

Wed 6, Oct 2021 - Wed 6, Oct 2021

Token Contract 0xe161dfbc59a3598638ac99eeae66304576ead3a (BillzHub)
Source: BscScan.com



BillzHub Top 10 Token Holders

| Rank | Address | Quantity (Token) | Percentage |
|------|---|-------------------|------------|
| 1 | 0x0fc60b8516bdc4eadd3b0ede5cfa3341e6cc125 | 1,000,000,000,000 | 100.0000% |



Contract functions details

- + [Int] IBEP20
 - [Ext] totalSupply
 - [Ext] balanceOf
 - [Ext] transfer #
 - [Ext] allowance
 - [Ext] approve #
 - [Ext] transferFrom #
- + [Lib] SafeMath
 - [Int] add
 - [Int] sub
 - [Int] sub
 - [Int] mul
 - [Int] div
 - [Int] div
 - [Int] mod
 - [Int] mod
- + Context
 - [Int] _msgSender
 - [Int] _msgData
- + [Lib] Address
 - [Int] isContract
 - [Int] sendValue #
 - [Int] functionCall #
 - [Int] functionCall #
 - [Int] functionCallWithValue #
 - [Int] functionCallWithValue #
 - [Prv] _functionCallWithValue #
- + Ownable (Context)
 - [Pub] <Constructor> #
 - [Pub] owner
 - [Pub] renounceOwnership #
 - modifiers: onlyOwner
 - [Pub] transferOwnership #
 - modifiers: onlyOwner
 - [Pub] geUnlockTime
 - [Pub] lock #
 - modifiers: onlyOwner
 - [Pub] unlock #
- + [Int] IPancakeFactory
 - [Ext] feeTo
 - [Ext] feeToSetter
 - [Ext] getPair
 - [Ext] allPairs
 - [Ext] allPairsLength
 - [Ext] createPair #
 - [Ext] setFeeTo #

- [Ext] setFeeToSetter #
- + [Int] IPancakePair
 - [Ext] name
 - [Ext] symbol
 - [Ext] decimals
 - [Ext] totalSupply
 - [Ext] balanceOf
 - [Ext] allowance
 - [Ext] approve #
 - [Ext] transfer #
 - [Ext] transferFrom #
 - [Ext] DOMAIN_SEPARATOR
 - [Ext] PERMIT_TYPEHASH
 - [Ext] nonces
 - [Ext] permit #
 - [Ext] MINIMUM_LIQUIDITY
 - [Ext] factory
 - [Ext] token0
 - [Ext] token1
 - [Ext] getReserves
 - [Ext] price0CumulativeLast
 - [Ext] price1CumulativeLast
 - [Ext] kLast
 - [Ext] mint #
 - [Ext] burn #
 - [Ext] swap #
 - [Ext] skim #
 - [Ext] sync #
 - [Ext] initialize #
- + [Int] IPancakeRouter01
 - [Ext] factory
 - [Ext] WETH
 - [Ext] addLiquidity #
 - [Ext] addLiquidityETH (\$)
 - [Ext] removeLiquidity #
 - [Ext] removeLiquidityETH #
 - [Ext] removeLiquidityWithPermit #
 - [Ext] removeLiquidityETHWithPermit #
 - [Ext] swapExactTokensForTokens #
 - [Ext] swapTokensForExactTokens #
 - [Ext] swapExactETHForTokens (\$)
 - [Ext] swapTokensForExactETH #
 - [Ext] swapExactTokensForETH #
 - [Ext] swapETHForExactTokens (\$)
 - [Ext] quote
 - [Ext] getAmountOut
 - [Ext] getAmountIn
 - [Ext] getAmountsOut
 - [Ext] getAmountsIn
- + [Int] IPancakeRouter02 (IPancakeRouter01)
 - [Ext] removeLiquidityETHSupportingFeeOnTransferTokens #
 - [Ext] removeLiquidityETHWithPermitSupportingFeeOnTransferTokens #

- [Ext] swapExactTokensForTokensSupportingFeeOnTransferTokens #
- [Ext] swapExactETHForTokensSupportingFeeOnTransferTokens (\$)
- [Ext] swapExactTokensForETHSupportingFeeOnTransferTokens #
- + [Lib] Utils
 - [Int] swapTokensForEth #
 - [Int] swapETHForTokens #
 - [Int] addLiquidity #
- + ReentrancyGuard
 - [Pub] <Constructor> #
- + BillzHub (Context, IBEP20, Ownable, ReentrancyGuard)
 - [Pub] <Constructor> #
 - [Pub] name
 - [Pub] symbol
 - [Pub] decimals
 - [Pub] totalSupply
 - [Pub] balanceOf
 - [Pub] transfer #
 - [Pub] allowance
 - [Pub] approve #
 - [Pub] transferFrom #
 - [Pub] increaseAllowance #
 - [Pub] decreaseAllowance #
 - [Pub] isExcludedFromReward
 - [Ext] startTrading #
 - modifiers: onlyOwner
 - [Pub] totalFees
 - [Pub] deliver #
 - [Pub] reflectionFromToken
 - [Pub] tokenFromReflection
 - [Pub] excludeFromReward #
 - modifiers: onlyOwner
 - [Ext] includeInReward #
 - modifiers: onlyOwner
 - [Pub] excludeFromFee #
 - modifiers: onlyOwner
 - [Pub] includeInFee #
 - modifiers: onlyOwner
 - [Pub] setMaxTxPercent #
 - modifiers: onlyOwner
 - [Pub] setMinTokenNumberToSell #
 - modifiers: onlyOwner
 - [Pub] setExcludeFromMaxTx #
 - modifiers: onlyOwner
 - [Ext] setTaxFeePercent #
 - modifiers: onlyOwner
 - [Ext] setLiquidityFeePercent #
 - modifiers: onlyOwner
 - [Ext] setMarketFeePercent #
 - modifiers: onlyOwner
 - [Ext] setDevFeePercent #
 - modifiers: onlyOwner
 - [Pub] setSwapAndLiquifyEnabled #

- modifiers: onlyOwner
- [Ext] setReflectionFees #
 - modifiers: onlyOwner
- [Ext] setMarketAddress #
 - modifiers: onlyOwner
- [Ext] setDevAddress #
 - modifiers: onlyOwner
- [Ext] setPancakeRouter #
 - modifiers: onlyOwner
- [Ext] <Fallback> (\$)
- [Int] totalFeePerTx
- [Prv] _reflectFee #
- [Prv] _getRate
- [Prv] _getCurrentSupply
- [Int] _takePoolFee #
- [Int] _takeMarketFee #
- [Int] _takeDevFee #
- [Prv] removeAllFee #
- [Prv] restoreAllFee #
- [Pub] isExcludedFromFee
- [Prv] _approve #
- [Prv] _transfer #
- [Prv] _tokenTransfer #
- [Prv] _transferStandard #
- [Prv] _transferToExcluded #
- [Prv] _transferFromExcluded #
- [Prv] _transferBothExcluded #
- [Prv] swapAndLiquify #

(\$)= payable function

= non-constant function

Issues Checking Status

| Issue description | Checking status |
|--|-----------------|
| 1. Compiler errors. | Passed |
| 2. Race conditions and Reentrancy. Cross-function race conditions. | Passed |
| 3. Possible delays in data delivery. | Passed |
| 4. Oracle calls. | Passed |
| 5. Front running. | Passed |
| 6. Timestamp dependence. | Passed |
| 7. Integer Overflow and Underflow. | Passed |
| 8. DoS with Revert. | Passed |
| 9. DoS with block gas limit. | Low issues |
| 10. Methods execution permissions. | Passed |
| 11. Economy model of the contract. | Passed |
| 12. The impact of the exchange rate on the logic. | Passed |
| 13. Private user data leaks. | Passed |
| 14. Malicious Event log. | Passed |
| 15. Scoping and Declarations. | Passed |
| 16. Uninitialized storage pointers. | Passed |
| 17. Arithmetic accuracy. | Passed |
| 18. Design Logic. | Passed |
| 19. Cross-function race conditions. | Passed |
| 20. Safe Open Zeppelin contracts implementation and usage. | Passed |
| 21. Fallback function security. | Passed |

Security Issues

✓ High Severity Issues

No high severity issues found.

✓ Medium Severity Issues

No medium severity issues found.

✓ Low Severity Issues

1. Out of gas

Issue:

- The function `includeInReward()` uses the loop to find and remove addresses from the `_excluded` list. Function will be aborted with `OUT_OF_GAS` exception if there will be a long excluded addresses list.

```
function includeInReward(address account) external onlyOwner {
    require(!_isExcluded[account], "Account is already excluded");
    for (uint256 i = 0; i < _excluded.length; i++) {
        if (_excluded[i] == account) {
            _excluded[i] = _excluded[_excluded.length - 1];
            _rOwned[account] = _tOwned[account].mul(_getRate());
            _tOwned[account] = 0;
            _isExcluded[account] = false;
            _excluded.pop();
            break;
        }
    }
}
```

- The function `_getCurrentSupply` also uses the loop for evaluating total supply. It also could be aborted with `OUT_OF_GAS` exception if there will be a long excluded addresses list.

```
function _getCurrentSupply() private view returns (uint256, uint256) {
    uint256 rSupply = _rTotal;
    uint256 tSupply = _tTotal;
    for (uint256 i = 0; i < _excluded.length; i++) {
        if (_rOwned[_excluded[i]] > rSupply || _tOwned[_excluded[i]] > tSupply) return (_rTotal, _tTotal);
        rSupply = rSupply.sub(_rOwned[_excluded[i]]);
        tSupply = tSupply.sub(_tOwned[_excluded[i]]);
    }
    if (rSupply < _rTotal.div(_tTotal)) return (_rTotal, _tTotal);
    return (rSupply, tSupply);
}
```

Recommendation:

Check that the excluded array length is not too big.

Owner privileges (In the period when the owner is not renounced)

- Owner can start trading.

```
function startTrading() external onlyOwner {
    _tradingOpen = true;
    _launchTime = block.timestamp;
}
```

- Owner include in and exclude from reward.

```
function excludeFromReward(address account) public onlyOwner {
    require(!_isExcluded[account], "Account is already excluded");
    if (_rOwned[account] > 0) {
        _tOwned[account] = tokenFromReflection(_rOwned[account]);
    }
    _isExcluded[account] = true;
    _excluded.push(account);
}

function includeInReward(address account) external onlyOwner {
    require(_isExcluded[account], "Account is already excluded");
    for (uint256 i = 0; i < _excluded.length; i++) {
        if (_excluded[i] == account) {
            _excluded[i] = _excluded[_excluded.length - 1];
            _rOwned[account] = _tOwned[account].mul(_getRate());
            _tOwned[account] = 0;
            _isExcluded[account] = false;
            _excluded.pop();
            break;
        }
    }
}
```

- Owner can include in and exclude from fee.

```
function excludeFromFee(address account) public onlyOwner {
    _isExcludedFromFee[account] = true;
}

function includeInFee(address account) public onlyOwner {
    _isExcludedFromFee[account] = false;
}
```

- Owner can change the maximum transaction amount and set address to avoid this maximum.

```
// for 1% input 100
function setMaxTxPercent(uint256 maxTxAmount) public onlyOwner {
    _maxTxAmount = _tTotal.mul(maxTxAmount).div(10000);
}

function setExcludeFromMaxTx(address _address, bool value) public onlyOwner {
    _isExcludedFromMaxTx[_address] = value;
}
```

- Owner can change minimum number of tokens to sell.

```
function setMinTokenNumberToSell(uint256 _amount) public onlyOwner {
    minTokenNumberToSell = _amount;
}
```

- Owner can change the tax, liquidity, market and dev fee.

```
function setTaxFeePercent(uint256 taxFee) external onlyOwner {
    _taxFee = taxFee;
}

function setLiquidityFeePercent(uint256 liquidityFee) external onlyOwner {
    _liquidityFee = liquidityFee;
}

function setMarketFeePercent(uint256 marketFee) external onlyOwner {
    _marketFee = marketFee;
}

function setDevFeePercent(uint256 devFee) external onlyOwner {
    _devFee = devFee;
}
```

- Owner can change pancake router.

```
function setPancakeRouter(IPancakeRouter02 _pancakeRouter) external onlyOwner {
    pancakeRouter = _pancakeRouter;
}
```

- Owner can change fees and fee receivers addresses.

```
function setFees(
    uint256 _ecosystemFee,
    uint256 _liquidityFee,
    uint256 _buyBackFee,
    uint256 _marketingFee,
    uint256 _feeDenominator
) external onlyOwner {
    ecosystemFee = _ecosystemFee;
    liquidityFee = _liquidityFee;
    buyBackFee = _buyBackFee;
    marketingFee = _marketingFee;
    totalFee = ecosystemFee.add(liquidityFee).add(marketingFee).add(buyBackFee);
    feeDenominator = _feeDenominator;
    require(totalFee < feeDenominator / 4);
}

function setFeeReceivers(
    address _autoLiquidityReceiver,
    address _ecosystemFeeReceiver,
    address _marketingFeeReceiver,
    address _buyBackFeeReceiver
) external onlyOwner {
    autoLiquidityReceiver = _autoLiquidityReceiver;
    ecosystemFeeReceiver = _ecosystemFeeReceiver;
    marketingFeeReceiver = _marketingFeeReceiver;
    buyBackFeeReceiver = _buyBackFeeReceiver;
}
```

- Owner can enable / disable swap and liquify.

```
function setSwapAndLiquifyEnabled(bool _state) public onlyOwner {
    swapAndLiquifyEnabled = _state;
    emit SwapAndLiquifyEnabledUpdated(_state);
}
```


- Owner can enable / disable reflection fee.

```
function setReflectionFees(bool _state) external onlyOwner {  
    reflectionFeesdisabled = _state;  
}
```

- Owner can change market and dev address.

```
function setMarketAddress(address payable _marketAddress) external onlyOwner {  
    marketWallet = _marketAddress;  
}  
  
function setDevAddress(address payable _devAddress) external onlyOwner {  
    devWallet = _devAddress;  
}
```

Conclusion

Smart contracts contain low severity issues and owner privileges!
Liquidity pair contract's security is not checked due to out of scope.

Liquidity locking details are NOT provided by the team.

TechRate note:

Please check the disclaimer above and note, the audit makes no statements or warranties on business model, investment attractiveness or code sustainability. The report is provided for the only contract mentioned in the report and does not include any other potential contracts deployed by Owner.