A05 — Spesifikasi antarmuka

© 2026 Dea Saka Kurnia Putra. All rights reserved.

Kontrol dokumen	
ID dokumen	A05
Judul	Spesifikasi antarmuka
Versi	0.1.0 (= versi aplikasi) · commit `d5961b2`
Tanggal	2026-10-25
Status	Draf
Klasifikasi	Internal
Pemilik	Dea Saka Kurnia Putra
Penyusun	Dibangkitkan oleh `scripts/compliance/*` (Claude Code) dari sumber kebenaran repo
Penyetuju	[KONFIRMASI] — penyetuju dokumen belum ditetapkan
Lingkup	API HTTP, event SSE, tool, kontrak data
Standar acuan	ISO/IEC/IEEE 15289:2019 (interface description); OpenAPI 3.1
Dokumen terkait	A04

Riwayat perubahan

Versi	Tanggal	Perubahan
0.1.0	2026-10-25	Versi pertama, dibangkitkan dari sumber kebenaran repo.

1. API HTTP

OpenAPI 3.1 (kerangka dibangkitkan dari `server/handler.ts`): `openapi.json`. Skema isi permintaan didefinisikan dengan zod di `src/shared/chat-protocol.ts`.

Metode	Rute
GET	`/api/health`
GET	`/api/version`
GET	`/api/dex`
POST	`/api/feedback`
POST	`/api/chat`

2. Event SSE

Jenis event yang didefinisikan di protokol: .

3. Tool per Dex

Dex	Tool	Deskripsi
Pasar Global	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
Pasar Global	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
Pasar Global	`app_info`	Information about the Askfolio app and its creator. Use when asked who made the app.
Pasar Global	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
Pasar Global	`open_dex`	Offer the user a button that opens another Askfolio Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
Pasar Global	`search_entities`	Find asset ids in this dataset by code or name (accent/case-insensitive). Use before other tools when you are unsure of the exact id.
Pasar Global	`get_snapshot`	Latest metrics of one asset: last value and date, returns 1D–MAX, CAGR, volatility, max drawdown, 52W high/low, ATH, quality flags, and descriptors. Use for "ho
Pasar Global	`get_history`	Price history of one asset between optional dates (≤ 400 points, with chart). Use for trends over time and "what happened on/around a date".
Pasar Global	`compare`	Compare 2–5 assets: rebased-to-100 chart over a common window plus a metric table (period return, CAGR, volatility, max drawdown). Period defaults to the datase
Pasar Global	`calendar_returns`	Calendar-year returns of one asset (first and current years flagged partial), with heatmap. Use for "return in year X" or year-by-year questions.
Pasar Global	`rank`	Rank assets by a metric from the catalogue (e.g. ret_1D…ret_MAX, cagr_5Y, vol_1Y, mdd, pct_from_ath, plus Dex-specific fields). Optional filter on one categoric
Pasar Global	`correlation`	Correlation matrix of daily returns for 2–8 assets over 1, 3, or 5 years (prices aligned on common dates first), with heatmap.
Pasar Global	`drawdowns`	Largest drawdown episodes (peak, trough, recovery date or null) of one asset, with underwater chart.
Pasar Global	`extreme_moves`	Largest daily moves (close-to-close) of one asset, optionally within dates and by direction. Dates are as recorded in the dataset.
Pasar Global	`event_window`	Price behaviour around a dated event: return from the last close before the event to the window end (default −5 to +20 trading days), with the low point inside
Pasar Global	`cross_dex_lookup`	Suggest which Askfolio Dex holds data for a topic this dataset does not cover (e.g. IHSG, USD/IDR, Indonesian stocks, dividends, DeFi, central banks, law). Retu
Saham Teknologi AS	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
Saham Teknologi AS	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
Saham Teknologi AS	`app_info`	Information about the Askfolio app and its creator. Use when asked who made the app.
Saham Teknologi AS	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
Saham Teknologi AS	`open_dex`	Offer the user a button that opens another Askfolio Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex

Dex	Tool	Deskripsi
Saham Teknologi AS	`search_entities`	Find stock ids in this dataset by code or name (accent/case-insensitive). Use before other tools when you are unsure of the exact id.
Saham Teknologi AS	`get_snapshot`	Latest metrics of one stock: last value and date, returns 1D–MAX, CAGR, volatility, max drawdown, 52W high/low, ATH, quality flags, and descriptors. Use for "ho
Saham Teknologi AS	`get_history`	Price history of one stock between optional dates (≤ 400 points, with chart). Use for trends over time and "what happened on/around a date".
Saham Teknologi AS	`compare`	Compare 2–5 stocks: rebased-to-100 chart over a common window plus a metric table (period return, CAGR, volatility, max drawdown). Period defaults to the datase
Saham Teknologi AS	`calendar_returns`	Calendar-year returns of one stock (first and current years flagged partial), with heatmap. Use for "return in year X" or year-by-year questions.
Saham Teknologi AS	`rank`	Rank stocks by a metric from the catalogue (e.g. ret_1D…ret_MAX, cagr_5Y, vol_1Y, mdd, pct_from_ath, plus Dex-specific fields). Optional filter on one categoric
Saham Teknologi AS	`correlation`	Correlation matrix of daily returns for 2–8 stocks over 1, 3, or 5 years (prices aligned on common dates first), with heatmap.
Saham Teknologi AS	`drawdowns`	Largest drawdown episodes (peak, trough, recovery date or null) of one stock, with underwater chart.
Saham Teknologi AS	`extreme_moves`	Largest daily moves (close-to-close) of one stock, optionally within dates and by direction. Dates are as recorded in the dataset.
Saham Teknologi AS	`pulse`	Universe breadth as of the last date: advancers/decliners, % of stocks above SMA200 (eligible count), new 52-week highs/lows, and the survivorship-biased equal-
Saham Teknologi AS	`technical`	Descriptive technicals of one ticker: SMA50, SMA200, RSI14 (Wilder), and the most recent golden/death cross within the last 60 rows, with price + SMA chart. Des
Saham Teknologi AS	`beta`	Beta of one ticker versus ^IXIC over 1, 3, or 5 years (prices aligned on common dates first; min 120 returns).
Saham Teknologi AS	`growth_lab`	Top tickers by long-run growth metrics: multiple_MAX (end ÷ start over the analysis window), cagr_5Y, cagr_10Y, or pct_from_ath (closest to all-time high).
Saham Teknologi AS	`period_rank`	Rank all tickers by return over any custom period (start → end), computed from the source-adjusted close matrix (close on/before each date).
500 Saham Besar AS	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
500 Saham Besar AS	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
500 Saham Besar AS	`app_info`	Information about the Askfolio app and its creator. Use when asked who made the app.
500 Saham Besar AS	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
500 Saham Besar AS	`open_dex`	Offer the user a button that opens another Askfolio Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
500 Saham Besar AS	`search_entities`	Find stock ids in this dataset by code or name (accent/case-insensitive). Use before other tools when you are unsure of the exact id.
500 Saham Besar AS	`get_snapshot`	Latest metrics of one stock: last value and date, returns 1D–MAX, CAGR, volatility, max drawdown, 52W high/low, ATH, quality flags, and descriptors. Use for "ho

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex

Dex	Tool	Deskripsi
500 Saham Besar AS	`get_history`	Price history of one stock between optional dates (≤ 400 points, with chart). Use for trends over time and "what happened on/around a date".
500 Saham Besar AS	`compare`	Compare 2–5 stocks: rebased-to-100 chart over a common window plus a metric table (period return, CAGR, volatility, max drawdown). Period defaults to the datase
500 Saham Besar AS	`calendar_returns`	Calendar-year returns of one stock (first and current years flagged partial), with heatmap. Use for "return in year X" or year-by-year questions.
500 Saham Besar AS	`rank`	Rank stocks by a metric from the catalogue (e.g. ret_1D…ret_MAX, cagr_5Y, vol_1Y, mdd, pct_from_ath, plus Dex-specific fields). Optional filter on one categoric
500 Saham Besar AS	`correlation`	Correlation matrix of daily returns for 2–8 stocks over 1, 3, or 5 years (prices aligned on common dates first), with heatmap.
500 Saham Besar AS	`drawdowns`	Largest drawdown episodes (peak, trough, recovery date or null) of one stock, with underwater chart.
500 Saham Besar AS	`extreme_moves`	Largest daily moves (close-to-close) of one stock, optionally within dates and by direction. Dates are as recorded in the dataset.
500 Saham Besar AS	`pulse`	Universe breadth as of the last date: advancers/decliners, % of stocks above SMA200 (eligible count), new 52-week highs/lows, and the survivorship-biased equal-
500 Saham Besar AS	`technical`	Descriptive technicals of one ticker: SMA50, SMA200, RSI14 (Wilder), and the most recent golden/death cross within the last 60 rows, with price + SMA chart. Des
500 Saham Besar AS	`beta`	Beta of one ticker versus ^GSPC over 1, 3, or 5 years (prices aligned on common dates first; min 120 returns).
500 Saham Besar AS	`growth_lab`	Top tickers by long-run growth metrics: multiple_MAX (end ÷ start over the analysis window), cagr_5Y, cagr_10Y, or pct_from_ath (closest to all-time high).
500 Saham Besar AS	`period_rank`	Rank all tickers by return over any custom period (start → end), computed from the Adj Close (total return) matrix (close on/before each date).
500 Saham Besar AS	`dividends`	Dividend profile of one ticker: TTM dividends and yield, annual dividends per calendar year, increase streak, 5Y/10Y dividend CAGR, last dividend. Special divid
500 Saham Besar AS	`splits`	Stock split history (date and ratio) of one ticker, from the dataset Stock Splits column.
500 Saham Besar AS	`volume_profile`	Liquidity of one ticker: average volume 20 days and 3 months, average traded value (close × volume) 20 days, with recent volume chart. Volume 0 means not availa
500 Saham Besar AS	`simulate_investment`	Historical simulation of investing an amount (USD) in one ticker from a start date to the last date, with dividend reinvestment (Adj Close) or without (shares ×
500 Saham Besar AS	`total_vs_price_return`	Total return (Adj Close, dividends reinvested) versus price return (Close) of one ticker over a period.
Raksasa E-Commerce	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
Raksasa E-Commerce	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
Raksasa E-Commerce	`app_info`	Information about the Askfolio app and its creator. Use when asked who made the app.
Raksasa E-Commerce	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex

Dex	Tool	Deskripsi
Raksasa E-Commerce	`open_dex`	Offer the user a button that opens another Askfolio Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
Raksasa E-Commerce	`search_entities`	Find company ids in this dataset by code or name (accent/case-insensitive). Use before other tools when you are unsure of the exact id.
Raksasa E-Commerce	`get_snapshot`	Latest metrics of one company: last value and date, returns 1D–MAX, CAGR, volatility, max drawdown, 52W high/low, ATH, quality flags, and descriptors. Use for "
Raksasa E-Commerce	`get_history`	Price history of one company between optional dates (≤ 400 points, with chart). Use for trends over time and "what happened on/around a date".
Raksasa E-Commerce	`compare`	Compare 2–5 companys: rebased-to-100 chart over a common window plus a metric table (period return, CAGR, volatility, max drawdown). Period defaults to the data
Raksasa E-Commerce	`calendar_returns`	Calendar-year returns of one company (first and current years flagged partial), with heatmap. Use for "return in year X" or year-by-year questions.
Raksasa E-Commerce	`rank`	Rank companys by a metric from the catalogue (e.g. ret_1D…ret_MAX, cagr_5Y, vol_1Y, mdd, pct_from_ath, plus Dex-specific fields). Optional filter on one categor
Raksasa E-Commerce	`correlation`	Correlation matrix of daily returns for 2–8 companys over 1, 3, or 5 years (prices aligned on common dates first), with heatmap.
Raksasa E-Commerce	`drawdowns`	Largest drawdown episodes (peak, trough, recovery date or null) of one company, with underwater chart.
Raksasa E-Commerce	`extreme_moves`	Largest daily moves (close-to-close) of one company, optionally within dates and by direction. Dates are as recorded in the dataset.
Raksasa E-Commerce	`company_profile`	Company profile: name, ticker, exchange, country, region, segment, founded date, HQ, founders, website, Wikipedia extract (CC BY-SA 4.0 with link), price and fi
Raksasa E-Commerce	`financials`	Annual financial statements of one company for chosen fields (e.g. total_revenue, net_income, operating_income, free_cash_flow), with the statement currency and
Raksasa E-Commerce	`peer_compare`	Median of a metric (e.g. ret_1Y, ret_YTD, vol_1Y, mdd, fin_net_margin) across companies grouped by segment, region, or country, plus the members.
Raksasa E-Commerce	`index_compare`	One company versus the dataset-provided e-commerce index (equal-weight, base 100 on 2015-01-05), both rebased to 100 on the first common date. Also gives index
Raksasa E-Commerce	`macro`	World Bank macro indicator for one country (13 countries, 2010–2025): e.g. internet_users_pct, account_ownership_pct_adult, gdp_per_capita_usd. Returns the year
IPO Global	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
IPO Global	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
IPO Global	`app_info`	Information about the Askfolio app and its creator. Use when asked who made the app.
IPO Global	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
IPO Global	`open_dex`	Offer the user a button that opens another Askfolio Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex

Dex	Tool	Deskripsi
IPO Global	`ipo_summary`	IPO counts (and total/median issue size in USD) grouped by year, country, exchange, board, sector, ipo_type, or listing_status, with filters. amount_status=veri
IPO Global	`ipo_search`	Search IPOs by company name or ticker, with filters.
IPO Global	`ipo_size_stats`	Issue-size statistics (USD, verified amounts): count, median, total, p25/p75, with filters.
IPO Global	`india_sme_vs_mainboard`	India IPOs split by board (SME vs Mainboard): counts and verified median size, optionally for one year.
IPO Global	`withdrawn_ipos`	IPOs whose listing_status is not Completed (e.g. withdrawn, postponed, announced, filed), counts by status and examples, with filters.
Ekonomi Indonesia	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
Ekonomi Indonesia	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
Ekonomi Indonesia	`app_info`	Information about the Askfolio app and its creator. Use when asked who made the app.
Ekonomi Indonesia	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
Ekonomi Indonesia	`open_dex`	Offer the user a button that opens another Askfolio Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
Ekonomi Indonesia	`search_entities`	Find asset ids in this dataset by code or name (accent/case-insensitive). Use before other tools when you are unsure of the exact id.
Ekonomi Indonesia	`get_snapshot`	Latest metrics of one asset: last value and date, returns 1D–MAX, CAGR, volatility, max drawdown, 52W high/low, ATH, quality flags, and descriptors. Use for "ho
Ekonomi Indonesia	`get_history`	Price history of one asset between optional dates (≤ 400 points, with chart). Use for trends over time and "what happened on/around a date".
Ekonomi Indonesia	`compare`	Compare 2–5 assets: rebased-to-100 chart over a common window plus a metric table (period return, CAGR, volatility, max drawdown). Period defaults to the datase
Ekonomi Indonesia	`calendar_returns`	Calendar-year returns of one asset (first and current years flagged partial), with heatmap. Use for "return in year X" or year-by-year questions.
Ekonomi Indonesia	`rank`	Rank assets by a metric from the catalogue (e.g. ret_1D…ret_MAX, cagr_5Y, vol_1Y, mdd, pct_from_ath, plus Dex-specific fields). Optional filter on one categoric
Ekonomi Indonesia	`correlation`	Correlation matrix of daily returns for 2–8 assets over 1, 3, or 5 years (prices aligned on common dates first), with heatmap.
Ekonomi Indonesia	`drawdowns`	Largest drawdown episodes (peak, trough, recovery date or null) of one asset, with underwater chart.
Ekonomi Indonesia	`extreme_moves`	Largest daily moves (close-to-close) of one asset, optionally within dates and by direction. Dates are as recorded in the dataset.
Ekonomi Indonesia	`macro_series`	Step series of a macro indicator: CPI (annual inflation rate in %, one value per year), BI_rate (Bank Indonesia policy rate %), US_rate (US policy rate %), opti
Ekonomi Indonesia	`rate_decisions`	BI rate changes (date and new level in %) between optional dates, plus the current level and the date it took effect.
Ekonomi Indonesia	`rate_differential`	Latest BI rate minus latest US rate (percentage points), and BI rate minus latest annual CPI inflation (approximate real rate).

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex

Dex	Tool	Deskripsi
Ekonomi Indonesia	`regime_returns`	Average daily return (and count of days) of one market series (IHSG, USDIDR, GOLD, OIL, SP500, VIX) split by regime: BI rate direction (rising / falling / uncha
Ekonomi Indonesia	`normalized_trend`	Several market series (IHSG, USDIDR, GOLD, OIL, SP500, VIX) rebased to 100 from a start date on a common chart.
Kurs Rupiah	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
Kurs Rupiah	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
Kurs Rupiah	`app_info`	Information about the Askfolio app and its creator. Use when asked who made the app.
Kurs Rupiah	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
Kurs Rupiah	`open_dex`	Offer the user a button that opens another Askfolio Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
Kurs Rupiah	`search_entities`	Find rate ids in this dataset by code or name (accent/case-insensitive). Use before other tools when you are unsure of the exact id.
Kurs Rupiah	`get_snapshot`	Latest metrics of one rate: last value and date, returns 1D–MAX, CAGR, volatility, max drawdown, 52W high/low, ATH, quality flags, and descriptors. Use for "how
Kurs Rupiah	`get_history`	Price history of one rate between optional dates (≤ 400 points, with chart). Use for trends over time and "what happened on/around a date".
Kurs Rupiah	`compare`	Compare 2–5 rates: rebased-to-100 chart over a common window plus a metric table (period return, CAGR, volatility, max drawdown). Period defaults to the dataset
Kurs Rupiah	`calendar_returns`	Calendar-year returns of one rate (first and current years flagged partial), with heatmap. Use for "return in year X" or year-by-year questions.
Kurs Rupiah	`rank`	Rank rates by a metric from the catalogue (e.g. ret_1D…ret_MAX, cagr_5Y, vol_1Y, mdd, pct_from_ath, plus Dex-specific fields). Optional filter on one categorica
Kurs Rupiah	`correlation`	Correlation matrix of daily returns for 2–8 rates over 1, 3, or 5 years (prices aligned on common dates first), with heatmap.
Kurs Rupiah	`drawdowns`	Largest drawdown episodes (peak, trough, recovery date or null) of one rate, with underwater chart.
Kurs Rupiah	`extreme_moves`	Largest daily moves (close-to-close) of one rate, optionally within dates and by direction. Dates are as recorded in the dataset.
Kurs Rupiah	`fx_on_date`	USD/IDR close on a date (last observation on/before that date, after bad-print cleaning).
Kurs Rupiah	`convert`	Historical conversion between USD and IDR using the USD/IDR close on/before a date. Educational; not a dealing rate.
Kurs Rupiah	`yearly_average`	Average USD/IDR per calendar year (mean of daily closes), for one year or all years.
Kurs Rupiah	`change`	Change of USD/IDR between two dates (positive = rupiah weakened), plus the high and low in between.
Kurs Rupiah	`compare_sources`	Cross-check of this USD/IDR dataset against the USDIDR column of the IDFinanDex dataset on overlapping days: overlap, maximum absolute difference, days with >1%

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex

Dex	Tool	Deskripsi
Kurs Rupiah	`event_window`	Price behaviour around a dated event: return from the last close before the event to the window end (default −5 to +20 trading days), with the low point inside
Kurs Rupiah	`live_latest`	Latest live data after the original dataset ends (validated snapshots from a registered open-data source): as-of date, source, switch date, flags. rupiahdex: US
Saham Indonesia	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
Saham Indonesia	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
Saham Indonesia	`app_info`	Information about the Askfolio app and its creator. Use when asked who made the app.
Saham Indonesia	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
Saham Indonesia	`open_dex`	Offer the user a button that opens another Askfolio Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
Saham Indonesia	`search_entities`	Find stock ids in this dataset by code or name (accent/case-insensitive). Use before other tools when you are unsure of the exact id.
Saham Indonesia	`get_snapshot`	Latest metrics of one stock: last value and date, returns 1D–MAX, CAGR, volatility, max drawdown, 52W high/low, ATH, quality flags, and descriptors. Use for "ho
Saham Indonesia	`get_history`	Price history of one stock between optional dates (≤ 400 points, with chart). Use for trends over time and "what happened on/around a date".
Saham Indonesia	`compare`	Compare 2–5 stocks: rebased-to-100 chart over a common window plus a metric table (period return, CAGR, volatility, max drawdown). Period defaults to the datase
Saham Indonesia	`calendar_returns`	Calendar-year returns of one stock (first and current years flagged partial), with heatmap. Use for "return in year X" or year-by-year questions.
Saham Indonesia	`rank`	Rank stocks by a metric from the catalogue (e.g. ret_1D…ret_MAX, cagr_5Y, vol_1Y, mdd, pct_from_ath, plus Dex-specific fields). Optional filter on one categoric
Saham Indonesia	`correlation`	Correlation matrix of daily returns for 2–8 stocks over 1, 3, or 5 years (prices aligned on common dates first), with heatmap.
Saham Indonesia	`drawdowns`	Largest drawdown episodes (peak, trough, recovery date or null) of one stock, with underwater chart.
Saham Indonesia	`extreme_moves`	Largest daily moves (close-to-close) of one stock, optionally within dates and by direction. Dates are as recorded in the dataset.
Saham Indonesia	`company_profile`	Issuer directory entry: code, name, listing date (from the IDX listed-companies file), IDX profile link, plus last price and date.
Saham Indonesia	`fundamentals`	Latest-FY fundamentals of one ticker: revenue, net income, total assets, equity, liabilities, EPS, shares, FCF by year (2020–2023), and ROE, NPM, DER.
Saham Indonesia	`valuation`	Valuation of one ticker at the last price (2024-05-17): PER (price ÷ latest-FY EPS), PBV, market capitalisation (price × shares).
Saham Indonesia	`screen_fundamentals`	Screen stocks by fundamental thresholds (null = no filter): roe_min, per_max, pbv_max, npm_min, der_max, market_cap_min_idr. Results sorted by market cap.
Saham Indonesia	`beta_vs_ihsg`	Beta of one stock versus IHSG over 3 years (Adj Close returns aligned with the IDFinanDex IHSG series; min 120 returns).

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex

Dex	Tool	Deskripsi
Saham Indonesia	`liquidity`	Liquidity of one stock: average traded value (close × volume) over the last 20 days in IDR, share of zero-volume days in the last year, with volume chart.
Saham Indonesia	`ipo_list`	List e-IPO records with optional filters: status (Closed, Canceled, …), year (listing year), sector, board, participant_admin (substring).
Saham Indonesia	`ipo_stats`	IPO statistics for Closed IPOs: overall median/mean day-1 return and share positive, plus counts and median D1 grouped by year, sector, board, participant_admin
Saham Indonesia	`ipo_detail`	Full e-IPO record of one ticker (status, sector, board, offering details, book-building range, final price, returns D1–D7, warrant terms).
Reksa Dana	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
Reksa Dana	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
Reksa Dana	`app_info`	Information about the Askfolio app and its creator. Use when asked who made the app.
Reksa Dana	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
Reksa Dana	`open_dex`	Offer the user a button that opens another Askfolio Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
Reksa Dana	`search_entities`	Find fund ids in this dataset by code or name (accent/case-insensitive). Use before other tools when you are unsure of the exact id.
Reksa Dana	`get_snapshot`	Latest metrics of one fund: last value and date, returns 1D–MAX, CAGR, volatility, max drawdown, 52W high/low, ATH, quality flags, and descriptors. Use for "how
Reksa Dana	`get_history`	Price history of one fund between optional dates (≤ 400 points, with chart). Use for trends over time and "what happened on/around a date".
Reksa Dana	`compare`	Compare 2–5 funds: rebased-to-100 chart over a common window plus a metric table (period return, CAGR, volatility, max drawdown). Period defaults to the dataset
Reksa Dana	`calendar_returns`	Calendar-year returns of one fund (first and current years flagged partial), with heatmap. Use for "return in year X" or year-by-year questions.
Reksa Dana	`rank`	Rank funds by a metric from the catalogue (e.g. ret_1D…ret_MAX, cagr_5Y, vol_1Y, mdd, pct_from_ath, plus Dex-specific fields). Optional filter on one categorica
Reksa Dana	`correlation`	Correlation matrix of daily returns for 2–8 funds over 1, 3, or 5 years (prices aligned on common dates first), with heatmap.
Reksa Dana	`drawdowns`	Largest drawdown episodes (peak, trough, recovery date or null) of one fund, with underwater chart.
Reksa Dana	`extreme_moves`	Largest daily moves (close-to-close) of one fund, optionally within dates and by direction. Dates are as recorded in the dataset.
Reksa Dana	`industry_overview`	Industry snapshot at the latest month: total AUM (IDR), active funds, AUM and count by fund type, AUM by denomination, top managers and custodians, median 1Y re
Reksa Dana	`aum_trend`	Monthly AUM trend (IDR): total, by fund type, by denomination (ccy), or for the top 15 managers (mi), between optional dates.
Reksa Dana	`fund_search`	Search active funds by name (accent/case-insensitive), optionally filtered by fund type or manager.

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex

Dex	Tool	Deskripsi
Reksa Dana	`fund_detail`	One fund: manager, custodian, type, currency, AUM, NAV/unit, monthly returns 1M/YTD/1Y/3Y, annualised monthly volatility, extreme months, with NAV/unit chart.
Reksa Dana	`rank_funds`	Rank active funds by aum, ret_1M, ret_YTD, ret_1Y, ret_3Y, or vol_1Y, optionally filtered by type, manager, or currency (IDR/USD).
Reksa Dana	`mi_leaderboard`	Investment managers ranked by AUM, market share, or number of active funds at the latest month.
Reksa Dana	`custodian_share`	Custodian banks by AUM held and share of total at the latest month.
Reksa Dana	`fund_return_usd`	A fund's 1Y and 3Y NAV/unit returns converted to USD using RupiahDex month-end USD/IDR closes (cross-dataset; approximate).
Kripto & DeFi	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
Kripto & DeFi	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
Kripto & DeFi	`app_info`	Information about the Askfolio app and its creator. Use when asked who made the app.
Kripto & DeFi	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
Kripto & DeFi	`open_dex`	Offer the user a button that opens another Askfolio Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
Kripto & DeFi	`search_entities`	Find coin ids in this dataset by code or name (accent/case-insensitive). Use before other tools when you are unsure of the exact id.
Kripto & DeFi	`get_snapshot`	Latest metrics of one coin: last value and date, returns 1D–MAX, CAGR, volatility, max drawdown, 52W high/low, ATH, quality flags, and descriptors. Use for "how
Kripto & DeFi	`get_history`	Price history of one coin between optional dates (≤ 400 points, with chart). Use for trends over time and "what happened on/around a date".
Kripto & DeFi	`compare`	Compare 2–5 coins: rebased-to-100 chart over a common window plus a metric table (period return, CAGR, volatility, max drawdown). Period defaults to the dataset
Kripto & DeFi	`calendar_returns`	Calendar-year returns of one coin (first and current years flagged partial), with heatmap. Use for "return in year X" or year-by-year questions.
Kripto & DeFi	`rank`	Rank coins by a metric from the catalogue (e.g. ret_1D…ret_MAX, cagr_5Y, vol_1Y, mdd, pct_from_ath, plus Dex-specific fields). Optional filter on one categorica
Kripto & DeFi	`correlation`	Correlation matrix of daily returns for 2–8 coins over 1, 3, or 5 years (prices aligned on common dates first), with heatmap.
Kripto & DeFi	`drawdowns`	Largest drawdown episodes (peak, trough, recovery date or null) of one coin, with underwater chart.
Kripto & DeFi	`extreme_moves`	Largest daily moves (close-to-close) of one coin, optionally within dates and by direction. Dates are as recorded in the dataset.
Kripto & DeFi	`market_snapshot`	CoinGecko single-day snapshot of the top 250 coins: total market cap, BTC/ETH dominance, stablecoin market cap and share (heuristic), top 10 by market cap, top
Kripto & DeFi	`coin_lookup`	Look up a coin in the 250-coin snapshot by symbol or name: price, market cap & rank, volume, 1h/24h/7d/30d change (percent units), supply, ATH/ATL.

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex

Dex	Tool	Deskripsi
Kripto & DeFi	`rank_snapshot`	Rank snapshot coins by market_cap, price_change_pct_24h, price_change_pct_7d, price_change_pct_30d, or ath_change_pct (percent units), optionally only the top 1
Kripto & DeFi	`supply_info`	Supply data of one coin from the snapshot: circulating, total and max supply (null = no fixed max), fully diluted valuation.
Kripto & DeFi	`defi_overview`	DeFi headline numbers: total TVL (latest, ATH and date, % of ATH, 1Y/YTD change), stablecoin supply (latest, ATH), stablecoin-to-TVL ratio, and the protocol dou
Kripto & DeFi	`defi_tvl_history`	Daily DeFi TVL history (USD) between optional dates.
Kripto & DeFi	`chain_tvl`	Chain TVL: latest TVL and share for all chains (top 15), or the daily history of one chain.
Kripto & DeFi	`protocols`	Largest DeFi protocols by TVL (excluding CEX by default), optionally filtered by category or chain; plus TVL by category. Sums double-count.
Kripto & DeFi	`stablecoins`	Largest USD-pegged stablecoins by circulating supply with share of total supply, and counts by peg mechanism (DefiLlama).
Kripto & DeFi	`dex_activity`	Monthly DEX volume and fees (USD); the last month is incomplete. Includes the last complete month and the record month.
Kripto & DeFi	`yield_pools`	Yield pools from the latest DefiLlama snapshot with filters (stablecoin only, chain, project, minimum TVL): median and p90 APY (percent units) and the largest p
Kripto & DeFi	`fees_revenue`	Protocol fees (USD, 24h) and protocol revenue from the latest fees snapshot (deduplicated by name+date), grouped by protocol or category.
Kripto & DeFi	`fees_trend`	Daily 24h fees and revenue of one protocol across the fee snapshots (about one month).
Kripto & DeFi	`bots_kb`	Search the trading-bot knowledge base (bot/chain profiles, verified facts, Q&A, real-capital tests, LLM consensus) and return counts. Educational only; never re
Kripto & DeFi	`security_checklist`	Askfolio safety checklist for crypto bots and DeFi (editorial). Use whenever bots, yields, wallets, seed phrases, or private keys come up.
Bank Sentral Dunia	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
Bank Sentral Dunia	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
Bank Sentral Dunia	`app_info`	Information about the Askfolio app and its creator. Use when asked who made the app.
Bank Sentral Dunia	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
Bank Sentral Dunia	`open_dex`	Offer the user a button that opens another Askfolio Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
Bank Sentral Dunia	`balance_sheets`	Total assets of the Fed (USD million), ECB (EUR million), BoJ (JPY 100 million), or G3 combined (USD trillion): latest value, peak and date, and history between
Bank Sentral Dunia	`us_rates`	US series: policy rate, 10Y Treasury yield, 10Y–2Y spread (percentage points), CPI YoY inflation, or M2 (USD billion): latest and history.
Bank Sentral Dunia	`yield_curve_inversions`	Periods when the US 10Y–2Y spread was negative (inverted curve): start, end, length in days, deepest spread.

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex

Dex	Tool	Deskripsi
Bank Sentral Dunia	`country_money`	Annual World Bank money indicators for one country: broad money growth (% per year) and broad money (% of GDP), all years available; latest values with their ye
Bank Sentral Dunia	`rank_countries`	Rank countries by broad money growth or broad money % of GDP for one year (default latest). World Bank aggregates excluded.
Bank Sentral Dunia	`provider_labels`	Regime labels generated by the dataset provider for US rows (monetary policy regime, yield-curve regime, stress tier) over time — labels, not official data.
Inflasi Dunia	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
Inflasi Dunia	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
Inflasi Dunia	`app_info`	Information about the Askfolio app and its creator. Use when asked who made the app.
Inflasi Dunia	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
Inflasi Dunia	`open_dex`	Offer the user a button that opens another Askfolio Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
Inflasi Dunia	`inflation_rank`	Countries ranked by annual inflation (percent as provided, with the inflation year of each country), optionally by region or income level. Also returns the medi
Inflasi Dunia	`country_inflation`	One country: annual inflation (percent, with year), region, income level, and cost-of-living indices where available.
Inflasi Dunia	`cost_items`	Cost items for one country in USD: bread, one-way transport, monthly pass, monthly rent, utilities (where available).
Inflasi Dunia	`region_summary`	Median annual inflation (percent) grouped by region or income level.
Inflasi Dunia	`compare_countries`	Annual inflation (with year) and cost indices for 2–8 countries side by side.
Inflasi Dunia	`live_latest`	Latest live data after the original dataset ends (validated snapshots from a registered open-data source): as-of date, source, switch date, flags. rupiahdex: US
Pendanaan Startup	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
Pendanaan Startup	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
Pendanaan Startup	`app_info`	Information about the Askfolio app and its creator. Use when asked who made the app.
Pendanaan Startup	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
Pendanaan Startup	`open_dex`	Offer the user a button that opens another Askfolio Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
Pendanaan Startup	`funding_summary`	Funding totals: overall disclosed USD and rounds (from the summary), or grouped by year, country, sector, or stage with round counts, total and median amount. s
Pendanaan Startup	`rounds_search`	Search funding rounds by company name, with optional filters; returns rounds with news source and link (excerpts are short quotes).

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex

Dex	Tool	Deskripsi
Pendanaan Startup	`median_round`	Median round size (USD) for a stage, optionally for one year, using verified amounts.
Pendanaan Startup	`mega_rounds`	Largest rounds (≥ US$100 million), optionally for one year, with share of dollars.
Pendanaan Startup	`company_rounds`	All rounds of one company (by name or domain) in the sample.
Pendanaan Startup	`investor_leads`	Rounds led by an investor (substring match), with count and total disclosed USD; or the most frequent lead investors when null.
Direktori Investor	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
Direktori Investor	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
Direktori Investor	`app_info`	Information about the Askfolio app and its creator. Use when asked who made the app.
Direktori Investor	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
Direktori Investor	`open_dex`	Offer the user a button that opens another Askfolio Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
Direktori Investor	`investor_search`	Search investors by name, optionally by HQ country and investor type (VC, PE, CVC, accelerator, government, bank-debt, other).
Direktori Investor	`investor_profile`	Profile of one investor (by slug or name): type, HQ, deals, lead deals, portfolio size, active years, recent activity, stage shares, top sectors/countries, medi
Direktori Investor	`rank_investors`	Rank investors by deals, lead_deals, portfolio_companies, deals_2025_2026, or median_round_usd, optionally filtered by HQ country and type.
Direktori Investor	`stage_mix`	Seed / early / growth share of one investor's deals (by slug or name), or the average stage mix per investor type when slug is null.
Direktori Investor	`country_summary`	Investors headquartered in a country: count, by type, top investors by deals, median deals.
Jaringan Investor	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
Jaringan Investor	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
Jaringan Investor	`app_info`	Information about the Askfolio app and its creator. Use when asked who made the app.
Jaringan Investor	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
Jaringan Investor	`open_dex`	Offer the user a button that opens another Askfolio Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
Jaringan Investor	`top_pairs`	Investor pairs with the most shared deals, optionally filtered by top shared sector or country.
Jaringan Investor	`investor_partners`	Co-investment partners of one investor in the sample, sorted by shared deals.

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex

Dex	Tool	Deskripsi
Jaringan Investor	`network_stats`	Network statistics: pairs, unique investors, share of single-deal pairs, top investors by partners and weighted degree (from the summary); or one investor's deg
Jaringan Investor	`ego_graph`	Ego network of one investor (≤ 50 nodes): the investor, its strongest partners, and edges among them; edge weight = shared deals.
Jaringan Investor	`sector_country_links`	Most common top shared sectors and countries among pairs, optionally restricted to one sector or country.
Data Perusahaan	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
Data Perusahaan	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
Data Perusahaan	`app_info`	Information about the Askfolio app and its creator. Use when asked who made the app.
Data Perusahaan	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
Data Perusahaan	`open_dex`	Offer the user a button that opens another Askfolio Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
Data Perusahaan	`company_search`	Search companies by name or domain, optionally by country and sector.
Data Perusahaan	`company_counts`	Company counts grouped by country, sector, industry, status, founded decade, or employees range, with optional filters; or the total for the filters.
Data Perusahaan	`funded_share`	Share of companies that were ever funded, overall or grouped by sector, country, or status.
Data Perusahaan	`business_models`	Most common business models among companies.
Gaji Global	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
Gaji Global	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
Gaji Global	`app_info`	Information about the Askfolio app and its creator. Use when asked who made the app.
Gaji Global	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
Gaji Global	`open_dex`	Offer the user a button that opens another Askfolio Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
Gaji Global	`salary_stats`	Statistic (p25, median, p75, mean, count) of salary_mid_usd for postings matching filters (country ISO2, role_family, seniority, skill, industry_category). Requ
Gaji Global	`compare_salaries`	Median salary_mid_usd for 2–6 groups, each defined by filters (e.g. software-eng in US vs IN). Groups with n < 30 are reported as insufficient.
Gaji Global	`skill_premium`	Median salary of postings listing a skill versus postings without it (optionally within a country), with n for both groups.
Gaji Global	`top_skills`	Most frequent skills in postings, optionally filtered by country and role family, with each skill's median salary.

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex

Dex	Tool	Deskripsi
Gaji Global	`salary_distribution`	Distribution (histogram, p25/median/p75) of salary_mid_usd for postings matching filters, plus median by seniority.
Biaya Hidup Kota	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
Biaya Hidup Kota	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
Biaya Hidup Kota	`app_info`	Information about the Askfolio app and its creator. Use when asked who made the app.
Biaya Hidup Kota	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
Biaya Hidup Kota	`open_dex`	Offer the user a button that opens another Askfolio Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
Biaya Hidup Kota	`city_rank`	Rank cities by an index (cost_of_living_index, rent_index, groceries_index, restaurant_price_index, local_purchasing_power_index, quality_of_life_index, safety_
Biaya Hidup Kota	`city_profile`	All indices of one city for each survey date (synthetic data), plus the provider note.
Biaya Hidup Kota	`compare_cities`	Compare 2–6 cities on the main indices at the latest survey (synthetic data).
Biaya Hidup Kota	`survey_change`	Change of a city's indices between the 2023 and 2024 surveys (synthetic data).
Biaya Hidup Kota	`region_summary`	Median cost-of-living and quality-of-life indices by region, subregion, or development tier at the latest survey (synthetic data).
Rumah Subsidi	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
Rumah Subsidi	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
Rumah Subsidi	`app_info`	Information about the Askfolio app and its creator. Use when asked who made the app.
Rumah Subsidi	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
Rumah Subsidi	`open_dex`	Offer the user a button that opens another Askfolio Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
Rumah Subsidi	`housing_stats`	Statistic of price_idr (median, mean, p25, p75, count) for valid listings grouped by province, city_regency, subsidy_status, or developer_association, with opti
Rumah Subsidi	`price_per_m2`	Median price per m² of building area (price_idr ÷ building_area_m2, area > 0) for valid listings, overall by subsidy status or grouped.
Rumah Subsidi	`project_search`	Search housing projects by name, optionally by province and city.
Rumah Subsidi	`developer_summary`	Listings, provinces, and median price for a developer (name substring) or developer association (e.g. REI, APERSI); association shares when query is null.

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex

Dex	Tool	Deskripsi
Rumah Subsidi	`map_points`	Project locations (valid coordinates only) for a map, optionally by province and subsidy status; max 2,000 points (sampled evenly).
Rumah Subsidi	`specs_breakdown`	Distribution of one specification (bedrooms, bathrooms, floors, roof/wall/floor/foundation material) for valid listings, optionally by subsidy status. bedrooms
Harga Pesan-Antar Makanan	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
Harga Pesan-Antar Makanan	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
Harga Pesan-Antar Makanan	`app_info`	Information about the Askfolio app and its creator. Use when asked who made the app.
Harga Pesan-Antar Makanan	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
Harga Pesan-Antar Makanan	`open_dex`	Offer the user a button that opens another Askfolio Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
Harga Pesan-Antar Makanan	`markup_stats`	Median markup (online vs estimated dine-in price, in percent units) overall or grouped by city, cuisine, cloud_kitchen, or merchant, with optional city/cuisine
Harga Pesan-Antar Makanan	`item_search`	Search menu items by name (e.g. "nasi goreng"), optionally by city and cuisine.
Harga Pesan-Antar Makanan	`price_compare`	Online vs estimated dine-in prices for items matching a merchant or item name: medians and per-item rows.
Harga Pesan-Antar Makanan	`fee_promo_stats`	Median packaging fee (IDR) and promo discount (percent units), overall or grouped by city, cuisine, or cloud kitchen.
Harga Pesan-Antar Makanan	`provider_tiers`	Counts of provider-generated labels (inflation_distortion_tier, consumer_affordability_tier, cloud_kitchen_premium_bias, platform_take_rate_burden) — labels, no
Kemiskinan Multidimensi	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
Kemiskinan Multidimensi	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
Kemiskinan Multidimensi	`app_info`	Information about the Askfolio app and its creator. Use when asked who made the app.
Kemiskinan Multidimensi	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
Kemiskinan Multidimensi	`open_dex`	Offer the user a button that opens another Askfolio Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex

Dex	Tool	Deskripsi
Kemiskinan Multidimensi	`mpi_rank`	Countries ranked by an MPI indicator (mpi_value, mpi_headcount, mpi_intensity, or a dimension indicator), each with its survey year and source note.
Kemiskinan Multidimensi	`country_mpi`	All MPI indicators of one country with survey year and source note (e.g. "Survey: DHS (2017)"); percentages also given as fractions.
Kemiskinan Multidimensi	`dimension_breakdown`	The 10 deprivation indicators of one country (percent of people deprived, as provided), as a bar chart.
Kemiskinan Multidimensi	`compare_countries`	MPI value, headcount, and intensity for 2–8 countries side by side (survey years differ).
Berita Kependudukan	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
Berita Kependudukan	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
Berita Kependudukan	`app_info`	Information about the Askfolio app and its creator. Use when asked who made the app.
Berita Kependudukan	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
Berita Kependudukan	`open_dex`	Offer the user a button that opens another Askfolio Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
Berita Kependudukan	`coverage_trend`	Coverage per 10,000 news articles by month or year (provider-computed), with the peak month; the last month is partial.
Berita Kependudukan	`coverage_geo`	Where coverage comes from (2023–2026): by continent, country, city, US state, or Indian state, with share %.
Berita Kependudukan	`tone_breakdown`	Tone of coverage: share of positive/neutral/negative in the article sample, or tone counts by year / by country (provider aggregates).
Berita Kependudukan	`themes`	Top themes in coverage 2023–2026 (provider aggregates).
Berita Kependudukan	`organisations`	Top organisations in coverage 2023–2026 (provider aggregates).
Berita Kependudukan	`research_trend`	Academic papers on the topic per year and per 10,000 papers (provider aggregate).
Berita Kependudukan	`patents`	Patent families on the topic: by year, by CPC class, or by patent office (provider aggregates).
Berita Kependudukan	`top_papers`	Most-cited papers on the topic (title, year, venue, citations, DOI) from the provider aggregate.

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex

Dex	Tool	Deskripsi
Berita Kependudukan	`provider_findings`	Findings stated by the data provider (FINDINGS.md) with their grade: A exact count, B keyword rule, C outlet-sensitive. Always mention the grade.
Berita Kependudukan	`sample_articles`	Metadata of sampled article records (date, country, tone, themes, keywords) with filters; no article text.
Berita Tunawisma	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
Berita Tunawisma	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
Berita Tunawisma	`app_info`	Information about the Askfolio app and its creator. Use when asked who made the app.
Berita Tunawisma	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
Berita Tunawisma	`open_dex`	Offer the user a button that opens another Askfolio Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
Berita Tunawisma	`coverage_trend`	Coverage per 10,000 news articles by month or year (provider-computed), with the peak month; the last month is partial.
Berita Tunawisma	`coverage_geo`	Where coverage comes from (2023–2026): by continent, country, city, US state, or Indian state, with share %.
Berita Tunawisma	`tone_breakdown`	Tone of coverage: share of positive/neutral/negative in the article sample, or tone counts by year / by country (provider aggregates).
Berita Tunawisma	`themes`	Top themes in coverage 2023–2026 (provider aggregates).
Berita Tunawisma	`organisations`	Top organisations in coverage 2023–2026 (provider aggregates).
Berita Tunawisma	`research_trend`	Academic papers on the topic per year and per 10,000 papers (provider aggregate).
Berita Tunawisma	`patents`	Patent families on the topic: by year, by CPC class, or by patent office (provider aggregates).
Berita Tunawisma	`top_papers`	Most-cited papers on the topic (title, year, venue, citations, DOI) from the provider aggregate.
Berita Tunawisma	`provider_findings`	Findings stated by the data provider (FINDINGS.md) with their grade: A exact count, B keyword rule, C outlet-sensitive. Always mention the grade.
Berita Tunawisma	`sample_articles`	Metadata of sampled article records (date, country, tone, themes, keywords) with filters; no article text.
Berita Perumahan	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
Berita Perumahan	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
Berita Perumahan	`app_info`	Information about the Askfolio app and its creator. Use when asked who made the app.

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex

Dex	Tool	Deskripsi
Berita Perumahan	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
Berita Perumahan	`open_dex`	Offer the user a button that opens another Askfolio Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
Berita Perumahan	`coverage_trend`	Coverage per 10,000 news articles by month or year (provider-computed), with the peak month; the last month is partial.
Berita Perumahan	`coverage_geo`	Where coverage comes from (2023–2026): by continent, country, city, US state, or Indian state, with share %.
Berita Perumahan	`tone_breakdown`	Tone of coverage: share of positive/neutral/negative in the article sample, or tone counts by year / by country (provider aggregates).
Berita Perumahan	`themes`	Top themes in coverage 2023–2026 (provider aggregates).
Berita Perumahan	`organisations`	Top organisations in coverage 2023–2026 (provider aggregates).
Berita Perumahan	`research_trend`	Academic papers on the topic per year and per 10,000 papers (provider aggregate).
Berita Perumahan	`patents`	Patent families on the topic: by year, by CPC class, or by patent office (provider aggregates).
Berita Perumahan	`top_papers`	Most-cited papers on the topic (title, year, venue, citations, DOI) from the provider aggregate.
Berita Perumahan	`provider_findings`	Findings stated by the data provider (FINDINGS.md) with their grade: A exact count, B keyword rule, C outlet-sensitive. Always mention the grade.
Berita Perumahan	`sample_articles`	Metadata of sampled article records (date, country, tone, themes, keywords) with filters; no article text.
Ulasan Aplikasi Fintech	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
Ulasan Aplikasi Fintech	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
Ulasan Aplikasi Fintech	`app_info`	Information about the Askfolio app and its creator. Use when asked who made the app.
Ulasan Aplikasi Fintech	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
Ulasan Aplikasi Fintech	`open_dex`	Offer the user a button that opens another Askfolio Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
Ulasan Aplikasi Fintech	`sentiment_overview`	Sentiment counts and shares overall (rows, date range, platforms), or grouped by platform, month, or language.
Ulasan Aplikasi Fintech	`topic_breakdown`	Most frequent provider topic tags, emotions, financial signals, or mentioned products.

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex

Dex	Tool	Deskripsi
Ulasan Aplikasi Fintech	`search_posts`	Search posts by keyword (title/summary), optionally by platform and sentiment; returns summary, platform, date, URL — never the author.
Ulasan Aplikasi Fintech	`trend`	Monthly number of posts and share of each sentiment over time.
Ulasan Aplikasi Fintech	`aspect_sentiment`	Sentiment share of posts mentioning an aspect keyword group (ux, pricing, product, service, security, brand) — keyword matching on summaries, approximate.
Diskusi Keuangan Pribadi	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
Diskusi Keuangan Pribadi	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
Diskusi Keuangan Pribadi	`app_info`	Information about the Askfolio app and its creator. Use when asked who made the app.
Diskusi Keuangan Pribadi	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
Diskusi Keuangan Pribadi	`open_dex`	Offer the user a button that opens another Askfolio Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
Diskusi Keuangan Pribadi	`sentiment_overview`	Sentiment counts and shares overall (rows, date range, platforms), or grouped by platform, month, or language.
Diskusi Keuangan Pribadi	`topic_breakdown`	Most frequent provider topic tags, emotions, financial signals, or mentioned products.
Diskusi Keuangan Pribadi	`search_posts`	Search posts by keyword (title/summary), optionally by platform and sentiment; returns summary, platform, date, URL — never the author.
Diskusi Keuangan Pribadi	`trend`	Monthly number of posts and share of each sentiment over time.
Diskusi Keuangan Pribadi	`aspect_sentiment`	Sentiment share of posts mentioning an aspect keyword group (ux, pricing, product, service, security, brand) — keyword matching on summaries, approximate.
Tanya Hukum Umum	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
Tanya Hukum Umum	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
Tanya Hukum Umum	`app_info`	Information about the Askfolio app and its creator. Use when asked who made the app.

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex

Dex	Tool	Deskripsi
Tanya Hukum Umum	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
Tanya Hukum Umum	`open_dex`	Offer the user a button that opens another Askfolio Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
Tanya Hukum Umum	`list_sources`	Documents of this Dex's legal corpus ("umum") with their status (available = official text ingested and verified; pending = waiting for the document; failed = f
Tanya Hukum Umum	`search_law`	BM25 search over the ingested official texts of the "umum" corpus (per-article, explanation, and page chunks; light Indonesian synonyms). Returns original quota
Tanya Hukum Umum	`get_pasal`	Exact official text of one article (Pasal), optionally one paragraph (ayat), with document status. For documents whose text is pending, returns the labelled cat
Tanya Hukum Umum	`get_penjelasan`	Official explanation (PENJELASAN) of one article, when the document has one.
Tanya Hukum Umum	`regulation_status`	Is a regulation still in force? What amends/revokes it, when is it effective, and are its criminal penalties adjusted by UU 1/2026 (with the pages of the UU 1/2
Tanya Hukum Umum	`cross_reference`	Fetch an article from the OTHER law corpus ("keuangan") — e.g. UU Transfer Dana, UU ITE, UU PDP, POJK 22/2023. The quotation is labelled with its source Dex.
Tanya Hukum Umum	`start_flow`	Guided Consultation (§8.10): without flow_id, list the flows that match the user's situation (pass the user's words as question); with flow_id, return its first
Tanya Hukum Umum	`flow_step`	Advance a Guided Consultation deterministically: path = node ids so far (from the previous choices artifact), choice_index = 0-based option chosen. back_to = no
Tanya Hukum Umum	`channel_directory`	Official complaint/reporting channels (bank, IASC, Kontak OJK 157, SiPASTI, BI 131, cekrekening.id, aduannomor.id, police report, LAPS SJK, 112) with when to us
Tanya Hukum Umum	`glossary`	Legal term ↔ plain language: the official definition quoted from the general-provisions article of the relevant law (when found) plus a labelled plain-language
Tanya Hukum Umum	`open_page`	Text of one original PDF page and a preview ("Lihat halaman asli") — for citing pages where article headings were not detected (OCR) or for annexes.
Tanya Hukum Umum	`compare_versions`	Side-by-side texts on a topic: the old KUHAP (UU 8/1981) vs the new KUHAP (UU 20/2025), or the original 1945 Constitution vs the amended UUD NRI 1945 (pair = uu
Tanya Hak Keuangan	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
Tanya Hak Keuangan	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
Tanya Hak Keuangan	`app_info`	Information about the Askfolio app and its creator. Use when asked who made the app.
Tanya Hak Keuangan	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
Tanya Hak Keuangan	`open_dex`	Offer the user a button that opens another Askfolio Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
Tanya Hak Keuangan	`list_sources`	Documents of this Dex's legal corpus ("keuangan") with their status (available = official text ingested and verified; pending = waiting for the document; failed
Tanya Hak Keuangan	`search_law`	BM25 search over the ingested official texts of the "keuangan" corpus (per-article, explanation, and page chunks; light Indonesian synonyms). Returns original q

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex

Dex	Tool	Deskripsi
Tanya Hak Keuangan	`get_pasal`	Exact official text of one article (Pasal), optionally one paragraph (ayat), with document status. For documents whose text is pending, returns the labelled cat
Tanya Hak Keuangan	`get_penjelasan`	Official explanation (PENJELASAN) of one article, when the document has one.
Tanya Hak Keuangan	`regulation_status`	Is a regulation still in force? What amends/revokes it, when is it effective, and are its criminal penalties adjusted by UU 1/2026 (with the pages of the UU 1/2
Tanya Hak Keuangan	`cross_reference`	Fetch an article from the OTHER law corpus ("umum") — e.g. KUHP (UU 1/2023) Pasal 492 on fraud, UU 1/2026, KUHPerdata, PERMA gugatan sederhana, UU Bantuan Hukum
Tanya Hak Keuangan	`start_flow`	Guided Consultation (§8.10): without flow_id, list the flows that match the user's situation (pass the user's words as question); with flow_id, return its first
Tanya Hak Keuangan	`flow_step`	Advance a Guided Consultation deterministically: path = node ids so far (from the previous choices artifact), choice_index = 0-based option chosen. back_to = no
Tanya Hak Keuangan	`channel_directory`	Official complaint/reporting channels (bank, IASC, Kontak OJK 157, SiPASTI, BI 131, cekrekening.id, aduannomor.id, police report, LAPS SJK, 112) with when to us
Tanya Hak Keuangan	`glossary`	Legal term ↔ plain language: the official definition quoted from the general-provisions article of the relevant law (when found) plus a labelled plain-language
Tanya Hak Keuangan	`open_page`	Text of one original PDF page and a preview ("Lihat halaman asli") — for citing pages where article headings were not detected (OCR) or for annexes.
Lawan Penipuan	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
Lawan Penipuan	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
Lawan Penipuan	`app_info`	Information about the Askfolio app and its creator. Use when asked who made the app.
Lawan Penipuan	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
Lawan Penipuan	`open_dex`	Offer the user a button that opens another Askfolio Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
Lawan Penipuan	`iasc_stats`	IASC handling statistics (cumulative since 22 Nov 2024): reports, accounts reported/blocked, victim funds blocked/returned, reported losses, phone numbers. view
Lawan Penipuan	`satgas_stats`	Satgas PASTI statistics: complaints about illegal entities (illegal online loans, illegal investment, illegal pawning) and entities stopped, with cut-off dates.
Lawan Penipuan	`ojk_consumer_stats`	OJK consumer-service statistics (service requests, complaints by sector) with the period stated in the source.
Lawan Penipuan	`modus_library`	Library of 11 scam types with red flags (query filters by keyword, e.g. "phishing", "pinjol", "investasi").
Lawan Penipuan	`modus_stats`	Reports per scam type as published (with source and cut-off). Where media report different numbers for the same type, BOTH are returned with their sources (conf
Lawan Penipuan	`region_stats`	Scam reports by region as published (with source and cut-off).

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex

Dex	Tool	Deskripsi
Lawan Penipuan	`reporting_guide`	How to report to IASC: portal features, 4 reporting steps, data to prepare (grouped), rules (1 form = 1 victim account → 1 reported account; dual track IASC + p
Lawan Penipuan	`channel_directory`	Official channels (IASC report/check, Kontak OJK 157, SiPASTI, BI BICARA 131, cekrekening.id, aduannomor.id, police report, LAPS SJK, your bank, 112) with when
Lawan Penipuan	`evidence_checklist`	Checklist of evidence to keep (phone numbers, dated chats, transfer proofs, destination accounts, URLs).
Lawan Penipuan	`prevention_tips`	Prevention tips from official public information.
Lawan Penipuan	`scam_selfcheck`	Deterministic self-check quiz "Apakah ini scam?": answers = 10 yes/no booleans in the order of the questions (call with answers null to get the questions). Retu
Lawan Penipuan	`emergency_steps`	Just scammed: elapsed = time since the last transfer (lt24h|gt24h|unknown), method = bank|pjp (e-wallet/payment provider)|crypto|other. Runs the FinLAIwyer flow

4. Kontrak data statis

`public/data/manifest.json` mencatat setiap file data beserta hash; klien hanya membaca file yang tercantum di manifest.

5. Header keamanan (vercel.json)

Sumber	Header
`/data/(.*)`	Access-Control-Allow-Origin: *
`/data/(.*)`	Access-Control-Allow-Methods: GET, HEAD
`/data/(.*)`	Cache-Control: public, max-age=3600, stale-while-revalidate=86400
`/assets/(.*)`	Cache-Control: public, max-age=31536000, immutable
`/sw.js`	Cache-Control: no-cache
`/(.*)`	Content-Security-Policy: default-src 'self'; script-src 'self' 'wasm-unsafe-eval'; connect-src 'self' https://askfolio-id.vercel.app https://fina
`/(.*)`	Strict-Transport-Security: max-age=63072000; includeSubDomains; preload
`/(.*)`	X-Content-Type-Options: nosniff
`/(.*)`	Referrer-Policy: strict-origin-when-cross-origin
`/(.*)`	Permissions-Policy: camera=(), microphone=(), geolocation=(), payment=(), usb=()
`/(.*)`	Cross-Origin-Opener-Policy: same-origin

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex