A05 — Spesifikasi antarmuka

© 2026 Dea Saka Kurnia Putra. All rights reserved.

Kontrol dokumen	
ID dokumen	A05
Judul	Spesifikasi antarmuka
Versi	0.1.0 (= versi aplikasi) · commit `ae7d11b`
Tanggal	2026-10-24
Status	Draf
Klasifikasi	Internal
Pemilik	Dea Saka Kurnia Putra
Penyusun	Dibangkitkan oleh `scripts/compliance/*` (Claude Code) dari sumber kebenaran repo
Penyetuju	[KONFIRMASI] — penyetuju dokumen belum ditetapkan
Lingkup	API HTTP, event SSE, tool, kontrak data
Standar acuan	ISO/IEC/IEEE 15289:2019 (interface description); OpenAPI 3.1
Dokumen terkait	A04

Riwayat perubahan

Versi	Tanggal	Perubahan
0.1.0	2026-10-24	Versi pertama, dibangkitkan dari sumber kebenaran repo.

1. API HTTP

OpenAPI 3.1 (kerangka dibangkitkan dari `server/handler.ts`): `openapi.json`. Skema isi permintaan didefinisikan dengan zod di `src/shared/chat-protocol.ts`.

Metode	Rute
GET	`/api/health`
GET	`/api/version`
GET	`/api/dex`
POST	`/api/feedback`
POST	`/api/chat`

2. Event SSE

Jenis event yang didefinisikan di protokol: .

3. Tool per Dex

Dex	Tool	Deskripsi
Finandex AI	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
Finandex AI	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
Finandex AI	`app_info`	Information about the Finandex app and its creator. Use when asked who made the app.
Finandex AI	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
Finandex AI	`open_dex`	Offer the user a button that opens another Finandex Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
Finandex AI	`search_entities`	Find asset ids in this dataset by code or name (accent/case-insensitive). Use before other tools when you are unsure of the exact id.
Finandex AI	`get_snapshot`	Latest metrics of one asset: last value and date, returns 1D–MAX, CAGR, volatility, max drawdown, 52W high/low, ATH, quality flags, and descriptors. Use for "ho
Finandex AI	`get_history`	Price history of one asset between optional dates (≤ 400 points, with chart). Use for trends over time and "what happened on/around a date".
Finandex AI	`compare`	Compare 2–5 assets: rebased-to-100 chart over a common window plus a metric table (period return, CAGR, volatility, max drawdown). Period defaults to the datase
Finandex AI	`calendar_returns`	Calendar-year returns of one asset (first and current years flagged partial), with heatmap. Use for "return in year X" or year-by-year questions.
Finandex AI	`rank`	Rank assets by a metric from the catalogue (e.g. ret_1D…ret_MAX, cagr_5Y, vol_1Y, mdd, pct_from_ath, plus Dex-specific fields). Optional filter on one categoric
Finandex AI	`correlation`	Correlation matrix of daily returns for 2–8 assets over 1, 3, or 5 years (prices aligned on common dates first), with heatmap.
Finandex AI	`drawdowns`	Largest drawdown episodes (peak, trough, recovery date or null) of one asset, with underwater chart.
Finandex AI	`extreme_moves`	Largest daily moves (close-to-close) of one asset, optionally within dates and by direction. Dates are as recorded in the dataset.
Finandex AI	`event_window`	Price behaviour around a dated event: return from the last close before the event to the window end (default −5 to +20 trading days), with the low point inside
Finandex AI	`cross_dex_lookup`	Suggest which Finandex Dex holds data for a topic this dataset does not cover (e.g. IHSG, USD/IDR, Indonesian stocks, dividends, DeFi, central banks, law). Retu
NASDAQDex	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
NASDAQDex	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
NASDAQDex	`app_info`	Information about the Finandex app and its creator. Use when asked who made the app.
NASDAQDex	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
NASDAQDex	`open_dex`	Offer the user a button that opens another Finandex Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
NASDAQDex	`search_entities`	Find stock ids in this dataset by code or name (accent/case-insensitive). Use before other tools when you are unsure of the exact id.

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex

Dex	Tool	Deskripsi
NASDAQDex	`get_snapshot`	Latest metrics of one stock: last value and date, returns 1D–MAX, CAGR, volatility, max drawdown, 52W high/low, ATH, quality flags, and descriptors. Use for "ho
NASDAQDex	`get_history`	Price history of one stock between optional dates (≤ 400 points, with chart). Use for trends over time and "what happened on/around a date".
NASDAQDex	`compare`	Compare 2–5 stocks: rebased-to-100 chart over a common window plus a metric table (period return, CAGR, volatility, max drawdown). Period defaults to the datase
NASDAQDex	`calendar_returns`	Calendar-year returns of one stock (first and current years flagged partial), with heatmap. Use for "return in year X" or year-by-year questions.
NASDAQDex	`rank`	Rank stocks by a metric from the catalogue (e.g. ret_1D…ret_MAX, cagr_5Y, vol_1Y, mdd, pct_from_ath, plus Dex-specific fields). Optional filter on one categoric
NASDAQDex	`correlation`	Correlation matrix of daily returns for 2–8 stocks over 1, 3, or 5 years (prices aligned on common dates first), with heatmap.
NASDAQDex	`drawdowns`	Largest drawdown episodes (peak, trough, recovery date or null) of one stock, with underwater chart.
NASDAQDex	`extreme_moves`	Largest daily moves (close-to-close) of one stock, optionally within dates and by direction. Dates are as recorded in the dataset.
NASDAQDex	`pulse`	Universe breadth as of the last date: advancers/decliners, % of stocks above SMA200 (eligible count), new 52-week highs/lows, and the survivorship-biased equal-
NASDAQDex	`technical`	Descriptive technicals of one ticker: SMA50, SMA200, RSI14 (Wilder), and the most recent golden/death cross within the last 60 rows, with price + SMA chart. Des
NASDAQDex	`beta`	Beta of one ticker versus ^IXIC over 1, 3, or 5 years (prices aligned on common dates first; min 120 returns).
NASDAQDex	`growth_lab`	Top tickers by long-run growth metrics: multiple_MAX (end ÷ start over the analysis window), cagr_5Y, cagr_10Y, or pct_from_ath (closest to all-time high).
NASDAQDex	`period_rank`	Rank all tickers by return over any custom period (start → end), computed from the source-adjusted close matrix (close on/before each date).
SnP500Dex	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
SnP500Dex	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
SnP500Dex	`app_info`	Information about the Finandex app and its creator. Use when asked who made the app.
SnP500Dex	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
SnP500Dex	`open_dex`	Offer the user a button that opens another Finandex Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
SnP500Dex	`search_entities`	Find stock ids in this dataset by code or name (accent/case-insensitive). Use before other tools when you are unsure of the exact id.
SnP500Dex	`get_snapshot`	Latest metrics of one stock: last value and date, returns 1D–MAX, CAGR, volatility, max drawdown, 52W high/low, ATH, quality flags, and descriptors. Use for "ho
SnP500Dex	`get_history`	Price history of one stock between optional dates (≤ 400 points, with chart). Use for trends over time and "what happened on/around a date".
SnP500Dex	`compare`	Compare 2–5 stocks: rebased-to-100 chart over a common window plus a metric table (period return, CAGR, volatility, max drawdown). Period defaults to the datase

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex

Dex	Tool	Deskripsi
SnP500Dex	`calendar_returns`	Calendar-year returns of one stock (first and current years flagged partial), with heatmap. Use for "return in year X" or year-by-year questions.
SnP500Dex	`rank`	Rank stocks by a metric from the catalogue (e.g. ret_1D…ret_MAX, cagr_5Y, vol_1Y, mdd, pct_from_ath, plus Dex-specific fields). Optional filter on one categoric
SnP500Dex	`correlation`	Correlation matrix of daily returns for 2–8 stocks over 1, 3, or 5 years (prices aligned on common dates first), with heatmap.
SnP500Dex	`drawdowns`	Largest drawdown episodes (peak, trough, recovery date or null) of one stock, with underwater chart.
SnP500Dex	`extreme_moves`	Largest daily moves (close-to-close) of one stock, optionally within dates and by direction. Dates are as recorded in the dataset.
SnP500Dex	`pulse`	Universe breadth as of the last date: advancers/decliners, % of stocks above SMA200 (eligible count), new 52-week highs/lows, and the survivorship-biased equal-
SnP500Dex	`technical`	Descriptive technicals of one ticker: SMA50, SMA200, RSI14 (Wilder), and the most recent golden/death cross within the last 60 rows, with price + SMA chart. Des
SnP500Dex	`beta`	Beta of one ticker versus ^GSPC over 1, 3, or 5 years (prices aligned on common dates first; min 120 returns).
SnP500Dex	`growth_lab`	Top tickers by long-run growth metrics: multiple_MAX (end ÷ start over the analysis window), cagr_5Y, cagr_10Y, or pct_from_ath (closest to all-time high).
SnP500Dex	`period_rank`	Rank all tickers by return over any custom period (start → end), computed from the Adj Close (total return) matrix (close on/before each date).
SnP500Dex	`dividends`	Dividend profile of one ticker: TTM dividends and yield, annual dividends per calendar year, increase streak, 5Y/10Y dividend CAGR, last dividend. Special divid
SnP500Dex	`splits`	Stock split history (date and ratio) of one ticker, from the dataset Stock Splits column.
SnP500Dex	`volume_profile`	Liquidity of one ticker: average volume 20 days and 3 months, average traded value (close × volume) 20 days, with recent volume chart. Volume 0 means not availa
SnP500Dex	`simulate_investment`	Historical simulation of investing an amount (USD) in one ticker from a start date to the last date, with dividend reinvestment (Adj Close) or without (shares ×
SnP500Dex	`total_vs_price_return`	Total return (Adj Close, dividends reinvested) versus price return (Close) of one ticker over a period.
CommerceDex	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
CommerceDex	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
CommerceDex	`app_info`	Information about the Finandex app and its creator. Use when asked who made the app.
CommerceDex	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
CommerceDex	`open_dex`	Offer the user a button that opens another Finandex Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
CommerceDex	`search_entities`	Find company ids in this dataset by code or name (accent/case-insensitive). Use before other tools when you are unsure of the exact id.
CommerceDex	`get_snapshot`	Latest metrics of one company: last value and date, returns 1D–MAX, CAGR, volatility, max drawdown, 52W high/low, ATH, quality flags, and descriptors. Use for "

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex

Dex	Tool	Deskripsi
CommerceDex	`get_history`	Price history of one company between optional dates (≤ 400 points, with chart). Use for trends over time and "what happened on/around a date".
CommerceDex	`compare`	Compare 2–5 companys: rebased-to-100 chart over a common window plus a metric table (period return, CAGR, volatility, max drawdown). Period defaults to the data
CommerceDex	`calendar_returns`	Calendar-year returns of one company (first and current years flagged partial), with heatmap. Use for "return in year X" or year-by-year questions.
CommerceDex	`rank`	Rank companys by a metric from the catalogue (e.g. ret_1D…ret_MAX, cagr_5Y, vol_1Y, mdd, pct_from_ath, plus Dex-specific fields). Optional filter on one categor
CommerceDex	`correlation`	Correlation matrix of daily returns for 2–8 companys over 1, 3, or 5 years (prices aligned on common dates first), with heatmap.
CommerceDex	`drawdowns`	Largest drawdown episodes (peak, trough, recovery date or null) of one company, with underwater chart.
CommerceDex	`extreme_moves`	Largest daily moves (close-to-close) of one company, optionally within dates and by direction. Dates are as recorded in the dataset.
CommerceDex	`company_profile`	Company profile: name, ticker, exchange, country, region, segment, founded date, HQ, founders, website, Wikipedia extract (CC BY-SA 4.0 with link), price and fi
CommerceDex	`financials`	Annual financial statements of one company for chosen fields (e.g. total_revenue, net_income, operating_income, free_cash_flow), with the statement currency and
CommerceDex	`peer_compare`	Median of a metric (e.g. ret_1Y, ret_YTD, vol_1Y, mdd, fin_net_margin) across companies grouped by segment, region, or country, plus the members.
CommerceDex	`index_compare`	One company versus the dataset-provided e-commerce index (equal-weight, base 100 on 2015-01-05), both rebased to 100 on the first common date. Also gives index
CommerceDex	`macro`	World Bank macro indicator for one country (13 countries, 2010–2025): e.g. internet_users_pct, account_ownership_pct_adult, gdp_per_capita_usd. Returns the year
IPODex	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
IPODex	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
IPODex	`app_info`	Information about the Finandex app and its creator. Use when asked who made the app.
IPODex	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
IPODex	`open_dex`	Offer the user a button that opens another Finandex Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
IPODex	`ipo_summary`	IPO counts (and total/median issue size in USD) grouped by year, country, exchange, board, sector, ipo_type, or listing_status, with filters. amount_status=veri
IPODex	`ipo_search`	Search IPOs by company name or ticker, with filters.
IPODex	`ipo_size_stats`	Issue-size statistics (USD, verified amounts): count, median, total, p25/p75, with filters.
IPODex	`india_sme_vs_mainboard`	India IPOs split by board (SME vs Mainboard): counts and verified median size, optionally for one year.
IPODex	`withdrawn_ipos`	IPOs whose listing_status is not Completed (e.g. withdrawn, postponed, announced, filed), counts by status and examples, with filters.

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex

Dex	Tool	Deskripsi
IDFinanDex	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
IDFinanDex	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
IDFinanDex	`app_info`	Information about the Finandex app and its creator. Use when asked who made the app.
IDFinanDex	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
IDFinanDex	`open_dex`	Offer the user a button that opens another Finandex Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
IDFinanDex	`search_entities`	Find asset ids in this dataset by code or name (accent/case-insensitive). Use before other tools when you are unsure of the exact id.
IDFinanDex	`get_snapshot`	Latest metrics of one asset: last value and date, returns 1D–MAX, CAGR, volatility, max drawdown, 52W high/low, ATH, quality flags, and descriptors. Use for "ho
IDFinanDex	`get_history`	Price history of one asset between optional dates (≤ 400 points, with chart). Use for trends over time and "what happened on/around a date".
IDFinanDex	`compare`	Compare 2–5 assets: rebased-to-100 chart over a common window plus a metric table (period return, CAGR, volatility, max drawdown). Period defaults to the datase
IDFinanDex	`calendar_returns`	Calendar-year returns of one asset (first and current years flagged partial), with heatmap. Use for "return in year X" or year-by-year questions.
IDFinanDex	`rank`	Rank assets by a metric from the catalogue (e.g. ret_1D…ret_MAX, cagr_5Y, vol_1Y, mdd, pct_from_ath, plus Dex-specific fields). Optional filter on one categoric
IDFinanDex	`correlation`	Correlation matrix of daily returns for 2–8 assets over 1, 3, or 5 years (prices aligned on common dates first), with heatmap.
IDFinanDex	`drawdowns`	Largest drawdown episodes (peak, trough, recovery date or null) of one asset, with underwater chart.
IDFinanDex	`extreme_moves`	Largest daily moves (close-to-close) of one asset, optionally within dates and by direction. Dates are as recorded in the dataset.
IDFinanDex	`macro_series`	Step series of a macro indicator: CPI (annual inflation rate in %, one value per year), BI_rate (Bank Indonesia policy rate %), US_rate (US policy rate %), opti
IDFinanDex	`rate_decisions`	BI rate changes (date and new level in %) between optional dates, plus the current level and the date it took effect.
IDFinanDex	`rate_differential`	Latest BI rate minus latest US rate (percentage points), and BI rate minus latest annual CPI inflation (approximate real rate).
IDFinanDex	`regime_returns`	Average daily return (and count of days) of one market series (IHSG, USDIDR, GOLD, OIL, SP500, VIX) split by regime: BI rate direction (rising / falling / uncha
IDFinanDex	`normalized_trend`	Several market series (IHSG, USDIDR, GOLD, OIL, SP500, VIX) rebased to 100 from a start date on a common chart.
RupiahDex	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
RupiahDex	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
RupiahDex	`app_info`	Information about the Finandex app and its creator. Use when asked who made the app.

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex

Dex	Tool	Deskripsi
RupiahDex	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
RupiahDex	`open_dex`	Offer the user a button that opens another Finandex Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
RupiahDex	`search_entities`	Find rate ids in this dataset by code or name (accent/case-insensitive). Use before other tools when you are unsure of the exact id.
RupiahDex	`get_snapshot`	Latest metrics of one rate: last value and date, returns 1D–MAX, CAGR, volatility, max drawdown, 52W high/low, ATH, quality flags, and descriptors. Use for "how
RupiahDex	`get_history`	Price history of one rate between optional dates (≤ 400 points, with chart). Use for trends over time and "what happened on/around a date".
RupiahDex	`compare`	Compare 2–5 rates: rebased-to-100 chart over a common window plus a metric table (period return, CAGR, volatility, max drawdown). Period defaults to the dataset
RupiahDex	`calendar_returns`	Calendar-year returns of one rate (first and current years flagged partial), with heatmap. Use for "return in year X" or year-by-year questions.
RupiahDex	`rank`	Rank rates by a metric from the catalogue (e.g. ret_1D…ret_MAX, cagr_5Y, vol_1Y, mdd, pct_from_ath, plus Dex-specific fields). Optional filter on one categorica
RupiahDex	`correlation`	Correlation matrix of daily returns for 2–8 rates over 1, 3, or 5 years (prices aligned on common dates first), with heatmap.
RupiahDex	`drawdowns`	Largest drawdown episodes (peak, trough, recovery date or null) of one rate, with underwater chart.
RupiahDex	`extreme_moves`	Largest daily moves (close-to-close) of one rate, optionally within dates and by direction. Dates are as recorded in the dataset.
RupiahDex	`fx_on_date`	USD/IDR close on a date (last observation on/before that date, after bad-print cleaning).
RupiahDex	`convert`	Historical conversion between USD and IDR using the USD/IDR close on/before a date. Educational; not a dealing rate.
RupiahDex	`yearly_average`	Average USD/IDR per calendar year (mean of daily closes), for one year or all years.
RupiahDex	`change`	Change of USD/IDR between two dates (positive = rupiah weakened), plus the high and low in between.
RupiahDex	`compare_sources`	Cross-check of this USD/IDR dataset against the USDIDR column of the IDFinanDex dataset on overlapping days: overlap, maximum absolute difference, days with >1%
RupiahDex	`event_window`	Price behaviour around a dated event: return from the last close before the event to the window end (default −5 to +20 trading days), with the low point inside
RupiahDex	`live_latest`	Latest live data after the original dataset ends (validated snapshots from a registered open-data source): as-of date, source, switch date, flags. rupiahdex: US
IDXDex	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
IDXDex	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
IDXDex	`app_info`	Information about the Finandex app and its creator. Use when asked who made the app.
IDXDex	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex

Dex	Tool	Deskripsi
IDXDex	`open_dex`	Offer the user a button that opens another Finandex Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
IDXDex	`search_entities`	Find stock ids in this dataset by code or name (accent/case-insensitive). Use before other tools when you are unsure of the exact id.
IDXDex	`get_snapshot`	Latest metrics of one stock: last value and date, returns 1D–MAX, CAGR, volatility, max drawdown, 52W high/low, ATH, quality flags, and descriptors. Use for "ho
IDXDex	`get_history`	Price history of one stock between optional dates (≤ 400 points, with chart). Use for trends over time and "what happened on/around a date".
IDXDex	`compare`	Compare 2–5 stocks: rebased-to-100 chart over a common window plus a metric table (period return, CAGR, volatility, max drawdown). Period defaults to the datase
IDXDex	`calendar_returns`	Calendar-year returns of one stock (first and current years flagged partial), with heatmap. Use for "return in year X" or year-by-year questions.
IDXDex	`rank`	Rank stocks by a metric from the catalogue (e.g. ret_1D…ret_MAX, cagr_5Y, vol_1Y, mdd, pct_from_ath, plus Dex-specific fields). Optional filter on one categoric
IDXDex	`correlation`	Correlation matrix of daily returns for 2–8 stocks over 1, 3, or 5 years (prices aligned on common dates first), with heatmap.
IDXDex	`drawdowns`	Largest drawdown episodes (peak, trough, recovery date or null) of one stock, with underwater chart.
IDXDex	`extreme_moves`	Largest daily moves (close-to-close) of one stock, optionally within dates and by direction. Dates are as recorded in the dataset.
IDXDex	`company_profile`	Issuer directory entry: code, name, listing date (from the IDX listed-companies file), IDX profile link, plus last price and date.
IDXDex	`fundamentals`	Latest-FY fundamentals of one ticker: revenue, net income, total assets, equity, liabilities, EPS, shares, FCF by year (2020–2023), and ROE, NPM, DER.
IDXDex	`valuation`	Valuation of one ticker at the last price (2024-05-17): PER (price ÷ latest-FY EPS), PBV, market capitalisation (price × shares).
IDXDex	`screen_fundamentals`	Screen stocks by fundamental thresholds (null = no filter): roe_min, per_max, pbv_max, npm_min, der_max, market_cap_min_idr. Results sorted by market cap.
IDXDex	`beta_vs_ihsg`	Beta of one stock versus IHSG over 3 years (Adj Close returns aligned with the IDFinanDex IHSG series; min 120 returns).
IDXDex	`liquidity`	Liquidity of one stock: average traded value (close × volume) over the last 20 days in IDR, share of zero-volume days in the last year, with volume chart.
IDXDex	`ipo_list`	List e-IPO records with optional filters: status (Closed, Canceled, …), year (listing year), sector, board, participant_admin (substring).
IDXDex	`ipo_stats`	IPO statistics for Closed IPOs: overall median/mean day-1 return and share positive, plus counts and median D1 grouped by year, sector, board, participant_admin
IDXDex	`ipo_detail`	Full e-IPO record of one ticker (status, sector, board, offering details, book-building range, final price, returns D1–D7, warrant terms).
ReksaDex	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
ReksaDex	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
ReksaDex	`app_info`	Information about the Finandex app and its creator. Use when asked who made the app.

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex

Dex	Tool	Deskripsi
ReksaDex	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
ReksaDex	`open_dex`	Offer the user a button that opens another Finandex Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
ReksaDex	`search_entities`	Find fund ids in this dataset by code or name (accent/case-insensitive). Use before other tools when you are unsure of the exact id.
ReksaDex	`get_snapshot`	Latest metrics of one fund: last value and date, returns 1D–MAX, CAGR, volatility, max drawdown, 52W high/low, ATH, quality flags, and descriptors. Use for "how
ReksaDex	`get_history`	Price history of one fund between optional dates (≤ 400 points, with chart). Use for trends over time and "what happened on/around a date".
ReksaDex	`compare`	Compare 2–5 funds: rebased-to-100 chart over a common window plus a metric table (period return, CAGR, volatility, max drawdown). Period defaults to the dataset
ReksaDex	`calendar_returns`	Calendar-year returns of one fund (first and current years flagged partial), with heatmap. Use for "return in year X" or year-by-year questions.
ReksaDex	`rank`	Rank funds by a metric from the catalogue (e.g. ret_1D…ret_MAX, cagr_5Y, vol_1Y, mdd, pct_from_ath, plus Dex-specific fields). Optional filter on one categorica
ReksaDex	`correlation`	Correlation matrix of daily returns for 2–8 funds over 1, 3, or 5 years (prices aligned on common dates first), with heatmap.
ReksaDex	`drawdowns`	Largest drawdown episodes (peak, trough, recovery date or null) of one fund, with underwater chart.
ReksaDex	`extreme_moves`	Largest daily moves (close-to-close) of one fund, optionally within dates and by direction. Dates are as recorded in the dataset.
ReksaDex	`industry_overview`	Industry snapshot at the latest month: total AUM (IDR), active funds, AUM and count by fund type, AUM by denomination, top managers and custodians, median 1Y re
ReksaDex	`aum_trend`	Monthly AUM trend (IDR): total, by fund type, by denomination (ccy), or for the top 15 managers (mi), between optional dates.
ReksaDex	`fund_search`	Search active funds by name (accent/case-insensitive), optionally filtered by fund type or manager.
ReksaDex	`fund_detail`	One fund: manager, custodian, type, currency, AUM, NAV/unit, monthly returns 1M/YTD/1Y/3Y, annualised monthly volatility, extreme months, with NAV/unit chart.
ReksaDex	`rank_funds`	Rank active funds by aum, ret_1M, ret_YTD, ret_1Y, ret_3Y, or vol_1Y, optionally filtered by type, manager, or currency (IDR/USD).
ReksaDex	`mi_leaderboard`	Investment managers ranked by AUM, market share, or number of active funds at the latest month.
ReksaDex	`custodian_share`	Custodian banks by AUM held and share of total at the latest month.
ReksaDex	`fund_return_usd`	A fund's 1Y and 3Y NAV/unit returns converted to USD using RupiahDex month-end USD/IDR closes (cross-dataset; approximate).
CryptDex	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
CryptDex	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
CryptDex	`app_info`	Information about the Finandex app and its creator. Use when asked who made the app.

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex

Dex	Tool	Deskripsi
CryptDex	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
CryptDex	`open_dex`	Offer the user a button that opens another Finandex Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
CryptDex	`search_entities`	Find coin ids in this dataset by code or name (accent/case-insensitive). Use before other tools when you are unsure of the exact id.
CryptDex	`get_snapshot`	Latest metrics of one coin: last value and date, returns 1D–MAX, CAGR, volatility, max drawdown, 52W high/low, ATH, quality flags, and descriptors. Use for "how
CryptDex	`get_history`	Price history of one coin between optional dates (≤ 400 points, with chart). Use for trends over time and "what happened on/around a date".
CryptDex	`compare`	Compare 2–5 coins: rebased-to-100 chart over a common window plus a metric table (period return, CAGR, volatility, max drawdown). Period defaults to the dataset
CryptDex	`calendar_returns`	Calendar-year returns of one coin (first and current years flagged partial), with heatmap. Use for "return in year X" or year-by-year questions.
CryptDex	`rank`	Rank coins by a metric from the catalogue (e.g. ret_1D…ret_MAX, cagr_5Y, vol_1Y, mdd, pct_from_ath, plus Dex-specific fields). Optional filter on one categorica
CryptDex	`correlation`	Correlation matrix of daily returns for 2–8 coins over 1, 3, or 5 years (prices aligned on common dates first), with heatmap.
CryptDex	`drawdowns`	Largest drawdown episodes (peak, trough, recovery date or null) of one coin, with underwater chart.
CryptDex	`extreme_moves`	Largest daily moves (close-to-close) of one coin, optionally within dates and by direction. Dates are as recorded in the dataset.
CryptDex	`market_snapshot`	CoinGecko single-day snapshot of the top 250 coins: total market cap, BTC/ETH dominance, stablecoin market cap and share (heuristic), top 10 by market cap, top
CryptDex	`coin_lookup`	Look up a coin in the 250-coin snapshot by symbol or name: price, market cap & rank, volume, 1h/24h/7d/30d change (percent units), supply, ATH/ATL.
CryptDex	`rank_snapshot`	Rank snapshot coins by market_cap, price_change_pct_24h, price_change_pct_7d, price_change_pct_30d, or ath_change_pct (percent units), optionally only the top 1
CryptDex	`supply_info`	Supply data of one coin from the snapshot: circulating, total and max supply (null = no fixed max), fully diluted valuation.
CryptDex	`defi_overview`	DeFi headline numbers: total TVL (latest, ATH and date, % of ATH, 1Y/YTD change), stablecoin supply (latest, ATH), stablecoin-to-TVL ratio, and the protocol dou
CryptDex	`defi_tvl_history`	Daily DeFi TVL history (USD) between optional dates.
CryptDex	`chain_tvl`	Chain TVL: latest TVL and share for all chains (top 15), or the daily history of one chain.
CryptDex	`protocols`	Largest DeFi protocols by TVL (excluding CEX by default), optionally filtered by category or chain; plus TVL by category. Sums double-count.
CryptDex	`stablecoins`	Largest USD-pegged stablecoins by circulating supply with share of total supply, and counts by peg mechanism (DefiLlama).
CryptDex	`dex_activity`	Monthly DEX volume and fees (USD); the last month is incomplete. Includes the last complete month and the record month.
CryptDex	`yield_pools`	Yield pools from the latest DefiLlama snapshot with filters (stablecoin only, chain, project, minimum TVL): median and p90 APY (percent units) and the largest p

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex

Dex	Tool	Deskripsi
CryptDex	`fees_revenue`	Protocol fees (USD, 24h) and protocol revenue from the latest fees snapshot (deduplicated by name+date), grouped by protocol or category.
CryptDex	`fees_trend`	Daily 24h fees and revenue of one protocol across the fee snapshots (about one month).
CryptDex	`bots_kb`	Search the trading-bot knowledge base (bot/chain profiles, verified facts, Q&A, real-capital tests, LLM consensus) and return counts. Educational only; never re
CryptDex	`security_checklist`	Finandex safety checklist for crypto bots and DeFi (editorial). Use whenever bots, yields, wallets, seed phrases, or private keys come up.
CentralBankDex	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
CentralBankDex	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
CentralBankDex	`app_info`	Information about the Finandex app and its creator. Use when asked who made the app.
CentralBankDex	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
CentralBankDex	`open_dex`	Offer the user a button that opens another Finandex Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
CentralBankDex	`balance_sheets`	Total assets of the Fed (USD million), ECB (EUR million), BoJ (JPY 100 million), or G3 combined (USD trillion): latest value, peak and date, and history between
CentralBankDex	`us_rates`	US series: policy rate, 10Y Treasury yield, 10Y–2Y spread (percentage points), CPI YoY inflation, or M2 (USD billion): latest and history.
CentralBankDex	`yield_curve_inversions`	Periods when the US 10Y–2Y spread was negative (inverted curve): start, end, length in days, deepest spread.
CentralBankDex	`country_money`	Annual World Bank money indicators for one country: broad money growth (% per year) and broad money (% of GDP), all years available; latest values with their ye
CentralBankDex	`rank_countries`	Rank countries by broad money growth or broad money % of GDP for one year (default latest). World Bank aggregates excluded.
CentralBankDex	`provider_labels`	Regime labels generated by the dataset provider for US rows (monetary policy regime, yield-curve regime, stress tier) over time — labels, not official data.
InflationDex	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
InflationDex	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
InflationDex	`app_info`	Information about the Finandex app and its creator. Use when asked who made the app.
InflationDex	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
InflationDex	`open_dex`	Offer the user a button that opens another Finandex Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
InflationDex	`inflation_rank`	Countries ranked by annual inflation (percent as provided, with the inflation year of each country), optionally by region or income level. Also returns the medi
InflationDex	`country_inflation`	One country: annual inflation (percent, with year), region, income level, and cost-of-living indices where available.

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex

Dex	Tool	Deskripsi
InflationDex	`cost_items`	Cost items for one country in USD: bread, one-way transport, monthly pass, monthly rent, utilities (where available).
InflationDex	`region_summary`	Median annual inflation (percent) grouped by region or income level.
InflationDex	`compare_countries`	Annual inflation (with year) and cost indices for 2–8 countries side by side.
InflationDex	`live_latest`	Latest live data after the original dataset ends (validated snapshots from a registered open-data source): as-of date, source, switch date, flags. rupiahdex: US
StartupDex	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
StartupDex	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
StartupDex	`app_info`	Information about the Finandex app and its creator. Use when asked who made the app.
StartupDex	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
StartupDex	`open_dex`	Offer the user a button that opens another Finandex Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
StartupDex	`funding_summary`	Funding totals: overall disclosed USD and rounds (from the summary), or grouped by year, country, sector, or stage with round counts, total and median amount. s
StartupDex	`rounds_search`	Search funding rounds by company name, with optional filters; returns rounds with news source and link (excerpts are short quotes).
StartupDex	`median_round`	Median round size (USD) for a stage, optionally for one year, using verified amounts.
StartupDex	`mega_rounds`	Largest rounds (≥ US$100 million), optionally for one year, with share of dollars.
StartupDex	`company_rounds`	All rounds of one company (by name or domain) in the sample.
StartupDex	`investor_leads`	Rounds led by an investor (substring match), with count and total disclosed USD; or the most frequent lead investors when null.
VCDex	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
VCDex	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
VCDex	`app_info`	Information about the Finandex app and its creator. Use when asked who made the app.
VCDex	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
VCDex	`open_dex`	Offer the user a button that opens another Finandex Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
VCDex	`investor_search`	Search investors by name, optionally by HQ country and investor type (VC, PE, CVC, accelerator, government, bank-debt, other).
VCDex	`investor_profile`	Profile of one investor (by slug or name): type, HQ, deals, lead deals, portfolio size, active years, recent activity, stage shares, top sectors/countries, medi

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex

Dex	Tool	Deskripsi
VCDex	`rank_investors`	Rank investors by deals, lead_deals, portfolio_companies, deals_2025_2026, or median_round_usd, optionally filtered by HQ country and type.
VCDex	`stage_mix`	Seed / early / growth share of one investor's deals (by slug or name), or the average stage mix per investor type when slug is null.
VCDex	`country_summary`	Investors headquartered in a country: count, by type, top investors by deals, median deals.
VCNetworkDex	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
VCNetworkDex	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
VCNetworkDex	`app_info`	Information about the Finandex app and its creator. Use when asked who made the app.
VCNetworkDex	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
VCNetworkDex	`open_dex`	Offer the user a button that opens another Finandex Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
VCNetworkDex	`top_pairs`	Investor pairs with the most shared deals, optionally filtered by top shared sector or country.
VCNetworkDex	`investor_partners`	Co-investment partners of one investor in the sample, sorted by shared deals.
VCNetworkDex	`network_stats`	Network statistics: pairs, unique investors, share of single-deal pairs, top investors by partners and weighted degree (from the summary); or one investor's deg
VCNetworkDex	`ego_graph`	Ego network of one investor (≤ 50 nodes): the investor, its strongest partners, and edges among them; edge weight = shared deals.
VCNetworkDex	`sector_country_links`	Most common top shared sectors and countries among pairs, optionally restricted to one sector or country.
OpenCompanyDex	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
OpenCompanyDex	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
OpenCompanyDex	`app_info`	Information about the Finandex app and its creator. Use when asked who made the app.
OpenCompanyDex	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
OpenCompanyDex	`open_dex`	Offer the user a button that opens another Finandex Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
OpenCompanyDex	`company_search`	Search companies by name or domain, optionally by country and sector.
OpenCompanyDex	`company_counts`	Company counts grouped by country, sector, industry, status, founded decade, or employees range, with optional filters; or the total for the filters.
OpenCompanyDex	`funded_share`	Share of companies that were ever funded, overall or grouped by sector, country, or status.
OpenCompanyDex	`business_models`	Most common business models among companies.

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex

Dex	Tool	Deskripsi
SalaryDex	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
SalaryDex	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
SalaryDex	`app_info`	Information about the Finandex app and its creator. Use when asked who made the app.
SalaryDex	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
SalaryDex	`open_dex`	Offer the user a button that opens another Finandex Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
SalaryDex	`salary_stats`	Statistic (p25, median, p75, mean, count) of salary_mid_usd for postings matching filters (country ISO2, role_family, seniority, skill, industry_category). Requ
SalaryDex	`compare_salaries`	Median salary_mid_usd for 2–6 groups, each defined by filters (e.g. software-eng in US vs IN). Groups with n < 30 are reported as insufficient.
SalaryDex	`skill_premium`	Median salary of postings listing a skill versus postings without it (optionally within a country), with n for both groups.
SalaryDex	`top_skills`	Most frequent skills in postings, optionally filtered by country and role family, with each skill's median salary.
SalaryDex	`salary_distribution`	Distribution (histogram, p25/median/p75) of salary_mid_usd for postings matching filters, plus median by seniority.
CostLivingDex	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
CostLivingDex	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
CostLivingDex	`app_info`	Information about the Finandex app and its creator. Use when asked who made the app.
CostLivingDex	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
CostLivingDex	`open_dex`	Offer the user a button that opens another Finandex Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
CostLivingDex	`city_rank`	Rank cities by an index (cost_of_living_index, rent_index, groceries_index, restaurant_price_index, local_purchasing_power_index, quality_of_life_index, safety_
CostLivingDex	`city_profile`	All indices of one city for each survey date (synthetic data), plus the provider note.
CostLivingDex	`compare_cities`	Compare 2–6 cities on the main indices at the latest survey (synthetic data).
CostLivingDex	`survey_change`	Change of a city's indices between the 2023 and 2024 surveys (synthetic data).
CostLivingDex	`region_summary`	Median cost-of-living and quality-of-life indices by region, subregion, or development tier at the latest survey (synthetic data).
IDHousingDex	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
IDHousingDex	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex

Dex	Tool	Deskripsi
IDHousingDex	`app_info`	Information about the Finandex app and its creator. Use when asked who made the app.
IDHousingDex	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
IDHousingDex	`open_dex`	Offer the user a button that opens another Finandex Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
IDHousingDex	`housing_stats`	Statistic of price_idr (median, mean, p25, p75, count) for valid listings grouped by province, city_regency, subsidy_status, or developer_association, with opti
IDHousingDex	`price_per_m2`	Median price per m² of building area (price_idr ÷ building_area_m2, area > 0) for valid listings, overall by subsidy status or grouped.
IDHousingDex	`project_search`	Search housing projects by name, optionally by province and city.
IDHousingDex	`developer_summary`	Listings, provinces, and median price for a developer (name substring) or developer association (e.g. REI, APERSI); association shares when query is null.
IDHousingDex	`map_points`	Project locations (valid coordinates only) for a map, optionally by province and subsidy status; max 2,000 points (sampled evenly).
IDHousingDex	`specs_breakdown`	Distribution of one specification (bedrooms, bathrooms, floors, roof/wall/floor/foundation material) for valid listings, optionally by subsidy status. bedrooms
IDFoodDeliveryDex	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
IDFoodDeliveryDex	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
IDFoodDeliveryDex	`app_info`	Information about the Finandex app and its creator. Use when asked who made the app.
IDFoodDeliveryDex	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
IDFoodDeliveryDex	`open_dex`	Offer the user a button that opens another Finandex Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
IDFoodDeliveryDex	`markup_stats`	Median markup (online vs estimated dine-in price, in percent units) overall or grouped by city, cuisine, cloud_kitchen, or merchant, with optional city/cuisine
IDFoodDeliveryDex	`item_search`	Search menu items by name (e.g. "nasi goreng"), optionally by city and cuisine.
IDFoodDeliveryDex	`price_compare`	Online vs estimated dine-in prices for items matching a merchant or item name: medians and per-item rows.
IDFoodDeliveryDex	`fee_promo_stats`	Median packaging fee (IDR) and promo discount (percent units), overall or grouped by city, cuisine, or cloud kitchen.
IDFoodDeliveryDex	`provider_tiers`	Counts of provider-generated labels (inflation_distortion_tier, consumer_affordability_tier, cloud_kitchen_premium_bias, platform_take_rate_burden) — labels, no
PovertyDex	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
PovertyDex	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex

Dex	Tool	Deskripsi
PovertyDex	`app_info`	Information about the Finandex app and its creator. Use when asked who made the app.
PovertyDex	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
PovertyDex	`open_dex`	Offer the user a button that opens another Finandex Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
PovertyDex	`mpi_rank`	Countries ranked by an MPI indicator (mpi_value, mpi_headcount, mpi_intensity, or a dimension indicator), each with its survey year and source note.
PovertyDex	`country_mpi`	All MPI indicators of one country with survey year and source note (e.g. "Survey: DHS (2017)"); percentages also given as fractions.
PovertyDex	`dimension_breakdown`	The 10 deprivation indicators of one country (percent of people deprived, as provided), as a bar chart.
PovertyDex	`compare_countries`	MPI value, headcount, and intensity for 2–8 countries side by side (survey years differ).
PopulationDex	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
PopulationDex	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
PopulationDex	`app_info`	Information about the Finandex app and its creator. Use when asked who made the app.
PopulationDex	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
PopulationDex	`open_dex`	Offer the user a button that opens another Finandex Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
PopulationDex	`coverage_trend`	Coverage per 10,000 news articles by month or year (provider-computed), with the peak month; the last month is partial.
PopulationDex	`coverage_geo`	Where coverage comes from (2023–2026): by continent, country, city, US state, or Indian state, with share %.
PopulationDex	`tone_breakdown`	Tone of coverage: share of positive/neutral/negative in the article sample, or tone counts by year / by country (provider aggregates).
PopulationDex	`themes`	Top themes in coverage 2023–2026 (provider aggregates).
PopulationDex	`organisations`	Top organisations in coverage 2023–2026 (provider aggregates).
PopulationDex	`research_trend`	Academic papers on the topic per year and per 10,000 papers (provider aggregate).
PopulationDex	`patents`	Patent families on the topic: by year, by CPC class, or by patent office (provider aggregates).
PopulationDex	`top_papers`	Most-cited papers on the topic (title, year, venue, citations, DOI) from the provider aggregate.
PopulationDex	`provider_findings`	Findings stated by the data provider (FINDINGS.md) with their grade: A exact count, B keyword rule, C outlet-sensitive. Always mention the grade.
PopulationDex	`sample_articles`	Metadata of sampled article records (date, country, tone, themes, keywords) with filters; no article text.

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex

Dex	Tool	Deskripsi
HomelessnessDex	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
HomelessnessDex	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
HomelessnessDex	`app_info`	Information about the Finandex app and its creator. Use when asked who made the app.
HomelessnessDex	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
HomelessnessDex	`open_dex`	Offer the user a button that opens another Finandex Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
HomelessnessDex	`coverage_trend`	Coverage per 10,000 news articles by month or year (provider-computed), with the peak month; the last month is partial.
HomelessnessDex	`coverage_geo`	Where coverage comes from (2023–2026): by continent, country, city, US state, or Indian state, with share %.
HomelessnessDex	`tone_breakdown`	Tone of coverage: share of positive/neutral/negative in the article sample, or tone counts by year / by country (provider aggregates).
HomelessnessDex	`themes`	Top themes in coverage 2023–2026 (provider aggregates).
HomelessnessDex	`organisations`	Top organisations in coverage 2023–2026 (provider aggregates).
HomelessnessDex	`research_trend`	Academic papers on the topic per year and per 10,000 papers (provider aggregate).
HomelessnessDex	`patents`	Patent families on the topic: by year, by CPC class, or by patent office (provider aggregates).
HomelessnessDex	`top_papers`	Most-cited papers on the topic (title, year, venue, citations, DOI) from the provider aggregate.
HomelessnessDex	`provider_findings`	Findings stated by the data provider (FINDINGS.md) with their grade: A exact count, B keyword rule, C outlet-sensitive. Always mention the grade.
HomelessnessDex	`sample_articles`	Metadata of sampled article records (date, country, tone, themes, keywords) with filters; no article text.
HousingDex	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
HousingDex	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
HousingDex	`app_info`	Information about the Finandex app and its creator. Use when asked who made the app.
HousingDex	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
HousingDex	`open_dex`	Offer the user a button that opens another Finandex Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
HousingDex	`coverage_trend`	Coverage per 10,000 news articles by month or year (provider-computed), with the peak month; the last month is partial.
HousingDex	`coverage_geo`	Where coverage comes from (2023–2026): by continent, country, city, US state, or Indian state, with share %.

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex

Dex	Tool	Deskripsi
HousingDex	`tone_breakdown`	Tone of coverage: share of positive/neutral/negative in the article sample, or tone counts by year / by country (provider aggregates).
HousingDex	`themes`	Top themes in coverage 2023–2026 (provider aggregates).
HousingDex	`organisations`	Top organisations in coverage 2023–2026 (provider aggregates).
HousingDex	`research_trend`	Academic papers on the topic per year and per 10,000 papers (provider aggregate).
HousingDex	`patents`	Patent families on the topic: by year, by CPC class, or by patent office (provider aggregates).
HousingDex	`top_papers`	Most-cited papers on the topic (title, year, venue, citations, DOI) from the provider aggregate.
HousingDex	`provider_findings`	Findings stated by the data provider (FINDINGS.md) with their grade: A exact count, B keyword rule, C outlet-sensitive. Always mention the grade.
HousingDex	`sample_articles`	Metadata of sampled article records (date, country, tone, themes, keywords) with filters; no article text.
FintechDex	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
FintechDex	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
FintechDex	`app_info`	Information about the Finandex app and its creator. Use when asked who made the app.
FintechDex	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
FintechDex	`open_dex`	Offer the user a button that opens another Finandex Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
FintechDex	`sentiment_overview`	Sentiment counts and shares overall (rows, date range, platforms), or grouped by platform, month, or language.
FintechDex	`topic_breakdown`	Most frequent provider topic tags, emotions, financial signals, or mentioned products.
FintechDex	`search_posts`	Search posts by keyword (title/summary), optionally by platform and sentiment; returns summary, platform, date, URL — never the author.
FintechDex	`trend`	Monthly number of posts and share of each sentiment over time.
FintechDex	`aspect_sentiment`	Sentiment share of posts mentioning an aspect keyword group (ux, pricing, product, service, security, brand) — keyword matching on summaries, approximate.
PersonalFinanDex	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
PersonalFinanDex	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
PersonalFinanDex	`app_info`	Information about the Finandex app and its creator. Use when asked who made the app.
PersonalFinanDex	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex

Dex	Tool	Deskripsi
PersonalFinanDex	`open_dex`	Offer the user a button that opens another Finandex Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
PersonalFinanDex	`sentiment_overview`	Sentiment counts and shares overall (rows, date range, platforms), or grouped by platform, month, or language.
PersonalFinanDex	`topic_breakdown`	Most frequent provider topic tags, emotions, financial signals, or mentioned products.
PersonalFinanDex	`search_posts`	Search posts by keyword (title/summary), optionally by platform and sentiment; returns summary, platform, date, URL — never the author.
PersonalFinanDex	`trend`	Monthly number of posts and share of each sentiment over time.
PersonalFinanDex	`aspect_sentiment`	Sentiment share of posts mentioning an aspect keyword group (ux, pricing, product, service, security, brand) — keyword matching on summaries, approximate.
My LAIwyer	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
My LAIwyer	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
My LAIwyer	`app_info`	Information about the Finandex app and its creator. Use when asked who made the app.
My LAIwyer	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
My LAIwyer	`open_dex`	Offer the user a button that opens another Finandex Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
My LAIwyer	`list_sources`	Documents of this Dex's legal corpus ("umum") with their status (available = official text ingested and verified; pending = waiting for the document; failed = f
My LAIwyer	`search_law`	BM25 search over the ingested official texts of the "umum" corpus (per-article, explanation, and page chunks; light Indonesian synonyms). Returns original quota
My LAIwyer	`get_pasal`	Exact official text of one article (Pasal), optionally one paragraph (ayat), with document status. For documents whose text is pending, returns the labelled cat
My LAIwyer	`get_penjelasan`	Official explanation (PENJELASAN) of one article, when the document has one.
My LAIwyer	`regulation_status`	Is a regulation still in force? What amends/revokes it, when is it effective, and are its criminal penalties adjusted by UU 1/2026 (with the pages of the UU 1/2
My LAIwyer	`cross_reference`	Fetch an article from the OTHER law corpus ("keuangan") — e.g. UU Transfer Dana, UU ITE, UU PDP, POJK 22/2023. The quotation is labelled with its source Dex.
My LAIwyer	`start_flow`	Guided Consultation (§8.10): without flow_id, list the flows that match the user's situation (pass the user's words as question); with flow_id, return its first
My LAIwyer	`flow_step`	Advance a Guided Consultation deterministically: path = node ids so far (from the previous choices artifact), choice_index = 0-based option chosen. back_to = no
My LAIwyer	`channel_directory`	Official complaint/reporting channels (bank, IASC, Kontak OJK 157, SiPASTI, BI 131, cekrekening.id, aduannomor.id, police report, LAPS SJK, 112) with when to us
My LAIwyer	`glossary`	Legal term ↔ plain language: the official definition quoted from the general-provisions article of the relevant law (when found) plus a labelled plain-language
My LAIwyer	`open_page`	Text of one original PDF page and a preview ("Lihat halaman asli") — for citing pages where article headings were not detected (OCR) or for annexes.

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex

Dex	Tool	Deskripsi
My LAIwyer	`compare_versions`	Side-by-side texts on a topic: the old KUHAP (UU 8/1981) vs the new KUHAP (UU 20/2025), or the original 1945 Constitution vs the amended UUD NRI 1945 (pair = uu
FinLAIwyer	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
FinLAIwyer	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
FinLAIwyer	`app_info`	Information about the Finandex app and its creator. Use when asked who made the app.
FinLAIwyer	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
FinLAIwyer	`open_dex`	Offer the user a button that opens another Finandex Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb
FinLAIwyer	`list_sources`	Documents of this Dex's legal corpus ("keuangan") with their status (available = official text ingested and verified; pending = waiting for the document; failed
FinLAIwyer	`search_law`	BM25 search over the ingested official texts of the "keuangan" corpus (per-article, explanation, and page chunks; light Indonesian synonyms). Returns original q
FinLAIwyer	`get_pasal`	Exact official text of one article (Pasal), optionally one paragraph (ayat), with document status. For documents whose text is pending, returns the labelled cat
FinLAIwyer	`get_penjelasan`	Official explanation (PENJELASAN) of one article, when the document has one.
FinLAIwyer	`regulation_status`	Is a regulation still in force? What amends/revokes it, when is it effective, and are its criminal penalties adjusted by UU 1/2026 (with the pages of the UU 1/2
FinLAIwyer	`cross_reference`	Fetch an article from the OTHER law corpus ("umum") — e.g. KUHP (UU 1/2023) Pasal 492 on fraud, UU 1/2026, KUHPerdata, PERMA gugatan sederhana, UU Bantuan Hukum
FinLAIwyer	`start_flow`	Guided Consultation (§8.10): without flow_id, list the flows that match the user's situation (pass the user's words as question); with flow_id, return its first
FinLAIwyer	`flow_step`	Advance a Guided Consultation deterministically: path = node ids so far (from the previous choices artifact), choice_index = 0-based option chosen. back_to = no
FinLAIwyer	`channel_directory`	Official complaint/reporting channels (bank, IASC, Kontak OJK 157, SiPASTI, BI 131, cekrekening.id, aduannomor.id, police report, LAPS SJK, 112) with when to us
FinLAIwyer	`glossary`	Legal term ↔ plain language: the official definition quoted from the general-provisions article of the relevant law (when found) plus a labelled plain-language
FinLAIwyer	`open_page`	Text of one original PDF page and a preview ("Lihat halaman asli") — for citing pages where article headings were not detected (OCR) or for annexes.
AntiScam Dex	`dataset_info`	Describe this Dex dataset: exact source file names, coverage, as-of date, entity count, licence, cleaning rules, and limitations. Use when the user asks what da
AntiScam Dex	`data_quality`	Data-quality report for the dataset or one entity: removed spikes, systemic breaks/reliable_from, carry-forward, bad prints, duplicates, OCR gaps, samples, synt
AntiScam Dex	`app_info`	Information about the Finandex app and its creator. Use when asked who made the app.
AntiScam Dex	`feature_guide`	Feature guide (rule 11): what this Dex is for, example questions, every function/tab with a one-line explanation, data & as-of, limitations, related Dex. Use fo
AntiScam Dex	`open_dex`	Offer the user a button that opens another Finandex Dex (optionally on an entity) when the question belongs to a different dataset. Use instead of guessing numb

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex

Dex	Tool	Deskripsi
AntiScam Dex	`iasc_stats`	IASC handling statistics (cumulative since 22 Nov 2024): reports, accounts reported/blocked, victim funds blocked/returned, reported losses, phone numbers. view
AntiScam Dex	`satgas_stats`	Satgas PASTI statistics: complaints about illegal entities (illegal online loans, illegal investment, illegal pawning) and entities stopped, with cut-off dates.
AntiScam Dex	`ojk_consumer_stats`	OJK consumer-service statistics (service requests, complaints by sector) with the period stated in the source.
AntiScam Dex	`modus_library`	Library of 11 scam types with red flags (query filters by keyword, e.g. "phishing", "pinjol", "investasi").
AntiScam Dex	`modus_stats`	Reports per scam type as published (with source and cut-off). Where media report different numbers for the same type, BOTH are returned with their sources (conf
AntiScam Dex	`region_stats`	Scam reports by region as published (with source and cut-off).
AntiScam Dex	`reporting_guide`	How to report to IASC: portal features, 4 reporting steps, data to prepare (grouped), rules (1 form = 1 victim account → 1 reported account; dual track IASC + p
AntiScam Dex	`channel_directory`	Official channels (IASC report/check, Kontak OJK 157, SiPASTI, BI BICARA 131, cekrekening.id, aduannomor.id, police report, LAPS SJK, your bank, 112) with when
AntiScam Dex	`evidence_checklist`	Checklist of evidence to keep (phone numbers, dated chats, transfer proofs, destination accounts, URLs).
AntiScam Dex	`prevention_tips`	Prevention tips from official public information.
AntiScam Dex	`scam_selfcheck`	Deterministic self-check quiz "Apakah ini scam?": answers = 10 yes/no booleans in the order of the questions (call with answers null to get the questions). Retu
AntiScam Dex	`emergency_steps`	Just scammed: elapsed = time since the last transfer (lt24h|gt24h|unknown), method = bank|pjp (e-wallet/payment provider)|crypto|other. Runs the FinLAIwyer flow

4. Kontrak data statis

`public/data/manifest.json` mencatat setiap file data beserta hash; klien hanya membaca file yang tercantum di manifest.

5. Header keamanan (vercel.json)

Sumber	Header
`/data/(.*)`	Access-Control-Allow-Origin: *
`/data/(.*)`	Access-Control-Allow-Methods: GET, HEAD
`/data/(.*)`	Cache-Control: public, max-age=3600, stale-while-revalidate=86400
`/assets/(.*)`	Cache-Control: public, max-age=31536000, immutable
`/sw.js`	Cache-Control: no-cache
`/(.*)`	Content-Security-Policy: default-src 'self'; script-src 'self' 'wasm-unsafe-eval'; connect-src 'self' https://finandex.vercel.app https://finande

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex

Sumber	Header
`/(.*)`	Strict-Transport-Security: max-age=63072000; includeSubDomains; preload
`/(.*)`	X-Content-Type-Options: nosniff
`/(.*)`	Referrer-Policy: strict-origin-when-cross-origin
`/(.*)`	Permissions-Policy: camera=(), microphone=(), geolocation=(), payment=(), usb=()
`/(.*)`	Cross-Origin-Opener-Policy: same-origin

© 2026 Dea Saka Kurnia Putra. All rights reserved. — Finandex