Plan

Plan

Two lectures on the OUU paper:

- Value-based uncertainty and multi-objective optimization
- Functorial uncertainty

Plan

Two lectures on the OUU paper:

- Value-based uncertainty and multi-objective optimization
- Functorial uncertainty

Today:

- Value-based uncertainty and multi-objective optimization

A bit of motivation . . .

Motivation: plasma physics, tokamaks



Motivation: DREAM simulator

- The Plasma Theory group (Physics, Chalmers) has developed a computer-based framework for simulating the generation and dynamics of runaway electrons in tokamak disruption experiments.

Motivation: DREAM simulator

- The Plasma Theory group (Physics, Chalmers) has developed a computer-based framework for simulating the generation and dynamics of runaway electrons in tokamak disruption experiments.
- DREAM (*Disruption Runaway Electron Analysis Model*) simulates the outcome of a disruption experiment (among others, the runaway electron distribution function, the current quench, the thermal quench, etc.) self-consistently ...

Motivation: DREAM simulator

- The Plasma Theory group (Physics, Chalmers) has developed a computer-based framework for simulating the generation and dynamics of runaway electrons in tokamak disruption experiments.
- DREAM (*Disruption Runaway Electron Analysis Model*) simulates the outcome of a disruption experiment (among others, the runaway electron distribution function, the current quench, the thermal quench, etc.) self-consistently ...
- In simple terms, DREAM is a function that maps the input and the control parameters that fully specify a disruption experiment at a layer (1D, 2D, and 3D) to a possible outcome of that experiment.

Motivation: bad outcome

- Runaway current (iRE): starts at 0, grows exp. to 4 MA within 0.05 s, then grows lin.
- Ohmic current (iOhm): starts at 15 MA, decays to 1% within 0.05 seconds



runaway current (max 6MA)



ohmic current (max 15MA)

Motivation: good outcome

- Runaway current (iRE): starts at 0, grows exp. to 1 kA within 0.05 s, then decreases exp.
- Ohmic current (iOhm): starts at 15 MA, decays to 7 MA within 0.05 seconds



runaway current (max 1kA)



ohmic current (max 15MA)

Motivation: low iRE ⇒ high thermal quench (tCQ)!



Multi-objective optimization in physics, engineering, climate science

- One is given:

Multi-objective optimization in physics, engineering, climate science

- One is given:
  - a control space $Y \subseteq \mathbb{R}^m$,

Multi-objective optimization in physics, engineering, climate science

- One is given:
  - a control space $Y \subseteq \mathbb{R}^m$,
  - a set of feasible controls $Y_\varphi \subseteq Y$,

Multi-objective optimization in physics, engineering, climate science

- One is given:
  - a control space $Y \subseteq \mathbb{R}^m$,
  - a set of feasible controls $Y_\varphi \subseteq Y$,
  - n objective functions $f_1 \ldots f_n : Y_\varphi \to \mathbb{R}$,

Multi-objective optimization in physics, engineering, climate science

- One is given:
  - a control space $Y \subseteq \mathbb{R}^m$,
  - a set of feasible controls $Y_\varphi \subseteq Y$,
  - n objective functions $f_1 \ldots f_n : Y_\varphi \to \mathbb{R}$,
  - an operational space $X \subseteq \mathbb{R}^n$,

Multi-objective optimization in physics, engineering, climate science

- One is given:
  - a control space $Y \subseteq \mathbb{R}^m$,
  - a set of feasible controls $Y_\varphi \subseteq Y$,
  - n objective functions $f_1 \ldots f_n : Y_\varphi \to \mathbb{R}$,
  - an operational space $X \subseteq \mathbb{R}^n$,
  - a safe operational space $X_\sigma \subseteq X$.

Multi-objective optimization in physics, engineering, climate science

- One is given:
  - a control space $Y \subseteq \mathbb{R}^m$,
  - a set of feasible controls $Y_\varphi \subseteq Y$,
  - n objective functions $f_1 \ldots f_n : Y_\varphi \to \mathbb{R}$,
  - an operational space $X \subseteq \mathbb{R}^n$,
  - a safe operational space $X_\sigma \subseteq X$.
- Controls in Y can be initial conditions, boundary conditions, parameter values, policies, etc. on a system (device, experiment).

Multi-objective optimization in physics, engineering, climate science

- One is given:
  - a control space $Y \subseteq \mathbb{R}^m$,
  - a set of feasible controls $Y_\varphi \subseteq Y$,
  - n objective functions $f_1 \ldots f_n : Y_\varphi \to \mathbb{R}$,
  - an operational space $X \subseteq \mathbb{R}^n$,
  - a safe operational space $X_\sigma \subseteq X$.
- Controls in Y can be initial conditions, boundary conditions, parameter values, policies, etc. on a system (device, experiment).
- A feasible control $y \in Y_\varphi$ is one that can actually be imposed on the system and for which one obtains an output $f_1\, y \ldots f_n\, y \in \mathbb{R}^n$.

Multi-objective optimization in physics, engineering, climate science

- One is given:
  - a control space $Y \subseteq \mathbb{R}^m$,
  - a set of feasible controls $Y_\varphi \subseteq Y$,
  - n objective functions $f_1 \ldots f_n : Y_\varphi \to \mathbb{R}$,
  - an operational space $X \subseteq \mathbb{R}^n$,
  - a safe operational space $X_\sigma \subseteq X$.
- Controls in Y can be initial conditions, boundary conditions, parameter values, policies, etc. on a system (device, experiment).
- A feasible control $y \in Y_\varphi$ is one that can actually be imposed on the system and for which one obtains an output $f_1\, y \ldots f_n\, y \in \mathbb{R}^n$.
- X is a subset of $\mathbb{R}^n$ in which the system can be operated and X_σ the subset of desirable or safe outcomes.

Multi-objective optimization in physics, engineering, climate science

- Ideally, one would like to find controls $ys \subseteq Y_\varphi$ that minimize $f_1 \ldots f_n$.

Multi-objective optimization in physics, engineering, climate science

- Ideally, one would like to find controls $ys \subseteq Y_\varphi$ that minimize $f_1 \ldots f_n$.
- In most cases, one cannot find a $y \in Y_\varphi$ that minimizes all functions: one has to make compromises.

Multi-objective optimization in physics, engineering, climate science

- Ideally, one would like to find controls $ys \subseteq Y_\varphi$ that minimize $f_1 \ldots f_n$.
- In most cases, one cannot find a $y \in Y_\varphi$ that minimizes all functions: one has to make compromises.
- The idea is then to search for controls $y \in Y_\varphi$ which are safe and yield results $f_1\ y \ldots f_n\ y$ such that one cannot improve a result without making some other results worse.

Multi-objective optimization in physics, engineering, climate science

- Ideally, one would like to find controls $ys \subseteq Y_\varphi$ that minimize $f_1 \ldots f_n$.
- In most cases, one cannot find a $y \in Y_\varphi$ that minimizes all functions: one has to make compromises.
- The idea is then to search for controls $y \in Y_\varphi$ which are safe and yield results $f_1\ y \ldots f_n\ y$ such that one cannot improve a result without making some other results worse.

Multi-objective optimization in physics, engineering, climate science

- Ideally, one would like to find controls $ys \subseteq Y_\varphi$ that minimize $f_1 \ldots f_n$.
- In most cases, one cannot find a $y \in Y_\varphi$ that minimizes all functions: one has to make compromises.
- The idea is then to search for controls $y \in Y_\varphi$ which are safe and yield results $f_1\ y \ldots f_n\ y$ such that one cannot improve a result without making some other results worse.

Exercise 1.1

Specify what it means for $y \in Y_\varphi$ to be safe using X_σ.

Multi-objective optimization in physics, engineering, climate science

- Ideally, one would like to find controls $ys \subseteq Y_\varphi$ that minimize $f_1 \ldots f_n$.
- In most cases, one cannot find a $y \in Y_\varphi$ that minimizes all functions: one has to make compromises.
- The idea is then to search for controls $y \in Y_\varphi$ which are safe and yield results $f_1\ y \ldots f_n\ y$ such that one cannot improve a result without making some other results worse.

Exercise 1.1

Specify what it means for $y \in Y_\varphi$ to be safe using X_σ.

Exercise 1.2

Specify what it means for $y \in Y_\varphi$ to yield results $f_1\ y \ldots f_n\ y$ such that one cannot improve a result without making some other results worse for minimization problems.

Single objective minimization (finite case)

- Finding all the elements of a finite set at which a function attains its minimum:

$$
\begin{aligned}
&\mathit{minOf} &&:: \mathit{Ord}\ b \Rightarrow (a \to b) \to \mathit{Set}\ a \to b \\
&\mathit{argminOf} &&:: \mathit{Ord}\ b \Rightarrow (a \to b) \to \mathit{Set}\ a \to \mathit{Set}\ a
\end{aligned}
$$

Single objective minimization (finite case)

- Finding all the elements of a finite set at which a function attains its minimum:

$$\begin{aligned} &\mathit{minOf} &&:: \mathit{Ord}\ b \Rightarrow (a \to b) \to \mathit{Set}\ a \to b \\ &\mathit{argminOf} &&:: \mathit{Ord}\ b \Rightarrow (a \to b) \to \mathit{Set}\ a \to \mathit{Set}\ a \end{aligned}$$

- The idea is that, for any f, as of suitable types, $\mathit{minOf}\ f\ as \in \mathit{map}\ f\ as$ and $\mathit{argminOf}\ f\ as \subseteq as$ shall fulfil three conditions:

Single objective minimization (finite case)

- Finding all the elements of a finite set at which a function attains its minimum:

$$\begin{aligned} &\mathit{minOf} &&:: \mathit{Ord}\ b \Rightarrow (a \to b) \to \mathit{Set}\ a \to b \\ &\mathit{argminOf} &&:: \mathit{Ord}\ b \Rightarrow (a \to b) \to \mathit{Set}\ a \to \mathit{Set}\ a \end{aligned}$$

- The idea is that, for any f, as of suitable types, $\mathit{minOf}\ f\ as \in \mathit{map}\ f\ as$ and $\mathit{argminOf}\ f\ as \subseteq as$ shall fulfil three conditions:

  1. $\forall\ a \in as.\ \ \mathit{minOf}\ f\ as \leqslant f\ a$

Single objective minimization (finite case)

- Finding all the elements of a finite set at which a function attains its minimum:

$$\begin{aligned} &\mathit{minOf} &&:: \mathit{Ord}\ b \Rightarrow (a \to b) \to \mathit{Set}\ a \to b \\ &\mathit{argminOf} &&:: \mathit{Ord}\ b \Rightarrow (a \to b) \to \mathit{Set}\ a \to \mathit{Set}\ a \end{aligned}$$

- The idea is that, for any f, as of suitable types, $\mathit{minOf}\ f\ as \in \mathit{map}\ f\ as$ and $\mathit{argminOf}\ f\ as \subseteq as$ shall fulfil three conditions:

  1. $\forall\ a \in as.\ \ \mathit{minOf}\ f\ as \leqslant f\ a$
  2. $\forall\ a \in as.\ \ a \in \mathit{argminOf}\ f\ as \Rightarrow f\ a = \mathit{minOf}\ f\ as$

Single objective minimization (finite case)

- Finding all the elements of a finite set at which a function attains its minimum:

$$\begin{aligned} &\mathit{minOf} &&:: \mathit{Ord}\ b \Rightarrow (a \to b) \to \mathit{Set}\ a \to b \\ &\mathit{argminOf} &&:: \mathit{Ord}\ b \Rightarrow (a \to b) \to \mathit{Set}\ a \to \mathit{Set}\ a \end{aligned}$$

- The idea is that, for any f, as of suitable types, $\mathit{minOf}\ f\ as \in \mathit{map}\ f\ as$ and $\mathit{argminOf}\ f\ as \subseteq as$ shall fulfil three conditions:

1. $\forall\ a \in as.\ \ \mathit{minOf}\ f\ as \leqslant f\ a$
2. $\forall\ a \in as.\ \ a \in \mathit{argminOf}\ f\ as \Rightarrow f\ a = \mathit{minOf}\ f\ as$
3. $\forall\ a \in as.\ \ f\ a = \mathit{minOf}\ f\ as \Rightarrow a \in \mathit{argminOf}\ f\ as$

Single objective minimization (finite case)

Exercise 1.3

Make sure that you fully understand the specification of *minOf*, *argminOf*. What is the type of *map f as* for $f : \mathbb{R}^m \to \mathbb{R}$? What is the type of *argminOf f as*? Can we apply *minOf* to functions of type $\mathbb{R}^m \to \mathbb{R}^n$?

Single objective minimization (finite case)

Exercise 1.3

Make sure that you fully understand the specification of *minOf*, *argminOf*. What is the type of *map f as* for $f : \mathbb{R}^m \to \mathbb{R}$? What is the type of *argminOf f as*? Can we apply *minOf* to functions of type $\mathbb{R}^m \to \mathbb{R}^n$?

Exercise 1.4

The implementation

$$\begin{aligned} \mathit{minOf}\ f\ \mathit{as} &= \mathit{minimum}\ (\mathit{map}\ f\ \mathit{as}) \\ \mathit{argminOf}\ f\ \mathit{as} &= \textbf{let}\ m = \mathit{minOf}\ f\ \mathit{as}\ \textbf{in}\ \mathit{filter}\ (\lambda\ a \to f\ a == m)\ \mathit{as} \end{aligned}$$

can be tested to fulfill the specification of *minOf*, *argminOf*, see *test11*, *test12* and *test13* in the paper. What is the type of *minimum*? What is the type of *filter*? Implement and run *test11* for a function of your choice of suitable type.

Multi objective minimization: Pareto optimality

- A set X_P is called a Pareto optimal subset (Pareto front) of a set X w.r.t. a dominance (anti-reflexive, transitive) relation $\prec$ iff

Multi objective minimization: Pareto optimality

- A set X_P is called a Pareto optimal subset (Pareto front) of a set X w.r.t. a dominance (anti-reflexive, transitive) relation $\prec$ iff
  - $X_P \subseteq X$,

Multi objective minimization: Pareto optimality

- A set X_P is called a Pareto optimal subset (Pareto front) of a set X w.r.t. a dominance (anti-reflexive, transitive) relation $\prec$ iff
  - $X_P \subseteq X$,
  - X_P is indifferent with respect to $\prec$,

Multi objective minimization: Pareto optimality

- A set X_P is called a Pareto optimal subset (Pareto front) of a set X w.r.t. a dominance (anti-reflexive, transitive) relation $\prec$ iff
  - $X_P \subseteq X$,
  - X_P is indifferent with respect to $\prec$,
  - X_P dominates $X \setminus X_P$ that is $\forall\ x' \in X \setminus X_P\ .\ \exists\, x \in X_P\ .\ x \prec x'$.

Multi objective minimization: Pareto optimality

- A set X_P is called a Pareto optimal subset (Pareto front) of a set X w.r.t. a dominance (anti-reflexive, transitive) relation $\prec$ iff
  - $X_P \subseteq X$,
  - X_P is indifferent with respect to $\prec$,
  - X_P dominates $X \setminus X_P$ that is $\forall\ x' \in X \setminus X_P\ .\ \exists\, x \in X_P\ .\ x \prec x'$.

Exercise 1.5

What is the type of $\prec$? Specify what it means for a subset of X to be indifferent with respect to $\prec$. Define $\prec$ for $X = \mathbb{R}^2$ and consistently with Fig. 1 of the paper. Prove that $\prec$ is not transitive.

Multi objective minimization (finite case)

- As in SOM, one can easily compute the Pareto optimal subset (Pareto front) of a finite set for a given dominance relation $\prec$

$$\mathit{paretoOpt} :: (\mathit{NDim}\ n, \mathit{Ord}\ b) \Rightarrow \mathit{Set}\ (n\ b) \rightarrow \mathit{Set}\ (n\ b)$$

Multi objective minimization (finite case)

- As in SOM, one can easily compute the Pareto optimal subset (Pareto front) of a finite set for a given dominance relation $\prec$

$$\mathit{paretoOpt} :: (\mathit{NDim}\ n, \mathit{Ord}\ b) \Rightarrow \mathit{Set}\ (n\ b) \rightarrow \mathit{Set}\ (n\ b)$$

- The idea is to define *paretoOpt* inductively:

$$\begin{aligned} \mathit{paretoOpt}\ [] &= [] \\ \mathit{paretoOpt}\ (x : \mathit{xs}) &= \mathit{bump}\ x\ (\mathit{paretoOpt}\ \mathit{xs}) \end{aligned}$$

Multi objective minimization (finite case)

- As in SOM, one can easily compute the Pareto optimal subset (Pareto front) of a finite set for a given dominance relation $\prec$

$$\mathit{paretoOpt} :: (\mathit{NDim}\ n, \mathit{Ord}\ b) \Rightarrow \mathit{Set}\ (n\ b) \rightarrow \mathit{Set}\ (n\ b)$$

- The idea is to define *paretoOpt* inductively:

$$\begin{aligned} \mathit{paretoOpt}\ [] &= [] \\ \mathit{paretoOpt}\ (x : \mathit{xs}) &= \mathit{bump}\ x\ (\mathit{paretoOpt}\ \mathit{xs}) \end{aligned}$$

Exercise 1.6

What does $n\ b$ in the type of *paretoOpt xs* represent? What is the type of *bump*?

Multi objective minimization (finite case)

- As in SOM, one can easily compute the Pareto optimal subset (Pareto front) of a finite set for a given dominance relation $\prec$

$$\mathit{paretoOpt} :: (\mathit{NDim}\ n, \mathit{Ord}\ b) \Rightarrow \mathit{Set}\ (n\ b) \rightarrow \mathit{Set}\ (n\ b)$$

- The idea is to define *paretoOpt* inductively:

$$\begin{aligned} \mathit{paretoOpt}\ [] &= [] \\ \mathit{paretoOpt}\ (x : xs) &= \mathit{bump}\ x\ (\mathit{paretoOpt}\ xs) \end{aligned}$$

Exercise 1.6

What does *n b* in the type of *paretoOpt xs* represent? What is the type of *bump*?

Exercise 1.7

If *bump* fulfills three requirements, then *paretoOpt xs* is the Pareto optimal subset of *xs* for arbitary *xs*. Write these three requirements.

Multi objective minimization (finite case)

Exercise 1.8

Define $bump\ x$ for the empty $Set = List$.

Multi objective minimization (finite case)

Exercise 1.8

Define $bump\ x$ for the empty $Set = List$.

Exercise 1.9

Define $bump\ x$ for a set (list) of Pareto optimal point $p :: ps$.

Multi objective minimization (finite case)

Exercise 1.8

Define $bump\ x$ for the empty $Set\ =\ List$.

Exercise 1.9

Define $bump\ x$ for a set (list) of Pareto optimal point $p :: ps$.

Exercise 1.10

Define a $isParetoOptOf :: (NDim\ n, Ord\ b) \Rightarrow Set\ (n\ b) \rightarrow Set\ (n\ b) \rightarrow Bool$ relation and test that, with your definition of $bump$, $paretoOpt\ xs$ is the Pareto optimal subset of xs for arbitary xs.

Multi objective minimization (finite case)

Exercise 1.11

Implement

$$\begin{aligned} &\mathit{paretoMinOf} &&:: (\mathit{NDim}\ n, \mathit{Eq}\ a, \mathit{Ord}\ b) \Rightarrow (a \to n\ b) \to \mathit{Set}\ a \to \mathit{Set}\ (n\ b) \\ &\mathit{argparetoMinOf} &&:: (\mathit{NDim}\ n, \mathit{Eq}\ a, \mathit{Ord}\ b) \Rightarrow (a \to n\ b) \to \mathit{Set}\ a \to \mathit{Set}\ a \end{aligned}$$

using *paretoOpt* and the *map*, *filter* and membership operations on $\mathit{Set} = \mathit{List}$.

Multi objective minimization (finite case)

Exercise 1.11

Implement

$$\begin{aligned} &\mathit{paretoMinOf} &&:: (\mathit{NDim}\ n, \mathit{Eq}\ a, \mathit{Ord}\ b) \Rightarrow (a \to n\ b) \to \mathit{Set}\ a \to \mathit{Set}\ (n\ b) \\ &\mathit{argparetoMinOf} &&:: (\mathit{NDim}\ n, \mathit{Eq}\ a, \mathit{Ord}\ b) \Rightarrow (a \to n\ b) \to \mathit{Set}\ a \to \mathit{Set}\ a \end{aligned}$$

using *paretoOpt* and the *map*, *filter* and membership operations on $\mathit{Set} = \mathit{List}$.

Exercise 1.12

Use *isParetoOptOf* from exercise 1.10 and $\mathit{Set} = \mathit{List}$ membership to write formal specifications for *paretoMinOf*, *argparetoMinOf* similar to the specifications of *minOf*, *argminOf*.