

ARCHZONA STRUCTURES

PRODUCT CATALOGUE DECK & SPECIFICATION MANUAL

Digital Experience Centre for Architectural Materials, Roofing Systems, Cladding & Outdoor Pavilions

105, PRISM INDUSTRIAL ESTATE, BEHIND PENDARKAR COLLEGE, DOMBIVLI (EAST) 421201

Mobile: +91 9702051858 | Email: info.archzona@gmail.com | GSTIN: 27ACDFA4175F1ZJ

ABOUT US

ARCHITECTURAL OBJECTS & SPATIAL CREATION

We specialize in Resort and Bungalow Development, with comprehensive services including Architectural Roofing Systems, High-Performance Cladding Materials, Wooden Deck Systems, and Custom Outdoor Structures.

We prioritize delivering high-quality workmanship, precision structural engineering, and excellent customer service across India and luxury retreat developments.

- **Turnkey Resort & Villa Outdoor Living Environments**
- **Sustainable Bitumen, Polycarbonate & Shingle Roofing**
- **Weatherproof WPC, HPL, ACP & MgSO₄ Cladding Panels**
- **Pre-tensioned Double-Curved Tensile Fabric Canopies**
- **High-Strength Cast-in-Place NovaMix Terrazzo Pathways**

OUR SERVICES

[01] ROOFING SYSTEM

Covering a building structure to protect against weather, provide thermal insulation, and ensure long-term waterproofing.

[02] CLADDING MATERIAL

Exterior or interior architectural layer to protect, enhance aesthetics, absorb acoustic reflection, and decorate structures.

[03] WOODEN DECK SYSTEM

Prefabricated products including wooden flooring, WPC facades, partition boards, and luxury poolside wall claddings.

[04] GAZEBO & PERGOLAS

Fibre Garden Gazebos and Louvered Pergolas providing roofed outdoor sanctuaries for shade, ventilation, and aesthetics.

ROOFING SYSTEM OVERVIEW

ONDULINE ROOFING SYSTEM

Eco-friendly Onduline roofing made from recycled materials provides lightweight, 100% waterproof and reliable protection against extreme weather conditions.

LAMIT ROOFING SYSTEM

Lamit roofing is a durable, long-lasting system with precision tiles offering consistent weight, superior sound insulation, and a range of colours to match any architectural design.

TENSILE FABRIC SHADE

Tensile fabric shade structures are durable and fully customizable, offering expansive clear-span shade and protection with stylish fabric membranes for any outdoor space.

ONDULINE® ROOFING SYSTEM

KEY FEATURES & BENEFITS

- Aesthetic & Architectural Appeal
- 100% Waterproof Seal
- High Wind Resistance (Up to 180 km/h)
- Thermal-Comfort Insulation
- Acoustic Comfort (Attenuates heavy rain noise)
- Ultra Lightweight (3.1 kg/m²)

TECHNICAL SPECIFICATIONS

Length:	1070 mm
Width:	400 mm
Thickness:	3 mm
Weight:	3.1 kg/m²
Pigmented Colors:	Shaded Red, Brown, Green, Black
Painted Colors:	Terracotta, Red, Green, Grey

ONDULINE® CLASSIC

LIGHTWEIGHT COMPOSITE ROOFING SHEET

ONDULINE® CLASSIC is an internationally acclaimed lightweight corrugated composite roofing sheet engineered for residential, agricultural, and commercial buildings.

- Resistant to extreme weather conditions & thermal shock
- Environmentally friendly, zero asbestos, and 100% recyclable
- Easy to install and cut with standard hand tools
- Provides superior noise dampening and thermal insulation
- Long-lasting durability with 15-year waterproof guarantee

LENGTH: 2000 mm | WIDTH: 950 mm | THICKNESS: 3 mm | WEIGHT: 3.4 kg/m² | COLORS: Red, Brown, Green, Black

ONDULINE® DURO 235

HEAVY-DUTY BITUMEN & CELLULOSE FIBER ROOFING

ONDULINE® DURO 235 is a heavy-duty corrugated sheet reinforced with saturated bitumen and cellulosic fibers, specifically formulated for harsh environmental exposure.

- Excellent thermal and acoustic insulation performance
- Non-corrosive, chemical resistant, and 100% rust-proof
- Environmentally friendly and 100% recyclable organic composition
- Easy to transport, handle, and fasten securely onto sub-frames
- Available in a wide spectrum of UV-stable colors and sheet sizes

LENGTH: 2000 mm | WIDTH: 1055 mm | THICKNESS: 3 mm | WEIGHT: 3.3 kg/m² | COLORS: Red, Brown, Green, Black

ONDUCLAIR® POLYCARBONATE

TRANSPARENT & TRANSLUCENT POLYCARBONATE ROOFING

ONDUCLAIR® is a high-performance transparent polycarbonate sheet providing high light transmission, daylighting for outdoor skylights, pergolas, and industrial structures.

- High impact resistance & shatterproof durability
- Weather & broad temperature stability (-40°C to +130°C)
- Integrated UV protective layer preventing yellowing and degradation
- Provides thermal insulation while maximizing natural daylight
- Easy to install with matching profile overlaps

LENGTH: 2000 mm | COVERAGE WIDTH: 950 mm | THICKNESS: 1.2 mm | TRANSMISSION: Up to 90% Light

ROOFING ACCESSORIES

ONDUBAND* FLASHING TAPE

Self-adhesive butyl sealing tape engineered for waterproof ridge, valley, and wall flash

- Aluminum Thickness: 10 mm
- Butyl Glue Width: 0.10 / 0.15 / 0.20 / 0.30 mm
- Total Thickness: 1.5 mm
- Roll Width: 38 mm
- Prevents leaks & structural water ingress

ONDULAIR® SLIM VENTILATION

Breathable ridge ventilation band promoting airflow while stopping moisture and pest penetration

- Band Width: 150 mm
- Membrane Thickness: 140 ¼
- Weight: 3.1 kg/m²
- Enhances thermal comfort & roof lifespan
- Compatible with all corrugated profiles

LAMIT ROOFING SYSTEM

LAMINATED FIBERGLASS & ASPHALT SHINGLE ROOFING

LAMIT ROOFING SYSTEM uses multi-layer laminated shingles with a heavy-duty fiberglass base and PU-based glass pigmentation coating, delivering premium weather

- 10 Years Comprehensive Warranty
- UV & Moisture Resistance
- 3-Layer Protective Coating System
- PU Based Glass Pigmentation Coating
- Fungal & Algae Resistance Treatment
- 100% Natural Organic Look & Sound Insulation

TENSILE FABRIC SHADE

PRE-TENSIONED DOUBLE-CURVED MEMBRANE STRUCTURES

A Tensile Fabric Shade is a lightweight architectural shade structure made of flexible, tensioned PVDF or PTFE fabric membranes supported by engineered structural steel frames.

- Provides wide clear-span shade for patios, decks, car parking & playgrounds
- Dramatically enhances the aesthetic signature of resort & commercial spaces
- Offers 99% protection from UV rays and heavy monsoon rainfall
- Can be custom engineered into hyperbolic, conical, or wave geometries
- Requires minimal maintenance with long 15+ year operational lifespan

CLADDING MATERIAL OVERVIEW

WPC (WOOD PLASTIC COMPOSITE)

High-density composite material made of natural wood fiber and recycled polymers for authentic timber aesthetics with zero maintenance.

HPL (HIGH PRESSURE LAMINATE)

Decorative high-strength exterior laminate with resin-impregnated paper core, delivering scratch, graffiti, and fire-resistant facades.

ACP (ALUMINIUM COMPOSITE PANEL)

Flat panel composed of two thin aluminum sheets bonded to a polyethylene or fire-retardant mineral core for modern commercial facades.

WPC CLADDING & DECKING

WOOD PLASTIC COMPOSITE (WPC)

WPC combines natural wood fibers with advanced polymers to create high-durability planks that offer the authentic look of timber without the vulnerabilities of natural wood.

- 100% Water & Moisture Proof: Engineered matrix prevents water absorption, swelling or rot
- UV & Weather Resistant: Withstands prolonged sun exposure and monsoon rains without fading
- Anti-Slip Grooved Texture: Precision-profiled surface offers superior grip underfoot
- Zero Maintenance: Eliminates the need for periodic polishing, oiling, or chemical sealing
- Termite & Borer Proof: High-density polymer blend completely resists insects and decay

HPL ARCHITECTURAL CLADDING

HIGH PRESSURE LAMINATE (HPL)

HPL is produced by fusing multiple layers of kraft paper with thermosetting resins under extreme heat and pressure for high-impact architectural facades.

- Superior Impact & Scratch Resistance: Dense core resists mechanical wear and impacts
- Weather & UV Stability: Specially coated surface protects against heavy rainfall and fading
- Fire Retardant Properties: Self-extinguishing characteristics meet safety codes
- Moisture & Graffiti Proof: Non-porous surface allows effortless removal of paint & stains
- Easy Installation: Compatible with rear-ventilated facade systems, rivets or adhesives

ACP CLADDING PANELS

ALUMINIUM COMPOSITE PANEL (ACP)

ACP is composed of two thin aluminum sheets bonded to a mineral or polyethylene core, renowned for lightweight versatility, flatness, and sleek aesthetic.

- **Lightweight Yet Rigid:** High strength-to-weight ratio ensures superior flatness
- **Extreme Weather & UV Resistance:** PVDF fluorocarbon coatings prevent chalking and fading
- **Easy Fabrication & Flexibility:** Effortlessly cut, grooved, bent and folded into curves
- **Fire Performance Available:** Mineral-filled core grades offer high flame retardancy
- **Smooth & Modern Aesthetic:** Uniform non-porous finish in metallic, solid, and textured styles

VOODY PROBOARD (MgSO4)

MAGNESIUM SULPHATE (MgSO4) PROBOARD

Voody MgSO4 Proboard is a zero-chloride, non-corrosive building board reinforced with multi-layer fiberglass mesh for extreme fire protection and moisture immunity.

- Non-Combustible (Class A1 Fire Rating): Withstands extreme temperatures without toxic fumes
- 100% Chloride-Free & Non-Corrosive: Eliminates crying board sweating and screw corrosion
- Superior Water & Mould Resistance: Retains dimensional stability when submerged
- High Impact & Bending Strength: Heavy-duty fiberglass mesh delivers high load bearing
- Eco-Friendly & Non-Toxic: 100% free from asbestos, silica dust, and formaldehyde

SWIMMING POOL DECK AREA

POOL SURROUNDS WITH WPC COMPOSITE DECKING

Transform your backyard or resort property into an exquisite oasis with the installation of a beautiful swimming pool deck using Archzona WPC decking.

The ultimate space for Relaxation, Exercise, and Entertaining. Your new pool surround stays cool under barefoot tropical sun, provides non-slip safety when wet, and resists pool chemicals effortlessly.

WOODEN DECK SYSTEM

FLOORS

High-traffic walkable surfaces engineered for continuous load-bearing durability, water resistance, and natural timber elegance.

WALLS

Vertical structural enclosures designed to provide acoustic control, thermal insulation, and architectural exterior cladding.

PARTITIONS

Lightweight non-load-bearing vertical dividers used to delineate interior zones flexibly while allowing ambient light pass-through.

WOODEN & ENGINEERED FLOORS

WOODEN, ENGINEERED & LVT/SPC FLOORING

Combines the natural warmth of real timber with advanced multi-layer stability, referencing Quick-Step and Voody Floors specifications.

- Authentic Timber Aesthetic: Genuine oak veneers or ultra-realistic HD grain embossing
- 100% Water & Moisture Proof (LVT/SPC): Hydroseal joint sealing and rigid stone-polymer core
- High Wear & Scratch Resistance: AC4/AC5 commercial rating against heavy foot traffic
- Seamless Click Installation: Advanced glue-free interlocking systems (Uniclic/Unizip)
- Acoustic Comfort & Underfloor Heating: Integrated sound dampening underlayment

ACOUSTIC WOODEN WALL PANELS

ACOUSTIC WOODEN WALL PANELS & CLADDINGS

Combines natural timber visuals with engineered acoustic absorption felt backing to reduce reverberation and echo.

- Superior Acoustic Performance: Slatted timber design paired with recycled acoustic felt
- Natural Wood Aesthetic: Genuine wood veneers offer rich grain textures and tactile warmth
- Surface Protection & Durability: Shields underlying walls from scuffs and impact damage
- Quick Modular Installation: Interlocking tongue-and-groove or batten mounting systems
- Moisture & Termite Resistant: Specialized treatments prevent warping and pest damage

ARCHITECTURAL TIMBER PARTITIONS

WOODEN-BASED PARTITION & DIVIDER SYSTEMS

Provides functional spatial segregation while preserving visual continuity, natural light flow, and acoustic privacy.

- Flexible Spatial Zoning: Creates distinct functional zones without permanent masonry walls
- Acoustic & Visual Privacy: Diffuses sound transmission while permitting continuous ventilation
- Light Transmission: Vertical and horizontal batten designs filter daylight into adjoining rooms
- Structural Stability & Durability: Engineered solid timber and composite core stability
- Modular & Demountable: Fast dry installation adaptable to changing floor plans

OUTDOOR STRUCTURES OVERVIEW

GAZEBO PAVILIONS

Freestanding open-sided architectural pavilions with solid, full-coverage pitched or flat insulated roofs for shade and shelter.

PERGOLA SYSTEMS

Outdoor architectural frameworks with vertical posts and horizontal cross-beams supporting open or bioclimatic louvered roof slats.

MICRO CEMENT & TERRAZZO

Sleek, modern concrete and aggregate finish structures with seamless, waterproof, non-slip surfaces for walkways and sunken lounges.

FIBRE GARDEN GAZEBO

FIBER REINFORCED GARDEN GAZEBO

The Fibre Garden Gazebo is a roofed outdoor structure made of fiber-reinforced composite materials, featuring integrated seating areas and heavy-weather protection.

- Exceptional strength & structural durability
- Resilient against tropical monsoon rain and extreme UV radiation
- Minimal maintenance required; zero corrosion or rot
- Creates a comfortable, shaded outdoor lounge seating zone
- Fully customizable in dimensions, colors, and roof finishes

PERGOLA PATIO & PROFILES

ARCHITECTURAL PERGOLA SYSTEMS & PROFILE MATRIX

A pergola forms a shaded walkway, passageway, or seating area with vertical posts supporting open or louvered cross-beams.

- SN150W150 Heavy Column Post (150 x 150 mm)
- SN160W80 Structural Main Beam (160 x 80 mm)
- SN146W50 Rafter Fin (146 x 50 mm)
- SN90W90 Secondary Column (90 x 90 mm)
- SN120W120 Mid-Span Column (120 x 120 mm)

NOVAMIX TERRAZZO SYSTEM

HIGH-PERFORMANCE ARCHITECTURAL TERRAZZO

NovaMix Terrazzo blends high-strength hydraulic binders with natural marble, quartz, or recycled glass aggregates into seamless in-situ or precast slabs.

- Exceptional Compressive Strength: 50-60+ MPa for heavy pedestrian traffic
- Ultra-Low Thickness System: Full strength at just 6-20 mm, drastically reducing dead load
- Weather & Water Resilient: UV-stable, non-porous, and resistant to pool chemicals
- Seamless & Monolithic: Molds continuously over flat, curved or angular substrates
- Used in: Urban walkways, poolside surrounds, hotel lobbies, planters & outdoor benches

CONTACT ARCHZONA

HEADQUARTERS & OFFICE

105, PRISM INDUSTRIAL ESTATE, BEHIND PENDARKAR COLLEGE, DOMBIVLI (EAST) 421201

Mobile: +91 97020 51858

Email: info.archzona@gmail.com

GSTIN: 27ACDFA4175F1ZJ

Turnkey Execution | Custom CAD Drawings | Material Samples & Swatches

Visit www.archzonastructures.com for interactive configurators & digital catalog