



Archzona Brochure

ABOUT US



We specialize in resort and Bungalow Development, With additional services including Roofing Systems, Cladding Material, and Outdoor Structures. We Prioritize Delivering high-quality workmanship and Excellent customer service.



OUR SERVICES



ROOFING SYSTEM

Covering a building's structure to protect against weather and provide insulation.

CLADDING MATERIAL

Exterior or interior layer to protect, enhance and decorate building.


WOODEN DECK SYSTEM

Wooden Deck Systems are prefabricated products including wooden flooring, WPC facades, partition boards, and wall cladding.


GAZEBO & PERGOLAS

Fibre Garden Gazebo is a roofed garden structure for shade & aesthetics; various materials & styles.

ROOFING SYSTEM



ONDULINE ROOFING SYSTEM



LAMIT ROOFING SYSTEM

ONDULINE ROOFING SYSTEM

Eco-friendly Onduline roofing made from recycled materials provides lightweight, waterproof and reliable protection against extreme weather conditions.

LAMIT ROOFING SYSTEM

Lamit roofing is a durable, long-lasting system with precision tiles offering consistent weight, superior sound insulation, and a range of colours to match any design.

TENSILE FABRIC SHADE

Tensile fabric shade structures are durable and customizable, offering full shade and protection with stylish fabric membranes for any outdoor space.

ONDULINE ROOFING SYSTEM

**ONDULINE pioneers lightweight roofing,
providing global solutions with
sustainability focus.**

Features:

- **Aesthetic.**
- **Waterproof.**
- **Wind Resistant.**
- **Thermal-comfort.**
- **Acoustic Comfort.**
- **Lightweight.**

Length	1070 mm
Width	400 mm
Thickness	3 mm
Weight	3.1

kg/m²

PIGMENTED COLOURS



• Shaded Red



• Shaded Brown



• Shaded Green



• Anthracite Black

PAINTED COLOURS



• Terracotta 3D



• Classic Red 3D



• Classic Green 3D



• Stone Grey 3D



ONDULINE® CLASSIC

ONDULINE® CLASSIC is a lightweight composite roofing material for buildings.

Features:

- **Resistant to extreme weather conditions.**
- **Environmentally friendly and recyclable.**
- **Easy to install and cut.**
- **Provides noise and thermal insulation.**
- **Long-lasting and durable.**

Length	2000 mm
Width	950 mm
Thickness	3 mm
Weight	3.4

kg/m²



• Red



• Brown



• Green



• Black



ONDULINE®

DURO 235

ONDULINE® DURO 235 is a heavy-duty roofing material made of bitumen & cellulose fibers.

Features:

- Provides excellent thermal & acoustic insulation.
- Non-corrosive & rust-resistant.
- Environmentally friendly & recyclable.
- Easy to install & handle.
- Available in a range of colors & sizes.

Length	2000 mm
Width	1055 mm
Thickness	3 mm
Weight	3.3

kg/m²



• Red



• Brown



• Green



• Black





ONDUCLAIR®

ONDUCLAIR® is a transparent polycarbonate roofing material used for various applications.

Features:

- **High impact resistance & durability.**
- **Weather & temperature resistant. Provides thermal insulation.**
- **Easy to install & handle.**
Available in various thicknesses & colors.

Length	2000 mm
Coverage width	950 mm
ONDULINE® Classic	
Thickness	12 mm

ROOFING ACCESSORIES

Roofing accessories refer to various supplementary products used in roofing installations.

Features:

- **Help prevent leaks and water damage.**
- **Provide ventilation and drainage for roofs.**
- **Enhance the aesthetics of roofing systems.**
- **Improve the functionality and durability of roofing systems.**
- **Available in various materials and sizes to fit different roofing types.**



ONDUBAND*

Thickness of the aluminum	10 mm
Standard width of butyl glue Thickness	0.10 / 0.15 / 0.20 / 0.30 mm
Thickness	1.5 mm
Weight	38 mm

ONDULAIR® SLIM

Width	150 mm
Thickness	140 μ
Weight	3.1 kg/m²



LAMIT ROOFING SYSTEM

LAMIT ROOFING SYSTEM is a roofing solution that uses a laminated shingle with a fiberglass base and an asphalt coating, providing superior durability and weather resistance.

Features:

- Easy to install and maintain.
- Resistant to fire and wind.
- Provides excellent insulation and energy efficiency.
- Available in a range of colors and designs to suit different architectural styles.
- Long-lasting and cost-effective roofing solution.

SPECIFICATIONS:

- | | |
|---------------------------------------|---------------------------------------|
| • UV RESISTANCE | • 10 YEARS WARRANTY |
| • MOISTURE RESISTANCE | • ECO FRIENDLY |
| • 3 LAYER COATING | • EASY TO INSTALL |
| • PU BASED GLASS PIGMENTATION COATING | • DURABILITY |
| • FUNGAL RESISTANCE | • ADVANCED WATER RESISTANCE |
| • 100% NATURAL | • INSULATION THERMAL SOUND INSULATION |



TENSILE FABRIC SHADE

A Tensile Fabric Shade is a type of shade structure made of a flexible, tensioned fabric membrane supported by a structural frame.

Uses:

- **Provides shade & shelter for outdoor areas such as patios, decks, Car parking & playgrounds.**
- **Enhances the aesthetic appeal of outdoor spaces.**
- **Offers protection from UV rays & inclement weather. Can be customized to fit various shapes & sizes of spaces.**
- **Requires minimal maintenance & is durable & long-lasting.**

CLADDING MATERIAL



WPC

A composite material made of wood fiber and plastic.

HPL

A decorative, high-strength laminate with a resin-impregnated paper core.

ACP

A flat panel made of two thin aluminum sheets bonded to a non-aluminum core.

WPC

Wood Plastic Composite (WPC) combines natural wood fibers with advanced polymers to create high-durability planks that offer the authentic look of timber without the vulnerabilities of natural wood. Engineered for exterior decking, wall claddings, and landscape elevations, it delivers exceptional structural integrity in demanding environments.

Used In:

Outdoor decking, pool surrounds, and terraces
Exterior wall cladding, façades, and soffits
Garden pathways, gazebos, and pergolas
Gates, fencing, balcony railings, and louvers

Features:

- **100% Water & Moisture Proof:** Engineered matrix prevents water absorption, avoiding swelling, warping, rotting, or fungal growth.
- **UV & Weather Resistant:** Withstands prolonged sun exposure, monsoon rains, and temperature variations without cracking or rapid fading.
- **Anti-Slip Grooved Texture:** Precision-profiled surface offers superior grip and traction underfoot, ideal for outdoor and poolside applications.
- **Zero Maintenance:** Eliminates the need for periodic polishing, oiling, varnishing, or chemical sealing.
- **Termite & Borer Proof:** High-density polymer blend completely resists insects, borers, and termite degradation over its lifecycle.





HPL

High Pressure Laminate (HPL) is an engineered cladding material produced by fusing multiple layers of kraft paper with thermosetting resins under extreme heat and hydraulic pressure. Designed for high-impact architectural applications, it offers an exceptionally durable, fade-resistant exterior surface with authentic woodgrain and solid-color finishes.

Used In:

Exterior building façades and ventilated curtain walls

Balcony enclosures, parapets, and soffits

High-traffic interior wall paneling and column covers

Restroom cubicles, locker systems, and laboratory casework

Gates, boundary fencing, and architectural sun louvers

Features:

Superior Impact & Scratch Resistance: Dense core and hardened top layer resist mechanical wear, abrasion, and accidental impacts.

Weather & UV Stability: Specially coated surface protects against heavy rainfall, intense sun exposure, and color degradation.

Fire Retardant Properties: Engineered with self-extinguishing characteristics and high heat tolerance to meet architectural safety codes.

Moisture & Graffiti Proof: Non-porous surface blocks water absorption and allows effortless removal of dirt, spray paint, and stains.

Easy Installation: Compatible with standard rear-ventilated façade systems, rivets, or concealed adhesive mounting.



ACP

Aluminium Composite Panel (ACP) is a premium cladding material composed of two thin aluminium sheets bonded to a non-aluminium core (polyethylene or fire-retardant mineral matrix). Renowned for its lightweight versatility, exceptional flatness, and sleek aesthetic, it is widely utilized across modern commercial and residential developments to achieve bold, contemporary architectural finishes.

Used In:

- Exterior building façades, curtain walls, and canopies
- Modern storefronts, retail outlets, and commercial signages
- Interior partition walls, false ceilings, and column wraps
- Elevators, escalator surrounds, and decorative beam claddings
- Balcony enclosures, parapet trims, and entrance portals

Features:

- **Lightweight Yet Rigid:** High strength-to-weight ratio ensures superior flatness and structural stability without overloading the building framework.
- **Extreme Weather & UV Resistance:** Advanced fluorocarbon (PVDF) or polyester coatings prevent fading, chalking, and corrosion against rain and sun.
- **Easy Fabrication & Flexibility:** Effortlessly cut, grooved, bent, routed, and folded into complex geometric shapes and curves.
- **Fire Performance Available:** Mineral-filled core grades offer high flame retardancy and smoke suppression to meet standard safety codes.
- **Smooth & Modern Aesthetic:** Uniform, non-porous finish allows easy cleaning, dirt repellence, and comes in vast metallic, solid, and textured styles.



Voody Proboard

Voody Magnesium Sulphate (MgSO_4) Proboard is a next-generation, high-performance building board engineered with natural minerals, magnesium oxysulphate cement, and multi-layer fiberglass mesh reinforcement. Formulated as a zero-chloride, non-corrosive alternative to conventional MgO and gypsum boards, it provides extreme fire protection, superior structural rigidity, and permanent moisture immunity for advanced dry construction.

Used In:

- Fire-rated wall partitions, shaft walls, and corridor linings
- High-moisture areas including bathrooms, kitchens, basements, and laundry zones
- Exterior cladding backer boards and ventilated façade sub-framing
- Fire-resistant ceilings, soffits, and mezzanine floor underlayments
- Structural insulated panels (SIPs), modular buildings, and prefab construction

Features:

- **Non-Combustible (Class A1 Fire Rating):** Offers exceptional passive fire resistance, withstanding extreme temperatures without producing toxic fumes or smoke.
- **100% Chloride-Free & Non-Corrosive:** Completely eliminates the risk of "crying board" sweating and protects metal framing, fasteners, and screws from rust.
- **Superior Water & Mould Resistance:** Retains dimensional stability when exposed to humidity and standing water; will not swell, rot, or harbor mould growth.
- **High Impact & Bending Strength:** Reinforced with heavy-duty fiberglass mesh, delivering superior pull-out strength and structural load-bearing capacity.
- **Eco-Friendly & Non-Toxic:** 100% free from asbestos, silica dust, formaldehyde, and harmful chemicals, ensuring high indoor air quality.



SWIMMING POOL DECK AREA

WITH WPC

Transform your backyard into an exquisite oasis with the installation of a beautiful swimming pool.

The ultimate space for Relaxation, Exercise, and Entertaining, Your new pool will be perfect for spending time with family and friends, Creating unforgettable memories right in your own backyard.

WOODEN DECK SYSTEM



Floors


High-traffic walkable surfaces engineered for continuous load-bearing durability and wear resistance.

Walls

Vertical structural enclosures designed to provide spatial boundary, insulation, and architectural cladding.

Partitions

Lightweight non-load-bearing vertical dividers used to delineate interior spaces flexibly.



Floors

Wooden and engineered flooring—along with premium Luxury Vinyl Planks (LVT/SPC), laminate, and custom parquet—combines the natural warmth and elegance of real timber with advanced multi-layer stability. Built with reference to industry standards like Quick-Step and Voody Floors, these systems feature high-definition woodgrain embossing, protective wear coats, and precision click-lock mechanics for high-end interior solutions.

Used In:

Residential living rooms, master suites, bedrooms, and dining spaces
Commercial offices, corporate boardrooms, and boutique retail showrooms
Kitchens, hallways, and utility zones (using 100% waterproof rigid core/SPC lines)
Accent interior spaces featuring classic herringbone, chevron, or parquet patterns
Hotel guest rooms, lounge areas, and multi-story apartments needing sound insulation

Features:

Authentic Timber Aesthetic: Features genuine oak veneers or ultra-realistic HD grain embossing with rich matte and extra-matt finishes.

100% Water & Moisture Proof (LVT/SPC options): Hydroseal joint sealing and rigid stone-polymer cores prevent swelling, warping, or water damage.

High Wear & Scratch Resistance: Tough clear wear layer (AC4/AC5 commercial rating) shields against daily foot traffic, pet claws, and furniture scuffs.

Seamless Click Installation: Advanced glue-free interlocking systems (Uniclic/Unizip) ensure swift, tight alignment over subfloors.

Acoustic Comfort & Heating Compatibility: Integrated sound-dampening underlays reduce impact noise and work seamlessly with underfloor heating systems.



Walls

Acoustic wooden wall panels and architectural wall claddings combine high-end natural timber visuals with engineered acoustic control and surface protection. Designed to transform interior feature walls, lobbies, and exterior building façades, these panel systems dramatically reduce reverberation while adding depth, texture, and elegance to spatial design.

Used In:

Feature accent walls in living rooms, luxury bedrooms, and home theaters

Corporate conference rooms, executive offices, and open-plan workspaces

Hotel lobbies, reception backdrops, auditoriums, and music studios

Exterior building façades, balcony accent walls, and entrance portals

High-traffic commercial interiors, restaurants, and retail showrooms

Features:

Superior Acoustic Performance: Slatted timber design paired with acoustic felt backing absorbs ambient noise, echo, and sound reflections.

Natural Wood Aesthetic: Genuine wood veneers offer rich grain textures, tactile warmth, and timeless architectural appeal.

Surface Protection & Durability: Shields underlying walls from scuffs, impact damage, and wear in high-traffic areas.

Quick & Modular Installation: Interlocking tongue-and-groove or batten mounting systems enable fast, seamless assembly.

Moisture & Termite Resistant Options: Specialized treatments and composite cores prevent warping, rot, and pest damage in varying environments.



Partitions

Wooden-based partitions and architectural divider systems provide functional spatial segregation while preserving visual continuity and natural warmth. Combining precision-milled timber slats, acoustic timber panels, and high-stability engineered cores, these systems offer a modern architectural solution to define interior zones, manage privacy, and optimize open-plan layouts.

Used In:

Open-plan corporate offices, executive cabins, and breakout meeting nooks

Residential spaces to delineate living, dining, foyer, and work-from-home zones

Hotel lobbies, lounges, luxury restaurants, and cafe seating dividers

Retail showrooms and boutique stores for curated product zoning

Libraries, co-working hubs, and reception greeting areas

Features:

Flexible Spatial Zoning: Creates distinct functional areas without constructing heavy, permanent masonry walls.


Acoustic & Visual Privacy: Slatted and paneled timber assemblies diffuse sound transmission and mitigate visual clutter while allowing airflow.

Light Transmission: Vertical and horizontal batten designs filter natural light across adjoining spaces without darkening interiors.

Structural Stability & Durability: Engineered composite and solid timber cores resist warping, bending, and environmental moisture shifts.

Modular & Demountable Installation: Designed for swift, dry installation with adaptable framing, making reconfiguration or removal effortless.

OUTDOOR STRUCTURES



Gazebo

Freestanding open-sided pavilion with a solid, full-coverage roof.

Pergola

Outdoor wooden framework supporting an open slatted roof beam.

Micro Cement

Sleek, modern concrete-finish structure with seamless, durable waterproof surfaces.

FIBRE GARDEN GAZEBO

The Fibre Garden Gazebo is an uncovered outdoor structure consisting of fiber-reinforced materials, which includes a seating area and roof.

Features:

- **Exceptional strength and durability.**
- **Resilient against various weather and environmental elements.**
- **Minimal upkeep required.**
- **Creates a shaded and relaxing seating area.**
- **Customizable with a range of design and color options.**






PERGOLA PATIO

A pergola is a backyard feature forming a shaded walkway, passageway, or sitting area with vertical posts or pillars that usually support a roof-type structure of cross-beams and a sturdy open framework.

Features:

- **Open-roofed structure.**
- **Vertical posts or pillars.**
- **Partial shade.**
- **Defined outdoor living area. Seating.**



NovaMix Terrazzo

NovaMix Terrazzo system is an advanced, high-performance decorative covering that blends high-strength hydraulic binders with natural marble, quartz, or recycled glass aggregates. Engineered to overcome the limitations of traditional thick terrazzo, it can be seamlessly cast on-site at low thicknesses across flat or curved surfaces to create fully customized, elegant architectural elements.

Used In:

Outdoor urban furniture, cast-in-place benches, and planters
Pedestrian pavements, walkways, and poolside surrounds
High-traffic commercial flooring in airports, hotels, and retail centers

Features:

Exceptional Compressive Strength: Delivers high durability (50–60+ MPa), making it resilient against heavy pedestrian traffic and continuous wear.

Ultra-Low Thickness System: Achieves full strength at just 6–20 mm, drastically reducing structural dead load compared to traditional 50 mm terrazzo.

Weather & Water Resilient: UV-stable and resistant to moisture, outdoor weather extremes, and pool chemicals.

Seamless & Monolithic: Molds continuously over flat, curved, or angular substrates without unsightly grout joints.





ARCHZONA

CONTACT US:



1/19 Ganesh apt C.D Rd ram
Nagar dom(E) Thane
Maharashtra



9870048082



Info.archzona@gmail.com