**Duration** : 0.623 s Start: Feb 15, 12:11:59.804 PM End: Feb 15, 12:12:00.427 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 4 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 100

Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
DSAlgo Home Page	0.623 s	1	0	1	0	4	0	0	4	

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	DSAlgo Home Page	Entering DSAlgo Home Page


TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@tag1	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	DSAlgo Home Page	1	0	1	0	0.623 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	DSAlgo Home Page	Entering DSAlgo Home Page	4	0	0	4	0.620 s

DETAILED SECTION -- 7 --

## **DSAlgo Home Page**

FAILED	DURATION - 0.623 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 12:11:59.804 PM //	12:12:00.427 PM /	Pass - 0	1	Pass - 0	4
		Fail - 1		Fail - 0	🖊 ' 🕖
		Skip - 0		Skip - 4	

## **Entering DSAlgo Home Page**



<b>‡</b>	Step / Hook Details	Status	Duration
	BEFORE - Hooks.Hooks.setup()	FAILED	0.574 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'GIRIJAY', ip: '192.168.1.12'		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:541)		
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:237)		
	at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:164)</init>		
	at org.openqa.selenium.chromium.ChromiumDriver. <init>(ChromiumDriver.java:114)</init>		
	at org.openqa.selenium.edge.EdgeDriver. <init>(EdgeDriver.java:61)</init>		
	at org.openqa.selenium.edge.EdgeDriver. <init>(EdgeDriver.java:57)</init>		
	at org.openqa.selenium.edge.EdgeDriver. <init>(EdgeDriver.java:49)</init>		
	at org.openqa.selenium.edge.EdgeDriver. <init>(EdgeDriver.java:45)</init>		
	at Hooks.Hooks.setup(Hooks.java:39)		
	Caused by: org.openqa.selenium.WebDriverException: Driver server process died prematurely. Build info: version: '4.16.1', revision:		
	'9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: driver.version:		
	EdgeDriver Control of the Control of		
	at org.openqa.selenium.remote.service.DriverService.start(DriverService.java:248)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:119)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:237)		
	at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:164)</init>		
	at org.openqa.selenium.chromium.ChromiumDriver. <init>(ChromiumDriver.java:114)</init>		
	at org.openqa.selenium.edge.EdgeDriver. <init>(EdgeDriver.java:61)</init>		
	at org.openqa.selenium.edge.EdgeDriver. <init>(EdgeDriver.java:57)</init>		
	at org.openqa.selenium.edge.EdgeDriver. <init>(EdgeDriver.java:49)</init>		
	at org.openqa.selenium.edge.EdgeDriver. <init>(EdgeDriver.java:45)</init>		
	at Hooks.Hooks.setup(Hooks.java:39)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:78)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148)		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)		
	at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:115)		
	at org.junit.vintage.engine.execution.RunnerExecutor.execute(RunnerExecutor.java:42)		
	at org.junit.vintage.engine.VintageTestEngine.executeAllChildren(VintageTestEngine.java:80)		
	at org.junit.vintage.engine.VintageTestEngine.execute(VintageTestEngine.java:72)		
	$at\ or g. junit. platform. launcher. core. Engine Execution Orchestrator. execute (Engine Execution Orchestrator. java: 198)$		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:169)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:93)		
	$at\ or g. junit. platform. launcher. core. Engine Execution Orchestrator. lambda \$execute \$0 (Engine Execution Orchestrator. java: 58)$		
	$at\ or g. junit. platform. launcher. core. Engine Execution Orchestrator. with Intercepted Streams (Engine Execution Orchestrator. java: 141)$		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:57)		
	at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:103)		
	at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:94)		
	at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:52)		
	at org.junit.platform.launcher.core.SessionPerRequestLauncher.execute(SessionPerRequestLauncher.java:70)		
	at org.eclipse.jdt.internal.junit5.runner.JUnit5TestReference.run(JUnit5TestReference.java:100)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
1	Given User launch Chrome Browser	SKIPPED	0.004 s
2	And User opens DSAlgo Portal	SKIPPED	0.001 s
3	When User click GetStarted button	SKIPPED	0.001 s
4	Then The DSAlgo Home Page opens	SKIPPED	0.000 s
	AFTER - Hooks.Hooks.teardown()	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "Hooks.Hooks.driver" is null at Hooks.Hooks.teardown(Hooks.java:53)		