# Scalable Web Application Framework for Monitoring Energy Usage on Campus

Group 57

Daniel Schroeder	
<b>A</b>	

# Abstract

Data visualization is an important technique for analyzing data trends and identifying problems that may not have been apparent. This document outlines our plan to create a web application which will gather energy data from data aquisition servers and create information management dashboards. Our application will allow users to generate charts and graphs to see energy use over time, compare energy usage across multiple buildings, and create collections of different visualizations.

1

# **CONTENTS**

1 Introduction		2	
2	Visua	lization Frameworks	2
	2.1	D3.js	2
	2.2	Vis.js	2
	2.3	Chart.js	3
	2.4	Conclusion	3
3	Mean	s of Incorporating Authentication	3
	3.1	Building Our Own Authentication Layer	4
	3.2	Outsourcing Authentication to Google	5
	3.3	Use CAS (Central Authentication Service)	5
	3.4	Conclusion	5
4	Front-	end Framework	5
	4.1	CSS Bootstrap	5
	4.2	Pure CSS	6
	4.3	Foundation	6
	4.4	Conclusion	7
Ref	erences		7

INTRODUCTION 1

VISUALIZATION FRAMEWORKS

Our web application will provide near-real time data visualizations for energy consumption on campus buildings. This

application will need to dynamically create charts and graphs based on energy data from the database. A key to choosing

a visualization library will be to find one that can be dynmaically created and changed as new data is received from the

data acquisition servers, and the ability to create chart templates that can be reused on multiple pages with different

input parameters.

2.1 D3.js

Repository Commits: 4,104

Contributors: 120

D3.js is a clunky, massive library that makes use of SVG elements in webpages to append charts and graphics to the

DOM. It is extremely well documented and widely used. D3 has a high learning curve for beginners to take head-on,

but has a wide array of different visualizations and customization.

**Pros** 

A lightwight, versatile javascript library that creates SVG elements within web pages and appends them to DOM

elements.

Makes use of javascript functions and DOM controlling functionality to dynamically change the content of the

page.

Provides a lot of variety and ability to customize graphics.

Widely used and there is a lot of documentation and resources available to assist the learning and development

processes.

Cons

D3 is essentially an API to to manipulate SVG, it is not a charting library in of itself.

You cannot easily pass a dataset into a specified chart type like other libraries.

Considered to be "code-heavy" and difficult to jump right into as a novice user.

Angular and D3 both attempt to control the DOM and so you have to find a way to make the two work together

which is counterintuitive to both framework's APIs.

2.2 Vis.js

Repository Commits: 3,165

Contributors: 137

Vis.js is a lightweight charting library that allows users to create clean charts from dynamic datasets. It is responsive

and allows for interaction with the data on the page. Vis.js is praised for it's network chart capabilities but is limited in

the number of different modules you can create.

Pros

Easy to use and less of a learning curve than D3.

Allows for interaction and minpulation of data on the chart.

Able to handle large amounts of dynamic data.

• Really clean and nice looking graphics.

#### Cons

Limited amount of possible chart types.

Does not have built in heat map.

# 2.3 Chart.js

Repository Commits: 2,465

Contributors: 236

Chart js is a very lightweight library that provides 6 chart types and fully responsive designs. ChartJS is well documented and easy to use, but lacks in variety.

#### **Pros**

Uses HTML5 canvas element.

• Allows for easy creating based on chart type specification.

Library provides Line Charts, Bar Charts, Radar Charts, Pie Charts, Polar Area Charts, and Doughnut Charts.

Very responsive charts based on screen width.

Simple API, easy to use.

#### Cons

Limited amount of possible chart types.

Does not have built in heat map.

## 2.4 Conclusion

In conclusion, despite the steep learning curve associated with D3.js we think it will be the best option for our web application. It has the widest range of available graphs to accommodate all the client's requirments and desired visualizations. There are also a number of wrapper libraries available for D3.js like DC.js and dimple.js to help create charts from D3. This is a great way to get around the clunkiness and downsides to D3.js and reap the benefits of all the other charting libraries. Another benefit to using D3 is the extensive amount of templates, examples, and documentation that exists to help guide the process and implmentation of our application.

## 3 Means of Incorporating Authentication

Our web application will have an authentication layer which will allow users to register for our application and design their own "stories." Our application will also authenticate user roles so that administrative users will have access to exclusive parts of the application. We want a simple way of authenticating users, while keeping personal information safe.

#### 3.1 Building Our Own Authentication Layer

Node.js has a lot of helpful modules and packages that allow you to create your own password hashing functions and generate a custom authentication layer. There is a "crypto" module that is included in NodeJS that "provides cryptographic functionality that includes a set of wrappers for OpenSSL's hash, HMAC, cipher, decipher, sign and verify functions"[1]. In addition to the crypto module, there are numerous NodeJS extension modules that perform different hashing functions and provide the same functionality as the native crypto module. There are modules like bcrypt and scrypt that use different hashing algorithms to salt and hash password into a fixed length string to be stored into the database.

```
1
       'use strict':
       var crypto = require('crypto');
2
3
4
        * generates random string of characters i.e salt
5
       var genRandomString = function(length) {
6
7
           return crypto.randomBytes(Math.ceil(length/2))
8
                    .toString('hex') /** convert to hexadecimal format */
9
                    .slice(0,length);  /** return required number of characters */
10
       };
11
       /** hash password with sha512.
12
        * @function
        * @param {string} password - List of required fields.
13
14
        * @param {string} salt - Data to be validated.
15
       var sha512 = function(password, salt){
16
           var hash = crypto.createHmac('sha512', salt); /** Hashing algorithm sha512 */
17
18
           hash.update(password);
19
           var value = hash.digest('hex');
           return {
20
21
                salt:salt,
22
                passwordHash:value
23
           };
24
       };
25
       function saltHashPassword(userpassword) {
26
           var salt = genRandomString(16); /** Gives us salt of length 16 */
27
           var passwordData = sha512(userpassword, salt);
           console.log('UserPassword = '+userpassword);
28
29
            console.log('Passwordhash = '+passwordData.passwordHash);
30
            console.log('nSalt = '+passwordData.salt);
31
```

Listing 1. An example of how to salt hash passwords using the NodeJS crypto module (Taken from Rahil Shaikh's example)[2]

# Pros

- Creating our own authentication layer would provide us full control over how passwords are hashed and stored into the database.
- Provide understanding of every component taht goes into our application's authentication.
- Do not have to rely on another API to authenticate users.

Cons

Laborious work and very time consuming.

A lot of room for error and the possibility of data being compromised.

3.2 Outsourcing Authentication to Google

Google Authentication is widely used as means of Pros

Can provide multiple hash iterations to strengthen the security.

Very secure hash that can hash the same password multiple times.

• Widely used today and remains unbroken.

Vetted by the entire crypto community as it's now 15 years old [3].

Cons

Slow and computationally expensive hashing.

• Only used for password hashing, not a key-derivation function.

3.3 Use CAS (Central Authentication Service)

Pros

Can provide multiple hash iterations to strengthen the security.

Newly developed based on focusing on the issues with BCrypt and PBKDF2 involving constant memory.

Cons

New and not widely accepted by security/cryptographic professionals.

• Uses exponential time AND exponential memory which may be overkill for our application.

3.4 Conclusion

4 FRONT-END FRAMEWORK

Our web application will be a series of dashboards to display energy data based on different buildings and subsets of buildings on Oregon State University's campus. A key part to designing a clean dashboard is having a well-spaced grid-like layout with different charts and graphs to display a multitude of different datasets and trends. Rather than customizing classic html elements and using div containers to space our dashboard, we wanted to look into bootstrapped dashboard templates that allow easy customization and clean-looking results.

4.1 CSS Bootstrap

Repository Commits: 17,255

Contributors: 953

CSS Bootstrap is the most widely used CSS framework available. It has the most expansive component list and helps developers create clean and beautiful UX/UI in minimal time frames. Bootstrap allows developers to get their paplications up and running quickly without having to worry about front-end styling. A major issue with Bootstrap is

that it tends to look very similar across applications and leaves little room for simple customization.

Pros

• Extensive component list, responsive design, and built-in Javascript functions.[4]

EFully responsive design.

Huge developer contrbution and maintainence.

Used by major companies like Lyft.com, Vogue.com, Vevo.com, and Newsweek.com. [4]

Cons

• Unsuitable for small scale projects. [4]

Not good if you want to have large control over UI.

4.2 Pure CSS

Repository Commits: 541

Contributors: 51

Pure CSS is known for its lightness and simplicity. Because it's small, it is very fast loading and makes for a lightweight web application. It is also unique in that it allows modules/components to be downloaded individually, reducing its size even more. Pure CSS is good for small projects that need to get up and running quickly and easily.

**Pros** 

Meant for small project to get up and running quickly.

Responsive design by default.

Pure CSS is modular so you can download only the components you need.

The complete module is very small so it is quick loading.

• Able to be used complimentary with other frameworks.

Cons

Not as extensive component list as Bootstrap.

4.3 Foundation

Repository Commits: 15,094

Contributors: 959

Framework is the second most popular css framework on the market behind bootstrap and tends to perform just as

well. Unlike bootstrap's very prominent theme, Foundation allows for more customization with the look and feel of web pages [5]. Foundation also has a very good grid system to make the layout of components clean and responsive [6].

**Pros** 

Responsive design by default.

• Easier to customize than bootstrap.

CSS classes are built in. [7]

• More unique look than the more-popular bootstrap.

Good grid implementations with customizable grid layouts.

#### Cons

- Less maintained than bootstrap.
- Lack of support.
- Higher learning curve than bootstrap.

#### 4.4 Conclusion

A lot of online resources acknowledged the fact that it is hard to make a website not look like bootstrap when using bootstrap css. Despite this, similar to our reasoning behind choosing D3.js, we would like to use a framework that is heavily supported and well-documented as it will be easier to answer questions during development. We think that the time spent restyling Bootstrap to make it look unique will not compare to the time saved by utilizing a well-documented framework. There is also a project called UI Bootstrap that works with AngularJS to create directives for each of the bootstrap components. [8]

#### REFERENCES

- [1] Crypto node.js v9.2.0 documentation. [Online]. Available: https://nodejs.org/api/crypto.html#crypto\_crypto
- [2] R. Shaikh. (2016, Jan.) Salt hash passwords using nodejs crypto. [Online]. Available: https://ciphertrick.com/2016/01/18/salt-hash-passwords-using-nodejs-crypto/
- [3] M. Preziuso. (2015, Jun.) Password hashing: Pbkdf2, scrypt, bcrypt. [Online]. Available: https://medium.com/@mpreziuso/password-hashing-pbkdf2-scrypt-bcrypt-1ef4bb9c19b3
- [4] puranjay. (2015, Jul.) What css frameworks should you use? [Online]. Available: https://www.csshero.org/css-frameworks-use-comparing-5-popular-css-frameworks/
- [5] N. Pettit. (2016, May) Should you use bootstrap or foundation? [Online]. Available: http://blog.teamtreehouse.com/use-bootstrap-or-foundation
- [6] W. Blankenship. (2017, Oct.) Bootstrap vs. foundation: Which framework is right for you? [Online]. Available: https://www.upwork.com/hiring/development/bootstrap-vs-foundation-which-framework-is-right-for-you/
- [7] L. Bradford. (2015, Jun.) Bootstrap 3 vs. foundation 5: Which front-end framework should you use? [Online]. Available: https://www.codementor.io/codementorteam/bootstrap-3-vs-foundation-5-which-front-end-framework-should-you-use-8s90mhsgn
- [8] C. Sevilayha. (2015, Jan.) How to correctly use bootstrapjs and angularjs together. [Online]. Available: https://scotch.io/tutorials/how-to-correctly-use-bootstrapjs-and-angularjs-together