Usenet Ultimate v1.3.0

Hey everyone! I'm back with the latest update for Usenet Ultimate. It's a big one.

For those that don't know, Usenet Ultimate is a self-hosted Stremio add-on for streaming Usenet content. It searches indexers (Newznab/Prowlarr/NZBHydra) and EasyNews, sends NZBs to NZBDav for virtual mounting, and streams the resulting video files back through Stremio (or other Stremio add-on supported apps) via a WebDAV proxy or direct redirect to the WebDAV mounted address.

Usenet Ultimate is the original home of features like NZB Fallback, Proxy-less WebDAV Streaming Mode, Dedicated Season Pack Support, Smart Mode Health Checking, Auto Indexer Capability Discovery, NZB Databases, Reboot/Remake Detection, NZB Fallback Auto-Resolve, and more!

This update is the product of 5 public beta tests, a release candidate, an immense amount of community feedback, feature requests, bug reports, and my own original ideas. I'd like to give a special and enthusiastic, THANK YOU, to all of the Usenet Ultimate community members. You've helped to make updates like this a reality.

The GitHub repository for this project is here:

https://github.com/DSmart33/Usenet-Ultimate

If you're interested in this project, I would love it if you joined the Discord community here:

https://discord.gg/6RPVSeg56v

If you're interested in supporting the development of Usenet Ultimate, you can do so here:

https://ko-fi.com/dsmart33

I'm both proud and excited to share the features, improvements, and bug fixes, organized by General, UI, and then each menu overlay, for Usenet Ultimate's v1.3.0 update.

First, for those that don't want to know the specifics, here's the TLDR:

- Multi-Manifest support - Fully featured multi-manifest support.
- Full HTTP support for apps like Infuse, Nuvio, etc.
- /stremio/ path prefix support for increased auth support
- Content "Clean Titles" are displayed for external players.

- The dashboard styling has been normalized.
- The version number links to github
- WebDav video discovery is faster
- Bug Fix: Prowlarr works with the NZB Databases now
- Bug Fix: An unconditional dedup is no longer applying to Prowlarr/Hydra results.
- Bug Fixes & Enhancements: The Newznab menu is more robust.
- Ultimate Text Search has been enhanced in many ways. Ultimate Text Search returns a higher number of results and a more accurate list of results than ID based searches.
- Anime ID support (metadata addons). With logic inspired by Viren/AIOStreams implementation. Featuring the mapping of 6 offline and daily updated databases.
- Anime ID support requires you to reinstall or refresh the install of Usenet Ultimate, as it is a manifest change.
- Anime per-indexer and per-type search support.
- Anime metadata has been added to Ultimate Text Search.
- Reboot / Remake detection. A new feature that applies to all search methods and filters out bad results due to duplicate show names.
- Multi-Episode filter. With this toggle you can control whether or not you want to play multi episode files / see them in results.
- URL deduplication is now an option that is enabled by default but toggleable.
- Bug Fix: Indexer Priority Deduplication is less strict, it now works properly.
- NZB Fallback has had many improvements made to increase the performance and reliability of its function.
- NZB Fallback: Season packs now have their own wait time.
- NZB Fallback + Auto-Resolve: NZB Fallback has a new feature that auto-resolves NZBs immediately on search. This decreases and in some cases completely eliminates processing time on selection and eliminates all processing time for autoplay/next episode (instant playback).
- Health checks: The dashboard tile now displays auto-queue settings and easynews defaults have changed.
- You can now filter out NZBs in the Dead NZB DB (enabled by default) from the results list.
- You can choose to include or exclude timed-out NZBs from the Dead NZB DB.
- Stremio has made changes to auto play, it now requires search cache, so limits are enforced when auto play is enabled.
- Stream Display: Supports bitrate, post age, a new clean title.
- Search Cache is now the raw results. This means all filters, sorts, and stream filters apply on each cache hit allowing for dynamic changes in cached results.
- Filters & Sorting Menu: Both Filters and Sorts have been completely rewritten. Stream Filters are more granular with season pack support. Sorting includes Post Age and Bitrate. Post Age, Bitrate, and size can be toggled ASC/DESC.
- Usenet Ultimate’s base NZB title parser is now Virens (AIOStreams) parse-torrent-title fork.

- Usenet Ultimate supports all the values that the parser supports and more through custom logic, the list is extensive.
- Logging has been improved.
- New environment variables have been added to support new options in 1.3.0

1) General

- Multi-Manifest support
    - Usenet Ultimate now supports the creation of additional manifests per account with customizable names. Up to 25 total.
    - All manifests can be renamed, regenerated, and deleted.
    - The new menu and options for this are located in the “Install” tab.

- Trust Proxy **(Credit: boopsielol - PR #23)**
    - When running behind a reverse proxy that terminates TLS (nginx, Caddy, Traefik), Express was ignoring the proxy's X-Forwarded-Proto header and always seeing the internal http connection. This caused stream redirects and fallback URLs to be constructed as http instead of https, breaking clients like Infuse that don't follow the protocol upgrade.
    - With trust proxy now enabled, Express correctly reads the forwarded protocol and returns https URLs. No effect when not behind a reverse proxy.

- Dynamic Base URL
    - Stream URLs are now automatically derived from the incoming request's protocol and host. Clients connecting via LAN IP, custom domain, or localhost all receive reachable stream URLs without configuration.
    - This means the BASE_URL environment variable is optional while also still supporting the environment variable as an override for custom domains or Docker networking.

- Stremio Path Prefix
    - Addon routes are now available at both /stremio/{uuid}/ and /{uuid}/ paths. New installations default to the /stremio/ prefix, which simplifies reverse proxy setups (e.g., Traefik can route /stremio/* publicly while keeping the rest behind auth).
    - Existing installations continue to work at the root-level path without any changes.
    - Stream URLs, video proxy redirects, and fallback chains all respect the path used by the client.

- External Player Filenames

        - External video players now display the “Clean Title” ("MovieTitle (Year)" or "ShowTitle S##E##") instead of a raw URL or generic “stream” name.
        - This is the only solution because most external players use the video URL path as the filename, which cannot be dynamic while supporting NZB Fallback.

2) UI

- Dashboard tiles now use consistent sizing and styling across all cards.
    - Filters, User-Agent, Logs, and NZB Database tiles have been normalized to match the standard text size used by the rest of the dashboard.
    - The NZB Database tile labels ("Healthy" and "Dead") are now capitalized with white text for better readability.
    - The Indexer Performance Metrics tile now displays the count followed by "Indexers" for clarity.
    - New status badges on dashboard cards show active features at a glance:
        - NZB Fallback card shows "+ Auto-Resolve" in amber when auto-resolve is active
        - Health Checks card shows "+ Top Result" or "+ All Healthy" in pink when auto-queue is enabled
        - EasyNews badge color updated from green to blue to match the Index Manager card theme
- At the top of the application the version number badge now includes a github icon and when clicked opens the project's github page.
- When switching between the dashboard and install menus the buttons no longer blink.

3) Streaming Mode

NZBDav:

- WebDAV URL:
    - Improved the instructions for which url a user should use.
- WebDav Video Discovery:
    - Video discovery is no longer a repeated scan. Usenet Ultimate scans for the video file once after receiving a successful response from NZBDav.

4) Index Manager

Prowlarr:

Bug Fix: NZB Database lookups are failing for Prowlarr users

- Prowlarr download URLs contain a link= query parameter that is a dynamic token regenerated on every search. Since all NZB Database cache keys (both dead and healthy) used the full URL as the key, lookups always missed on repeat searches because the URL changed. This caused:
    - Dead NZBs being re-sent to the download client on every search despite already being in the NZB Database
    - Healthy NZB cache misses triggering unnecessary re-preparation of already-cached streams
    - Duplicate grab tracking counts inflating indexer statistics

- Added Prowlarr download url normalization which strips the link= param from Prowlarr download URLs before they're used as cache keys.

- Existing Prowlarr db files are automatically migrated/normalized on first startup. No manual rebuild needed.

Bug Fix:
- Removed unconditional NZB deduplication that bypassed the deduplication toggle.

NZBHydra:

Bug Fix:
- Removed unconditional NZB deduplication that bypassed the deduplication toggle.

Newznab:

Bug Fix:
- Test searches are properly cleared so that they don’t auto appear when adding a new indexer after a test search.

Bug Fix:
- The Edit Indexer menu is now scrollable.

Bug Fix:
- It is no longer possible to save an empty name for an indexer.

Indexer URL Normalization:
- Bare Newznab URLs without /api are automatically normalized to include the standard /api endpoint. **(Credit: funkypenguin - PR #22)**

- The normalized URLs are shown visibly in the URL input field when clicking or tabbing out.

Zyclops Test Search:

- Fix Namespaced XML Parsing **(Credit: funkypenguin - PR #21)**
    - This fixed test searches reporting zero results for indexers that return XML with namespace attributes on item tags.

Tabula Rasa:

- Updated the default api url

DrunkeSlug:

- Updated the default api url

Ultimate Text Search:

Stylized Title Detection:

- UTS performs a test on resolved titles against the matching cinemeta title to determine if the resolved title is a stylized version of the cinemeta title (numbers used as letters)
- If it is, the cinemeta title is used in favor of the resolved title as usenet uploads aren't stylized.

Alternative title fallback search

- When the cinemeta title and the resolved title are different AND the queried title returns 0 results, query again using the other title.

Title Year Suffix Stripping

- TVDB/TMDB titles with disambiguation year suffixes like "(2003)" are now stripped before searching indexers. The extracted year is accepted as an additional valid year alongside the TVDB year field, broadening results for shows where release groups tag with different years (e.g., 2003 vs 2004 vs 2005).

Miniseries Keyword Filter

- Releases tagged as "Miniseries" are automatically rejected when searching for a regular series, and vice versa. Prevents miniseries uploads from mixing into regular series results for shows that share the same title and year.

Anime Metadata Inclusion:

- Kitsu titles are used as the primary title with Cinemeta as a fallback. Both titles are searched when they differ.
    - With the integration of Anime metadata into Ultimate Text Search, this search method is more reliable and accurate than ID based searches.
    - Added "Anime-Aware Search" bullet to the UTS feature highlight

TVDB Release Year Priority:

- When a TVDB token is provided the TVDB release year of a tv show is compared against the release year cinemeta provides. If they differ, TVDB year is used.
- This logic matches movies and the use of TMDB.

Anime:

- ID Support
    - Usenet Ultimate now supports Kitsu, MAL, AniList, and AniDB IDs for anime via offline mapping databases.

- Offline Databases with Daily Updates
    - Six anime mapping databases (Fribb, Manami, Kitsu-IMDB, Anitrakt Movies/TV, Anime Lists XML) are downloaded at startup and are refreshed daily to ensure the latest Anime mapping support.
    - **Shoutout to Viren/AIOStreams for inspiring the offline database logic** (see the github here: https://github.com/Viren070/AIOStreams)

- Per-Indexer and Per-Type Search Methods:
    - Anime search methods are now configurable per-indexer and per-type (Anime Movies and Anime TV Shows) instead of a global toggle.

- Ultimate Text Search Anime Metadata Integration:
    - As mentioned above, within the **Newznab/Ultimate Text Search** section, Kitsu titles are used as the primary title with Cinemeta as a fallback. Both titles are searched when they differ.

- Updated Anime Search Detection:
    - Anime detection now uses the Fribb database first with Cinemeta genre/country as a fallback.

- Updated Logging
    - Added per-indexer method logging showing which search methods each indexer uses

- Removed the global "Use Ultimate Text Search for anime" and "Skip title resolution for anime" settings (replaced by per-indexer methods and Kitsu/Cinemeta titles)

- Added a supported Anime IDs info section (Kitsu, MAL, AniList, AniDB) to the anime information box within the Indexer Management overlay.

- **<u>You must re-install or refresh (cinebye) the Usenet Ultimate installation within stremio to begin accepting anime IDs, as it is a manifest change.</u>**

Remake / Reboot Protection:

Two layer reboot/remake detection:

- This feature prevents results from the wrong version of a show (original vs remake) from appearing in Text and ID search results. It's constructed of two independent layers working together.

- Layer 1: Year check (always active, applies to all shows)
  - If a release contains a year that differs from the expected year by >1 = rejected
  - Handles years anywhere in the title (before/after episode markers, after episode name text) by using virens parsing library (Discussed more in **10) Filters & Sorting**)

- Layer 2: Episode Name Check (remake-flagged shows and year-less releases only)
  - I use TVDB to detect if a show has a known remake by finding 2+ series with the same title but different years.
  - For year-less releases on remake-flagged shows the release must contain the expected TVDB episode name or it's rejected.
  - Enabled by default and toggleable in the UI.

- Reboot/Remake detection is a global feature that filters all results, both ultimate text search and id searches

	Text search	**ID-based (non-remake)**	**ID-based (remake)**
Year + matches (±1)	ACCEPT	ACCEPT (no check)	ACCEPT
Year + doesn't match	REJECT	ACCEPT (no check)	REJECT
No year + no remake	ACCEPT	ACCEPT	n/a

No year + ep name + remake	ACCEPT	n/a	ACCEPT
No year + no ep name + remake	REJECT	n/a	REJECT

- Season packs are included in remake/reboot detection:
    - **Season Pack Decision Tree**: **Has Remake**
    - Year + matches (±1) KEEP
    - Year + doesn't match REMOVE
    - No year DEPRIORITIZE

- No year season packs are deprioritized because it cannot be determined what the actual content is of. To preserve as many results as possible especially for older shows, these season packs are deprioritized to the end of the results list.

Toggleable Support of Multi-Episode Files:

- In indexer management there's now a toggle (defaults to enabled) that enables or disables the playability and visiblity of multi episode files.
    - When the toggle transitions from disabled to enabled it automatically flushes the dead nzb db of any entries that existed due to multi episode discovery, while disabled.

- Multi-episode results (e.g. E23E24) are filtered out at search time when "Allow Multi-Episode Files" is disabled, instead of only failing at playback (which blocks for season packs)

- When the setting is enabled multi-episode files will be displayed in results and they will also be playable within season packs.

URL Deduplication:

- In indexer management there's now a toggle (defaults to enabled) for URL deduplication.
    - This feature removes or includes results that share the same download URL from the same indexer. (identical NZBs)

Indexer Priority Deduplication

- Bug Fix: Deduping was not actually deduping
    - The deduplication that was happening was too strict.
    - It was comparing raw byte counts from each indexer, but different indexers often report slightly different numbers for the exact same file.
    - This has been fixed by switching the “Indexer Priority Deduplication” feature to use the formatted size string that's displayed in “Stream Display”. This means minor discrepancies don't break deduplication.

Easynews

- Filter logging has been added to all result types.

5) NZB Fallback

- Bug Fix: Prevent Stremio timeouts on the initial stream request if it is > 60s
    - The initial candidate is placed within the same redirect chain as all other candidates preventing a 60s timeout from ever occuring..

- NZB wait times are now capped at 90 seconds instead of 3 minutes.

- Bug Fix: Falling back to a season pack from an individual episode wasn't passing the episode number
    - Usenet Ultimate now uses the episode number that’s stored in the fallback group to ensure the correct episode is selected.

- Season packs now support their own NZB Fallback wait time
    - The default wait time is 30 seconds, this allows for additional nzbdav processing time over a single episode file, as season packs can be much larger nzbs.
    - A season pack identifier is set per candidate which allows for switching between multiple wait times within a single fallback group when alternating between single episode files and season packs.
        - This means NZB Fallback is content aware, knowing which wait time to use for which type of result (episode vs season pack) on processing.

- Proxy Streaming Method: Fallback on Server Errors:
    - When WebDav returns a server error (500) for a video file, the proxy now triggers NZB Fallback to the next available candidate in the results list instead of forwarding the error response to the player.

    - Previously, non-2xx (except for 404s) responses were passed directly to the player, causing it to crash with "No valid length mask found" when trying to parse error data as video.

- Broken Video Path Tracking Awareness
    - Video paths that return server errors from WebDav are temporarily marked as broken.
    - This prevents the library check from repeatedly returning a file that exists on disk but can't actually be served, and prevents wasted NZB re-submissions that resolve to the same unservable file, and which result in the same server error (500).
    - Broken paths share the same TTL as fallback groups.

- Differentiated Error Handling
    - 404/410 errors permanently mark the NZB as dead so it won't be retried.
    - 5xx errors do not blacklist the NZB into the Dead NZB Database, allowing for it to be retried in future searches, once the server recovers.

- Security: Block Open Redirect in Fallback URL
    - The fallback redirect parameter is now validated to reject protocol-relative URLs, preventing potential open redirect attacks through crafted stream URLs.

- **Auto-Resolve on Search:**

    - When "From Top of List" fallback is active and “Auto-Resolve on Search” is active within it, NZBs are automatically resolved in the background as soon as search results are returned. Candidates are tried sequentially from the top of the results list until the first healthy result is found.
    - In this case when you click a stream, the results have already started processing in the background, which, depending on the results, means instant playback with no wait time at best, and a faster resolved fallback chain at worst. Decreasing the time it takes to start streaming across the board.
    - This also works with auto play.
        - When Stremio scrapes the next episode in the background, auto-resolve kicks in immediately. By the time your current episode ends, the next one has already been Auto-Resolved and ready to play.
    - Logging has been added so you can watch the Auto-Resolve process in real-time.
    - Some examples:
        - If auto-resolve has already tried candidates #1 and #2 (both failed and entered into the dead nzb db) and successfully resolved #3,

then you click candidate #5 which in this case fails, the fallback loop sees the dead nzb db entries for #1 and #2 instantly iterates past them, and lands on #3 for instant playback.
        - If you click a stream while Auto-Resolve is still in-progress, your request merges with the existing in-progress Auto-Resolve process rather than starting a duplicate.

- Auto-Resolve relies on the WebDAV library checks
    - Library checks are forced on when Auto-Resolve is enabled.
    - When Auto-Resolve is turned off, the library check is returned to its previous state.

- NZB Fallback Default Changes:
    - Because this is now a flagship feature of NZB Fallaback, its defaults have changed. Existing users updating from 1.2.0 will not have their configs changed.
    - "From Top of List" is now the default fallback order.
        - Your selected stream is still tried first, then fallback proceeds from the top of the results list.
            - The fallback order description has been updated to reflect this: "Try the stream you selected first, then fall back from the top of the results list."
        - Existing user configs are not changed.
    - “Auto Resolve on Search” is enabled by default
        - Existing user configs are not changed.

- The NZB Fallback card now shows "+ Auto-Resolve" in amber when auto-resolve is active.

6) Health Checks

- EasyNews Health Checks
    - Moved "Include EasyNews in Health Checks" toggle from the Indexer Management overlay to Health Checks overlay.
    - I added and amber warning for when EasyNews bypasses health checks (auto-marked as Healthy) with auto-queue enabled and set to all
    - EasyNews health checks are now default to enabled. This defaults the All Healthy state to the health checker processing window.
        - Existing users' settings are not changed.

- Health Checks card shows "+ Top Result" or "+ All Healthy" in pink when auto-queue is enabled

7) NZB Database

- **Filter Dead NZBs Toggle:**
  - Added a configurable option to filter known-dead NZBs from search results before they appear in Stremio.
  - This toggle is enabled by default.
  - It works independently of health check settings and supports both standard NZB and EasyNews results.
  - The setting is located in the NZB Database overlay within the Dead NZBs section.

- **Include Timed-Out NZBs Toggle:**
  - Added a configurable option to either include or exclude timed-out NZBs from the Dead NZB Database.
    - Timed-out NZBs are NZBs whos processing exceeded the NZB Fallback wait times defined in the NZB Fallback overlay.
  - This toggle auto-flushes the Dead NZB Database when transitioning from enabled to disabled.
    - When disabling the option it means that timed out NZBs are no longer considered dead to the user, so those entries are auto removed from Dead NZB Database, allowing them to display in the results list.

- As mentioned above in the **Newznab/Prowlarr** section, there was also a bug fix for the NZB Database lookups failing for Prowlarr users.

8) Auto Play

- For at least on Android/Android TV, when search cache is disabled, it prevents auto play from working as Stremio is no longer allowing searches between episode playback.

- To account for this I have changed the default search cache from disabled to 2.5 hours for Stremio auto play compatibility.

- When auto play is enabled, a minimum search cache of 2.5 hours is now enforced by Usenet Ultimate.

- Existing configs with auto play enabled are automatically migrated to the 2.5 hour minimum if they are below it.

- I added notes for this new enforcement in both the Search Cache and Auto Play overlays.

- NZB Fallback now has auto-Resolve auto play compatibility which means NZB Fallback will find the next episodes NZB in the background while watching your current episode.
    - For more information see **3) NZB Fallback/Auto-Resolve On Search**

9) Stream Display

- I updated the default configuration for Stream Display (see **9) Filters and Sorting** for more information related to these).
    - Post age is enabled and after indexer
    - Bitrate is disabled and on the 7th row
    - Existing users will have both disabled in their Stream Display.

- I added the calendar emoji used by post age to the searchable emoji list.

- I removed the approximate (~) symbol from bitrates that are calculated with estimated runtime.

- I removed the approximate (~) symbol from season pack episode sizes.

- I added a note in the Stream Display overlay within “Clean Titles” that informs the user that AIOStreams requires “Clean Titles“ to be disabled.

- Clean Title
    - The display format of “Clean Titles” has changed to the following:
        - Movies: "The Mudman (Year)"
        - TV episodes: "Nano Horizon S01E01"
        - TV multi-episodes: "Nano Horizon S09E23E24"
        - Season packs: "Nano Horizon S09"

10) Search Cache

- As mentioned in **6) Auto Play**, when auto play is enabled a minimum search cache of 2.5 hours is now enforced.
    - An enforcement notes has been added in both the “Search Cache” and “Auto Play” overlays.

- Raw Search Cache and Dynamic Filtering and Sorting

- Search cache now stores the raw results instead of filtered and sorted streams.
- Filters, Sorts, and Stream Filter changes apply on-top of cached searches on cache hit.
    - This means you no longer have to wait for a search cache to expire to adjust your Filters, Sorts, and Stream Filters.
- Health checked results are preserved across cache hits.
    - Previously checked results are skipped on subsequent requests
    - Smart mode correctly counts pre-existing health data towards its threshold
- Toggle-based filters like Multi-episode file filtering also now apply on-top of cached searches. Toggling the setting takes effect on cache hit without waiting for cache expiry.

11) Filters & Sorting

- Mandatory Filter and Sorts - Reset to Defaults:

- Because the entire filter and sort menu has been rewritten there is a one-time auto reset to everyone's filter and config options.

- **Usenet Ultimate now uses virens (AIOStreams) fork of the parse-torrent-title package** (shout out to him for his fork, the github here: https://github.com/Viren070/parse-torrent-title)

- On-top of the use of the new parser, I have made additional normalizations and customizations which are used both alongside the parsing package and in some instances in place of it.

- Resolution

- Uses parsed.resolution from library.
- Custom Logic:
    - Usenet Ultimate normalizes '2160p' and '4k' both to '4k'.
    - Falls back to raw title detection for 'UHD' and 'UHDRip' when the library returns no resolution, mapping both to '4k'. (The library does not support this)
    - 540p catch logic
    - Added 540p to the resolution filter and priority list.
- All other values pass through lowercase as the library returns them ('1080p', '720p', '576p', '480p', etc.).
- Supported Values: 4k, 1440p, 1080p, 720p, Unknown, 576p, 540p, 480p, 360p, 240p, 144p

- Codec

- Uses parsed.codec from library

        - Usenet Ultimate then groups the equivalent codecs:
            - hevc, h265, x265 → hevc
            - x264, h264, avc → avc
            - xvid, divx, dvix → xvid
            - Everything else passes through as-is (av1, vp9, vp8, mpeg2)
    - Supported values: av1 → hevc → vp9 → avc → vp8 → xvid → mpeg2 → Unknown

- **Quality**
    - Uses parsed.quality from library
    - Supported values: BluRay REMUX → REMUX → BDMUX → BRMUX → BluRay → WEB-DL → WEB → DLMUX → UHDRip → BDRip → WEB-DLRip → WEBRip → BRRip → WEBCap → VODR → HDTV → HDTVRip → SATRip → TVRip → PPVRip → DVD → DVDRip → PDTV → SDTV → HDRip → SCR → WORKPRINT → TeleCine → TeleSync → CAM → VHSRip → Unknown.

- **HDR**
    - Uses parsed.hdr, parsed.bitDepth, and parsed.upscaled from library
    - Custom logic is:
        - If array has DV + any other HDR value → 'HDR+DV' (combo tag)
        - If DV alone → 'DV'
        - Otherwise → first element returned
        - If no hdr array returned: check parsed.bitDepth === '10bit' → '10bit', parsed.upscaled === true → 'AI'
    - More Custom Logic: “3D”
        - It defaults to disabled in the priority list, filtering out 3D results
        - The parser library isn’t able to detect all types of 3D. TV Shows are unsupported by the library.
            - I’ve added custom logic to support 3d filtering for tv shows
            - If 3d exists after S##E## it is 3d
    - Supported Values: DV, HDR+DV, HDR10+, HDR, 10bit, AI, SDR, 3D (disabled by default), Unknown

- **Audio**
    - Uses parsed.audio from library
    - Custom logic is:
        - ['Atmos', 'TrueHD'] → Atmos (TrueHD)
        - ['Atmos', 'DDP'] or ['Atmos', 'EAC3'] → Atmos (DDP)
        - ['Atmos'] returned by itself, infers from source:
            - Blu-ray sources (BluRay, REMUX, BDRip, BRRip, UHDRip, BDMUX, BRMUX) → Atmos (TrueHD)
            - everything else → Atmos (DDP)

        - EAC3 → DDP
        - AC3 → DD
        - No Atmos → first element as-is

    - Supported values: Atmos (TrueHD), DTS Lossless, TrueHD, Atmos (DDP), DTS Lossy, DDP, DD, FLAC, PCM, AAC, OPUS, MP3, Unknown

    - Notes: DTS-HD MA and DTS:X are both 'DTS Lossless' (library can't distinguish). DTS and DTS-HD HR are both 'DTS Lossy'.
    - EAC3 is normalized to DDP (same codec: Dolby Digital Plus).
    - AC3 is normalized to DD (same codec: Dolby Digital).

- **Language**
    - No changes have been made to language. It was already using the parse-torrent-title library, parsed.languages and parsed.dubbed results, with the following custom logic:
    - Custom logic:
        - No languages detected + dubbed flag → 'Dubbed'
        - No languages detected + no dubbed flag → 'English' (assumes English when no tag, following official scene release rules)
        - 'multi audio' or 'multi subs' in array → 'Multi'
        - 'dual audio' in array → 'Dual Audio'
        - More than 1 language → 'Multi'
        - Single language → look up ISO 639 code in LANG_CODE_TO_DISPLAY map (e.g., 'fr' → 'French', 'es-419' → 'Latino')
        - Code not in map → 'Unknown'
    - Notes: There's no normalization of the library values themselves, the library returns language codes ('en', 'fr', 'ja', etc.) and special strings ('multi audio', 'dual audio', 'multi subs'). Usenet Ultimate just translates codes to readable names.
    - Supported Values: English, Multi, Dual Audio, Dubbed, Arabic, Bengali, Bulgarian, Chinese, Croatian, Czech, Danish, Dutch, Estonian, Finnish, French, German, Greek, Gujarati, Hebrew, Hindi, Hungarian, Indonesian, Italian, Japanese, Kannada, Korean, Latino, Latvian, Lithuanian, Malay, Malayalam, Marathi, Norwegian, Persian, Polish, Portuguese, Punjabi, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Tamil, Telugu, Thai, Turkish, Ukrainian, Vietnamese

- **Edition**
    - Uses parsed.edition, parsed.unrated, and parsed.uncensored from library.
    - If parsed.edition exists → return it directly.
    - If parsed.edition doesn't exist:
        - If parsed.unrated is true = Unrated

        - If parsed.uncensored is true = Uncensored
        - If parsed.edition, parsed.unrated, and parsed.uncensored are all empty or false, use custom logic.
        - If no matches at all, mark as standard.
    - Custom logic for editions that are unsupported by the library:
        - Title check for “Superfan”
        - Title check for abbreviated Directors Cut (.dc. or -dc- or ends with .dc)
        - Title check for Special Edition
    - Extended editions are displayed as “Extended”.
    - The custom logic for Prefer Non-Standard Editions (Prioritize all enabled non-standard editions equally over Standard) continues to exist. Disabled by default.
    - Supported Values: Extended Edition, Director's Cut, Superfan, Unrated, Uncensored, Uncut, Theatrical, IMAX, Special Edition, Collector's Edition, Criterion Collection, Ultimate Edition, Anniversary Edition, Diamond Edition, Dragon Box, Color Corrected, Remastered, Standard

- **Release Group**
    - Uses parsed.group from library
    - If no result is returned it’s set to unknown

- **Clean Title**
    - Clean title, while not a filter or a sort, is being mentioned here because it has also been updated to use parsed.title from the library.
    - Custom Logic:
        - TVShows: Append season and episode numbers from library fields.
        - For more information see **7) Stream Display**
        - Titles are URL decoded at extraction to ensure the correct format is sent to the parsers and other areas of the application.

- **Post Age**
    - Post Age is a new sorting method that is based on the age of each NZB (e.g., 2h, 3d, 1.2y) based on its publish date.
    - EasyNews:
        - extracts posted timestamp from API response (item[8])
    - Newznab/NZBHydra:
        - Uses the pubDate from the XML response
    - Prowlarr:
        - Uses the publishDate from the API response
    - Has configurable stream viewer element with 📅 emoji, enabled by default

- **Bitrate**
    - Bitrate is a new sorting method that displays the estimated video bitrate (e.g., 8.5 Mbps, 5.2 Mbps)
    - EasyNews:
        - Uses exact bitrate from actual file duration (item[14])
    - Newznab/Prowlarr/NZBHydra:
        - When a runtime isn't directly provided from an indexer (most cases), Usenet Ultimate uses the estimated bitrate calculated with a runtime from TMDB for movies, TVDB for TV, and Cinemeta as a fallback.
    - Season packs use the per-episode estimated size for bitrate calculation, not full pack size.
    - Configurable stream viewer element with 📊 emoji, disabled by default.

- **Post Age and Bitrate Sorting:**
    - Both are available as sorts in Filters & Sorting overlay
    - Age: toggleable between Newest first (default) and Oldest first
    - Bitrate: toggleable between Highest first (default) and Lowest first
    - The direction toggles are a clickable button with ArrowUpDown icon
    - Both are disabled by default.

- **Size:**
    - The "Size" sort has been updated to use the same type of ArrowUpDown button as age and bitrate.
        - Size is now sortable by largest or smallest first using the button.
    - Labeled as just "Size" instead of "Size (Largest First)".

- **Filter Options**
    - There are now 2 max "per" filters:
        - Max Streams Per Resolution
            - Limit how many streams of each resolution to return (e.g., 4K, 1080p, etc.)
        - Max Streams Per Quality
            - Limit streams per video source quality level (e.g., BluRay, WEB-DL)

- **Stream Filters**
    - New Stream FIlters Menu Options:
        - Minimum File Sizes:
            - Episode File Size
            - Season Pack Per-Episode Size
            - Season Pack Total Size
        - Maximum File Sizes:

            - Episode File Size
            - Season Pack Per-Episode Size
            - Season Pack Total Size
        - Max Total Streams
        - Max Streams Per Resolution
        - Max Streams Per Quality
    - The toggles switch between unlimited and limited, with +/- steppers and direct text input for setting values.
    - Toggles remember the last used value when toggling off and back on, but resets to the field default when Reset to Default is clicked.
    - The UI has been improved so that MinImum and Maximum file size settings exist within their own labeled sections.

- **Filters & Priorities Lists**
    - I renamed all priority section headers from "X Priority" to "X Filters & Priorities" to better reflect that each section handles both exclusion filtering and sort priority ordering.
        - Resolution Filters & Priorities, Quality Filters & Priorities, Encode Filters & Priorities, Visual Tag Filters & Priorities, Audio Tag Filters & Priorities, Language Filters & Priorities, Edition Filters & Priorities

12) Logs

- As mentioned in the above sections the following logging changes have been made:
    - Added per-indexer method logging showing which search methods each indexer uses
    - EasyNews filter logging has been added to all result types.
    - Logging has been added so you can watch the Auto-Resolve process in real-time.

13) Environment Variables

- The following environment variables have been added to support new features in v1.3.0

#	New Env Var	Type	Default	What it does

1	INCLUDE_TIMEOUTS_AS_DEAD_NZBS	bool	true	Store timed-out NZBs in dead NZB DB
2	FILTER_DEAD_NZBS	bool	true	Filter dead NZBs from search results
3	ENABLE_REMAKE_DETECTION	bool	true	Filter wrong remake/reboot versions
4	ALLOW_MULTI_EPISODE_FILES	bool	true	Allow multi-episode file streaming
5	URL_DEDUP	bool	true	Deduplicate results by URL
6	NZBDAV_SEASON_PACK_TIMEOUT	int	30	Define the time-out of season packs
7	AUTO_RESOLVE_ON_SEARCH	bool	true	Pre-resolve NZBs from top of list in background when search results are returned
8	NZBDAV_FALLBACK_ORDER			default changed from selected to top
9	NZBDAV_MAX_SELF_REDIRECTS			default changed from 100 to 500

If you've made it this far, I hope you had as much fun reading about these changes as I did developing them!