

Assessment Information

Assessment completion date: 2024-11-01

Personal Information

First Name: John

Last Name: Doe

Preferred Contact: Phone

Iwi / Hapu (If Maori): N/A

First Language (If Not English): N/A

Interpreter: Yes

Cultural Support: Yes

Communication Needs: Yes, Non-verbal communication (requires anticipation and support)

Medical Information

Doctor: Dr. Jane Carter

Medical Center: 456 Health Avenue, Sampleville, Region

Medical Contact: 091234567

NHI: XYZ1234

Disability Information

Disability Name: Autism Spectrum Disorder

Other Medical: Sleep disturbances, Sensory processing issues

Reason For Referral: Behavioural support, Social skills development

Supports/Services Desired: Behavioural support, Social skills development

Urgency Of Services: Urgent (required within 24 hours)

Additional Information

Safety Hazards, Or Sensitive Issues: Tendency to wander off

Other Important Information: Requires a high level of support for daily living tasks

Referrer Contact Details

First Name: Jane

Last Name: Doe

Contact Number: 0211234567

Email: JaneDoe@email.com

Relationship To The Person Referred: Parent

Emergency Contact Details

First Name: John

Last Name: Smith

Contact Number: 0211234567

Email: JohnSmith@email.com

Relationship To The Person Referred: Father

Consent & Privacy

Consent To Provide Information: Yes

Consent To Share Information For Assessment: Yes

Consent To Be Contacted For Verification/Additional Information: Yes

Consent For Statistical Reporting: Yes

Right To Access/Correct Provided Information: Yes

Signatory

Signature Method: Digital Signature

Name Of Parent/Guardian (If On Behalf Of A Child): Jane Smith

Date: 2023-10-15

Background, Present Living Situation, Significant Events, and Contingency Plan

A short narrative of the person's background

Yes, the person mentioned in the text is experiencing various issues related to aging and physical decline. From difficulties with mobility and coordination to challenges with tasks like household chores and personal care, it is evident that the individual is struggling to maintain their independence as they grow older. The person acknowledges these changes and is contemplating the possibility of needing assistance in the future.

Current living situation etc

The person mentioned is starting to face challenges in various areas of their daily life, suggesting some issues related to their current living situation. They have experienced falls, find it difficult to move around, have concerns about driving, notice decreased hand coordination, and require more support getting in and out of bed or a chair. Their hearing has worsened, making it harder to follow conversations, and their vision is beginning to decline due to early cataracts. Household chores have become more taxing, cooking is tiring, and shopping for groceries feels overwhelming. They are finding basic self-care tasks, such as showering and dressing, more effortful and struggle with medication management and sleep. While they strive to maintain their independence, it is becoming evident that they may need assistance in various areas of their life.

Communication

Ability to express core needs Verbal or Non-Verbal

No information found.

Can read/write?

The person mentioned in the text does not have any issues related to reading or writing.

Can use a phone?

The person mentioned does not have any issues related to using a phone.

Receptive / Expressive skills?

The person mentioned in the text had some challenges related to their Receptive skills. They mentioned finding it harder to follow conversations in noisy places or when someone talks too fast, due to their worsening hearing. They noted that their ability to catch everything has been affected, indicating a lag in their receptive skills in certain situations.

Sensory and Speech difficulties

Blind or nearly blind

The person in the text has mentioned experiencing some difficulties with their vision, such as noticing things being blurrier in low light and being in the early stages of cataracts. Brighter lights are needed for reading or working on tasks. However, there is no indication that the person is blind or nearly blind.

Deaf or nearly deaf

The person mentioned in the text is experiencing difficulties related to physical mobility, reduced vision, and cognitive decline. They have had a couple of falls, find it challenging to move around, and struggle with tasks that require fine motor skills. Additionally, they have mentioned challenges in communication due to worsening hearing, difficulty following conversations in noisy environments, and trouble catching everything that is being said. It is important for them to consider seeking help in various aspects of their life to ensure their well-being and safety. No information found related to being Deaf or nearly deaf.

Hearing impaired

The individual mentioned in the text is experiencing various challenges related to aging, such as decreased mobility, declining vision with early cataracts, and difficulties in managing household tasks and personal care. While there are mentions of some hearing issues, such as difficulty following conversations in noisy places or when people talk fast, there is no indication that the person is hearing impaired. They can still express themselves well and use the phone regularly, though their receptive skills may be starting to lag in noisy environments.

Speech impaired

No information found.

Vision impaired

Yes, the person mentioned has some issues related to vision impairment. They have early stages of cataracts and have noticed things being blurrier, especially in low light. They also find themselves needing brighter lights when reading or working on something. Based on the information provided, the person has concerns related to their vision, particularly in low light conditions due to early cataracts.

Mobility

Driving

Yes, the person mentioned in the text is starting to feel nervous about driving as they have had a few close calls at intersections and find it harder to react quickly. They haven't had an accident yet, but they can see it coming if they're not careful.

Falling or history of falling

Yes, the person mentioned has had a couple of falls over the last few months, although not too serious, which has made them feel less steady on their feet.

Getting up after falling

Yes, the person mentioned in the text has issues related to getting up after falling. They have stated that they have had a couple of falls over the last few months, albeit not serious ones, and have mentioned feeling less steady on their feet. They have also acknowledged the need for more support when getting in and out of bed or a chair, and they have to take things slow at times to prevent falling.

Moving around in the community

The person mentioned is experiencing difficulties with moving around in the community. They mentioned struggles with walking in the neighborhood, driving, using their hands for fine movements, and needing more support when getting in and out of bed or a chair. Additionally, their vision is starting to blur, particularly in low light, and tasks like grocery shopping have become overwhelming. While they try to remain independent, it's becoming apparent that they may need some help with certain daily activities outside their home.

Moving around inside home

The person mentioned is experiencing difficulties with moving around inside the home. They have mentioned having a few falls in the last few months, feeling unsteady on their feet, noticing shaky hands, and feeling the need for more support when getting in and out of bed or chairs. Additionally, they have expressed feeling the need to take things slow to avoid accidents and have mentioned a decline in their physical capabilities.

Moving Around Outside home

Moving around outside the home has become challenging for the person mentioned in the text. They used to enjoy taking walks in the neighborhood and driving short distances but are now finding it difficult due to feeling unsteady on their feet and experiencing nervousness while driving. They mentioned having had a few close calls while driving and feeling like their reactions are slower. Additionally, tasks like going to the mailbox or carrying groceries have become more challenging, and they feel overwhelmed in busy environments.

Transfers, wheelchair to car or bed to chair

The person mentioned in the text primarily struggles with mobility-related tasks such as walking, driving, and getting in and out of bed or a chair. They have experienced falls, find it challenging to walk even short distances, and are starting to feel nervous about driving due to decreased reaction time. Additionally, they have noticed a decline in manual dexterity, with their hands not being as steady for tasks that require fine movement. While they can still manage daily activities like communication, reading, and writing, they find it harder to follow conversations in noisy environments due to worsening hearing. Vision-wise, they are managing with glasses but have noticed blurriness in low light and early signs of cataracts. Managing household chores has become more tiring, especially tasks that require reaching up high or bending down. They also struggle with shopping for groceries and find basic self-care activities like showering and getting dressed more challenging and tiring. While they are still trying to stay independent, they acknowledge that they may need help in certain areas to ensure they can continue to manage day-to-day tasks effectively. No information related to transfers (wheelchair to car or bed to chair) was found in the text.

Two or one assistance for all transfers

The person mentioned seems to be facing challenges with mobility, coordination, dexterity, sensory functions (hearing and vision), household tasks, and personal care. While they are still managing most tasks on their own, they are starting to struggle and realize that they may need assistance in various areas to maintain their independence and ensure their well-being. They have experienced falls, difficulty with movement and driving, coordination issues with fine movements, hearing difficulties, early signs of cataracts affecting vision, exhaustion from household chores, shopping difficulties, increased effort in self-care tasks, and issues with medication management and sleep. Overall, the individual acknowledges that they are not as capable as they once were and may require some help with certain aspects of daily life going forward.

Using arms, hands, or fingers

The person mentioned is experiencing issues related to using their hands and fingers. They have noticed that their hands are not as steady, especially when performing tasks that require fine movements, such as using tools or buttoning up their shirt. Additionally, they have started to feel the need for more support when getting in and out of bed or a chair, indicating a decline in their hand and finger dexterity.

Using transport as a passenger

The person mentioned in the text is experiencing difficulties with various activities related to mobility, vision, communication, and overall daily tasks. They have mentioned challenges such as increased falls, difficulty with fine motor skills, decreased hearing ability, early cataracts affecting vision, and struggles with tasks like housekeeping, cooking, and shopping. While they can still drive short distances, they have started feeling nervous about it due to close calls at intersections and slower reaction times. There is no specific mention of issues related to using transportation as a passenger.

Wheelchair user

The person mentioned in the text is experiencing various challenges related to aging and declining physical and cognitive abilities. They are struggling with mobility issues such as unsteadiness on their feet, difficulty with fine motor skills, and increased reliance on support for tasks like getting in and out of bed or a chair. Additionally, they are facing challenges with communication, hearing, vision, household management, self-care, and medication management. While they are still trying to maintain their independence, they are recognizing the need for assistance in certain areas to ensure their well-being and safety. No information found.

Household Management

Faecal smearing

No information found.

Administering personal finances

The person mentioned in the text is facing challenges related to managing personal care, household tasks, mobility, communication, and overall independence. While he is still capable of performing these tasks, he is noticing that they are becoming more difficult and require more effort. The individual is contemplating the possibility of needing assistance in various areas to maintain his well-being and manage daily activities effectively.

Garden / lawns

No information found.

Home safety

The person mentioned in the text is experiencing physical and cognitive changes that are impacting their ability to manage tasks around the house and take care of themselves. They have had a few falls, find it challenging to move around outside, and have noticed a decline in fine motor skills, hearing, and vision. Everyday tasks like cooking, cleaning, and shopping have become more exhausting, and they are struggling with basic activities like showering and getting dressed. Although they are trying to maintain their independence, it is becoming increasingly clear that they may need some assistance with home safety and personal care to ensure they can continue to live comfortably and safely.

Laundry

Yes, the person mentioned in the text is finding tasks related to managing the household, such as laundry and keeping the house clean, to be more tiring and exhausting than before due to difficulties in reaching up high or bending down. Cooking and grocery shopping have also become more challenging for him.

Operating home heating appliances

No information found.

Meal preparation

The person mentioned in the text is experiencing difficulties with various daily tasks due to aging and declining physical abilities. They are finding it harder to manage household chores like laundry and cleaning, and are opting for simpler meals due to the physical strain of standing and chopping vegetables. Shopping for groceries has become overwhelming, and they struggle to carry everything home on their own. While they are still able to take care of themselves, activities like showering and getting dressed require more effort and time. They are considering reaching out for help in certain areas to maintain their independence and well-being. No information found regarding specific issues related to meal preparation.

Shopping for necessary items

Shopping for groceries has become a bit of a hassle for the person mentioned. While they can still drive to the store, once there, they sometimes feel overwhelmed, and it's harder to carry everything home on their own.

Other housework

Yes, the person mentioned is experiencing difficulties related to managing household tasks. These tasks, such as laundry, keeping the house clean, and cooking, have become more tiring and challenging. Simple activities like reaching up high or bending down result in exhaustion, and standing for long periods or chopping vegetables wear them out. Additionally, shopping for groceries has become overwhelming, and carrying items home is difficult. The individual is still doing these tasks but is recognizing that they are more taxing than before, indicating a potential need for assistance in this area.

Self-care

Bathing, showering, Washing self

Showering and getting dressed in the morning take a lot more effort than they used to for the individual mentioned. They still take pride in looking after themselves but have had moments where they wonder if they should ask for help with these tasks.

Bed mobility

The person mentioned in the text has started feeling the need for more support when getting in and out of bed or a chair. Though they haven't needed help from anyone yet, there are times when they have to take it slow and really think about what they're doing to avoid ending up on the floor.

Dressing and / or undressing

Showering and getting dressed in the morning now require more effort and take longer than before for the person mentioned in the text. They still take pride in looking after themselves but have expressed moments of wondering if they should ask for help in these tasks. Additionally, the person has been trying to stay on top of their medications but sometimes forgets to take them on time. They acknowledge the need to organize their medications better but sometimes forget when they get busy or distracted. At night, settling in for bed is also taking longer, with more frequent waking up during the night due to discomfort or the need to use the bathroom.

Eating and drinking

No information found.

Faecal smearing

No information found.

Grooming and caring for body parts

The person mentioned in the text is experiencing challenges with grooming and caring for different parts of their body. They have mentioned difficulties with fine movements like buttoning up shirts, needing more support when getting in and out of bed or a chair, feeling exhausted after simple tasks like laundry and keeping the house clean, and finding showering and getting dressed to be more effortful than before. They also mention having moments where they wonder if they should ask for help with self-care tasks and have trouble organizing and remembering to take their

medications on time. It is becoming apparent that they may need assistance in certain areas related to personal care.

Managing / preventing health problems

Yes, the person mentioned in the text is experiencing difficulties related to managing and preventing health problems. Details from the text include: - Having difficulty with mobility and balance, experiencing falls and feeling less secure when moving around. - Noticing a decline in fine motor skills, such as hand coordination and buttoning up clothes. - Finding communication more challenging, especially in noisy environments or when conversations are fast-paced. - Facing issues related to hearing loss and needing brighter lights for vision as cataracts have started developing. - Feeling physically exhausted after simple tasks like household chores and cooking, opting for simpler meals due to fatigue. - Struggling with shopping, feeling overwhelmed at times and finding it harder to carry groceries home. - Needing more time and effort for self-care tasks like showering, getting dressed, and organizing medications. - Experiencing sleep disturbances, including waking up frequently during the night and difficulty getting comfortable in bed. Overall, the person in the text is recognizing the increasing challenges they face in various aspects of daily life and is considering the need for additional support to manage these issues.

Managing medication

The person mentioned is starting to have difficulties managing their medication. While they try to stay on top of taking their medications, they sometimes forget to do so on time. They acknowledge the need to organize their medications better but often find themselves getting busy or distracted, leading to forgetting about it. This indicates a potential issue with managing medication effectively.

Menstrual management

No information found.

Night Care

The person mentioned has been experiencing various challenges in managing daily tasks, mobility, and self-care as they age. They have had a couple of falls, difficulty with fine movements and balance, reduced hearing, early signs of cataracts, increased fatigue from household chores, and struggles with personal care tasks. While they are still trying to maintain their independence, it's becoming apparent that they may need assistance in certain areas to ensure their well-being and safety.

Night settling

At night, the individual mentioned in the text is experiencing difficulty in settling in for bed. They mentioned that settling in for bed is taking longer as they toss and turn, waking up more often during the night. This has been affecting their sleep and comfort at night.

Toileting

The individual in the text is experiencing difficulties with mobility, coordination, vision, household tasks, personal care, medication management, and sleeping patterns. They are finding it challenging to carry out various activities independently and are considering the possibility of needing assistance in certain areas. No information found related to toileting.

Continence

Faecal continence

No information found.

Urinary continence

Yes, the person mentioned is experiencing challenges related to urinary continence. They have mentioned needing to use the bathroom in the middle of the night, which is disrupting their sleep and impacting their comfort. This could be an indication of urinary incontinence or related issues. It seems like they are struggling with managing this aspect of their self-care alongside other difficulties in their daily routine.

Behaviour

Harm to others, Mood and emotion (anxiety, depression, unstable mood. etc)

Mood and Emotion: The person mentioned appears to be experiencing feelings of anxiety and uncertainty regarding their ability to manage certain tasks and maintain their independence. They express concern about their declining physical abilities and the challenges they face in everyday activities, which can potentially impact their mood and emotional well-being. Harm to Others: There is no information suggesting any issues related to harm to others. No information found.

Motivation

The person mentioned in the text is facing challenges related to maintaining their independence as they age, particularly in physical abilities such as mobility, coordination, and strength. Tasks that were once simple for them, like household chores, cooking, and managing personal care, now require more effort and are tiring. They are also noticing difficulties with tasks like driving, hearing, and vision, which are affecting their daily life and increasing their need for assistance. Despite their strong desire to remain independent, they are becoming more aware of the limitations they are experiencing and are considering seeking help in various areas to ensure their well-being and safety.

Property damage

No information found.

Repetitive

Yes, the person mentioned in the text is experiencing issues related to Repetitive. These issues include: - Decreased mobility and increased difficulty in moving around both inside and outside the house - Decline in fine motor skills, causing challenges with tasks that require precise movements - Communication difficulties, especially in following conversations in noisy environments or when someone speaks quickly - Decreased hearing ability, leading to the inability to catch everything that is being said - Vision issues like blurriness, particularly in low light, due to early stages of cataracts - Increased fatigue and physical exertion when managing household tasks such as laundry, cleaning, and cooking - Needing more time and effort for personal care activities like showering, getting dressed, and taking medications - Difficulty with sleeping, experiencing disruptions and restlessness throughout the night Given these challenges, the person is considering the possibility of needing assistance in various areas to continue maintaining their independence. If there is nothing related to Repetitive, please just return No information found.

Routine

The individual mentioned in the text is facing challenges related to their daily routine. They have noticed difficulties in maintaining their independence, such as struggles with mobility both inside and outside the house, declining motor skills, issues with communication in noisy environments, worsening eyesight, increased fatigue when managing household tasks, and the need for more time and effort in self-care activities. While they are still able to perform these tasks, they are becoming harder to manage, prompting thoughts about potentially needing assistance in various areas of their life.

Self-harming

No information found.

Sleep and night behaviour (insomnia, excessive sleep, etc)

Yes, the person mentioned in the text is experiencing difficulties related to sleep and night behavior. They mentioned having trouble settling in for bed, tossing and turning, and waking up more often at night. These sleep disturbances are impacting their overall ability to rest comfortably.

Socially inappropriate,

No information found.

Unsafe wandering

The person mentioned in the text is experiencing difficulties with movements and coordination, including having had a couple of falls, feeling unsteady on their feet, and finding it challenging to engage in activities that require fine motor skills like using tools or buttoning up shirts. They also mention having had close calls while driving, feeling nervous about it, and experiencing some challenges with mobility and balance. Additionally, they have noticed worsening hearing and vision, fatigue from household tasks, increased effort required for personal care activities, and occasional forgetfulness with medications. Overall, the individual is beginning to realize that certain tasks are becoming harder, and they may need some assistance in various areas to ensure their safety and well-being.

Withdrawn

Issues related to Withdrawn: - The person mentioned in the text has been living alone for five years following the passing of their wife and is starting to find it harder to keep up with things. - They have experienced a couple of falls in the past few months and are noticing a decrease in their steadiness on their feet. - Mobility inside and outside the house has become more challenging, with tasks like walking in the neighborhood feeling like a challenge and driving causing nervousness. - They have noticed a decrease in their hand steadiness and coordination, particularly for tasks requiring fine movement. - The individual sometimes feels they need more support when getting in and out of bed or a chair. - Communication-wise, following conversations has become harder, especially in noisy environments or when people speak quickly. Their hearing has worsened, making it difficult to catch everything. - The person manages to write and use the phone but struggles with receptive skills, especially in busy surroundings. - Their vision is starting to decline, particularly in low light, with early stages of cataracts being mentioned by their eye doctor. - Household tasks like laundry, cleaning, and cooking have become more tiring, leading to exhaustion after simple activities. - Managing shopping for groceries and carrying items home has become overwhelming and challenging. - Basic self-care tasks like showering and getting dressed require more effort than before, and the person sometimes forgets to take medications on time. - Their sleeping patterns have been disrupted, with increased wakefulness during the night. - The individual acknowledges the increasing difficulty in performing tasks independently and recognizes the potential need for assistance in various areas of their life. Overall, the person seems to be facing challenges related to their physical and cognitive abilities and is slowly realizing that they may require external help to

maintain their independence successfully.

Memory / Cognition

Attention

The person described in the text is experiencing difficulties with tasks related to mobility, coordination, sensory perception, household management, self-care, and medication management. While there is no direct mention of attention-related issues, the individual does express concerns about finding it harder to keep up with things, feeling nervous about driving due to slower reaction times, and occasionally forgetting to take medications on time. These concerns suggest potential challenges with attention and focus in managing daily activities.

Intellectual ability

No information found.

Memory

The person mentioned in the text has mentioned difficulties related to physical abilities, such as decreased mobility, balance issues, challenges with fine motor skills, declining vision, and feeling tired while performing daily tasks. They also expressed struggles with managing household chores, taking care of themselves, and staying on top of medications. While there are no specific mentions of memory-related issues, the individual did mention forgetting to take medications on time and occasionally feeling distracted or busy, which could indicate potential challenges with memory or cognitive functions related to organization and focus.

Orientation

Yes, the person mentioned in the text is experiencing difficulties with mobility and physical tasks, such as walking, driving, fine movements, and getting in and out of bed. They are also facing challenges with communication, hearing, vision, managing household tasks, cooking, shopping, personal care, and medication management. These difficulties are making it harder for them to maintain their independence, and they are beginning to consider the need for assistance in various areas of their life.

Learning ability / Problem solving

Issue related to problem solving and learning ability: - The individual is experiencing challenges with physical mobility, coordination, and manual dexterity, affecting tasks like using tools, buttoning shirts, and getting in and out of bed or chairs. This could impact problem-solving skills related to everyday activities that require fine motor skills. - They are also facing difficulties with communication, particularly in following conversations in noisy settings or with fast talkers due to worsening hearing. This could hinder problem-solving abilities in social situations where effective communication is crucial. No information found.

Supervision

Daily prompts

The person mentioned is experiencing various challenges related to aging and maintaining independence. They are starting to struggle with mobility, coordination, and managing household tasks. While they are still able to communicate effectively most of the time, they are finding it harder

to follow conversations in noisy environments due to declining hearing. Additionally, their vision is deteriorating slightly, especially in low light. They are managing their daily activities but are finding tasks such as cooking, shopping, and taking care of themselves more tiring and time-consuming. The person is recognizing the increasing difficulty in handling these responsibilities and may need assistance in certain areas to ensure their well-being and safety.

Needs 24-hour supervision

The person mentioned in the text is starting to struggle with various tasks related to daily living. They have experienced falls, difficulty with mobility, reduced hand coordination, challenges with driving, hearing loss, blurry vision, increased fatigue, difficulty with household chores, and a need for more time and effort for self-care tasks. While they strive to maintain their independence, they are acknowledging the growing difficulty in managing these tasks alone and may require some assistance in certain areas.

Some, for safety

Based on the provided text, the person mentioned does have several issues related to safety. Details include: - The individual has experienced a couple of falls in the last few months, indicating a decreased steadiness on their feet. - Mobility issues are noticed both inside and outside the house, with challenges in walking even short distances and feeling nervous while driving. - Fine motor skills have declined, causing difficulty in tasks such as using tools or buttoning shirts. - The person has started to feel the need for more support when getting in and out of bed or a chair to avoid potential falls. - Hearing deterioration makes it harder to follow conversations, especially in noisy environments. - Blurry vision in low light due to early cataracts has been noted, requiring the use of brighter lights for certain tasks. - Tasks such as managing household chores have become physically tiring, leading to increased exhaustion after simple activities. - Basic self-care activities like showering and getting dressed now require more effort and time. - There are instances of forgetting to take medications on time and experiencing difficulties with sleep patterns, leading to discomfort during the night. Overall, the individual recognizes the increasing difficulty in various aspects of daily life and is considering the need for assistance in certain areas to ensure safety and well-being.

Recreational and Social

Community participation

The person mentioned in the text is facing challenges related to mobility, coordination, sensory abilities (such as hearing and vision), household tasks, self-care, and medication management. While there is no direct mention of issues related to community participation, the individual expresses a growing need for assistance and acknowledges the increasing difficulty of various daily activities. It becomes evident that the person may require support in different areas to maintain their independence and well-being.

Educational support

No information found.

Specialist Teachers

The person mentioned is experiencing challenges with mobility, balance, fine motor skills, hearing, vision, household tasks, self-care, and medication management. They are starting to realize that certain tasks are becoming harder and that they may need help in various areas to maintain their independence. No information found relating to Specialist Teachers.

Family life

The person mentioned in the text has experienced challenges related to managing various aspects of daily living as they age. They have noticed changes in their physical abilities, such as mobility issues, hand coordination difficulties, and problems with balance. There are also concerns about their hearing and vision declining, as well as challenges in completing household tasks and personal care activities. While still trying to maintain their independence, they are acknowledging the increasing need for assistance with certain tasks to ensure their well-being and safety. No information found.

Socialization

No information found.

Vocational support

Yes, the person mentioned may benefit from Vocational support as they are facing challenges related to managing daily tasks, mobility, communication, vision, household chores, self-care, and medication management. The individual is experiencing difficulties in maintaining their independence due to physical limitations and cognitive changes. They are aware that they may need assistance in various areas to ensure their well-being and safety.