

PRACTICAL WEEK 2

a) CREATING AND CONNECTING TO AN AMAZON LINUX EC2 INSTANCE


1. EC2 dashboard is open, ready to launch an instance.




2. Key pair linuxkey1 is created (RSA, .pem) for mylinuxvm.




3. Network settings: SSH traffic is allowed (use My IP for better security).




4. The Linux instance has been launched.



5. mylinuxvm is Running with 3/3 checks passed.




6. Connect page: EC2 Instance Connect is selected; click Connect.




7. Terminal opens with the Amazon Linux 2023 prompt.




8. mylinuxvm is selected and the Instance state menu shows Stop instance.



9. Stop instance dialog asks for confirmation.




10. Instance state changes to Stopping.




b) CREATING AND CONNECTING TO A WINDOWS EC2 INSTANCE


11. Key pair windowkey1 is created (RSA, .pem) for the Windows Server instance.




12. mywindowvm is Running and mylinuxvm is Stopped.




13. mywindowvm is selected and Connect is clicked.




14. RDP tab shows the connection steps; click Get Windows password.




15. Get Windows password page: upload the windowkey1 private key.




16. Key file is uploaded; click Decrypt password.




17. Remote Desktop security warning; click Connect.




18. Windows Security prompt: enter the Administrator password.



19. Certificate warning; click Yes to continue.




20. Windows desktop opens, confirming a successful RDP login.




c) CREATING AND CONNECTING TO AN UBUNTU EC2 INSTANCE


21. Launch page: instance named linuxgui with Ubuntu Server selected.




22. Instance type t3.small and key pair linuxguikey are selected.




23. Security group allows SSH and RDP from My IP.




24. Set storage to 30gb




25. Paste the code in the given box and change the password




26. The Ubuntu instance has been launched.




27. linuxgui is Running.




28. Connect page for linuxgui with username ubuntu and copy the IP address.



29. Remote Desktop Connection: paste the public IP and click Connect.




30. Ubuntu desktop opens through Remote Desktop.




d) CREATING AN AMAZON S3 BUCKET AND UPLOADING OBJECTS


31. Search for S3 in the console and open Amazon S3.




32. Amazon S3 page: click Create bucket.




33. Create bucket: General purpose type with a unique bucket name.




34. Click Create bucket.




35. Bucket 240607 is created and its Objects tab is empty.



36. The files are being uploaded.




37. Upload succeeded: both files are in the bucket.




e) CLEANING UP RESOURCES


38. Search for EC2 to return to the EC2 service.




39. EC2 dashboard: open Key Pairs from the navigation pane.




40. Key pairs are selected; choose Actions > Delete.




41. The key pairs are deleted.



42. Delete your instances and then navigate to security groups choose Action > Delete



43. Type delete to confirm



44. The security groups are deleted.

