Abstract

For the demonstration proposed XML-powered quizzing, and for related purposes. $\,$

 ${f 2}$ toss-ups, ${f 2}$ bonus sets. Skip bonuses. ${f 10}$ points per toss-up. ${f 10}$ points per bonus. ${f 3}$ boni per set. Powers are worth ${f 15}$.

Example Quiz

January 22, 2017

Toss-ups

1. (Note: Read the words from left to right.) Why did the chicken cross the road?

ANSWER: To get to the other side, To avoid his ex. (Note: Accept either, or clear knowledge equivalents.)

2. This toss-up is worth 70 points.

Who was the President (500) with the surname Adams (15) who was not John Q. Adams?

ANSWER: **John Adams**. (Note: Do NOT acept John Q. Adams at any point.)

Bonus sets

1. A town is full of buildings. Some tall, some short, some wide and some narrow.

[10] Who was the girl?

ANSWER: Mary.

[10] Who was the dog?

ANSWER: Mungo.

[10] Who was the mouse?

ANSWER: Midge.

2. These boni are worth **20** points each. (Note: Do not mispronounce words) Sometimes you need examples. Here are some examples of examples.

[15] What is the first one?

ANSWER: Foo. (Note: "Foo" is pronounced "phu".)

[20] What is the second one?

ANSWER: Bar.

[25] What is the third one?

ANSWER: Baz.

[30] (Note: Note to Americans: this does not mean "quarter") What is the

fourth one?

ANSWER: Quux. (Note: Accept any feasible pronunciation)