#### Abstract

For the demonstration proposed XML-powered quizzing, and for related purposes.  $\,$ 

 ${f 2}$  toss-ups,  ${f 2}$  bonus sets. Skip bonuses.  ${f 10}$  points per toss-up.  ${f 10}$  points per bonus.  ${f 3}$  boni per set. Powers are worth  ${f 15}$ .

# Example Quiz

### January 21, 2017

## Toss-ups

1. (Note: Read the words from left to right.) Why did the chicken cross the road?

ANSWER: To get to the other side, To avoid his ex.

(Note: Accept either, or clear knowledge equivalents.)

2. This toss-up is worth 70 points.

Who was the President with the surname Adams who was not John Q. Adams?

ANSWER: John Adams.

(Note: Do NOT acept John Q. Adams at any point.)

#### Bonus sets

- 1. A town is full of buildings. Some tall, some short, some wide and some narrow.
- i. Who was the girl? ANSWER: Mary.

ii. Who was the dog?

ANSWER: Mungo.

iii. Who was the mouse?ANSWER: Midge.

- 2. These boni are worth 20 points each.
- i. This bonus is worth 20 points. What is the first one?

ANSWER: Foo.

(Note: "Foo" is pronounced "phu".)

**ii.** What is the second one?

ANSWER: Bar.

iii. This bonus is worth 20 points. What is the third one?

ANSWER: Baz.

iv. This bonus is worth 20 points. (Note: Note to Americans: this does not

mean "quarter") What is the fourth one?

ANSWER: Quux.

(Note: Accept any feasible pronunciation)