

metrics	
id	uuid
metric_name	varchar(100) NN
metric_type	metric_type_enum E NN
metric_value	decimal(20,6) NN
dimensions	jsonb
period_start	timestampz NN
period_end	timestampz NN
created_at	timestampz

date_ideas	
id	uuid
category	date_category_enum E NN
title	varchar(200) NN
description	text
avg_cost	cost_level_enum E
suitable_interests	jsonb
city	varchar(100)
country_code	char(2)
latitude	decimal(9,6)
longitude	decimal(9,6)
suggested_count	integer
positive_feedback_count	integer
is_active	boolean
created_at	timestampz
updated_at	timestampz

ratings_combined	
id	uuid
profile_id	uuid NN
primary_score	decimal(5,4) NN
primary_weight	decimal(3,2)
behavioral_score	decimal(5,4) NN
behavioral_weight	decimal(3,2)
referral_bonus	decimal(5,4)
referral_weight	decimal(3,2)
total_score	decimal(5,4)
rank_position	integer
percentile	decimal(5,4)
tier	varchar(10)
calculated_at	timestampz
created_at	timestampz
updated_at	timestampz

referrals	
id	uuid
referrer_id	uuid NN
referred_id	uuid NN
referral_code	varchar(50) NN
bonus_earned	decimal(10,2)
referred_user_active	boolean
referred_user_premium	boolean
referred_profile_created	boolean
referred_first_match	boolean
created_at	timestampz
activated_at	timestampz

preferences	
id	uuid
profile_id	uuid NN
preferred_cities	jsonb
preferred_countries	jsonb
education_preference	varchar(50)
occupation_preference	varchar(50)
relationship_goals	relationship_goal_enum E
height_min_cm	smallint
height_max_cm	smallint
deal_breakers	jsonb
importance_weights	jsonb
created_at	timestampz
updated_at	timestampz

swipes	
id	uuid
swiper_id	uuid NN
swiped_id	uuid NN
action	swipe_action_enum E NN
source	varchar(20)
time_spent_ms	integer
context_data	jsonb
created_at	timestampz

sessions	
id	uuid
user_id	uuid NN
session_token	varchar(255) NN
redis_cache_key	varchar(255)
cached_profiles_count	smallint
current_profile_index	smallint
last_profile_shown_at	timestampz
device_info	jsonb
ip_address	varchar(45)
is_active	boolean
expires_at	timestampz NN
last_heartbeat_at	timestampz
created_at	timestampz
updated_at	timestampz

notifications	
id	uuid
user_id	uuid NN
type	varchar(30) NN
title	varchar(200) NN
body	text
data	jsonb
is_sent	boolean
sent_at	timestampz
is_read	boolean
read_at	timestampz
created_at	timestampz

daily_limits	
id	uuid
profile_id	uuid NN
date	date NN
swipes_count	smallint
swipes_limit	smallint
super_likes_count	smallint
super_likes_limit	smallint
messages_count	smallint
messages_limit	smallint
created_at	timestampz
updated_at	timestampz

ratings_primary	
id	uuid
profile_id	uuid NN
completeness_score	decimal(5,4)
photo_score	decimal(5,4)
photo_count	smallint
preference_match_score	decimal(5,4)
verification_bonus	decimal(5,4)
total_score	decimal(5,4)
version	integer
calculated_at	timestampz
created_at	timestampz
updated_at	timestampz

users	
id	uuid
telegram_id	bigint NN
username	varchar(255)
first_name	varchar(255) NN
last_name	varchar(255)
language_code	varchar(10)
is_banned	boolean
ban_reason	text
banned_at	timestampz
last_active_at	timestampz
deleted_at	timestampz
created_at	timestampz
updated_at	timestampz

profiles	
id	uuid
user_id	uuid NN
display_name	varchar(100)
date_of_birth	date NN
gender	gender_enum E NN
bio	text
height_cm	smallint
interests	jsonb
city	varchar(100)
country_code	char(2)
latitude	decimal(9,6)
longitude	decimal(9,6)
location_updated_at	timestampz
looking_for	looking_for_enum E NN
age_range_min	smallint
age_range_max	smallint
distance_max_km	smallint
is_active	boolean
is_verified	boolean
verified_at	timestampz
profile_completion_pct	smallint
created_at	timestampz
updated_at	timestampz

blocks	
id	uuid
blocker_profile_id	uuid NN
blocked_profile_id	uuid NN
reason	block_reason_enum E
created_at	timestampz

ratings_behavioral	
id	uuid
profile_id	uuid NN
like_received_count	integer
pass_received_count	integer
like_count_score	decimal(5,4)
like_pass_ratio_score	decimal(5,4)
match_rate_score	decimal(5,4)
conversation_initiation_score	decimal(5,4)
response_rate_score	decimal(5,4)
activity_pattern_score	decimal(5,4)
total_score	decimal(5,4)
period_start	date NN
period_end	date NN
calculated_at	timestampz
created_at	timestampz

reports	
id	uuid
reporter_profile_id	uuid NN
reported_profile_id	uuid NN
reason	report_reason_enum E NN
description	text
evidence_urls	jsonb
message_id	uuid
status	report_status_enum E
reviewed_by	uuid
reviewed_at	timestampz
resolution_notes	text
created_at	timestampz
updated_at	timestampz

audit_log	
id	uuid
action	varchar(50) NN
entity_type	varchar(50) NN
entity_id	uuid NN
old_values	jsonb
new_values	jsonb
ip_address	varchar(45)
created_at	timestampz

messages	
id	uuid
match_id	uuid NN
sender_id	uuid NN
content	text
message_type	varchar(20)
media_urls	jsonb
is_read	boolean
read_at	timestampz
is_delivered	boolean
delivered_at	timestampz
reply_to_id	uuid
is_edited	boolean
edited_at	timestampz
deleted_at	timestampz
created_at	timestampz

matches	
id	uuid
profile1_id	uuid NN
profile2_id	uuid NN
status	match_status_enum E
initiator_id	uuid
message_count	integer
last_message_at	timestampz
last_message_preview	varchar(100)
unmatched_by	uuid
unmatched_at	timestampz
created_at	timestampz
updated_at	timestampz

photos	
id	uuid
profile_id	uuid NN
s3_key	varchar(500) NN
s3_bucket	varchar(100)
thumbnail_s3_key	varchar(500)
blurhash	varchar(50)
is_primary	boolean
sort_order	smallint
file_size_bytes	integer
mime_type	varchar(50)
width	smallint
height	smallint
moderation_status	moderation_status_enum E
moderated_by	uuid
moderated_at	timestampz
rejection_reason	text
nsfw_score	decimal(3,2)
face_detected	boolean
deleted_at	timestampz
created_at	timestampz

metrics	
id	uuid
metric_name	varchar(100) NN
metric_type	metric_type_enum E NN
metric_value	decimal(20,6) NN
dimensions	jsonb
period_start	timestampz NN
period_end	timestampz NN
created_at	timestampz

date_ideas	
id	uuid
category	date_category_enum E NN
title	varchar(200) NN
description	text
avg_cost	cost_level_enum E
suitable_interests	jsonb
city	varchar(100)
country_code	char(2)
latitude	decimal(9,6)
longitude	decimal(9,6)
suggested_count	integer
positive_feedback_count	integer
is_active	boolean
created_at	timestampz
updated_at	timestampz

ratings_combined	
id	uuid
profile_id	uuid NN
primary_score	decimal(5,4) NN
primary_weight	decimal(3,2)
behavioral_score	decimal(5,4) NN
behavioral_weight	decimal(3,2)
referral_bonus	decimal(5,4)
referral_weight	decimal(3,2)
total_score	decimal(5,4)
rank_position	integer
percentile	decimal(5,4)
tier	varchar(10)
calculated_at	timestampz
created_at	timestampz
updated_at	timestampz

referrals	
id	uuid
referrer_id	uuid NN
referred_id	uuid NN
referral_code	varchar(50) NN
bonus_earned	decimal(10,2)
referred_user_active	boolean
referred_user_premium	boolean
referred_profile_created	boolean
referred_first_match	boolean
created_at	timestampz
activated_at	timestampz

preferences	
id	uuid
profile_id	uuid NN
preferred_cities	jsonb
preferred_countries	jsonb
education_preference	varchar(50)
occupation_preference	varchar(50)
relationship_goals	relationship_goal_enum E
height_min_cm	smallint
height_max_cm	smallint
deal_breakers	jsonb
importance_weights	jsonb
created_at	timestampz
updated_at	timestampz

swipes	
id	uuid
swiper_id	uuid NN
swiped_id	uuid NN
action	swipe_action_enum E NN
source	varchar(20)
time_spent_ms	integer
context_data	jsonb
created_at	timestampz

ratings_primary	
id	uuid
profile_id	uuid NN
completeness_score	decimal(5,4)
photo_score	decimal(5,4)
photo_count	smallint
preference_match_score	decimal(5,4)
verification_bonus	decimal(5,4)
total_score	decimal(5,4)
version	integer
calculated_at	timestampz
created_at	timestampz
updated_at	timestampz

daily_limits	
id	uuid
profile_id	uuid NN
date	date NN
swipes_count	smallint
swipes_limit	smallint
super_likes_count	smallint
super_likes_limit	smallint
messages_count	smallint
messages_limit	smallint
created_at	timestampz
updated_at	timestampz

users	
id	uuid
telegram_id	bigint NN
username	varchar(255)
first_name	varchar(255) NN
last_name	varchar(255)
language_code	varchar(10)
is_banned	boolean
ban_reason	text
banned_at	timestampz
last_active_at	timestampz
deleted_at	timestampz
created_at	timestampz
updated_at	timestampz

notifications	
id	uuid
user_id	uuid NN
type	varchar(30) NN
title	varchar(200) NN
body	text
data	jsonb
is_sent	boolean
sent_at	timestampz
is_read	boolean
read_at	timestampz
created_at	timestampz

profiles	
id	uuid
user_id	uuid NN
display_name	varchar(100)
date_of_birth	date NN
gender	gender_enum E NN
bio	text
height_cm	smallint
interests	jsonb
city	varchar(100)
country_code	char(2)
latitude	decimal(9,6)
longitude	decimal(9,6)
location_updated_at	timestampz
looking_for	looking_for_enum E NN
age_range_min	smallint
age_range_max	smallint
distance_max_km	smallint
is_active	boolean
is_verified	boolean
verified_at	timestampz
profile_completion_pct	smallint
created_at	timestampz
updated_at	timestampz

blocks	
id	uuid
blocker_profile_id	uuid NN
blocked_profile_id	uuid NN
reason	block_reason_enum E
created_at	timestampz

ratings_behavioral	
id	uuid
profile_id	uuid NN
like_received_count	integer
pass_received_count	integer
like_count_score	decimal(5,4)
like_pass_ratio_score	decimal(5,4)
match_rate_score	decimal(5,4)
conversation_initiation_score	decimal(5,4)
response_rate_score	decimal(5,4)
activity_pattern_score	decimal(5,4)
total_score	decimal(5,4)
period_start	date NN
period_end	date NN
calculated_at	timestampz
created_at	timestampz

audit_log	
id	uuid
user_id	uuid
action	varchar(50) NN
entity_type	varchar(50) NN
entity_id	uuid NN
old_values	jsonb
new_values	jsonb
ip_address	varchar(45)
created_at	timestampz

reports	
id	uuid
reporter_profile_id	uuid NN
reported_profile_id	uuid NN
reason	report_reason_enum E NN
description	text
evidence_urls	jsonb
message_id	uuid
status	report_status_enum E
reviewed_by	uuid
reviewed_at	timestampz
resolution_notes	text
created_at	timestampz
updated_at	timestampz

photos	
id	uuid
profile_id	uuid NN
s3_key	varchar(500) NN
s3_bucket	varchar(100)
thumbnail_s3_key	varchar(500)
blurhash	varchar(50)
is_primary	boolean
sort_order	smallint
file_size_bytes	integer
mime_type	varchar(50)
width	smallint
height	smallint
moderation_status	moderation_status_enum E
moderated_by	uuid
moderated_at	timestampz
rejection_reason	text
nsfw_score	decimal(3,2)
face_detected	boolean
deleted_at	timestampz
created_at	timestampz

messages	
id	uuid
match_id	uuid NN
sender_id	uuid NN
content	text
message_type	varchar(20)
media_urls	jsonb
is_read	boolean
read_at	timestampz
is_delivered	boolean
delivered_at	timestampz
reply_to_id	uuid
is_edited	boolean
edited_at	timestampz
deleted_at	timestampz
created_at	timestampz

matches	
id	uuid
profile1_id	uuid NN
profile2_id	uuid NN
status	match_status_enum E
initiator_id	uuid
message_count	integer
last_message_at	timestampz
last_message_preview	varchar(100)
unmatched_by	uuid
unmatched_at	timestampz
created_at	timestampz
updated_at	timestampz

```
Enum gender_enum {
    male
    female
    other
}
```

```
Enum looking_for_enum {
    male
    female
    both
}
```

```
Enum relationship_goal_enum {
    casual
    serious
    friendship
    networking
}
```

```
Enum swipe_action_enum {
    like
    pass
    super_like
}
```

```
Enum match_status_enum {
    active
    archived
    blocked
    unmatched
}
```

```
Enum moderation_status_enum {
    pending
    approved
    rejected
    under_review
}
```

```
Enum metric_type_enum {
    counter
    gauge
    histogram
}
```

```
Enum date_category_enum {
    cafe
    activity
    outdoor
    cultural
    entertainment
}
```

```
Enum cost_level_enum {
    free
    low
    medium
    high
}
```

```
Enum report_reason_enum {
    spam
    fake_profile
    harassment
    inappropriate_content
    underage
    other
}
```

```
Enum report_status_enum {
    open
    investigating
    resolved
    dismissed
}
```

```
Enum block_reason_enum {
    manual
    report
    system
}
```