

SAFETY DATA SHEET

Document ID: AUH1011-75 Version 08
Revision Date (year/month/day) 2025/06/28
Last Revision Date (year/month/day) 2024/07/26

Section 1 Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name ISE Buffer Solution

Part number AUH1011

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use For In Vitro Diagnostic Use. See product literature for details.
Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Manufacturer

Beckman Coulter, Inc.
250 S. Kraemer Blvd
Brea, CA 92821, U.S.A.
Tel: 800-854-3633

Supplier

CANADA
Beckman Coulter Canada LP
7075 Financial Drive
Mississauga, ON L5N 6V8
Canada
1-800-463-7828

UNITED KINGDOM
Beckman Coulter (UK) Ltd.
Amersham Place
Little Chalfont
Buckinghamshire
United Kingdom, HP7 9NA
01494 441181

AUSTRALIA
Beckman Coulter Australia Pty Ltd
23-27 Chaplin Drive
Lane Cove NSW 2066
Australia
ABN 81 002 011 672
24 Hour emergency contact phone
number:
1800 060 881

SWITZERLAND
Beckman Coulter Eurocenter SA
22, rue Juste-Olivier, Case Postale
1044,
CH-1260 Nyon 1, Switzerland.
Telephone: +41 (0)22 365 36 11
Monday through Friday, 9:00 am to
7:00pm)

NEW ZEALAND
Beckman Coulter NZ
Unit J, 33 Walmsley Road, Otahuhu,
Auckland 1062, New Zealand
Hours available: 08:30 - 17:00

Beckman Coulter Ireland Inc.
Lismeehan
O'Callaghan's Mills
Co. Clare
Ireland
Tel: 353 (0)65 6831100

ICELAND / ÍSLAND
Beckman Coulter AB
Ekbacksvägen 28
168 69 Bromma
Sweden
Phone No.: +46 80564 85 900
Hours available: 08.00-16.30

MALTA
DX Distributor:
Cherubino Ltd
DELFI Building, Sliema Road, Gzira,
GZR 1637
Telephone: +356 21343270
Hours available: 08:30 – 17:00

SAFETY DATA SHEET

Document ID: AUH1011-75 Version 08
Revision Date (year/month/day) 2025/06/28
Last Revision Date (year/month/day) 2024/07/26

Section 1 Identification of the substance/mixture and of the company/undertaking (Continued)

e-mail address

SDSNT@beckman.com
Further information Contact:
Customer support Unit, Beckman Coulter Ireland Inc.
Technical Service Department Tel. +001-800-854-3633 (PST)
E-mail CC_Support.ie@beckman.com

1.4 Emergency telephone number

Telephone number (24H)

Chemtrec Emergency Tel No. U.S.A. 800-424-9300, International (001) 703-527-3887
Tel +353 (0)65 683 1170; 08:00 - 16:30 hrs Mon-Thur, 08:00 - 15:30 hrs Fri
(GMT) Tel +001-800-223-0130 (PST)

Distributor and emergency phone no.

Refer to attached list, Document ID: [472050](#), for local distributor and emergency phone numbers.

UNITED STATES - Emergency Phone (24h): Chemtrec (800) 424-9300, International (001) 703-527-3887

CANADA - Poison Centre: 1-844-764-7669; Centre antipoison du Québec: 1-800-463-5060

UNITED KINGDOM - For UK and Scotland: Emergency Call 999

IRELAND - National Poisons Information Centre Phone No.: Members of Public: +353 (01) 809 2166 (8:00 am to 10:00 pm 7 days a week); Healthcare Professionals: +353 (01) 809 2566 (24 hour service)

AUSTRALIA - 24 Hour emergency contact phone number: 1800 060 881

NEW ZEALAND - 24 Hour emergency number: 0800 446 109

Section 2 Hazards identification

2.1 Classification of the substance or mixture

Product description

In vitro diagnostic reagent.
Colorless; Liquid; Odorless

Classification according to EC 1272/2008 (CLP/GHS)

Skin Sensitization Category 1, H317
Carcinogenicity Category 1B, H350

Classification according to US-OSHA (HCS 29 CFR 1910.1200) and UN GHS

Skin Irritation Category 3
Skin Sensitization Category 1
Carcinogenicity Category 1

SAFETY DATA SHEET

Document ID: AUH1011-75 Version 08
Revision Date (year/month/day) 2025/06/28
Last Revision Date (year/month/day) 2024/07/26

Section 2 Hazards identification (Continued)

2.2 Label elements

According to EC 1272/2008 (CLP/GHS), US-OSHA and UN GHS

Hazardous ingredients

Triethanolamine

Formaldehyde

Pictogram



Signal word

DANGER

Hazard statements

H316 Causes mild skin irritation.

H317 May cause an allergic skin reaction.

H350 May cause cancer.

Precautionary statements

Prevention

P201 Obtain special instructions before use.

P261 Avoid breathing vapours.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves, protective clothing and eye/face protection.

Response

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before use.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents/container in accordance with local/national regulations

Product label will display most significant precautionary statements.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

See Section 11 Toxicological Information for more detailed health information.

Section 3 Composition and information on ingredients

3.2 Mixtures

Hazardous ingredients:		Hazard classification of pure ingredients		
Chemical name	% by wt.	EU 1272/2008 CLP/GHS	GHS	Note

SAFETY DATA SHEET

Document ID: AUH1011-75 Version 08
Revision Date (year/month/day) 2025/06/28
Last Revision Date (year/month/day) 2024/07/26

Section 3 Composition and information on ingredients (Continued)

Triethanolamine CAS # 102-71-6 EINECS # 203-049-8 Index # Not available	1 - 2	Eye Irrit. 2, H319 Skin Irrit. 2, H315	Eye Irrit. 2, H319 Skin Irrit. 2, H315	
Formaldehyde CAS # 50-00-0 EINECS # 200-001-8 Index # 605-001-00-5	0.2 - 0.5	Acute Tox. Inhal. 2, H330 Acute Tox. Oral 4, H302 Carc. 1B, H350 Muta. 2, H341 Skin Corr. 1B, H314 Skin Sens. 1A, H317 EUH071 Specific Concentration Limit (SCL) Skin Irrit. 2 H315 >= 5% - < 25% STOT SE 3 H335 >= 5% Skin Corr. 1B H314 >= 25% Eye Irrit. 2 H319 >= 5% - < 25% Acute Toxicity Estimates (ATE) ATE Oral = 500 mg/kg ATE Inhalation - Gases = 100 ppmV	Acute Tox. Inhal. 2, H330 Acute Tox. Oral 4, H302 Carc. 1B, H350 Muta. 2, H341 Skin Corr. 1B, H314 Skin Sens. 1A, H317	REST
Phosphoric Acid CAS # 7664-38-2 EINECS # 231-633-2 Index # 015-011-00-6	< 1	Acute Tox. Inhal. 2, H330 Acute Tox. Oral 4, H302 Eye Dam. 1, H318 Skin Corr. 1B, H314 Specific Concentration Limit (SCL) Skin Irrit. 2 H315 >= 10% - < 25% Skin Corr. 1B H314 >= 25% Eye Irrit. 2 H319 >= 10% - < 25% Acute Toxicity Estimates (ATE) ATE Inhalation - Vapors = 0.5 mg/L ATE Oral = 1530 mg/kg	Acute Tox. Inhal. 2, H330 Acute Tox. Oral 4, H302 Eye Dam. 1, H318 Skin Corr. 1B, H314	3, 8, REST

3 - Health hazard

8 - Present at concentration below the cut-off limits.

REST - Subject to Restriction as per Annex XVII of REACH Regulation (EC) No 1907/2006

See section 8 for available Occupational exposure limits

See Section 15 for additional regulatory information

See Section 16 for description of hazard class and hazard statements

Section 4 First aid measures

4.1 Description of first aid measures

Inhalation

If product is inhaled, move exposed individual to fresh air. If individual is not breathing, begin artificial respiration by trained personnel and obtain medical attention immediately.

Eye contact

If product enters eyes, rinse eyes gently with water as a precaution.

Skin contact

In case of skin contact, rinse with plenty of water. Remove contaminated clothing and shoes. If pain or irritation occurs, obtain medical advice/attention.

SAFETY DATA SHEET

Document ID: AUH1011-75 Version 08
Revision Date (year/month/day) 2025/06/28
Last Revision Date (year/month/day) 2024/07/26

Section 4 First aid measures (Continued)

Ingestion If product is ingested, rinse mouth with water. If irritation or discomfort occurs, obtain medical attention immediately.

4.2 Most important symptoms and effects, both acute and delayed

May cause cancer.
May cause an allergic skin reaction.
Causes mild skin irritation.
See Section 11 Toxicological Information for more detailed health information.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available. Refer to Section 4.1.

Section 5 Firefighting measures

5.1 Extinguishing media In case of fire use carbon dioxide (CO₂), dry chemical, water spray or foam.
For large fires use extinguishing media suitable for surrounding fire.

5.2 Special hazards arising from the substance or mixture
Special fire and explosion hazards

No special hazards determined.

Hazardous combustion products

No combustion products posing significant hazards are expected from this product (an aqueous solution).

5.3 Advice for firefighters

Protective equipment Self-contained breathing apparatus is recommended for firefighters in all chemical fire situations.

Additional information No further relevant information available.

Section 6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Observe general safety guidelines for protection; avoid eye and skin contact.
Wear protective gloves, protective clothing and eye/face protection.

6.2 Environmental precautions Contain spill to prevent migration.
Do not allow the undiluted product to enter sewers/surface or ground water.

6.3 Methods and material for containment and cleaning up

Spill and leak procedures Absorb spilled material with an appropriate inert, non-flammable absorbent and dispose according to local regulations.

6.4 Reference to other sections Refer sections 8 and 13.

Section 7 Handling and storage

7.1 Precautions for safe handling Avoid inhaling, ingesting, and contact with eyes and skin.

SAFETY DATA SHEET

Document ID: AUH1011-75 Version 08
Revision Date (year/month/day) 2025/06/28
Last Revision Date (year/month/day) 2024/07/26

Section 7 Handling and storage (Continued)

7.2 Conditions for safe storage, including any incompatibilities

Store at 2 to 25°C , as directed on the product label.

To maintain product quality, store according to the instructions in the product labeling.

Store away from strong acids, strong bases, strong oxidizers and incompatible materials (section 10).

7.3 Specific end uses

No further relevant information available.

Section 8 Exposure controls and personal protection

8.1 Control parameters

Exposure limits

US OSHA

Phosphoric Acid
CAS # 7664-38-2

1 mg/m³ TWA

Formaldehyde
CAS # 50-00-0

0.75 ppm TWA; 2 ppm STEL (see 29 CFR 1910.1048)

ACGIH

Phosphoric Acid
CAS # 7664-38-2

3 mg/m³ STEL; 1 mg/m³ TWA

Formaldehyde
CAS # 50-00-0

0.3 ppm STEL; 0.1 ppm TWA

Triethanolamine
CAS # 102-71-6

5 mg/m³ TWA

ACGIH Biological Exposure Indices (BEI)

None established

DFG MAK

Phosphoric Acid
CAS # 7664-38-2

4 mg/m³ Peak (inhalable fraction); 2 mg/m³ TWA MAK (inhalable fraction)

Formaldehyde
CAS # 50-00-0

0.6 ppm Peak (no irritation should occur during mixed exposure); 0.74 mg/m³ Peak (no irritation should occur during mixed exposure); 0.3 ppm TWA MAK (no irritation should occur during mixed exposure); 0.37 mg/m³ TWA MAK (no irritation should occur during mixed exposure)

Triethanolamine
CAS # 102-71-6

1 mg/m³ Peak (inhalable fraction); 1 mg/m³ TWA MAK (can occur as vapor and aerosol at the same time) (inhalable fraction)

Ireland

Phosphoric Acid
CAS # 7664-38-2

1 mg/m³ TWA; 2 mg/m³ STEL

Formaldehyde
CAS # 50-00-0

0.3 ppm TWA; 0.5 ppm TWA (for the healthcare, funeral and embalming sectors until July 11, 2024); 0.37 mg/m³ TWA; 0.62 mg/m³ TWA (for the healthcare, funeral and embalming sectors until July 11, 2024); 0.6 ppm STEL (calculated); 0.738 mg/m³ STEL (calculated); 0.62 mg/m³ STEL (for the healthcare, funeral and embalming sectors until July 11, 2024)

Triethanolamine
CAS # 102-71-6

5 mg/m³ TWA; 15 mg/m³ STEL (calculated)

SAFETY DATA SHEET

Document ID: AUH1011-75 Version 08
Revision Date (year/month/day) 2025/06/28
Last Revision Date (year/month/day) 2024/07/26

Section 8 Exposure controls and personal protection (Continued)

IOELVs

Phosphoric Acid
CAS # 7664-38-2 1 mg/m³ TWA; 2 mg/m³ STEL

Formaldehyde
CAS # 50-00-0 Present (Dermal sensitisation: the substance can cause sensitisation of the skin); 0.37 mg/m³ TWA; 0.62 mg/m³ TWA (limit value until 11 July 2024); 0.3 ppm TWA; 0.5 ppm TWA (limit value until 11 July 2024); 0.74 mg/m³ STEL (limit value of 0.62 mg/m³ or 0.5 ppm for the health care, funeral and embalming sectors until 11 July 2024); 0.6 ppm STEL (limit value of 0.62 mg/m³ or 0.5 ppm for the health care, funeral and embalming sectors until 11 July 2024)

NIOSH

Phosphoric Acid
CAS # 7664-38-2 1000 mg/m³ IDLH; 3 mg/m³ STEL; 1 mg/m³ TWA

Formaldehyde
CAS # 50-00-0 20 ppm IDLH; 0.016 ppm TWA

China

Phosphoric Acid
CAS # 7664-38-2 3 mg/m³ STEL; 1 mg/m³ TWA

Formaldehyde
CAS # 50-00-0 0.5 mg/m³ Ceiling MAC

Croatia

Phosphoric Acid
CAS # 7664-38-2 1 mg/m³ TWA [GVI]; 2 mg/m³ STEL [KGV]

Formaldehyde
CAS # 50-00-0 0.3 ppm TWA [GVI] (except health, funeral and embalming sector); 0.37 mg/m³ TWA [GVI] (except health, funeral and embalming sector); 0.5 ppm TWA [GVI] (applies to health, funeral and embalming sector applies until July 11, 2024); 0.62 mg/m³ TWA [GVI] (applies to health, funeral and embalming sector applies until July 11, 2024); 0.6 ppm STEL [KGV]; 0.74 mg/m³ STEL [KGV]; Carcinogen Category 1B

Japan

Phosphoric Acid
CAS # 7664-38-2 1 mg/m³ OEL

Formaldehyde
CAS # 50-00-0 0.1 ppm OEL; 0.12 mg/m³ OEL

Sweden (AFS 2015:7 and amendments)

Phosphoric Acid
CAS # 7664-38-2 1 mg/m³ TLV NGV; 2 mg/m³ Binding STEL Bindande KGV

Formaldehyde
CAS # 50-00-0 0.3 ppm TLV NGV; 0.37 mg/m³ TLV NGV; 0.6 ppm Binding STEL Bindande KGV; 0.74 mg/m³ Binding STEL Bindande KGV; Skin notation

Triethanolamine
CAS # 102-71-6 5 mg/m³ TLV NGV; 0.8 ppm TLV NGV; 10 mg/m³ Indicative STEL Vägledande KGV; 1.6 ppm Indicative STEL Vägledande KGV; Skin notation

Turkey

Phosphoric Acid
CAS # 7664-38-2 2 mg/m³ STEL; 1 mg/m³ TWA

8.2 Exposure controls

Engineering controls

No special engineering controls are required. Use with good general ventilation.

SAFETY DATA SHEET

Document ID: AUH1011-75 Version 08
Revision Date (year/month/day) 2025/06/28
Last Revision Date (year/month/day) 2024/07/26

Section 8 Exposure controls and personal protection (Continued)

Eye protection	Safety glasses or chemical goggles should be worn to prevent eye contact. Refer U.S. OSHA 29 CFR 1910.133, European Standard EN166 or appropriate government standards.
Skin protection	Wear impervious gloves such as Nitrile or equivalent and protective clothing. Refer to U.S. OSHA 29 CFR 1910.138, European Standard EN 374, EN 14605:2005+A1:2009 or appropriate government standards.
Respiratory protection	Under normal conditions, the use of this product should not require respiratory protection. If overexposure should occur and ventilation is not adequate to maintain airborne concentrations at acceptable levels, the use of respiratory protection should be evaluated by a qualified professional.

Section 9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	Liquid	Density and/or relative density	1.0 @20°C
Color	Colorless	Solubility	
Odor	Odorless	Water	Fully miscible
pH	8	Organic	Not determined
Freezing point	Similar to water, approximately 0°C	Partition coefficient n-octanol/water (log value)	Not determined
Boiling point or initial boiling point and boiling range	Similar to water, approximately 100°C	Auto-ignition temp.	Product is not selfigniting
Flash point	Not applicable	Decomposition temperature	Not determined
Flammability	Not applicable	Vapor pressure	Similar to water, approximately 23 hPa
		Kinematic viscosity	Not determined
Lower and upper explosion limit	Not applicable		
Relative vapor density	Not determined		
Particle characteristics	Not applicable		

9.2 Other information

Information with regard to physical hazard classes

No further relevant information available.

Other safety characteristics

No further relevant information available.

SAFETY DATA SHEET

Document ID: AUH1011-75 Version 08
Revision Date (year/month/day) 2025/06/28
Last Revision Date (year/month/day) 2024/07/26

Section 10 Stability and reactivity

10.1 Reactivity	No further relevant information available.
10.2 Chemical stability	The product is stable in accordance with recommended storage conditions.
10.3 Possibility of hazardous reactions	No further relevant information available.
10.4 Conditions to avoid	Avoid exposure to heat and direct sunlight. To maintain product performance keep away from strong acids, strong bases, strong oxidizers.
10.5 Incompatible materials	No further relevant information available.
10.6 Hazardous decomposition products	No decomposition products posing significant hazards would be expected from this product (an aqueous solution).

Section 11 Toxicological information

11.1 Information on hazard classes

Toxicity data for hazardous ingredients

Phosphoric Acid CAS # 7664-38-2	Dermal LD50 Rabbit 2740 mg/kg (JAPAN_GHS); Inhalation LC50 Rat >850 mg/m ³ 1 h (NLM_CIP); Oral LD50 Rat 1530 mg/kg (JAPAN_GHS)
Formaldehyde CAS # 50-00-0	Dermal LD50 Rat >2000 mg/kg (ECHA_API); Inhalation LC50 Rat <463 ppm 4 h (vapor)(ECHA_API); Oral LD50 Rat 100 mg/kg (NLM_CIP)
Triethanolamine CAS # 102-71-6	Dermal LD50 Rabbit >20000 mg/kg (NLM_HSDB); Oral LD50 Rat 4190 mg/kg (NLM_CIP)

Primary routes of exposure Eye contact, ingestion, inhalation, and skin contact.

Acute toxicity Not classified based on available data.

Skin corrosion/irritation May cause mild skin irritation.

Serious eye damage/irritation Not classified based on available data.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Not classified based on available data.

Carcinogenicity May cause cancer.
Formaldehyde is listed with OSHA as a carcinogen; NTP as known Human Carcinogen; IARC as Group 1 carcinogenic to humans; ACGIH as Group A2 Suspected Human Carcinogen; and 1272/2008 EC as Category 1B carcinogen.

Reproductive toxicity Not classified based on available data.

Specific target organ toxicity (STOT) – single exposure
Not classified based on available data.

Specific target organ toxicity (STOT) – repeated exposure
Not classified based on available data.

SAFETY DATA SHEET

Document ID: AUH1011-75 Version 08
Revision Date (year/month/day) 2025/06/28
Last Revision Date (year/month/day) 2024/07/26

Section 11 Toxicological information (Continued)

Aspiration hazard Not classified based on available data.

11.2 Information on other hazards

Endocrine disrupting properties

This product does not have substance(s) of endocrine disrupting properties for health according to REACH Article 57(f).

Other information No further relevant information available.

Section 12 Ecological information

12.1 Toxicity

Fresh water species

Formaldehyde
CAS # 50-00-0

LC50 96 h Pimephales promelas: 22.6 - 25.7 mg/L [flow-through] (EPA); LC50 96 h Lepomis macrochirus: 1510 µg/L [static] (EPA); LC50 96 h Brachydanio rerio: 41 mg/L [static] (IUCLID); LC50 96 h Oncorhynchus mykiss: 0.032 - 0.226 mL/L [flow-through] (EPA); LC50 96 h Oncorhynchus mykiss: 100 - 136 mg/L [static] (EPA); LC50 96 h Pimephales promelas: 23.2 - 29.7 mg/L [static] (EPA); LC50 96 h Pimephales promelas: 10600 - 13000 mg/L [flow-through] (EPA); LC50 96 h Pimephales promelas: >1000 mg/L [static] (IUCLID); LC50 96 h Lepomis macrochirus: 450 - 1000 mg/L [static] (IUCLID)

Microtox/organisms

Water flea

Formaldehyde
CAS # 50-00-0

LC50 48 h Daphnia magna: 2 mg/L (IUCLID); EC50 48 h Daphnia magna: 11.3 - 18 mg/L [Static] (EPA)

Fresh water algae

Triethanolamine
CAS # 102-71-6

EC50 72 h Desmodesmus subspicatus: 216 mg/L (IUCLID); EC50 96 h Desmodesmus subspicatus: 169 mg/L (IUCLID)

12.2 Persistence and degradability Not determined for the product.

12.3 Bioaccumulative potential Not determined for the product.

12.4 Mobility in soil Not determined for the product.

12.5 Results of PBT and vPvB assessment

Not determined for the product. PBT: Not applicable, vPvB: Not applicable.

12.6 Endocrine disrupting properties

This product does not have substance(s) of endocrine disrupting properties for environment according to REACH Article 57(f).

12.7 Other adverse effects No further relevant information available.

Section 13 Disposal considerations

13.1 Waste treatment methods

Product waste disposal

Chemical residues and remains should be routinely handled as special waste. This must be disposed of in compliance with anti-pollution and other laws of the country concerned. To ensure compliance we recommend that you contact the relevant (local) authorities and/or an approved waste-disposal company for information.

SAFETY DATA SHEET

Document ID: AUH1011-75 Version 08
Revision Date (year/month/day) 2025/06/28
Last Revision Date (year/month/day) 2024/07/26

Package disposal

Dispose of waste product, unused product and contaminated packaging in compliance with federal, state and local regulations. If unsure of the applicable requirements, contact the authorities for information.

Additional information

Suggested European waste catalogue 18 01 07 - chemicals other than those mentioned in 18 01 06. Dispose in accordance with national, state and local waste regulations.

Section 14 Transport information

Transportation of this product is not regulated under ICAO, IATA DGR, IMDG, US DOT, European ADR and RID or Canadian TDG.

14.1 UN/ID number: Not regulated for transportation

14.2 UN proper shipping name: Not regulated for transportation

14.3 Transport hazard class(es): Not regulated for transportation

14.4 Packing group: Not regulated for transportation

14.5 Environmental hazards: Not regulated for transportation

14.6 Special precautions for user: None

14.7 Maritime transport in bulk according to IMO instruments: Not applicable

Section 15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

US Federal and State Regulations

SARA 313 (Section 313, Title III reporting requirements)

CAS # 50-00-0

Formaldehyde

0.1% de minimis concentration

CERCLA (The Comprehensive Environmental Response, Compensation, and Liability Act) 40 CFR 302.4

CAS # 7664-38-2

Phosphoric Acid

CAS # 50-00-0

Formaldehyde

California Proposition 65

 **WARNING** This product can expose you to chemical which is known to the State of California to cause cancer and/or reproductive harm. For more information go to www.P65Warnings.ca.gov

Chemical which is known to the State of California to cause cancer

CAS # 50-00-0

Formaldehyde

Chemical which is known to the State of California to cause development toxicity

No ingredients listed.

Chemical which is known to the State of California to cause male reproductive toxicity

No ingredients listed.

SAFETY DATA SHEET

Document ID: AUH1011-75 Version 08
Revision Date (year/month/day) 2025/06/28
Last Revision Date (year/month/day) 2024/07/26

Section 15 Regulatory information (Continued)

Chemical which is known to the State of California to cause female reproductive toxicity

No ingredients listed.

Massachusetts Right To Know (RTK) List

CAS # 7664-38-2	Phosphoric Acid
CAS # 50-00-0	Formaldehyde
CAS # 102-71-6	Triethanolamine

New Jersey Dept. of Health Right To Know (RTK) List

CAS # 111-27-3	1-Hexanol
CAS # 7664-38-2	Phosphoric Acid
CAS # 50-00-0	Formaldehyde
CAS # 102-71-6	Triethanolamine

Pennsylvania Right To Know (RTK) List

CAS # 111-27-3	1-Hexanol
CAS # 7664-38-2	Phosphoric Acid
CAS # 50-00-0	Formaldehyde
CAS # 102-71-6	Triethanolamine

EU Regulations

This SDS complies with EC Regulations 1907/2006 (REACH) and amendments.

Water Hazard Class (Germany)

WGK 2, water endangering

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors - Substances Subject to Suspicious Transactions Reporting

No ingredients listed.

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors - Restricted Explosives Precursors

No ingredients listed.

REACH 1907/2006 EC - Candidate List of Substances of Very High Concern (SVHC)

No ingredients listed.

REACH 1907/2006 EC - Annex XVII – Restrictions on Certain Dangerous Substances

CAS # 7664-38-2	Phosphoric Acid	Entry No.: 75 (B)
CAS # 50-00-0	Formaldehyde	Entry No.: 72; 77; 28; 75 (B,D)

REACH 1907/2006 EC - Annex XIV - list of substances subject to authorisation

No ingredients listed.

Refer to Section 3

SAFETY DATA SHEET

Document ID: AUH1011-75 Version 08
Revision Date (year/month/day) 2025/06/28
Last Revision Date (year/month/day) 2024/07/26

Section 15 Regulatory information (Continued)

UK Regulations

UK REACH Regulation (as Amended) - List of substances subject to authorisation

Refer to Section 3

Canada

This product is exempt from WHMIS label and SDS requirements.

China

Catalog of Hazardous Chemicals - Hazardous Chemicals

CAS # 7664-38-2	Phosphoric Acid
CAS # 50-00-0	Formaldehyde

Inventory - China - Inventory of Existing Chemical Substances (IECSC)

All ingredients are listed or exempted.

Turkey

Türkiye-REACH - KKDİK Regulation - Annex 17 – Restrictions

No ingredients listed.

International

UN/FAO/Rotterdam Convention - Chemicals Subject to Prior Informed Consent (PIC)

No ingredients listed.

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

Some hazardous ingredients listed in Section 15 are below the cutoff limits of 0.1% for carcinogen, mutagen and reproductive toxin and 1% for other health hazards required for reporting in Section 3.

Section 16 Other information

Beckman Coulter safety rating	Flammability: 0 Health: 3 Reactivity with water: 0 Physical contact: 3	Code 0=None 1=Slight 2=Caution 3=Severe
--------------------------------------	---	---

Revision changes Update supplier addresses in Section 1.3

Document version and issue/revision date

Revision Date (year/month/day) 2025/06/28
Last Revision Date (year/month/day) 2024/07/26
Document ID: AUH1011-75
Version: 08

SAFETY DATA SHEET

Document ID: AUH1011-75 Version 08
Revision Date (year/month/day) 2025/06/28
Last Revision Date (year/month/day) 2024/07/26

Section 16 Other information (Continued)

Hazard Classification Procedure This mixture was classified using the calculation method for human health and environmental hazards. Physical hazards were determined based on the specification.

Description of hazard class and hazard statements from Section 3

Acute Tox. Inhal. 2 - Acute Toxicity Inhalation, Category 2
Acute Tox. Oral 4 - Acute Toxicity Oral, Category 4
Carc. 1B - Carcinogenicity Category 1B
Eye Dam. 1 - Eye Damage Category 1
Eye Irrit. 2 - Eye Irritation Category 2
Muta. 2 - Germ Cell Mutagenicity Category 2
Skin Corr. 1B - Skin Corrosion Category 1B
Skin Irrit. 2 - Skin Irritation Category 2
Skin Sens. 1A - Skin Sensitization Category 1A
EUH071 - Corrosive to the respiratory tract.
H302 - Harmful if swallowed.
H314 - Causes severe skin burns and eye damage.
H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.
H318 - Causes serious eye damage.
H319 - Causes serious eye irritation.
H330 - Fatal if inhaled.
H341 - Suspected of causing genetic defects.
H350 - May cause cancer.

Abbreviations and acronyms

ACGIH - American Conference of Governmental Industrial Hygienists (ACGIH)
ADR and RID - European Agreement Concerning the International Carriage of Dangerous Goods by Road and Rail
CLP - Classification, Labeling and Packaging
DFGMAK - Republic Germany's maximum exposure limit
EC50 - Concentration of a substance in an environmental medium expected to produce a certain effect in 50% of test organisms
GHS - Globally Harmonized System of Classification and Labelling of Chemicals (GHS)
HCS - Hazard Communication Standard
IARC - International Agency for Research on Cancer
IATA DGR - International Air Transport Association Dangerous Goods Regulation
ICAO - International Civil Aviation Organization
IDLH - Immediately Dangerous to Life or Health
IMDG - International Maritime Dangerous Goods
IMO - International Maritime Organization
IOELVs - European Unions' Indicative Occupational Exposure Limit Values
LC50 - Concentration of a substance in water causing death (50% of the tested population) to aquatic life
LD50 - Lethal Dose 50%

SAFETY DATA SHEET

Document ID: AUH1011-75 Version 08
Revision Date (year/month/day) 2025/06/28
Last Revision Date (year/month/day) 2024/07/26

Section 16 Other information (Continued)

NIOSH - National Institute for Occupational Safety and Health
NTP - National Toxicology Program
OSHA - Occupational Safety and Health Administration
PBT - Persistent Bioaccumulative and Toxic substances
PEL - Permissible Exposure Limit
SARA - Superfund Amendments and Reauthorization Act
STEL – Short Term Exposure Limit
STLV - Short Term Limit Value
STV - Short Term Value
TDG - Canadian Transportation of Dangerous Goods Regulations
TLV - Threshold Limit Value
TWA – Time Weighted Average
UN GHS - United Nations Globally Harmonized System
US DOT - United States Department of Transportation
US OSHA - United States Occupational Safety and Health Administration
vPvB - very Persistent and very Bioaccumulative substances
WHMIS - Workplace Hazardous Material Information System

For further information, please contact your local Beckman Coulter, Inc. representative.

WHILE BECKMAN COULTER, INC. BELIEVES THE INFORMATION CONTAINED HEREIN IS VALID AND ACCURATE, BECKMAN COULTER, INC. MAKES NO WARRANTY OR REPRESENTATION AS TO ITS VALIDITY, ACCURACY, OR CURRENCY. BECKMAN COULTER, INC. SHALL NOT BE LIABLE OR OTHERWISE RESPONSIBLE IN ANY WAY FOR USE OF EITHER THIS INFORMATION OR MATERIALS TO WHICH IT APPLIES. DISPOSAL OF HAZARDOUS MATERIALS MAY BE SUBJECT TO LOCAL LAWS OR REGULATIONS.