

SAFETY DATA SHEET

Document ID: OSR6116-75 Version 15
Revision Date (year/month/day) 2025/06/13
Last Revision Date (year/month/day) 2024/06/18

Section 1 Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name Cholesterol

Part number OSR6116, OSR6216, OSR6616

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use For In Vitro Diagnostic Use. See product literature for details.

1.3 Details of the supplier of the safety data sheet

Manufacturer

Beckman Coulter, Inc.
250 S. Kraemer Blvd
Brea, CA 92821, U.S.A.
Tel: 800-854-3633

Supplier

CANADA
Beckman Coulter Canada LP
7075 Financial Drive
Mississauga, ON L5N 6V8
Canada
1-800-463-7828

UNITED KINGDOM
Beckman Coulter (UK) Ltd.
Amersham Place
Little Chalfont
Buckinghamshire
United Kingdom, HP7 9NA
01494 441181

AUSTRALIA
Beckman Coulter Australia Pty Ltd
23-27 Chaplin Drive
Lane Cove NSW 2066
Australia
ABN 81 002 011 672
24 Hour emergency contact phone
number:
1800 060 881

SWITZERLAND
Beckman Coulter Eurocenter SA
22, rue Juste-Olivier, Case Postale
1044,
CH-1260 Nyon 1, Switzerland.
Telephone: +41 (0)22 365 36 11
Monday through Friday, 9:00 am to
7:00pm)

NEW ZEALAND
Beckman Coulter NZ
Unit J, 33 Walmsley Road, Otahuhu,
Auckland 1062, New Zealand
Hours available: 08:30 - 17:00

Beckman Coulter Ireland Inc.
Lismeehan
O'Callaghan's Mills
Co. Clare
Ireland
Tel: 353 (0)65 6831100

ICELAND / ÍSLAND
Beckman Coulter AB
Ekbacksvägen 28
168 69 Bromma
Sweden
Phone No.: +46 80564 85 900
Hours available: 08.00-16.30

MALTA
DX Distributor:
Cherubino Ltd
DELF Building, Sliema Road, Gzira,
GZR 1637
Telephone: +356 21343270
Hours available: 08:30 – 17:00

SAFETY DATA SHEET

Document ID: OSR6116-75 Version 15
Revision Date (year/month/day) 2025/06/13
Last Revision Date (year/month/day) 2024/06/18

Section 1 Identification of the substance/mixture and of the company/undertaking (Continued)

e-mail address

SDSNT@beckman.com
Further information Contact:
Customer support Unit, Beckman Coulter Ireland Inc.
Technical Service Department Tel. +001-800-854-3633 (PST)
E-mail: Techsupportuk@beckman.com

1.4 Emergency telephone number**Telephone number (24H)**

Chemtrec Emergency Tel No. U.S.A. 800-424-9300, International (001) 703-527-3887
Tel +353 (0)65 683 1170; 08:00 - 16:30 hrs Mon-Thur, 08:00 - 15:30 hrs Fri (GMT) Tel +001-800-223-0130 (PST)

Distributor and emergency phone no.

Refer to attached list, Document ID: [472050](#), for local distributor and emergency phone numbers.

UNITED STATES - Emergency Phone (24h): Chemtrec (800) 424-9300, International (001) 703-527-3887

CANADA - Poison Centre: 1-844-764-7669; Centre antipoison du Québec: 1-800-463-5060

UNITED KINGDOM - For UK and Scotland: Emergency Call 999

IRELAND - National Poisons Information Centre Phone No.: Members of Public: +353 (01) 809 2166 (8:00 am to 10:00 pm 7 days a week); Healthcare Professionals: +353 (01) 809 2566 (24 hour service)

AUSTRALIA - 24 Hour emergency contact phone number: 1800 060 881

NEW ZEALAND - 24 Hour emergency number: 0800 446 109

Section 2 Hazards identification

2.1 Classification of the substance or mixture**Product description**

In vitro diagnostic reagent.
Pink; Liquid; Phenol odor

Classification according to EC 1272/2008 (CLP/GHS)

Eye Irritation Category 2, H319

Classification according to US-OSHA (HCS 29 CFR 1910.1200) and UN GHS

Skin Irritation Category 3
Eye Irritation Category 2

SAFETY DATA SHEET

Document ID: OSR6116-75 Version 15
Revision Date (year/month/day) 2025/06/13
Last Revision Date (year/month/day) 2024/06/18

Section 2 Hazards identification (Continued)

2.2 Label elements

According to EC 1272/2008 (CLP/GHS), US-OSHA and UN GHS

Hazardous ingredients

Ethoxylated lauryl alcohol

Phenol

Genapol X080

Pictogram



Signal word

WARNING

Hazard statements

H316 Causes mild skin irritation.

H319 Causes serious eye irritation.

Precautionary statements

Prevention

P280 Wear protective gloves, protective clothing and eye/face protection.

Response

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

Storage

None

Disposal

None

Product label will display most significant precautionary statements.

2.3 Other hazards

This product contains concentrations of azide below the hazardous level which with repeated contact with lead and copper commonly found in plumbing drains may result in the build up of shock sensitive compounds. Sodium azide forms explosive compounds with heavy metals.

This product contains material(s) of animal origin. Observe general safety guidelines for protection when handling this product.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

See Section 11 Toxicological Information for more detailed health information.

Section 3 Composition and information on ingredients

3.2 Mixtures

Hazardous ingredients:		Hazard classification of pure ingredients		
Chemical name	% by wt.	EU 1272/2008 CLP/GHS	GHS	Note

SAFETY DATA SHEET

Document ID: OSR6116-75 Version 15
Revision Date (year/month/day) 2025/06/13
Last Revision Date (year/month/day) 2024/06/18

Section 3 Composition and information on ingredients (Continued)

Genapol X080 CAS # 78330-21-9 EINECS # Not available Index # Not available	1.5 - 2.5	Acute Tox. Oral 4, H302 Aquatic Longterm 3, H412 Eye Dam. 1, H318 Acute Toxicity Estimates (ATE) ATE Oral = 500 mg/kg	Acute Tox. Oral 4, H302 Aquatic Longterm 3, H412 Eye Dam. 1, H318	
Ethoxylated lauryl alcohol CAS # 9002-92-0 EINECS # Not available Index # Not available	0.1 - 1	Acute Tox. Oral 4, H302 Eye Dam. 1, H318 Skin Irrit. 2, H315 Acute Toxicity Estimates (ATE) ATE Oral = 1000 mg/kg	Acute Tox. Oral 4, H302 Eye Dam. 1, H318 Skin Irrit. 2, H315	
Phenol CAS # 108-95-2 EINECS # 203-632-7 Index # 604-001-00-2	0.2 - 0.5	Acute Tox. Dermal 3, H311 Acute Tox. Inhal. 3, H331 Acute Tox. Oral 3, H301 Eye Dam. 1, H318 Muta. 2, H341 STOT RE 2, H373 Skin Corr. 1B, H314 Specific Concentration Limit (SCL) Skin Irrit. 2 H315 >= 1% - < 3% Skin Corr. 1B H314 >= 3% Eye Irrit. 2 H319 >= 1% - < 3% Acute Toxicity Estimates (ATE) ATE Dermal = 630 mg/kg ATE Inhalation - Vapors = 3 mg/L ATE Oral = 100 mg/kg	Acute Tox. Dermal 3, H311 Acute Tox. Inhal. 3, H331 Acute Tox. Oral 3, H301 Eye Dam. 1, H318 Muta. 2, H341 STOT RE 2, H373 Skin Corr. 1B, H314	REST
Sodium Azide CAS # 26628-22-8 EINECS # 247-852-1 Index # 011-004-00-7	< 0.1	Acute Tox. Oral 2, H300 Aquatic Acute 1, H400 Aquatic Longterm 1, H410 EUH032 Acute Toxicity Estimates (ATE) ATE Oral = 27 mg/kg	Acute Tox. Oral 2, H300 Aquatic Acute 1, H400 Aquatic Longterm 1, H410	2, 8

2 - Substance with Community workplace exposure limits

8 - Present at concentration below the cut-off limits.

REST - Subject to Restriction as per Annex XVII of REACH Regulation (EC) No 1907/2006

See section 8 for available Occupational exposure limits

See Section 15 for additional regulatory information

See Section 16 for description of hazard class and hazard statements

Section 4 First aid measures

4.1 Description of first aid measures

Inhalation

If product is inhaled, move exposed individual to fresh air. If individual is not breathing, begin artificial respiration by trained personnel and obtain medical attention immediately.

Eye contact

If product enters eyes, rinse eyes gently with water for 15 minutes or longer, making sure that the eyelid is held open. If pain or irritation occurs, obtain medical advice/attention.

Skin contact

In case of skin contact, rinse with plenty of water. Remove contaminated clothing and shoes. If pain or irritation occurs, obtain medical advice/attention.

SAFETY DATA SHEET

Document ID: OSR6116-75 Version 15
Revision Date (year/month/day) 2025/06/13
Last Revision Date (year/month/day) 2024/06/18

Section 4 First aid measures (Continued)

- Ingestion** If product is ingested, rinse mouth with water. If irritation or discomfort occurs, obtain medical attention immediately.
- 4.2 Most important symptoms and effects, both acute and delayed**
Exposure may result in irritation of skin and eyes.
See Section 11 Toxicological Information for more detailed health information.
- 4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available. Refer to Section 4.1.

Section 5 Firefighting measures

- 5.1 Extinguishing media** In case of fire use carbon dioxide (CO₂), dry chemical, water spray or foam.
For large fires use extinguishing media suitable for surrounding fire.
- 5.2 Special hazards arising from the substance or mixture**
Special fire and explosion hazards
No special hazards determined.
- Hazardous combustion products**
No combustion products posing significant hazards are expected from this product (an aqueous solution).
- 5.3 Advice for firefighters**
Protective equipment Self-contained breathing apparatus is recommended for firefighters in all chemical fire situations.
- Additional information** No further relevant information available.

Section 6 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures**
Personal precautions This product contains a material of animal origin. Observe general safety guidelines for protection during clean up procedures.
Wear protective gloves, protective clothing and eye/face protection.
- 6.2 Environmental precautions** Contain spill to prevent migration.
Do not allow the undiluted product to enter sewers/surface or ground water.
Dispose of contents/container in accordance with local regulations
- 6.3 Methods and material for containment and cleaning up**
Spill and leak procedures As a precautionary measure, treat spilled material with a 1:10 bleach/water solution. Absorb liquid and place in container suitable for disposal. Avoid generation of aerosols during clean up. Comply with applicable waste disposal regulations.
- 6.4 Reference to other sections** Refer sections 8 and 13.

Section 7 Handling and storage

- 7.1 Precautions for safe handling** This product should be handled as though capable of transmitting infectious diseases. Universal precautions should be followed when using this product.

SAFETY DATA SHEET

Document ID: OSR6116-75 Version 15
Revision Date (year/month/day) 2025/06/13
Last Revision Date (year/month/day) 2024/06/18

Section 7 Handling and storage (Continued)

7.2 Conditions for safe storage, including any incompatibilities

Store at 2 to 8°C, as directed on the product label.

To maintain product quality, store according to the instructions in the product labeling.

Store away from strong acids, strong bases, strong oxidizers and incompatible materials (section 10).

7.3 Specific end uses

No further relevant information available.

Section 8 Exposure controls and personal protection

8.1 Control parameters

Exposure limits

US OSHA

Phenol
CAS # 108-95-2

5 ppm TWA; 19 mg/m³ TWA; prevent or reduce skin absorption

ACGIH

Sodium Azide
CAS # 26628-22-8

0.29 mg/m³ Ceiling (as Sodium azide); 0.11 ppm Ceiling (as Hydrazoic acid vapor)

Phenol
CAS # 108-95-2

5 ppm TWA; Skin - potential significant contribution to overall exposure by the cutaneous route

ACGIH Biological Exposure Indices (BEI)

Phenol
CAS # 108-95-2

250 mg/g creatinine medium: urine time: end of shift parameter: Phenol with hydrolysis (background, nonspecific)

DFG MAK

Sodium Azide
CAS # 26628-22-8

0.4 mg/m³ Peak (inhalable fraction); 0.2 mg/m³ TWA MAK (inhalable fraction)

Phenol
CAS # 108-95-2

skin notation

Ireland

Sodium Azide
CAS # 26628-22-8

0.1 mg/m³ TWA; 0.3 mg/m³ STEL; Potential for cutaneous absorption

Phenol
CAS # 108-95-2

2 ppm TWA; 8 mg/m³ TWA; 4 ppm STEL; 16 mg/m³ STEL; Potential for cutaneous absorption

IOELVs

Sodium Azide
CAS # 26628-22-8

Possibility of significant uptake through the skin; 0.1 mg/m³ TWA; 0.3 mg/m³ STEL

Phenol
CAS # 108-95-2

Possibility of significant uptake through the skin; 2 ppm TWA; 8 mg/m³ TWA; 4 ppm STEL; 16 mg/m³ STEL

NIOSH

Phenol
CAS # 108-95-2

250 ppm IDLH; 5 ppm TWA; 19 mg/m³ TWA

SAFETY DATA SHEET

Document ID: OSR6116-75 Version 15
Revision Date (year/month/day) 2025/06/13
Last Revision Date (year/month/day) 2024/06/18

Section 8 Exposure controls and personal protection (Continued)

China

Sodium Azide
CAS # 26628-22-8 0.3 mg/m3 Ceiling MAC

Phenol
CAS # 108-95-2 Skin notation; 10 mg/m3 TWA

Croatia

Sodium Azide
CAS # 26628-22-8 Skin Notation; 0.1 mg/m3 TWA [GVI]; 0.3 mg/m3 STEL [KGVI]

Phenol
CAS # 108-95-2 Skin Notation; 2 ppm TWA [GVI]; 8 mg/m3 TWA [GVI]; 4 ppm STEL [KGVI]; 16 mg/m3 STEL [KGVI]

Japan

Phenol
CAS # 108-95-2 5 ppm OEL; 19 mg/m3 OEL

Sweden (AFS 2015:7 and amendments)

Sodium Azide
CAS # 26628-22-8 0.1 mg/m3 TLV NGV; 0.3 mg/m3 Binding STEL Bindande KGV

Phenol
CAS # 108-95-2 1 ppm TLV NGV; 4 mg/m3 TLV NGV; 4 ppm Binding STEL Bindande KGV; 16 mg/m3 Binding STEL Bindande KGV; Skin notation

Turkey

Sodium Azide
CAS # 26628-22-8 0.3 mg/m3 STEL; Skin notation; 0.1 mg/m3 TWA

Phenol
CAS # 108-95-2 4 ppm STEL; 16 mg/m3 STEL; Skin notation; 2 ppm TWA; 8 mg/m3 TWA

8.2 Exposure controls

Engineering controls

No special engineering controls are required. Use with good general ventilation.

Eye protection

Safety glasses or chemical goggles should be worn to prevent eye contact.

Refer U.S. OSHA 29 CFR 1910.133, European Standard EN166 or appropriate government standards.

Skin protection

Wear impervious gloves such as Nitrile or equivalent and protective clothing. Refer to U.S. OSHA 29 CFR 1910.138, European Standard EN 374, EN 14605:2005+A1:2009 or appropriate government standards.

Respiratory protection

Under normal conditions, the use of this product should not require respiratory protection. If overexposure should occur and ventilation is not adequate to maintain airborne concentrations at acceptable levels, the use of respiratory protection should be evaluated by a qualified professional.

Section 9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	Liquid	Density and/or relative density	1.06 @20°C
Color	Pink	Solubility	
Odor	Phenol odor	Water	Not miscible

SAFETY DATA SHEET

Document ID: OSR6116-75 Version 15
Revision Date (year/month/day) 2025/06/13
Last Revision Date (year/month/day) 2024/06/18

Section 9 Physical and chemical properties (Continued)

pH	6.5 @20°C	Organic	Not determined
Freezing point	Similar to water, approximately 0°C	Partition coefficient n-octanol/water (log value)	Not determined
Boiling point or initial boiling point and boiling range	Similar to water, approximately 100°C	Auto-ignition temp.	Product is not selfigniting
Flash point	Not applicable	Decomposition temperature	Not determined
Flammability	Not applicable	Vapor pressure	Similar to water, approximately 23 hPa
		Kinematic viscosity	Not determined
Lower and upper explosion limit	Not applicable		
Relative vapor density	Not determined		
Particle characteristics	Not applicable		
9.2 Other information			
Information with regard to physical hazard classes	Not applicable No further relevant information available.		
Other safety characteristics	No further relevant information available.		

Section 10 Stability and reactivity

10.1 Reactivity	No further relevant information available.
10.2 Chemical stability	The product is stable in accordance with recommended storage conditions.
10.3 Possibility of hazardous reactions	Sodium azide forms explosive compounds with heavy metals. Repeated contact of low concentrations of azide with lead and copper commonly found in plumbing drains may result in the build up of shock sensitive compounds.
10.4 Conditions to avoid	Avoid contact with incompatible materials. Avoid exposure to heat and direct sunlight.
10.5 Incompatible materials	Metals and metallic compounds
10.6 Hazardous decomposition products	No decomposition products posing significant hazards would be expected from this product (an aqueous solution).

SAFETY DATA SHEET

Document ID: OSR6116-75 Version 15
Revision Date (year/month/day) 2025/06/13
Last Revision Date (year/month/day) 2024/06/18

Section 11 Toxicological information

11.1 Information on hazard classes

Toxicity data for hazardous ingredients

Sodium Azide CAS # 26628-22-8	Dermal LD50 Rabbit 20 mg/kg (NLM_HSDB); Inhalation LC50 Rat 0.054 - 0.52 mg/L 4 h (dust)(ECHA_API); Oral LD50 Rat 27 mg/kg (NZ_CCID)
Phenol CAS # 108-95-2	Dermal LD50 Rabbit 630 mg/kg (NLM_CIP); Oral LD50 Rat 340 mg/kg (JAPAN_GHS)
Ethoxylated lauryl alcohol CAS # 9002-92-0	Dermal LD50 Rat >2000 mg/kg (ECHA_API); Oral LD50 Rat 1 g/kg (NLM_CIP)

Primary routes of exposure Common routes of entry include inhalation, ingestion and eye/skin contact. Specific paths of concern for potentially infectious materials are skin puncture, contact with broken skin, contact with mucous membranes and inhalation of aerosolized material.

Acute toxicity Not classified based on available data.

Skin corrosion/irritation May cause skin irritation.

Serious eye damage/irritation May cause eye irritation.

Respiratory or skin sensitisation Not classified based on available data.

Germ cell mutagenicity Not classified based on available data.

Carcinogenicity No ingredients in this product are listed as carcinogens by ACGIH, IARC, NTP, OSHA or 1272/2008 EC regulation.

Reproductive toxicity Not classified based on available data.

Specific target organ toxicity (STOT) – single exposure

Not classified based on available data.

Specific target organ toxicity (STOT) – repeated exposure

Not classified based on available data.

Aspiration hazard Not classified based on available data.

11.2 Information on other hazards

Endocrine disrupting properties

This product does not have substance(s) of endocrine disrupting properties for health according to REACH Article 57(f).

Other information This product contains material(s) of animal origin. Observe general safety guidelines for protection when handling this product.

SAFETY DATA SHEETDocument ID: OSR6116-75 Version 15
Revision Date (year/month/day) 2025/06/13
Last Revision Date (year/month/day) 2024/06/18

Section 12 Ecological information

12.1 Toxicity

Fresh water species

Sodium Azide
CAS # 26628-22-8

LC50 96 h Oncorhynchus mykiss: 0.8 mg/L; LC50 96 h Lepomis macrochirus: 0.7 mg/L; LC50 96 h Pimephales promelas: 5.46 mg/L [flow-through]

Phenol
CAS # 108-95-2

LC50 96 h Pimephales promelas: 11.9 - 50.5 mg/L [flow-through] (EPA); LC50 96 h Pimephales promelas: 20.5 - 25.6 mg/L [static] (EPA); LC50 96 h Pimephales promelas: 32 mg/L (IUCLID); LC50 96 h Oncorhynchus mykiss: 5.449 - 6.789 mg/L [flow-through] (EPA); LC50 96 h Oncorhynchus mykiss: 7.5 - 14 mg/L [static] (EPA); LC50 96 h Oncorhynchus mykiss: 4.23 - 7.49 mg/L [semi-static] (EPA); LC50 96 h Oncorhynchus mykiss: 5.0 - 12.0 mg/L (IUCLID); LC50 96 h Lepomis macrochirus: 13.5 mg/L [static] (EPA); LC50 96 h Lepomis macrochirus: 11.9 - 25.3 mg/L [flow-through] (EPA); LC50 96 h Lepomis macrochirus: 11.5 mg/L [semi-static] (EPA); LC50 96 h Poecilia reticulata: 34.09 - 47.64 mg/L [static] (EPA); LC50 96 h Poecilia reticulata: 31 mg/L [semi-static] (EPA); LC50 96 h Brachydanio rerio: 27.8 mg/L (IUCLID); LC50 96 h Cyprinus carpio: 0.00175 mg/L [semi-static] (EPA); LC50 96 h Oryzias latipes: 33.9 - 43.3 mg/L [flow-through] (EPA); LC50 96 h Oryzias latipes: 23.4 - 36.6 mg/L [static] (EPA)

Microtox/organisms

Phenol
CAS # 108-95-2

LC100 56 Days Eisenia foetida 6900 mg/kg [soil dry weight](IUCLID)

Water flea

Phenol
CAS # 108-95-2

EC50 48 h Daphnia magna: 4.24 - 10.7 mg/L [Static] (EPA); EC50 48 h Daphnia magna: 10.2 - 15.5 mg/L (EPA)

Fresh water algae

Phenol
CAS # 108-95-2

EC50 96 h Pseudokirchneriella subcapitata: 46.42 mg/L (EPA); EC50 96 h Pseudokirchneriella subcapitata: 0.0188 - 0.1044 mg/L [static] (EPA); EC50 72 h Desmodesmus subspicatus: 187 - 279 mg/L [static] (EPA)

12.2 Persistence and degradability Not determined for the product.**12.3 Bioaccumulative potential** Not determined for the product.**12.4 Mobility in soil** Not determined for the product.**12.5 Results of PBT and vPvB assessment**

Not determined for the product. PBT: Not applicable, vPvB: Not applicable.

12.6 Endocrine disrupting properties

This product does not have substance(s) of endocrine disrupting properties for environment according to REACH Article 57(f).

12.7 Other adverse effects

This product contains environmentally hazardous substance below the cutoff level. Refer section 3 for ingredient information. Do not allow undiluted product to enter sewer/surface or ground water.

Section 13 Disposal considerations

13.1 Waste treatment methods

Product waste disposal

Chemical residues and remains should be routinely handled as special waste. This must be disposed of in compliance with anti-pollution and other laws of the country concerned. To ensure compliance we recommend that you contact the relevant (local) authorities and/or an approved waste-disposal company for information.

SAFETY DATA SHEET

Document ID: OSR6116-75 Version 15
Revision Date (year/month/day) 2025/06/13
Last Revision Date (year/month/day) 2024/06/18

Sodium azide preservative may form explosive compounds in metal drain lines. See NIOSH Bulletin: Explosive Azide Hazard (8/16/76). To avoid the possible build-up of azide compounds, flush wastepipes with water after the disposal of undiluted reagent. Sodium azide disposal must be in accordance with appropriate local regulations.

Dispose of as potentially biohazardous waste and in compliance with anti-pollution and other laws of the country concerned. To ensure compliance we recommend that you contact the relevant (local) authorities and/or approved waste-disposal company for information.

Package disposal

Dispose of waste product, unused product and contaminated packaging in compliance with federal, state and local regulations. If unsure of the applicable requirements, contact the authorities for information.

Additional information

Suggested European waste catalogue 18 01 07 - chemicals other than those mentioned in 18 01 06. Dispose in accordance with national, state and local waste regulations.

Section 14 Transport information

Transportation of this product is not regulated under ICAO, IATA DGR, IMDG, US DOT, European ADR and RID or Canadian TDG.

14.1 UN/ID number: Not regulated for transportation

14.2 UN proper shipping name: Not regulated for transportation

14.3 Transport hazard class(es): Not regulated for transportation

14.4 Packing group: Not regulated for transportation

14.5 Environmental hazards: Not regulated for transportation

14.6 Special precautions for user: None

14.7 Maritime transport in bulk according to IMO instruments: Not applicable

Section 15 Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****US Federal and State Regulations****SARA 313 (Section 313, Title III reporting requirements)**

CAS # 26628-22-8	Sodium Azide	1.0% de minimis concentration
CAS # 108-95-2	Phenol	1.0% de minimis concentration

CERCLA (The Comprehensive Environmental Response, Compensation, and Liability Act) 40 CFR 302.4

CAS # 26628-22-8	Sodium Azide
CAS # 108-95-2	Phenol

California Proposition 65**Chemical which is known to the State of California to cause cancer**

No ingredients listed.

SAFETY DATA SHEET

Document ID: OSR6116-75 Version 15
Revision Date (year/month/day) 2025/06/13
Last Revision Date (year/month/day) 2024/06/18

Section 15 Regulatory information (Continued)

Chemical which is known to the State of California to cause development toxicity

No ingredients listed.

Chemical which is known to the State of California to cause male reproductive toxicity

No ingredients listed.

Chemical which is known to the State of California to cause female reproductive toxicity

No ingredients listed.

Massachusetts Right To Know (RTK) List

CAS # 26628-22-8 Sodium Azide

CAS # 108-95-2 Phenol

New Jersey Dept. of Health Right To Know (RTK) List

CAS # 26628-22-8 Sodium Azide

CAS # 108-95-2 Phenol

Pennsylvania Right To Know (RTK) List

CAS # 26628-22-8 Sodium Azide

CAS # 108-95-2 Phenol

EU Regulations

This SDS complies with EC Regulations 1907/2006 (REACH) and amendments.

**Water Hazard Class
(Germany)**

WGK 1, low water endangering

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors - Substances Subject to Suspicious Transactions Reporting

No ingredients listed.

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors - Restricted Explosives Precursors

No ingredients listed.

REACH 1907/2006 EC - Candidate List of Substances of Very High Concern (SVHC)

No ingredients listed.

REACH 1907/2006 EC - Annex XVII – Restrictions on Certain Dangerous Substances

CAS # 108-95-2

Phenol

Entry No.: 75

REACH 1907/2006 EC - Annex XIV - list of substances subject to authorisation

No ingredients listed.

Refer to Section 3

UK Regulations**UK REACH Regulation (as Amended) - List of substances subject to authorisation**

SAFETY DATA SHEET

Document ID: OSR6116-75 Version 15
Revision Date (year/month/day) 2025/06/13
Last Revision Date (year/month/day) 2024/06/18

Section 15 Regulatory information (Continued)

Refer to Section 3

Canada

This product is exempt from WHMIS label and SDS requirements.

China

Catalog of Hazardous Chemicals - Hazardous Chemicals

CAS # 26628-22-8 Sodium Azide

CAS # 108-95-2 Phenol

Inventory - China - Inventory of Existing Chemical Substances (IECSC)

All ingredients are listed or exempted.

Turkey

Türkiye-REACH - KKDIK Regulation - Annex 17 – Restrictions

No ingredients listed.

International

UN/FAO/Rotterdam Convention - Chemicals Subject to Prior Informed Consent (PIC)

No ingredients listed.

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

Some hazardous ingredients listed in Section 15 are below the cutoff limits of 0.1% for carcinogen, mutagen and reproductive toxin and 1% for other health hazards required for reporting in Section 3.

Section 16 Other information

Beckman Coulter safety rating	Flammability: 0 Health: 2 Reactivity with water: 0 Physical contact: 2	Code 0=None 1=Slight 2=Caution 3=Severe
--------------------------------------	---	---

Revision changes Update supplier addresses in Section 1.3

Document version and issue/revision date

Revision Date (year/month/day) 2025/06/13
Last Revision Date (year/month/day) 2024/06/18
Document ID: OSR6116-75
Version: 15

SAFETY DATA SHEET

Document ID: OSR6116-75 Version 15
Revision Date (year/month/day) 2025/06/13
Last Revision Date (year/month/day) 2024/06/18

Section 16 Other information (Continued)

Hazard Classification Procedure This mixture was classified using the calculation method for human health and environmental hazards. Physical hazards were determined based on the specification.

Description of hazard class and hazard statements from Section 3

Aquatic Acute 1 - Aquatic Hazard Acute, Category 1
Acute Tox. Dermal 3 - Acute Toxicity Dermal, Category 3
Acute Tox. Inhal. 3 - Acute Toxicity Inhalation, Category 3
Acute Tox. Oral 2 - Acute Toxicity Oral, Category 2
Acute Tox. Oral 3 - Acute Toxicity Oral, Category 3
Acute Tox. Oral 4 - Acute Toxicity Oral, Category 4
Eye Dam. 1 - Eye Damage Category 1
Muta. 2 - Germ Cell Mutagenicity Category 2
Aquatic Longterm 1 - Aquatic Hazard Long term, Category 1
Aquatic Longterm 3 - Aquatic Hazard Long term, Category 3
Skin Corr. 1B - Skin Corrosion Category 1B
Skin Irrit. 2 - Skin Irritation Category 2
STOT RE 2 - Specific Target Organ Toxicity Repeated Exposure Category 2
EUH032 - Contact with acids liberates very toxic gas.
H300 - Fatal if swallowed.
H301 - Toxic if swallowed.
H302 - Harmful if swallowed.
H311 - Toxic in contact with skin.
H314 - Causes severe skin burns and eye damage.
H315 - Causes skin irritation.
H318 - Causes serious eye damage.
H331 - Toxic if inhaled.
H341 - Suspected of causing genetic defects.
H373 - May cause damage to organs through prolonged or repeated exposure.
H400 - Very toxic to aquatic life.
H410 - Very toxic to aquatic life with long lasting effects.
H412 - Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms

ACGIH - American Conference of Governmental Industrial Hygienists (ACGIH)
ADR and RID - European Agreement Concerning the International Carriage of Dangerous Goods by Road and Rail
CLP - Classification, Labeling and Packaging
DFGMAK - Republic Germany's maximum exposure limit
EC50 - Concentration of a substance in an environmental medium expected to produce a certain effect in 50% of test organisms
GHS - Globally Harmonized System of Classification and Labelling of Chemicals (GHS)
HCS - Hazard Communication Standard
IARC - International Agency for Research on Cancer
IATA DGR - International Air Transport Association Dangerous Goods Regulation
ICAO - International Civil Aviation Organization

SAFETY DATA SHEET

Document ID: OSR6116-75 Version 15
Revision Date (year/month/day) 2025/06/13
Last Revision Date (year/month/day) 2024/06/18

Section 16 Other information (Continued)

IDLH - Immediately Dangerous to Life or Health
IMDG - International Maritime Dangerous Goods
IMO - International Maritime Organization
IOELVs - European Unions' Indicative Occupational Exposure Limit Values
LC50 - Concentration of a substance in water causing death (50% of the tested population) to aquatic life
LD50 - Lethal Dose 50%
NIOSH - National Institute for Occupational Safety and Health
NTP - National Toxicology Program
OSHA - Occupational Safety and Health Administration
PBT - Persistent Bioaccumulative and Toxic substances
PEL - Permissible Exposure Limit
SARA - Superfund Amendments and Reauthorization Act
STEL – Short Term Exposure Limit
STLV - Short Term Limit Value
STV - Short Term Value
TDG - Canadian Transportation of Dangerous Goods Regulations
TLV - Threshold Limit Value
TWA – Time Weighted Average
UN GHS - United Nations Globally Harmonized System
US DOT - United States Department of Transportation
US OSHA - United States Occupational Safety and Health Administration
vPvB - very Persistent and very Bioaccumulative substances
WHMIS - Workplace Hazardous Material Information System

For further information, please contact your local Beckman Coulter, Inc. representative.

WHILE BECKMAN COULTER, INC. BELIEVES THE INFORMATION CONTAINED HEREIN IS VALID AND ACCURATE, BECKMAN COULTER, INC. MAKES NO WARRANTY OR REPRESENTATION AS TO ITS VALIDITY, ACCURACY, OR CURRENCY. BECKMAN COULTER, INC. SHALL NOT BE LIABLE OR OTHERWISE RESPONSIBLE IN ANY WAY FOR USE OF EITHER THIS INFORMATION OR MATERIALS TO WHICH IT APPLIES. DISPOSAL OF HAZARDOUS MATERIALS MAY BE SUBJECT TO LOCAL LAWS OR REGULATIONS.