

Kit SDS Cover Sheet

Document ID: 33585-75: Version AM
Revision Date (year/month/day) 2025/06/07
Last Revision Date (year/month/day) 2024/10/30

Product information

Product name	Ultrasensitive hGH Calibrators
Part number	33585
Series name	ACCESS

Components

Description	Ultrasensitive hGH Calibrator; S0 Ultrasensitive hGH Calibrators; S1, S2, S3, S4 and S5
--------------------	--

Transport information

Transportation of this product is not regulated under ICAO, IATA DGR, IMDG, US DOT, European ADR and RID or Canadian TDG.



SAFETY DATA SHEET

Document ID: 33585-75 Version AM
 Revision Date (year/month/day) 2025/06/07
 Last Revision Date (year/month/day) 2024/10/30

Section 1 Identification of the substance/mixture and of the company/undertaking

1.1

Product identifier

Product name

Ultrasensitive hGH Calibrator; S0

Part number

Component of P/N 33585

Series name

ACCESS

1.2

Relevant identified uses of the substance or mixture and uses advised against

Product use

For In Vitro Diagnostic Use. See product literature for details.

1.3

Details of the supplier of the safety data sheet

Manufacturer

Beckman Coulter, Inc.
250 S. Kraemer Blvd
Brea, CA 92821, U.S.A.
Tel: 800-854-3633

Supplier

CANADA
Beckman Coulter Canada LP
7075 Financial Drive
Mississauga, ON L5N 6V8
Canada
1-800-463-7828

UNITED KINGDOM
Beckman Coulter (UK) Ltd.
Amersham Place
Little Chalfont
Buckinghamshire
United Kingdom, HP7 9NA
01494 441181

AUSTRALIA
Beckman Coulter Australia Pty Ltd
23-27 Chaplin Drive
Lane Cove NSW 2066
Australia
ABN 81 002 011 672
24 Hour emergency contact phone
number:
1800 060 881

SWITZERLAND
Beckman Coulter Eurocenter SA
22, rue Juste-Olivier, Case Postale
1044,
CH-1260 Nyon 1, Switzerland.
Telephone: +41 (0)22 365 36 11
Monday through Friday, 9:00 am to
7:00pm)

SAFETY DATA SHEET

Document ID: 33585-75 Version AM
Revision Date (year/month/day) 2025/06/07
Last Revision Date (year/month/day) 2024/10/30

Section 1 Identification of the substance/mixture and of the company/undertaking (Continued)

NEW ZEALAND
Beckman Coulter NZ
Unit J, 33 Walmsley Road, Otahuhu,
Auckland 1062, New Zealand
Hours available: 08:30 - 17:00

Beckman Coulter Ireland Inc.
Lismeehan
O'Callaghan's Mills
Co. Clare
Ireland
Tel: 353 (0)65 6831100

ICELAND / ÍSLAND
Beckman Coulter AB
Ekbacksvägen 28
168 69 Bromma
Sweden
Phone No.: +46 80564 85 900
Hours available: 08.00-16.30

MALTA
DX Distributor:
Cherubino Ltd
DELFI Building, Sliema Road, Gzira,
GZR 1637
Telephone: +356 21343270
Hours available: 08:30 – 17:00

e-mail address

SDSNT@beckman.com

1.4 Emergency telephone number

Telephone number (24H)

Chemtrec Emergency Tel No. U.S.A. 800-424-9300, International (001) 703-527-3887

Distributor and emergency phone no.

Refer to attached list, Document ID: [472050](#), for local distributor and emergency phone numbers.

UNITED STATES - Emergency Phone (24h): Chemtrec (800) 424-9300, International (001) 703-527-3887

CANADA - Poison Centre: 1-844-764-7669; Centre antipoison du Québec: 1-800-463-5060

UNITED KINGDOM - For UK and Scotland: Emergency Call 999

IRELAND - National Poisons Information Centre Phone No.: Members of Public: +353 (01) 809 2166 (8:00 am to 10:00 pm 7 days a week); Healthcare Professionals: +353 (01) 809 2566 (24 hour service)

AUSTRALIA - 24 Hour emergency contact phone number: 1800 060 881

NEW ZEALAND - 24 Hour emergency number: 0800 446 109

Section 2 Hazards identification

2.1 Classification of the substance or mixture

Product description

Mixture

SAFETY DATA SHEET

Document ID: 33585-75 Version AM
Revision Date (year/month/day) 2025/06/07
Last Revision Date (year/month/day) 2024/10/30

Section 2 Hazards identification (Continued)

Light yellow; Lyophilized Powder; Slight odor

Classification according to EC 1272/2008 (CLP/GHS)

Skin Sensitization Category 1, H317

Aquatic Hazard Long term, Category 3, H412

Classification according to US-OSHA (HCS 29 CFR 1910.1200) and UN GHS

Aquatic Hazard Acute, Category 3

Aquatic Hazard Long term, Category 3

2.2 Label elements

According to EC 1272/2008 (CLP/GHS), US-OSHA and UN GHS

Hazardous ingredients

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC# 247-500-7] and
2-methyl-4-isothiazolin-3-one [EC# 220-239-6](3:1)

Ethoxylated alkyl alcohol

Pictogram



Signal word

WARNING

Hazard statements

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention

P261 Avoid breathing vapours.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves, protective clothing and eye/face protection.

Response

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before use.

Storage

None

Disposal

P501 Dispose of contents/container in accordance with local/national regulations

Product label will display most significant precautionary statements.

2.5% of product contains ingredients of unknown hazards to aquatic environment.

SAFETY DATA SHEET

Document ID: 33585-75 Version AM
 Revision Date (year/month/day) 2025/06/07
 Last Revision Date (year/month/day) 2024/10/30

Section 2 Hazards identification (Continued)

2.3 Other hazards

This product contains concentrations of azide below the hazardous level which with repeated contact with lead and copper commonly found in plumbing drains may result in the build up of shock sensitive compounds. Sodium azide forms explosive compounds with heavy metals.

This product contains material(s) of animal origin. Observe general safety guidelines for protection when handling this product.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

See Section 11 Toxicological Information for more detailed health information.

Section 3 Composition and information on ingredients

3.2 Mixtures

Hazardous ingredients:		Hazard classification of pure ingredients		
Chemical name	% by wt.	EU 1272/2008 CLP/GHS	GHS	Note
Ethoxylated alkyl alcohol CAS # 68439-49-6 EINECS # Not available Index # Not available	0.1 - 0.5	Acute Tox. Oral 4, H302 Aquatic Acute 1, H400 Eye Dam. 1, H318 Acute Toxicity Estimates (ATE) ATE Oral = 1260 mg/kg	Acute Tox. Oral 4, H302 Aquatic Acute 1, H400 Eye Dam. 1, H318	
Sodium Azide CAS # 26628-22-8 EINECS # 247-852-1 Index # 011-004-00-7	< 0.1	Acute Tox. Oral 2, H300 Aquatic Acute 1, H400 Aquatic Longterm 1, H410 EUH032 Acute Toxicity Estimates (ATE) ATE Oral = 27 mg/kg	Acute Tox. Oral 2, H300 Aquatic Acute 1, H400 Aquatic Longterm 1, H410	2, 8
reaction mass of: 5-chloro-2-methyl-4-isothiazolin -3-one [EC# 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC# 220-239-6](3:1) CAS # 55965-84-9 EINECS # Not available Index # 613-167-00-5	< 0.05	Acute Tox. Dermal 2, H310 Acute Tox. Inhal. 2, H330 Acute Tox. Oral 3, H301 Aquatic Acute 1, H400 Aquatic Longterm 1, H410 Eye Dam. 1, H318 M-factor Acute=100 M-factor Chronic=100 Skin Corr. 1C, H314 Skin Sens. 1A, H317 EUH071 Specific Concentration Limit (SCL) Skin Irrit. 2 H315 >= 0.06% - < 0.6% Eye Dam. 1 H318 >= 0.6% Skin Corr. 1C H314 >= 0.6% Eye Irrit. 2 H319 >= 0.06% - < 0.6% Skin Sens. 1A H317 >= 0.0015% Acute Toxicity Estimates (ATE)	Acute Tox. Dermal 2, H310 Acute Tox. Inhal. 2, H330 Acute Tox. Oral 3, H301 Aquatic Acute 1, H400 Aquatic Longterm 1, H410 Eye Dam. 1, H318 Skin Corr. 1C, H314 Skin Sens. 1A, H317	9

SAFETY DATA SHEET

Document ID: 33585-75 Version AM
 Revision Date (year/month/day) 2025/06/07
 Last Revision Date (year/month/day) 2024/10/30

Section 3 Composition and information on ingredients (Continued)

		ATE Dermal = 87.12 mg/kg ATE Inhalation - Vapors = 0.5 mg/L ATE Oral = 53 mg/kg		
1,4-Dioxane CAS # 123-91-1 EINECS # 204-661-8 Index # 603-024-00-5	< 0.01	Carc. 1B, H350 Eye Irrit. 2, H319 Flam. Liq. 2, H225 STOT SE 3, H335 EUH019 EUH066	Carc. 1B, H350 Eye Irrit. 2, H319 Flam. Liq. 2, H225 STOT SE 3, H335	2, 8
Ethylene Oxide CAS # 75-21-8 EINECS # 200-849-9 Index # 603-023-00-X	< 0.01	Acute Tox. Inhal. 3, H331 Acute Tox. Oral 3, H301 Carc. 1B, H350 Eye Dam. 1, H318 Flam. Gas 1, H220 Muta. 1B, H340 Press. Gas [CG], H280 Repr. 1B, H360 STOT RE 1, H372 STOT SE 3, H335, H336 Skin Corr. 1, H314 Acute Toxicity Estimates (ATE) ATE Inhalation - Vapors = 3 mg/L ATE Inhalation - Gases = 700 ppmV ATE Oral = 100 mg/kg	Acute Tox. Inhal. 3, H331 Acute Tox. Oral 3, H301 Carc. 1B, H350 Eye Dam. 1, H318 Flam. Gas 1, H220 Muta. 1B, H340 Press. Gas [CG], H280 Repr. 1B, H360 STOT RE 1, H372 STOT SE 3, H335, H336 Skin Corr. 1, H314	2, 8

2 - Substance with Community workplace exposure limits

8 - Present at concentration below the cut-off limits.

9 - Mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC# 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC# 220-239-6] (3:1) is the active ingredient of ProClin 300.

See section 8 for available Occupational exposure limits

See Section 15 for additional regulatory information

See Section 16 for description of hazard class and hazard statements

Section 4 First aid measures

4.1 Description of first aid measures

Inhalation

If product is inhaled, move exposed individual to fresh air. If individual is not breathing, begin artificial respiration by trained personnel and obtain medical attention immediately.

Eye contact

If product enters eyes, rinse eyes gently with water as a precaution.

Skin contact

In case of skin contact, rinse with water as a precaution.

Ingestion

If product is ingested, rinse mouth with water. If irritation or discomfort occurs, obtain medical attention immediately.

4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

See Section 11 Toxicological Information for more detailed health information.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available. Refer to Section 4.1.

SAFETY DATA SHEET

Document ID: 33585-75 Version AM
Revision Date (year/month/day) 2025/06/07
Last Revision Date (year/month/day) 2024/10/30

Section 5 Firefighting measures

-
- 5.1 Extinguishing media** In case of fire use carbon dioxide (CO₂), dry chemical, water spray or foam.
For large fires use extinguishing media suitable for surrounding fire.
- 5.2 Special hazards arising from the substance or mixture**
Special fire and explosion hazards
No special hazards determined.
- Hazardous combustion products**
No combustion products posing significant hazards are expected from this product.
- 5.3 Advice for firefighters**
Protective equipment Self-contained breathing apparatus is recommended for firefighters in all chemical fire situations.
- Additional information** No further relevant information available.

Section 6 Accidental release measures

-
- 6.1 Personal precautions, protective equipment and emergency procedures**
Personal precautions This product contains a material of animal origin. Observe general safety guidelines for protection during clean up procedures.
Wear protective gloves, protective clothing and eye/face protection.
- 6.2 Environmental precautions** Contain spill to prevent migration.
Do not allow the undiluted product to enter sewers/surface or ground water.
Dispose of contents/container in accordance with local regulations
- 6.3 Methods and material for containment and cleaning up**
Spill and leak procedures If the product is solid or lyophilized form, use vacuum or carefully sweep up spilled material and place in container for suitable disposal. Avoid generating dust.
If the product is liquid form, as a precautionary measure, treat spilled material with a 1:10 bleach/water solution. Absorb liquid and place in container suitable for disposal. Avoid generation of aerosols during clean up. Comply with applicable waste disposal regulations.
Dispose of all waste material in accordance with local guidelines.
- 6.4 Reference to other sections** Refer sections 8 and 13.

Section 7 Handling and storage

-
- 7.1 Precautions for safe handling** This product should be handled as though capable of transmitting infectious diseases. Universal precautions should be followed when using this product.

SAFETY DATA SHEET

Document ID: 33585-75 Version AM
Revision Date (year/month/day) 2025/06/07
Last Revision Date (year/month/day) 2024/10/30

Section 7 Handling and storage (Continued)

7.2 Conditions for safe storage, including any incompatibilities

Store at 2 to 10°C, as directed on the product label.

To maintain product quality, store according to the instructions in the product labeling.

Store away from strong acids, strong bases, strong oxidizers and incompatible materials (section 10).

7.3 Specific end uses

No further relevant information available.

Section 8 Exposure controls and personal protection

8.1 Control parameters

Exposure limits

US OSHA

1,4-Dioxane
CAS # 123-91-1 100 ppm TWA; 360 mg/m³ TWA; prevent or reduce skin absorption

Ethylene Oxide
CAS # 75-21-8 1 ppm TWA; 5 ppm STEL (see 29 CFR 1910.1047)

ACGIH

1,4-Dioxane
CAS # 123-91-1 20 ppm TWA; Skin - potential significant contribution to overall exposure by the cutaneous route

Ethylene Oxide
CAS # 75-21-8 1 ppm TWA

Sodium Azide
CAS # 26628-22-8 0.29 mg/m³ Ceiling (as Sodium azide); 0.11 ppm Ceiling (as Hydrazoic acid vapor)

ACGIH Biological Exposure Indices (BEI)

Ethylene Oxide
CAS # 75-21-8 5000 pmol HEV/g globin medium: blood time: not critical parameter: N-(2-Hydroxyethyl)valine (HEV) hemoglobin adducts (applies to workers having representative Ethylene oxide exposure during the previous 120 days); 5 µg HEMA/g creatinine medium: urine time: end of shift parameter: S-(2-Hydroxyethyl)mercapturic acid (HEMA) (nonspecific, population based)

DFG MAK

1,4-Dioxane
CAS # 123-91-1 20 ppm Peak; 74 mg/m³ Peak; skin notation; 10 ppm TWA MAK; 37 mg/m³ TWA MAK

Ethylene Oxide
CAS # 75-21-8 skin notation

Sodium Azide
CAS # 26628-22-8 0.4 mg/m³ Peak (inhalable fraction); 0.2 mg/m³ TWA MAK (inhalable fraction)

SAFETY DATA SHEET

Document ID: 33585-75 Version AM
 Revision Date (year/month/day) 2025/06/07
 Last Revision Date (year/month/day) 2024/10/30

Section 8 Exposure controls and personal protection (Continued)

Ireland

1,4-Dioxane CAS # 123-91-1	20 ppm TWA (technical grade); 73 mg/m3 TWA (technical grade); 60 ppm STEL (calculated); 219 mg/m3 STEL (calculated); Potential for cutaneous absorption (technical grade)
Ethylene Oxide CAS # 75-21-8	1 ppm TWA; 1.8 mg/m3 TWA; 3 ppm STEL (calculated); 5.4 mg/m3 STEL (calculated); Potential for cutaneous absorption
Sodium Azide CAS # 26628-22-8	0.1 mg/m3 TWA; 0.3 mg/m3 STEL; Potential for cutaneous absorption

IOELVs

1,4-Dioxane CAS # 123-91-1	20 ppm TWA; 73 mg/m3 TWA
Ethylene Oxide CAS # 75-21-8	Present (Substantial contribution to the total body burden via dermal exposure possible); 1.8 mg/m3 TWA; 1 ppm TWA
Sodium Azide CAS # 26628-22-8	Possibility of significant uptake through the skin; 0.1 mg/m3 TWA; 0.3 mg/m3 STEL

NIOSH

1,4-Dioxane CAS # 123-91-1	500 ppm IDLH
Ethylene Oxide CAS # 75-21-8	800 ppm IDLH; 0.1 ppm TWA (less than stated value); 0.18 mg/m3 TWA (less than stated value)

China

1,4-Dioxane CAS # 123-91-1	Skin notation; 70 mg/m3 TWA
Ethylene Oxide CAS # 75-21-8	Skin notation; 2 mg/m3 TWA
Sodium Azide CAS # 26628-22-8	0.3 mg/m3 Ceiling MAC

Croatia

1,4-Dioxane CAS # 123-91-1	20 ppm TWA [GVI]; 73 mg/m3 TWA [GVI]
Ethylene Oxide CAS # 75-21-8	Skin Notation (significant contribution to the total body load possible exposure through the skin); 1 ppm TWA [GVI]; 1.8 mg/m3 TWA [GVI]; Carcinogen Category 1B; Mutagen Category 1B
Sodium Azide CAS # 26628-22-8	Skin Notation; 0.1 mg/m3 TWA [GVI]; 0.3 mg/m3 STEL [KGVI]

Japan

1,4-Dioxane CAS # 123-91-1	1 ppm OEL; 3.6 mg/m3 OEL
Ethylene Oxide CAS # 75-21-8	1 ppm OEL; 1.8 mg/m3 OEL

SAFETY DATA SHEET

Document ID: 33585-75 Version AM
 Revision Date (year/month/day) 2025/06/07
 Last Revision Date (year/month/day) 2024/10/30

Section 8 Exposure controls and personal protection (Continued)

Sweden (AFS 2015:7 and amendments)

1,4-Dioxane CAS # 123-91-1	10 ppm TLV NGV; 35 mg/m3 TLV NGV; 25 ppm Indicative STEL Vägledande KGV; 90 mg/m3 Indicative STEL Vägledande KGV
Ethylene Oxide CAS # 75-21-8	1 ppm TLV NGV; 1.8 mg/m3 TLV NGV; 5 ppm Binding STEL Bindande KGV; 9 mg/m3 Binding STEL Bindande KGV; Skin notation
Sodium Azide CAS # 26628-22-8	0.1 mg/m3 TLV NGV; 0.3 mg/m3 Binding STEL Bindande KGV

Turkey

1,4-Dioxane CAS # 123-91-1	20 ppm TWA; 73 mg/m3 TWA
Sodium Azide CAS # 26628-22-8	0.3 mg/m3 STEL; Skin notation; 0.1 mg/m3 TWA

8.2 Exposure controls

Engineering controls

No special engineering controls are required. Use with good general ventilation.

Eye protection

Safety glasses or chemical goggles should be worn to prevent eye contact.

Refer U.S. OSHA 29 CFR 1910.133, European Standard EN166 or appropriate government standards.

Skin protection

Wear impervious gloves such as Nitrile or equivalent and protective clothing. Refer to U.S. OSHA 29 CFR 1910.138, European Standard EN 374, EN 14605:2005+A1:2009 or appropriate government standards.

Respiratory protection

Under normal conditions, the use of this product should not require respiratory protection. If overexposure should occur and ventilation is not adequate to maintain airborne concentrations at acceptable levels, the use of respiratory protection should be evaluated by a qualified professional.

Section 9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	Lyophilized Powder	Density and/or relative density	Not determined
Color	Light yellow	Solubility	
Odor	Slight odor	Water	Miscible
pH	Not applicable	Organic	Not determined
Melting Point	Not determined	Partition coefficient n-octanol/water (log value)	Not applicable
Boiling point or initial boiling point and boiling range	Not applicable	Auto-ignition temp.	Not determined
Flash point	Not applicable	Decomposition temperature	Not determined

SAFETY DATA SHEET

Document ID: 33585-75 Version AM
 Revision Date (year/month/day) 2025/06/07
 Last Revision Date (year/month/day) 2024/10/30

Section 9 Physical and chemical properties (Continued)

Flammability	Not determined	Vapor pressure	Not applicable
		Kinematic viscosity	Not applicable
Lower and upper explosion limit	Not determined		
Relative vapor density	Not applicable		
Particle characteristics	Not determined		
9.2 Other information			
Information with regard to physical hazard classes	No further relevant information available.		
Other safety characteristics	No further relevant information available.		

Section 10 Stability and reactivity

10.1 Reactivity	No further relevant information available.
10.2 Chemical stability	The product is stable in accordance with recommended storage conditions.
10.3 Possibility of hazardous reactions	Sodium azide forms explosive compounds with heavy metals. Repeated contact of low concentrations of azide with lead and copper commonly found in plumbing drains may result in the build up of shock sensitive compounds.
10.4 Conditions to avoid	Avoid contact with incompatible materials. Avoid exposure to heat and direct sunlight.
10.5 Incompatible materials	Metals and metallic compounds
10.6 Hazardous decomposition products	When stored as labeled, no known hazardous decomposition products are formed during the shelf-life of this product.

Section 11 Toxicological information

11.1 Information on hazard classes	
Toxicity data for hazardous ingredients	
1,4-Dioxane CAS # 123-91-1	Dermal LD50 Rabbit 7600 mg/kg (CHEMVIEW); Inhalation LC50 Rat 46 mg/L 2 h (vapor)(JAPAN_GHS); Oral LD50 Rat 5170 mg/kg (JAPAN_GHS)
Ethylene Oxide CAS # 75-21-8	Inhalation LC50 Rat 800 ppm 4 h (gas)(NLM_CIP); Oral LD50 Rat 72 mg/kg (JAPAN_GHS)
Sodium Azide CAS # 26628-22-8	Dermal LD50 Rabbit 20 mg/kg (NLM_HSDB); Inhalation LC50 Rat 0.054 - 0.52 mg/L 4 h (dust)(ECHA_API); Oral LD50 Rat 27 mg/kg (NZ_CCID)
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC# 247-500-7] and	Dermal LD50 Rabbit 87.12 mg/kg (ECHA_API); Oral LD50 Rat 53 mg/kg (NLM_CIP)

SAFETY DATA SHEET

Document ID: 33585-75 Version AM
 Revision Date (year/month/day) 2025/06/07
 Last Revision Date (year/month/day) 2024/10/30

Section 11 Toxicological information (Continued)

2-methyl-4-isothiazolin-3-one [EC#
 220-239-6](3:1)
 CAS # 55965-84-9

Ethoxylated alkyl alcohol
 CAS # 68439-49-6

Oral LD50 Rat 1260 mg/kg (NLM_CIP)

Primary routes of exposure

Common routes of entry include inhalation, ingestion and eye/skin contact. Specific paths of concern for potentially infectious materials are skin puncture, contact with broken skin, contact with mucous membranes and inhalation of aerosolized material.

Acute toxicity

Not classified based on available data.

Skin corrosion/irritation

Not classified based on available data.

Serious eye damage/irritation

Not classified based on available data.

Respiratory or skin sensitisation

May cause sensitization by skin contact.

Germ cell mutagenicity

Not classified based on available data.

Carcinogenicity

This product does not contain a reportable concentration ($\geq 0.1\%$) of any ingredient listed as carcinogen by ACGIH, IARC, NTP, OSHA or 1272/2008 EC regulation.

Reproductive toxicity

Not classified based on available data.

Specific target organ toxicity (STOT) – single exposure

Not classified based on available data.

Specific target organ toxicity (STOT) – repeated exposure

Not classified based on available data.

Aspiration hazard

Not classified based on available data.

11.2 Information on other hazards

Endocrine disrupting properties

This product does not have substance(s) of endocrine disrupting properties for health according to REACH Article 57(f).

Other information

This product contains material(s) of animal origin. Observe general safety guidelines for protection when handling this product.

SAFETY DATA SHEET

Document ID: 33585-75 Version AM
Revision Date (year/month/day) 2025/06/07
Last Revision Date (year/month/day) 2024/10/30

Section 12 Ecological information

12.1 Toxicity

Fresh water species

1,4-Dioxane
CAS # 123-91-1

LC50 96 h *Lepomis macrochirus*: >10000 mg/L [static] (EPA); LC50 96 h *Lepomis macrochirus*: >10000 mg/L [semi-static] (IUCLID); LC50 96 h *Pimephales promelas*: 9850 mg/L [flow-through] (EPA); LC50 96 h *Pimephales promelas*: 10306 - 14742 mg/L [static] (EPA); LC50 96 h *Pimephales promelas*: 9850 mg/L (IUCLID)

Ethylene Oxide
CAS # 75-21-8

LC50 96 h *Pimephales promelas*: 73 - 96 mg/L (EPA)

Sodium Azide
CAS # 26628-22-8

LC50 96 h *Oncorhynchus mykiss*: 0.8 mg/L; LC50 96 h *Lepomis macrochirus*: 0.7 mg/L; LC50 96 h *Pimephales promelas*: 5.46 mg/L [flow-through]

No information available.

Microtox/organisms

Water flea

1,4-Dioxane
CAS # 123-91-1

EC50 48 h water flea: 163 mg/L [Static]

Ethylene Oxide
CAS # 75-21-8

LC50 48 h *Daphnia magna*: 137 - 300 mg/L (IUCLID)

Fresh water algae

No information available.

12.2 Persistence and degradability Not determined for the product.

12.3 Bioaccumulative potential Not determined for the product.

12.4 Mobility in soil Not determined for the product.

12.5 Results of PBT and vPvB assessment

Not determined for the product. PBT: Not applicable, vPvB: Not applicable.

12.6 Endocrine disrupting properties

This product does not have substance(s) of endocrine disrupting properties for environment according to REACH Article 57(f).

12.7 Other adverse effects

This product is classified as environmentally hazardous. Do not allow undiluted product to enter sewer/surface or ground water. Dispose of contents/container to in accordance with local/national regulations

Section 13 Disposal considerations

13.1 Waste treatment methods

Product waste disposal

Chemical residues and remains should be routinely handled as special waste. This must be disposed of in compliance with anti-pollution and other laws of the country concerned. To ensure compliance we recommend that you contact the relevant (local) authorities and/or an approved waste-disposal company for information.

Sodium azide preservative may form explosive compounds in metal drain lines. See NIOSH Bulletin: Explosive Azide Hazard (8/16/76). To avoid the possible build-up of azide compounds, flush wastepipes with water after the disposal of undiluted reagent. Sodium azide disposal must be in accordance with appropriate local regulations.

Dispose of as potentially biohazardous waste and in compliance with anti-pollution and other laws of the country concerned. To ensure compliance we

SAFETY DATA SHEET

Document ID: 33585-75 Version AM
Revision Date (year/month/day) 2025/06/07
Last Revision Date (year/month/day) 2024/10/30

Package disposal

recommend that you contact the relevant (local) authorities and/or approved waste-disposal company for information.

Additional information

Dispose of waste product, unused product and contaminated packaging in compliance with federal, state and local regulations. If unsure of the applicable requirements, contact the authorities for information.

Suggested European waste catalogue 18 01 07 - chemicals other than those mentioned in 18 01 06. Dispose in accordance with national, state and local waste regulations.

Section 14 Transport information

Transportation of this product is not regulated under ICAO, IATA DGR, IMDG, US DOT, European ADR and RID or Canadian TDG.

14.1 UN/ID number: Not regulated for transportation

14.2 UN proper shipping name: Not regulated for transportation

14.3 Transport hazard class(es): Not regulated for transportation

14.4 Packing group: Not regulated for transportation

14.5 Environmental hazards: Not regulated for transportation

14.6 Special precautions for user: None

14.7 Maritime transport in bulk according to IMO instruments: Not applicable

Section 15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

US Federal and State Regulations

SARA 313 (Section 313, Title III reporting requirements)

CAS # 123-91-1	1,4-Dioxane	0.1% de minimis concentration
CAS # 75-21-8	Ethylene Oxide	0.1% de minimis concentration
CAS # 26628-22-8	Sodium Azide	1.0% de minimis concentration

CERCLA (The Comprehensive Environmental Response, Compensation, and Liability Act) 40 CFR 302.4

CAS # 123-91-1	1,4-Dioxane
CAS # 75-21-8	Ethylene Oxide
CAS # 26628-22-8	Sodium Azide

California Proposition 65

 **WARNING** This product can expose you to chemical which is known to the State of California to cause cancer and/or reproductive harm. For more information go to www.P65Warnings.ca.gov

SAFETY DATA SHEET

Document ID: 33585-75 Version AM
Revision Date (year/month/day) 2025/06/07
Last Revision Date (year/month/day) 2024/10/30

Section 15 Regulatory information (Continued)

Chemical which is known to the State of California to cause cancer

CAS # 123-91-1 1,4-Dioxane
CAS # 75-21-8 Ethylene Oxide

Chemical which is known to the State of California to cause development toxicity

CAS # 75-21-8 Ethylene Oxide

Chemical which is known to the State of California to cause male reproductive toxicity

CAS # 75-21-8 Ethylene Oxide

Chemical which is known to the State of California to cause female reproductive toxicity

CAS # 75-21-8 Ethylene Oxide

Massachusetts Right To Know (RTK) List

CAS # 123-91-1 1,4-Dioxane
CAS # 75-21-8 Ethylene Oxide
CAS # 26628-22-8 Sodium Azide

New Jersey Dept. of Health Right To Know (RTK) List

CAS # 123-91-1 1,4-Dioxane
CAS # 75-21-8 Ethylene Oxide
CAS # 26628-22-8 Sodium Azide

Pennsylvania Right To Know (RTK) List

CAS # 123-91-1 1,4-Dioxane
CAS # 75-21-8 Ethylene Oxide
CAS # 26628-22-8 Sodium Azide

EU Regulations

This SDS complies with EC Regulations 1907/2006 (REACH) and amendments.

Water Hazard Class (Germany)

WGK 1, low water endangering

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors - Substances Subject to Suspicious Transactions Reporting

No ingredients listed.

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors - Restricted Explosives Precursors

No ingredients listed.

REACH 1907/2006 EC - Candidate List of Substances of Very High Concern (SVHC)

Not applicable.

SAFETY DATA SHEET

Document ID: 33585-75 Version AM
Revision Date (year/month/day) 2025/06/07
Last Revision Date (year/month/day) 2024/10/30

Section 15 Regulatory information (Continued)

REACH 1907/2006 EC - Annex XVII – Restrictions on Certain Dangerous Substances

Not applicable.

REACH 1907/2006 EC - Annex XIV - list of substances subject to authorisation

No ingredients listed.

Refer to Section 3

UK Regulations

UK REACH Regulation (as Amended) - List of substances subject to authorisation

Refer to Section 3

Canada

This product is exempt from WHMIS label and SDS requirements.

China

Catalog of Hazardous Chemicals - Hazardous Chemicals

CAS # 123-91-1	1,4-Dioxane
CAS # 75-21-8	Ethylene Oxide
CAS # 26628-22-8	Sodium Azide

Inventory - China - Inventory of Existing Chemical Substances (IECSC)

All ingredients are listed or exempted.

Turkey

Türkiye-REACH - KKDIK Regulation - Annex 17 – Restrictions

Not applicable.

International

UN/FAO/Rotterdam Convention - Chemicals Subject to Prior Informed Consent (PIC)

CAS # 75-21-8	Ethylene Oxide
---------------	----------------

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

Some hazardous ingredients listed in Section 15 are below the cutoff limits of 0.1% for carcinogen, mutagen and reproductive toxin and 1% for other health hazards required for reporting in Section 3.

SAFETY DATA SHEET

Document ID: 33585-75 Version AM
Revision Date (year/month/day) 2025/06/07
Last Revision Date (year/month/day) 2024/10/30

Section 16 Other information

Beckman Coulter safety rating	Flammability: 0 Health: 2 Reactivity with water: 0 Physical contact: 2	Code 0=None 1=Slight 2=Caution 3=Severe
--------------------------------------	---	---

Revision changes Update supplier addresses in Section 1.3

Document version and issue/revision date

Revision Date (year/month/day) 2025/06/07
Last Revision Date (year/month/day) 2024/10/30
Document ID: 33585-75
Version: AM

Hazard Classification Procedure

This mixture was classified using the calculation method for human health and environmental hazards. Physical hazards were determined based on the specification.

Description of hazard class and hazard statements from Section 3

Aquatic Acute 1 - Aquatic Hazard Acute, Category 1
Acute Tox. Dermal 2 - Acute Toxicity Dermal, Category 2
Acute Tox. Inhal. 2 - Acute Toxicity Inhalation, Category 2
Acute Tox. Inhal. 3 - Acute Toxicity Inhalation, Category 3
Acute Tox. Oral 2 - Acute Toxicity Oral, Category 2
Acute Tox. Oral 3 - Acute Toxicity Oral, Category 3
Acute Tox. Oral 4 - Acute Toxicity Oral, Category 4
Carc. 1B - Carcinogenicity Category 1B
Eye Dam. 1 - Eye Damage Category 1
Eye Irrit. 2 - Eye Irritation Category 2
Flam. Gas 1 - Flammable Gases (including chemically unstable gases), Category 1
Flam. Liq. 2 - Flammable Liquids, Category 2
Press. Gas [CG] - Gases under pressure, Compressed Gas
Muta. 1B - Germ Cell Mutagenicity Category 1B
Aquatic Longterm 1 - Aquatic Hazard Long term, Category 1
Skin Corr. 1 - Skin Corrosion Category 1
Skin Corr. 1C - Skin Corrosion Category 1C
Skin Sens. 1A - Skin Sensitization Category 1A
STOT RE 1 - Specific Target Organ Toxicity Repeated Exposure Category 1
STOT SE 3 - Specific Target Organ Toxicity Single Exposure Category 3
STOT SE 3 - Specific Target Organ Toxicity Single Exposure Category 3
Repr. 1B - Toxic to Reproductive Category 1B
EUH019 - May form explosive peroxides.
EUH032 - Contact with acids liberates very toxic gas.
EUH066 - Repeated exposure may cause skin dryness or cracking.
EUH071 - Corrosive to the respiratory tract.
H220 - Extremely flammable gas.

SAFETY DATA SHEET

Document ID: 33585-75 Version AM
Revision Date (year/month/day) 2025/06/07
Last Revision Date (year/month/day) 2024/10/30

Section 16 Other information (Continued)

H225 - Highly flammable liquid and vapour.
H280 - Contains gas under pressure; may explode if heated.
H300 - Fatal if swallowed.
H301 - Toxic if swallowed.
H302 - Harmful if swallowed.
H310 - Fatal in contact with skin.
H314 - Causes severe skin burns and eye damage.
H317 - May cause an allergic skin reaction.
H318 - Causes serious eye damage.
H319 - Causes serious eye irritation.
H330 - Fatal if inhaled.
H331 - Toxic if inhaled.
H335 - May cause respiratory irritation.
H336 - May cause drowsiness or dizziness.
H340 - May cause genetic defects.
H350 - May cause cancer.
H360 - May damage fertility or the unborn child.
H372 - Causes damage to organs through prolonged or repeated exposure.
H400 - Very toxic to aquatic life.
H410 - Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

ACGIH - American Conference of Governmental Industrial Hygienists (ACGIH)
ADR and RID - European Agreement Concerning the International Carriage of Dangerous Goods by Road and Rail
CLP - Classification, Labeling and Packaging
DFGMAK - Republic Germany's maximum exposure limit
EC50 - Concentration of a substance in an environmental medium expected to produce a certain effect in 50% of test organisms
GHS - Globally Harmonized System of Classification and Labelling of Chemicals (GHS)
HCS - Hazard Communication Standard
IARC - International Agency for Research on Cancer
IATA DGR - International Air Transport Association Dangerous Goods Regulation
ICAO - International Civil Aviation Organization
IDLH - Immediately Dangerous to Life or Health
IMDG - International Maritime Dangerous Goods
IMO - International Maritime Organization
IOELVs - European Unions' Indicative Occupational Exposure Limit Values
LC50 - Concentration of a substance in water causing death (50% of the tested population) to aquatic life
LD50 - Lethal Dose 50%
NIOSH - National Institute for Occupational Safety and Health
NTP - National Toxicology Program

SAFETY DATA SHEET

Document ID: 33585-75 Version AM
Revision Date (year/month/day) 2025/06/07
Last Revision Date (year/month/day) 2024/10/30

Section 16 Other information (Continued)

OSHA - Occupational Safety and Health Administration
PBT - Persistent Bioaccumulative and Toxic substances
PEL - Permissible Exposure Limit
SARA - Superfund Amendments and Reauthorization Act
STEL – Short Term Exposure Limit
STLV - Short Term Limit Value
STV - Short Term Value
TDG - Canadian Transportation of Dangerous Goods Regulations
TLV - Threshold Limit Value
TWA – Time Weighted Average
UN GHS - United Nations Globally Harmonized System
US DOT - United States Department of Transportation
US OSHA - United States Occupational Safety and Health Administration
vPvB - very Persistent and very Bioaccumulative substances
WHMIS - Workplace Hazardous Material Information System

Beckman Coulter, the stylized logo, and the Beckman Coulter product and service marks mentioned herein are trademarks or registered trademarks of Beckman Coulter, Inc. in the United States and other countries.

For further information, please contact your local Beckman Coulter, Inc. representative.

WHILE BECKMAN COULTER, INC. BELIEVES THE INFORMATION CONTAINED HEREIN IS VALID AND ACCURATE, BECKMAN COULTER, INC. MAKES NO WARRANTY OR REPRESENTATION AS TO ITS VALIDITY, ACCURACY, OR CURRENCY. BECKMAN COULTER, INC. SHALL NOT BE LIABLE OR OTHERWISE RESPONSIBLE IN ANY WAY FOR USE OF EITHER THIS INFORMATION OR MATERIALS TO WHICH IT APPLIES. DISPOSAL OF HAZARDOUS MATERIALS MAY BE SUBJECT TO LOCAL LAWS OR REGULATIONS.



SAFETY DATA SHEET

Document ID: 33585-75 Version AM
 Revision Date (year/month/day) 2025/06/07
 Last Revision Date (year/month/day) 2024/10/30

Section 1 Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name Ultrasensitive hGH Calibrators; S1, S2, S3, S4 and S5
Part number Component of P/N 33585
Series name ACCESS

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use For In Vitro Diagnostic Use. See product literature for details.

1.3 Details of the supplier of the safety data sheet

Manufacturer

Beckman Coulter, Inc.
 250 S. Kraemer Blvd
 Brea, CA 92821, U.S.A.
 Tel: 800-854-3633

Supplier

CANADA
 Beckman Coulter Canada LP
 7075 Financial Drive
 Mississauga, ON L5N 6V8
 Canada
 1-800-463-7828

UNITED KINGDOM
 Beckman Coulter (UK) Ltd.
 Amersham Place
 Little Chalfont
 Buckinghamshire
 United Kingdom, HP7 9NA
 01494 441181

AUSTRALIA
 Beckman Coulter Australia Pty Ltd
 23-27 Chaplin Drive
 Lane Cove NSW 2066
 Australia
 ABN 81 002 011 672
 24 Hour emergency contact phone
 number:
 1800 060 881

SWITZERLAND
 Beckman Coulter Eurocenter SA
 22, rue Juste-Olivier, Case Postale
 1044,
 CH-1260 Nyon 1, Switzerland.
 Telephone: +41 (0)22 365 36 11
 Monday through Friday, 9:00 am to
 7:00pm)

SAFETY DATA SHEET

Document ID: 33585-75 Version AM
Revision Date (year/month/day) 2025/06/07
Last Revision Date (year/month/day) 2024/10/30

Section 1 Identification of the substance/mixture and of the company/undertaking (Continued)

NEW ZEALAND
Beckman Coulter NZ
Unit J, 33 Walmsley Road, Otahuhu,
Auckland 1062, New Zealand
Hours available: 08:30 - 17:00

Beckman Coulter Ireland Inc.
Lismeehan
O'Callaghan's Mills
Co. Clare
Ireland
Tel: 353 (0)65 6831100

ICELAND / ÍSLAND
Beckman Coulter AB
Ekbacksvägen 28
168 69 Bromma
Sweden
Phone No.: +46 80564 85 900
Hours available: 08.00-16.30

MALTA
DX Distributor:
Cherubino Ltd
DELFI Building, Sliema Road, Gzira,
GZR 1637
Telephone: +356 21343270
Hours available: 08:30 – 17:00

e-mail address

SDSNT@beckman.com

1.4 Emergency telephone number

Telephone number (24H)

Chemtrec Emergency Tel No. U.S.A. 800-424-9300, International (001) 703-527-3887

Distributor and emergency phone no.

Refer to attached list, Document ID: [472050](#), for local distributor and emergency phone numbers.

UNITED STATES - Emergency Phone (24h): Chemtrec (800) 424-9300, International (001) 703-527-3887

CANADA - Poison Centre: 1-844-764-7669; Centre antipoison du Québec: 1-800-463-5060

UNITED KINGDOM - For UK and Scotland: Emergency Call 999

IRELAND - National Poisons Information Centre Phone No.: Members of Public: +353 (01) 809 2166 (8:00 am to 10:00 pm 7 days a week); Healthcare Professionals: +353 (01) 809 2566 (24 hour service)

AUSTRALIA - 24 Hour emergency contact phone number: 1800 060 881

NEW ZEALAND - 24 Hour emergency number: 0800 446 109

Section 2 Hazards identification

2.1 Classification of the substance or mixture

Product description

Mixture

SAFETY DATA SHEET

Document ID: 33585-75 Version AM
Revision Date (year/month/day) 2025/06/07
Last Revision Date (year/month/day) 2024/10/30

Section 2 Hazards identification (Continued)

Light yellow; Lyophilized Powder; Slight odor

Classification according to EC 1272/2008 (CLP/GHS)

Skin Sensitization Category 1, H317

Aquatic Hazard Long term, Category 3, H412

Classification according to US-OSHA (HCS 29 CFR 1910.1200) and UN GHS

Aquatic Hazard Acute, Category 3

Aquatic Hazard Long term, Category 3

2.2 Label elements

According to EC 1272/2008 (CLP/GHS), US-OSHA and UN GHS

Hazardous ingredients

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC# 247-500-7] and
2-methyl-4-isothiazolin-3-one [EC# 220-239-6](3:1)

Ethoxylated alkyl alcohol

Pictogram



Signal word

WARNING

Hazard statements

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention

P261 Avoid breathing vapours.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves, protective clothing and eye/face protection.

Response

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before use.

Storage

None

Disposal

P501 Dispose of contents/container in accordance with local/national regulations

Product label will display most significant precautionary statements.

2.5% of product contains ingredients of unknown hazards to aquatic environment.

SAFETY DATA SHEET

Document ID: 33585-75 Version AM
 Revision Date (year/month/day) 2025/06/07
 Last Revision Date (year/month/day) 2024/10/30

Section 2 Hazards identification (Continued)

2.3 Other hazards

This product contains concentrations of azide below the hazardous level which with repeated contact with lead and copper commonly found in plumbing drains may result in the build up of shock sensitive compounds. Sodium azide forms explosive compounds with heavy metals.

This product contains materials of human and animal origins and should be considered as potentially capable of transmitting infectious diseases.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

See Section 11 Toxicological Information for more detailed health information.

Section 3 Composition and information on ingredients

3.2 Mixtures

Hazardous ingredients:		Hazard classification of pure ingredients		
Chemical name	% by wt.	EU 1272/2008 CLP/GHS	GHS	Note
Ethoxylated alkyl alcohol CAS # 68439-49-6 EINECS # Not available Index # Not available	0.1 - 0.5	Acute Tox. Oral 4, H302 Aquatic Acute 1, H400 Eye Dam. 1, H318 Acute Toxicity Estimates (ATE) ATE Oral = 1260 mg/kg	Acute Tox. Oral 4, H302 Aquatic Acute 1, H400 Eye Dam. 1, H318	
Sodium Azide CAS # 26628-22-8 EINECS # 247-852-1 Index # 011-004-00-7	< 0.1	Acute Tox. Oral 2, H300 Aquatic Acute 1, H400 Aquatic Longterm 1, H410 EUH032 Acute Toxicity Estimates (ATE) ATE Oral = 27 mg/kg	Acute Tox. Oral 2, H300 Aquatic Acute 1, H400 Aquatic Longterm 1, H410	2, 8
reaction mass of: 5-chloro-2-methyl-4-isothiazolin -3-one [EC# 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC# 220-239-6](3:1) CAS # 55965-84-9 EINECS # Not available Index # 613-167-00-5	< 0.05	Acute Tox. Dermal 2, H310 Acute Tox. Inhal. 2, H330 Acute Tox. Oral 3, H301 Aquatic Acute 1, H400 Aquatic Longterm 1, H410 Eye Dam. 1, H318 M-factor Acute=100 M-factor Chronic=100 Skin Corr. 1C, H314 Skin Sens. 1A, H317 EUH071 Specific Concentration Limit (SCL) Skin Irrit. 2 H315 >= 0.06% - < 0.6% Eye Dam. 1 H318 >= 0.6% Skin Corr. 1C H314 >= 0.6% Eye Irrit. 2 H319 >= 0.06% - < 0.6% Skin Sens. 1A H317 >= 0.0015% Acute Toxicity Estimates (ATE)	Acute Tox. Dermal 2, H310 Acute Tox. Inhal. 2, H330 Acute Tox. Oral 3, H301 Aquatic Acute 1, H400 Aquatic Longterm 1, H410 Eye Dam. 1, H318 Skin Corr. 1C, H314 Skin Sens. 1A, H317	9

SAFETY DATA SHEET

Document ID: 33585-75 Version AM
 Revision Date (year/month/day) 2025/06/07
 Last Revision Date (year/month/day) 2024/10/30

Section 3 Composition and information on ingredients (Continued)

		ATE Dermal = 87.12 mg/kg ATE Inhalation - Vapors = 0.5 mg/L ATE Oral = 53 mg/kg		
1,4-Dioxane CAS # 123-91-1 EINECS # 204-661-8 Index # 603-024-00-5	< 0.01	Carc. 1B, H350 Eye Irrit. 2, H319 Flam. Liq. 2, H225 STOT SE 3, H335 EUH019 EUH066	Carc. 1B, H350 Eye Irrit. 2, H319 Flam. Liq. 2, H225 STOT SE 3, H335	2, 8
Ethylene Oxide CAS # 75-21-8 EINECS # 200-849-9 Index # 603-023-00-X	< 0.01	Acute Tox. Inhal. 3, H331 Acute Tox. Oral 3, H301 Carc. 1B, H350 Eye Dam. 1, H318 Flam. Gas 1, H220 Muta. 1B, H340 Press. Gas [CG], H280 Repr. 1B, H360 STOT RE 1, H372 STOT SE 3, H335, H336 Skin Corr. 1, H314 Acute Toxicity Estimates (ATE) ATE Inhalation - Vapors = 3 mg/L ATE Inhalation - Gases = 700 ppmV ATE Oral = 100 mg/kg	Acute Tox. Inhal. 3, H331 Acute Tox. Oral 3, H301 Carc. 1B, H350 Eye Dam. 1, H318 Flam. Gas 1, H220 Muta. 1B, H340 Press. Gas [CG], H280 Repr. 1B, H360 STOT RE 1, H372 STOT SE 3, H335, H336 Skin Corr. 1, H314	2, 8

2 - Substance with Community workplace exposure limits

8 - Present at concentration below the cut-off limits.

9 - Mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC# 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC# 220-239-6] (3:1) is the active ingredient of ProClin 300.

See section 8 for available Occupational exposure limits

See Section 15 for additional regulatory information

See Section 16 for description of hazard class and hazard statements

Section 4 First aid measures

4.1 Description of first aid measures

Inhalation

If product is inhaled, move exposed individual to fresh air. If individual is not breathing, begin artificial respiration by trained personnel and obtain medical attention immediately.

Eye contact

If product enters eyes, rinse eyes gently with water as a precaution.

Skin contact

In case of skin contact, rinse with water as a precaution.

Ingestion

If product is ingested, rinse mouth with water. If irritation or discomfort occurs, obtain medical attention immediately.

4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

See Section 11 Toxicological Information for more detailed health information.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available. Refer to Section 4.1.

SAFETY DATA SHEET

Document ID: 33585-75 Version AM
Revision Date (year/month/day) 2025/06/07
Last Revision Date (year/month/day) 2024/10/30

Section 5 Firefighting measures

- 5.1 Extinguishing media** In case of fire use carbon dioxide (CO₂), dry chemical, water spray or foam.
For large fires use extinguishing media suitable for surrounding fire.
- 5.2 Special hazards arising from the substance or mixture**
Special fire and explosion hazards
No special hazards determined.
- Hazardous combustion products**
No combustion products posing significant hazards are expected from this product.
- 5.3 Advice for firefighters**
Protective equipment Self-contained breathing apparatus is recommended for firefighters in all chemical fire situations.
- Additional information** No further relevant information available.

Section 6 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures**
Personal precautions This product contains material of human and animal origin and should be handled as though capable of transmitting infectious diseases. Observe general safety guidelines for protection during clean up procedures.
Wear protective gloves, protective clothing and eye/face protection.
- 6.2 Environmental precautions** Contain spill to prevent migration.
Do not allow the undiluted product to enter sewers/surface or ground water.
Dispose of contents/container in accordance with local regulations
- 6.3 Methods and material for containment and cleaning up**
Spill and leak procedures If the product is solid or lyophilized form, use vacuum or carefully sweep up spilled material and place in container for suitable disposal. Avoid generating dust.
If the product is liquid form, as a precautionary measure, treat spilled material with a 1:10 bleach/water solution. Absorb liquid and place in container suitable for disposal. Avoid generation of aerosols during clean up. Comply with applicable waste disposal regulations.
Dispose of all waste material in accordance with local guidelines.
- 6.4 Reference to other sections** Refer sections 8 and 13.

Section 7 Handling and storage

- 7.1 Precautions for safe handling** This product should be handled as though capable of transmitting infectious diseases. Universal precautions should be followed when using this product.

SAFETY DATA SHEET

Document ID: 33585-75 Version AM
 Revision Date (year/month/day) 2025/06/07
 Last Revision Date (year/month/day) 2024/10/30

Section 7 Handling and storage (Continued)

7.2 Conditions for safe storage, including any incompatibilities

Store at 2 to 10°C, as directed on the product label.
 To maintain product quality, store according to the instructions in the product labeling.
 Store away from strong acids, strong bases, strong oxidizers and incompatible materials (section 10).

7.3 Specific end uses

No further relevant information available.

Section 8 Exposure controls and personal protection

8.1 Control parameters

Exposure limits

US OSHA

1,4-Dioxane CAS # 123-91-1	100 ppm TWA; 360 mg/m ³ TWA; prevent or reduce skin absorption
Ethylene Oxide CAS # 75-21-8	1 ppm TWA; 5 ppm STEL (see 29 CFR 1910.1047)

ACGIH

1,4-Dioxane CAS # 123-91-1	20 ppm TWA; Skin - potential significant contribution to overall exposure by the cutaneous route
Ethylene Oxide CAS # 75-21-8	1 ppm TWA
Sodium Azide CAS # 26628-22-8	0.29 mg/m ³ Ceiling (as Sodium azide); 0.11 ppm Ceiling (as Hydrazoic acid vapor)

ACGIH Biological Exposure Indices (BEI)

Ethylene Oxide CAS # 75-21-8	5000 pmol HEV/g globin medium: blood time: not critical parameter: N-(2-Hydroxyethyl)valine (HEV) hemoglobin adducts (applies to workers having representative Ethylene oxide exposure during the previous 120 days); 5 µg HEMA/g creatinine medium: urine time: end of shift parameter: S-(2-Hydroxyethyl)mercapturic acid (HEMA) (nonspecific, population based)
---------------------------------	--

DFG MAK

1,4-Dioxane CAS # 123-91-1	20 ppm Peak; 74 mg/m ³ Peak; skin notation; 10 ppm TWA MAK; 37 mg/m ³ TWA MAK
Ethylene Oxide CAS # 75-21-8	skin notation
Sodium Azide CAS # 26628-22-8	0.4 mg/m ³ Peak (inhalable fraction); 0.2 mg/m ³ TWA MAK (inhalable fraction)

SAFETY DATA SHEET

Document ID: 33585-75 Version AM
 Revision Date (year/month/day) 2025/06/07
 Last Revision Date (year/month/day) 2024/10/30

Section 8 Exposure controls and personal protection (Continued)

Ireland

1,4-Dioxane CAS # 123-91-1	20 ppm TWA (technical grade); 73 mg/m3 TWA (technical grade); 60 ppm STEL (calculated); 219 mg/m3 STEL (calculated); Potential for cutaneous absorption (technical grade)
Ethylene Oxide CAS # 75-21-8	1 ppm TWA; 1.8 mg/m3 TWA; 3 ppm STEL (calculated); 5.4 mg/m3 STEL (calculated); Potential for cutaneous absorption
Sodium Azide CAS # 26628-22-8	0.1 mg/m3 TWA; 0.3 mg/m3 STEL; Potential for cutaneous absorption

IOELVs

1,4-Dioxane CAS # 123-91-1	20 ppm TWA; 73 mg/m3 TWA
Ethylene Oxide CAS # 75-21-8	Present (Substantial contribution to the total body burden via dermal exposure possible); 1.8 mg/m3 TWA; 1 ppm TWA
Sodium Azide CAS # 26628-22-8	Possibility of significant uptake through the skin; 0.1 mg/m3 TWA; 0.3 mg/m3 STEL

NIOSH

1,4-Dioxane CAS # 123-91-1	500 ppm IDLH
Ethylene Oxide CAS # 75-21-8	800 ppm IDLH; 0.1 ppm TWA (less than stated value); 0.18 mg/m3 TWA (less than stated value)

China

1,4-Dioxane CAS # 123-91-1	Skin notation; 70 mg/m3 TWA
Ethylene Oxide CAS # 75-21-8	Skin notation; 2 mg/m3 TWA
Sodium Azide CAS # 26628-22-8	0.3 mg/m3 Ceiling MAC

Croatia

1,4-Dioxane CAS # 123-91-1	20 ppm TWA [GVI]; 73 mg/m3 TWA [GVI]
Ethylene Oxide CAS # 75-21-8	Skin Notation (significant contribution to the total body load possible exposure through the skin); 1 ppm TWA [GVI]; 1.8 mg/m3 TWA [GVI]; Carcinogen Category 1B; Mutagen Category 1B
Sodium Azide CAS # 26628-22-8	Skin Notation; 0.1 mg/m3 TWA [GVI]; 0.3 mg/m3 STEL [KGVI]

Japan

1,4-Dioxane CAS # 123-91-1	1 ppm OEL; 3.6 mg/m3 OEL
Ethylene Oxide CAS # 75-21-8	1 ppm OEL; 1.8 mg/m3 OEL

SAFETY DATA SHEET

Document ID: 33585-75 Version AM
 Revision Date (year/month/day) 2025/06/07
 Last Revision Date (year/month/day) 2024/10/30

Section 8 Exposure controls and personal protection (Continued)

Sweden (AFS 2015:7 and amendments)

1,4-Dioxane CAS # 123-91-1	10 ppm TLV NGV; 35 mg/m3 TLV NGV; 25 ppm Indicative STEL Vägledande KGV; 90 mg/m3 Indicative STEL Vägledande KGV
Ethylene Oxide CAS # 75-21-8	1 ppm TLV NGV; 1.8 mg/m3 TLV NGV; 5 ppm Binding STEL Bindande KGV; 9 mg/m3 Binding STEL Bindande KGV; Skin notation
Sodium Azide CAS # 26628-22-8	0.1 mg/m3 TLV NGV; 0.3 mg/m3 Binding STEL Bindande KGV

Turkey

1,4-Dioxane CAS # 123-91-1	20 ppm TWA; 73 mg/m3 TWA
Sodium Azide CAS # 26628-22-8	0.3 mg/m3 STEL; Skin notation; 0.1 mg/m3 TWA

8.2 Exposure controls

Engineering controls

No special engineering controls are required. Use with good general ventilation.

Eye protection

Safety glasses or chemical goggles should be worn to prevent eye contact.

Refer U.S. OSHA 29 CFR 1910.133, European Standard EN166 or appropriate government standards.

Skin protection

Wear impervious gloves such as Nitrile or equivalent and protective clothing. Refer to U.S. OSHA 29 CFR 1910.138, European Standard EN 374, EN 14605:2005+A1:2009 or appropriate government standards.

Respiratory protection

Under normal conditions, the use of this product should not require respiratory protection. If overexposure should occur and ventilation is not adequate to maintain airborne concentrations at acceptable levels, the use of respiratory protection should be evaluated by a qualified professional.

Section 9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	Lyophilized Powder	Density and/or relative density	Not determined
Color	Light yellow	Solubility	
Odor	Slight odor	Water	Miscible
pH	Not applicable	Organic	Not determined
Melting Point	Not determined	Partition coefficient n-octanol/water (log value)	Not applicable
Boiling point or initial boiling point and boiling range	Not applicable	Auto-ignition temp.	Not determined
Flash point	Not applicable	Decomposition temperature	Not determined

SAFETY DATA SHEET

Document ID: 33585-75 Version AM
 Revision Date (year/month/day) 2025/06/07
 Last Revision Date (year/month/day) 2024/10/30

Section 9 Physical and chemical properties (Continued)

Flammability	Not determined	Vapor pressure	Not applicable
		Kinematic viscosity	Not applicable
Lower and upper explosion limit	Not determined		
Relative vapor density	Not applicable		
Particle characteristics	Not determined		
9.2 Other information			
Information with regard to physical hazard classes	No further relevant information available.		
Other safety characteristics	No further relevant information available.		

Section 10 Stability and reactivity

10.1 Reactivity	No further relevant information available.
10.2 Chemical stability	The product is stable in accordance with recommended storage conditions.
10.3 Possibility of hazardous reactions	Sodium azide forms explosive compounds with heavy metals. Repeated contact of low concentrations of azide with lead and copper commonly found in plumbing drains may result in the build up of shock sensitive compounds.
10.4 Conditions to avoid	Avoid contact with incompatible materials. Avoid exposure to heat and direct sunlight.
10.5 Incompatible materials	Metals and metallic compounds
10.6 Hazardous decomposition products	When stored as labeled, no known hazardous decomposition products are formed during the shelf-life of this product.

Section 11 Toxicological information

11.1 Information on hazard classes	
Toxicity data for hazardous ingredients	
1,4-Dioxane CAS # 123-91-1	Dermal LD50 Rabbit 7600 mg/kg (CHEMVIEW); Inhalation LC50 Rat 46 mg/L 2 h (vapor)(JAPAN_GHS); Oral LD50 Rat 5170 mg/kg (JAPAN_GHS)
Ethylene Oxide CAS # 75-21-8	Inhalation LC50 Rat 800 ppm 4 h (gas)(NLM_CIP); Oral LD50 Rat 72 mg/kg (JAPAN_GHS)
Sodium Azide CAS # 26628-22-8	Dermal LD50 Rabbit 20 mg/kg (NLM_HSDB); Inhalation LC50 Rat 0.054 - 0.52 mg/L 4 h (dust)(ECHA_API); Oral LD50 Rat 27 mg/kg (NZ_CCID)
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC# 247-500-7] and	Dermal LD50 Rabbit 87.12 mg/kg (ECHA_API); Oral LD50 Rat 53 mg/kg (NLM_CIP)

SAFETY DATA SHEET

Document ID: 33585-75 Version AM
 Revision Date (year/month/day) 2025/06/07
 Last Revision Date (year/month/day) 2024/10/30

Section 11 Toxicological information (Continued)

2-methyl-4-isothiazolin-3-one [EC#
 220-239-6](3:1)
 CAS # 55965-84-9

Ethoxylated alkyl alcohol
 CAS # 68439-49-6

Oral LD50 Rat 1260 mg/kg (NLM_CIP)

Primary routes of exposure

Common routes of entry include inhalation, ingestion and eye/skin contact. Specific paths of concern for potentially infectious materials are skin puncture, contact with broken skin, contact with mucous membranes and inhalation of aerosolized material.

Acute toxicity

Not classified based on available data.

Skin corrosion/irritation

Not classified based on available data.

Serious eye damage/irritation

Not classified based on available data.

Respiratory or skin sensitisation

May cause sensitization by skin contact.

Germ cell mutagenicity

Not classified based on available data.

Carcinogenicity

This product does not contain a reportable concentration ($\geq 0.1\%$) of any ingredient listed as carcinogen by ACGIH, IARC, NTP, OSHA or 1272/2008 EC regulation.

Reproductive toxicity

Not classified based on available data.

Specific target organ toxicity (STOT) – single exposure

Not classified based on available data.

Specific target organ toxicity (STOT) – repeated exposure

Not classified based on available data.

Aspiration hazard

Not classified based on available data.

11.2 Information on other hazards

Endocrine disrupting properties

This product does not have substance(s) of endocrine disrupting properties for health according to REACH Article 57(f).

Other information

This product contains materials of human and animal origins and should be considered as potentially capable of transmitting infectious diseases.

SAFETY DATA SHEET

Document ID: 33585-75 Version AM
Revision Date (year/month/day) 2025/06/07
Last Revision Date (year/month/day) 2024/10/30

Section 12 Ecological information

12.1 Toxicity

Fresh water species

1,4-Dioxane
CAS # 123-91-1

LC50 96 h *Lepomis macrochirus*: >10000 mg/L [static] (EPA); LC50 96 h *Lepomis macrochirus*: >10000 mg/L [semi-static] (IUCLID); LC50 96 h *Pimephales promelas*: 9850 mg/L [flow-through] (EPA); LC50 96 h *Pimephales promelas*: 10306 - 14742 mg/L [static] (EPA); LC50 96 h *Pimephales promelas*: 9850 mg/L (IUCLID)

Ethylene Oxide
CAS # 75-21-8

LC50 96 h *Pimephales promelas*: 73 - 96 mg/L (EPA)

Sodium Azide
CAS # 26628-22-8

LC50 96 h *Oncorhynchus mykiss*: 0.8 mg/L; LC50 96 h *Lepomis macrochirus*: 0.7 mg/L; LC50 96 h *Pimephales promelas*: 5.46 mg/L [flow-through]

No information available.

Microtox/organisms

Water flea

1,4-Dioxane
CAS # 123-91-1

EC50 48 h water flea: 163 mg/L [Static]

Ethylene Oxide
CAS # 75-21-8

LC50 48 h *Daphnia magna*: 137 - 300 mg/L (IUCLID)

Fresh water algae

No information available.

12.2 Persistence and degradability Not determined for the product.

12.3 Bioaccumulative potential Not determined for the product.

12.4 Mobility in soil Not determined for the product.

12.5 Results of PBT and vPvB assessment

Not determined for the product. PBT: Not applicable, vPvB: Not applicable.

12.6 Endocrine disrupting properties

This product does not have substance(s) of endocrine disrupting properties for environment according to REACH Article 57(f).

12.7 Other adverse effects

This product is classified as environmentally hazardous. Do not allow undiluted product to enter sewer/surface or ground water. Dispose of contents/container to in accordance with local/national regulations

Section 13 Disposal considerations

13.1 Waste treatment methods

Product waste disposal

Chemical residues and remains should be routinely handled as special waste. This must be disposed of in compliance with anti-pollution and other laws of the country concerned. To ensure compliance we recommend that you contact the relevant (local) authorities and/or an approved waste-disposal company for information.

Sodium azide preservative may form explosive compounds in metal drain lines. See NIOSH Bulletin: Explosive Azide Hazard (8/16/76). To avoid the possible build-up of azide compounds, flush wastepipes with water after the disposal of undiluted reagent. Sodium azide disposal must be in accordance with appropriate local regulations.

Dispose of as potentially biohazardous waste and in compliance with anti-pollution and other laws of the country concerned. To ensure compliance we

SAFETY DATA SHEET

Document ID: 33585-75 Version AM
Revision Date (year/month/day) 2025/06/07
Last Revision Date (year/month/day) 2024/10/30

Package disposal

recommend that you contact the relevant (local) authorities and/or approved waste-disposal company for information.

Additional information

Dispose of waste product, unused product and contaminated packaging in compliance with federal, state and local regulations. If unsure of the applicable requirements, contact the authorities for information.

Suggested European waste catalogue 18 01 03* - wastes whose collection and disposal is subject to special requirements in order to prevent infection. Dispose in accordance with national, state and local waste regulations

Section 14 Transport information

Transportation of this product is not regulated under ICAO, IATA DGR, IMDG, US DOT, European ADR and RID or Canadian TDG.

14.1 UN/ID number: Not regulated for transportation

14.2 UN proper shipping name: Not regulated for transportation

14.3 Transport hazard class(es): Not regulated for transportation

14.4 Packing group: Not regulated for transportation

14.5 Environmental hazards: Not regulated for transportation

14.6 Special precautions for user: None

14.7 Maritime transport in bulk according to IMO instruments: Not applicable

Section 15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

US Federal and State Regulations

SARA 313 (Section 313, Title III reporting requirements)

CAS # 123-91-1	1,4-Dioxane	0.1% de minimis concentration
CAS # 75-21-8	Ethylene Oxide	0.1% de minimis concentration
CAS # 26628-22-8	Sodium Azide	1.0% de minimis concentration

CERCLA (The Comprehensive Environmental Response, Compensation, and Liability Act) 40 CFR 302.4

CAS # 123-91-1	1,4-Dioxane
CAS # 75-21-8	Ethylene Oxide
CAS # 26628-22-8	Sodium Azide

California Proposition 65

 **WARNING** This product can expose you to chemical which is known to the State of California to cause cancer and/or reproductive harm. For more information go to www.P65Warnings.ca.gov

SAFETY DATA SHEETDocument ID: 33585-75 Version AM
Revision Date (year/month/day) 2025/06/07
Last Revision Date (year/month/day) 2024/10/30

Section 15 Regulatory information (Continued)

Chemical which is known to the State of California to cause cancerCAS # 123-91-1 1,4-Dioxane
CAS # 75-21-8 Ethylene Oxide**Chemical which is known to the State of California to cause development toxicity**

CAS # 75-21-8 Ethylene Oxide

Chemical which is known to the State of California to cause male reproductive toxicity

CAS # 75-21-8 Ethylene Oxide

Chemical which is known to the State of California to cause female reproductive toxicity

CAS # 75-21-8 Ethylene Oxide

Massachusetts Right To Know (RTK) ListCAS # 123-91-1 1,4-Dioxane
CAS # 75-21-8 Ethylene Oxide
CAS # 26628-22-8 Sodium Azide**New Jersey Dept. of Health Right To Know (RTK) List**CAS # 123-91-1 1,4-Dioxane
CAS # 75-21-8 Ethylene Oxide
CAS # 26628-22-8 Sodium Azide**Pennsylvania Right To Know (RTK) List**CAS # 123-91-1 1,4-Dioxane
CAS # 75-21-8 Ethylene Oxide
CAS # 26628-22-8 Sodium Azide**EU Regulations**

This SDS complies with EC Regulations 1907/2006 (REACH) and amendments.

**Water Hazard Class
(Germany)**

WGK 1, low water endangering

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors - Substances Subject to Suspicious Transactions Reporting

No ingredients listed.

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors - Restricted Explosives Precursors

No ingredients listed.

REACH 1907/2006 EC - Candidate List of Substances of Very High Concern (SVHC)

Not applicable.

SAFETY DATA SHEET

Document ID: 33585-75 Version AM
Revision Date (year/month/day) 2025/06/07
Last Revision Date (year/month/day) 2024/10/30

Section 15 Regulatory information (Continued)

REACH 1907/2006 EC - Annex XVII – Restrictions on Certain Dangerous Substances

Not applicable.

REACH 1907/2006 EC - Annex XIV - list of substances subject to authorisation

No ingredients listed.

Refer to Section 3

UK Regulations

UK REACH Regulation (as Amended) - List of substances subject to authorisation

Refer to Section 3

Canada

This product is exempt from WHMIS label and SDS requirements.

China

Catalog of Hazardous Chemicals - Hazardous Chemicals

CAS # 123-91-1	1,4-Dioxane
CAS # 75-21-8	Ethylene Oxide
CAS # 26628-22-8	Sodium Azide

Inventory - China - Inventory of Existing Chemical Substances (IECSC)

All ingredients are listed or exempted.

Turkey

Türkiye-REACH - KKDIK Regulation - Annex 17 – Restrictions

Not applicable.

International

UN/FAO/Rotterdam Convention - Chemicals Subject to Prior Informed Consent (PIC)

CAS # 75-21-8	Ethylene Oxide
---------------	----------------

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

Some hazardous ingredients listed in Section 15 are below the cutoff limits of 0.1% for carcinogen, mutagen and reproductive toxin and 1% for other health hazards required for reporting in Section 3.

SAFETY DATA SHEET

Document ID: 33585-75 Version AM
 Revision Date (year/month/day) 2025/06/07
 Last Revision Date (year/month/day) 2024/10/30

Section 16 Other information

Beckman Coulter safety rating	Flammability: 0 Health: 2 Reactivity with water: 0 Physical contact: 2	Code 0=None 1=Slight 2=Caution 3=Severe
--------------------------------------	---	---

Revision changes Update supplier addresses in Section 1.3

Document version and issue/revision date

Revision Date (year/month/day) 2025/06/07
 Last Revision Date (year/month/day) 2024/10/30
 Document ID: 33585-75
 Version: AM

Hazard Classification Procedure

This mixture was classified using the calculation method for human health and environmental hazards. Physical hazards were determined based on the specification.

Description of hazard class and hazard statements from Section 3

Aquatic Acute 1 - Aquatic Hazard Acute, Category 1
 Acute Tox. Dermal 2 - Acute Toxicity Dermal, Category 2
 Acute Tox. Inhal. 2 - Acute Toxicity Inhalation, Category 2
 Acute Tox. Inhal. 3 - Acute Toxicity Inhalation, Category 3
 Acute Tox. Oral 2 - Acute Toxicity Oral, Category 2
 Acute Tox. Oral 3 - Acute Toxicity Oral, Category 3
 Acute Tox. Oral 4 - Acute Toxicity Oral, Category 4
 Carc. 1B - Carcinogenicity Category 1B
 Eye Dam. 1 - Eye Damage Category 1
 Eye Irrit. 2 - Eye Irritation Category 2
 Flam. Gas 1 - Flammable Gases (including chemically unstable gases), Category 1
 Flam. Liq. 2 - Flammable Liquids, Category 2
 Press. Gas [CG] - Gases under pressure, Compressed Gas
 Muta. 1B - Germ Cell Mutagenicity Category 1B
 Aquatic Longterm 1 - Aquatic Hazard Long term, Category 1
 Skin Corr. 1 - Skin Corrosion Category 1
 Skin Corr. 1C - Skin Corrosion Category 1C
 Skin Sens. 1A - Skin Sensitization Category 1A
 STOT RE 1 - Specific Target Organ Toxicity Repeated Exposure Category 1
 STOT SE 3 - Specific Target Organ Toxicity Single Exposure Category 3
 STOT SE 3 - Specific Target Organ Toxicity Single Exposure Category 3
 Repr. 1B - Toxic to Reproductive Category 1B
 EUH019 - May form explosive peroxides.
 EUH032 - Contact with acids liberates very toxic gas.
 EUH066 - Repeated exposure may cause skin dryness or cracking.
 EUH071 - Corrosive to the respiratory tract.
 H220 - Extremely flammable gas.

SAFETY DATA SHEETDocument ID: 33585-75 Version AM
Revision Date (year/month/day) 2025/06/07
Last Revision Date (year/month/day) 2024/10/30

Section 16 Other information (Continued)

H225 - Highly flammable liquid and vapour.
H280 - Contains gas under pressure; may explode if heated.
H300 - Fatal if swallowed.
H301 - Toxic if swallowed.
H302 - Harmful if swallowed.
H310 - Fatal in contact with skin.
H314 - Causes severe skin burns and eye damage.
H317 - May cause an allergic skin reaction.
H318 - Causes serious eye damage.
H319 - Causes serious eye irritation.
H330 - Fatal if inhaled.
H331 - Toxic if inhaled.
H335 - May cause respiratory irritation.
H336 - May cause drowsiness or dizziness.
H340 - May cause genetic defects.
H350 - May cause cancer.
H360 - May damage fertility or the unborn child.
H372 - Causes damage to organs through prolonged or repeated exposure.
H400 - Very toxic to aquatic life.
H410 - Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

ACGIH - American Conference of Governmental Industrial Hygienists (ACGIH)
ADR and RID - European Agreement Concerning the International Carriage of Dangerous Goods by Road and Rail
CLP - Classification, Labeling and Packaging
DFGMAK - Republic Germany's maximum exposure limit
EC50 - Concentration of a substance in an environmental medium expected to produce a certain effect in 50% of test organisms
GHS - Globally Harmonized System of Classification and Labelling of Chemicals (GHS)
HCS - Hazard Communication Standard
IARC - International Agency for Research on Cancer
IATA DGR - International Air Transport Association Dangerous Goods Regulation
ICAO - International Civil Aviation Organization
IDLH - Immediately Dangerous to Life or Health
IMDG - International Maritime Dangerous Goods
IMO - International Maritime Organization
IOELVs - European Unions' Indicative Occupational Exposure Limit Values
LC50 - Concentration of a substance in water causing death (50% of the tested population) to aquatic life
LD50 - Lethal Dose 50%
NIOSH - National Institute for Occupational Safety and Health
NTP - National Toxicology Program

SAFETY DATA SHEETDocument ID: 33585-75 Version AM
Revision Date (year/month/day) 2025/06/07
Last Revision Date (year/month/day) 2024/10/30

Section 16 Other information (Continued)

OSHA - Occupational Safety and Health Administration
PBT - Persistent Bioaccumulative and Toxic substances
PEL - Permissible Exposure Limit
SARA - Superfund Amendments and Reauthorization Act
STEL – Short Term Exposure Limit
STLV - Short Term Limit Value
STV - Short Term Value
TDG - Canadian Transportation of Dangerous Goods Regulations
TLV - Threshold Limit Value
TWA – Time Weighted Average
UN GHS - United Nations Globally Harmonized System
US DOT - United States Department of Transportation
US OSHA - United States Occupational Safety and Health Administration
vPvB - very Persistent and very Bioaccumulative substances
WHMIS - Workplace Hazardous Material Information System

Beckman Coulter, the stylized logo, and the Beckman Coulter product and service marks mentioned herein are trademarks or registered trademarks of Beckman Coulter, Inc. in the United States and other countries.

For further information, please contact your local Beckman Coulter, Inc. representative.

WHILE BECKMAN COULTER, INC. BELIEVES THE INFORMATION CONTAINED HEREIN IS VALID AND ACCURATE, BECKMAN COULTER, INC. MAKES NO WARRANTY OR REPRESENTATION AS TO ITS VALIDITY, ACCURACY, OR CURRENCY. BECKMAN COULTER, INC. SHALL NOT BE LIABLE OR OTHERWISE RESPONSIBLE IN ANY WAY FOR USE OF EITHER THIS INFORMATION OR MATERIALS TO WHICH IT APPLIES. DISPOSAL OF HAZARDOUS MATERIALS MAY BE SUBJECT TO LOCAL LAWS OR REGULATIONS.