

Title: "Vehicle Rental Agency Management System using Spring Boot and MongoDB"

Phase 1 (Vehicle Module)"

Code:

```
{  
  "marque_veh": "Toyota",  
  "puissance_veh": "120HP",  
  "nombre_places": 5,  
  "code_type": "t1",  
  "code_local": "l1"  
}
```

Expected output:

```
{  
  "matricule_veh": "684f123abc456def789",  
  "marque_veh": "Toyota",  
  "puissance_veh": "120HP",  
  "nombre_places": 5,  
  "code_type": "t1",  
  "code_local": "l1"  
}
```

Sample output:

```
[  
  {  
    "matricule_veh": "684e8c123456",  
    "marque_veh": "m1",  
    "puissance_veh": "p1",  
    "nombre_places": 4,  
    "code_type": "t1",
```

```
"code_local": "l1"
},
{
  "matricule_veh": "684e8c789012",
  "marque_veh": "Toyota",
  "puissance_veh": "120HP",
  "nombre_places": 5,
  "code_type": "t1",
  "code_local": "l1"
}
]
```

Output screenshot:

The screenshot shows a REST client interface with a PUT request to `http://localhost:8080/Vehicule`. The request body is a JSON object with the following fields: `"marque_veh": "Toyota"`, `"puissance_veh": "120HP"`, `"nombre_places": 5`, `"code_type": "t1"`, and `"code_local": "l1"`. The response is a 200 OK status with a time of 45 ms and a size of 292 B. The response body is a JSON object with the same fields as the request, but with a unique `"matricule_veh"` value: `"664f1e2b8c1a4d5d8f7b8c12"`.

```
1 {
2   "marque_veh": "Toyota",
3   "puissance_veh": "120HP",
4   "nombre_places": 5,
5   "code_type": "t1",
6   "code_local": "l1"
7 }
```

Body Cookies Headers (5) Test Results Status: 200 OK Time: 45 ms Size: 292 B Save Response

```
1 {
2   "matricule_veh": "664f1e2b8c1a4d5d8f7b8c12",
3   "marque_veh": "Toyota",
4   "puissance_veh": "120HP",
5   "nombre_places": 5,
6   "code_type": "t1",
7   "code_local": "l1"
8 }
```

The screenshot shows a REST client interface with a GET request to `http://localhost:8080/Vehicule`. The response is a 200 OK status with a time of 30 ms and a size of 472 B. The response body is an array of two JSON objects, each representing a vehicle with a unique `"matricule_veh"` value.

```
1 [
2   {
3     "matricule_veh": "664f1e2b8c1a4d5d8f7b8c12",
4     "marque_veh": "Toyota",
5     "puissance_veh": "120HP",
6     "nombre_places": 5,
7     "code_type": "t1",
8     "code_local": "l1"
9   },
10  {
11    "matricule_veh": "664f1e7a8c1a4d5d8f7b8c13",
12    "marque_veh": "Hyundai",
13    "puissance_veh": "110HP",
14    "nombre_places": 4,
15    "code_type": "t2",
```