FARMACIA_API

Clients

GET	/api/Clients

Response Class (Status 200)

OK

Model | Example Value

```
[
  {
    "Id": 0,
    "Nombre": "string",
    "Apellido": "string",
    "Direccion": "string",
    "Telefono": "string",
    "Correo": "string"
  }
]
```

Response Content Type [application/json ▾]

[Try it out!]   Hide Response

Curl

```
curl -X GET --header 'Accept: application/json' 'http://localhost:50426/api/Clients'
```

Request URL

```
http://localhost:50426/api/Clients
```

Response Body

```
[
  {
    "Id": 1,
    "Nombre": "DUGLAS",
    "Apellido": "BETANCO",
    "Direccion": "CANE, LA PAZ",
    "Telefono": "89089565",
    "Correo": "duglas@gmail.com"
  }
]
```

Response Code

```
200
```

Response Headers

```
{
  "cache-control": "no-cache",
  "content-length": "126",
  "content-type": "application/json; charset=utf-8",
  "date": "Mon, 19 Aug 2024 03:18:09 GMT",
  "expires": "-1",
  "pragma": "no-cache",
  "server": "Microsoft-IIS/10.0",
  "x-aspnet-version": "4.0.30319",
  "x-powered-by": "ASP.NET",
  "x-sourcefiles": "=?UTF-8?B?QzpcVXNlcnNcU1RFXHNvdXJjZVxyZXBvvc1xGQVJNQUNJQV9BUElcRkFSTUFDSUFfQVBJXGFwaV
}
```

POST   **/api/Clients**

Response Class (Status 200)
OK

Model │ Example Value

```
{
  "Id": 0,
  "Nombre": "string",
  "Apellido": "string",
  "Direccion": "string",
  "Telefono": "string",
  "Correo": "string"
}
```

Response Content Type application/json ▾

Parameters

Parameter	Value	Description	Parameter Type	Data Type

client	(required)
	
	Parameter content type:
	application/json ▾
			body	Model │ Example Value
				
				{
				  "Id": 0,
				  "Nombre": "string",
				  "Apellido": "string",
				  "Direccion": "string",
				  "Telefono": "string",
				  "Correo": "string"
				}

Parameter	Value	Description	Parameter Type	Data Type

Try it out!

DELETE   /api/Clients/{id}

Response Class (Status 200)

OK

Model | Example Value

```
{
  "Id": 0,
  "Nombre": "string",
  "Apellido": "string",
  "Direccion": "string",
  "Telefono": "string",
  "Correo": "string"
}
```

Response Content Type   application/json ▾

Parameters

| Parameter	Value	Description	Parameter Type	Data Type
id	(required)		path	integer

Try it out!

GET   /api/Clients/{id}

Response Class (Status 200)

OK

Model | Example Value

```
{
  "Id": 0,
  "Nombre": "string",
  "Apellido": "string",
  "Direccion": "string",
  "Telefono": "string",
```

```
    "Correo": "string"
  }
```

Response Content Type [application/json ▾]

Parameters

Parameter	Value	Description	Parameter Type	Data Type	
id	(required)		path	integer	

Try it out!

PUT	/api/Clients/{id}

Parameters

Parameter	Value	Description	Parameter Type	Data Type
id	(required)		path	integer
client	(required)		body	Model Example Value

```
{
  "Id": 0,
  "Nombre": "string",
  "Apellido": "string",
  "Direccion": "string",
  "Telefono": "string",
  "Correo": "string"
}
```

Parameter content type:
[application/json ▾]

Response Messages

HTTP Status Code	Reason	Response Model	Headers
204	No Content		

Try it out!

Empleadoes

GET	/api/Empleadoes

Response Class (Status 200)

OK

Model | Example Value

```
[
  {
    "Id": 0,
    "Nombre": "string",
    "Apellido": "string",
    "Telefono": "string",
    "Cargo": "string",
    "Salario": 0
  }
]
```

Response Content Type application/json ▾

Try it out!   Hide Response

Curl

```
curl -X GET --header 'Accept: application/json' 'http://localhost:50426/api/Empleadoes'
```

Request URL

```
http://localhost:50426/api/Empleadoes
```

Response Body

```
[
  {
    "Id": 1,
    "Nombre": "DUGLAS",
    "Apellido": "BETANCO",
    "Telefono": "89089565",
    "Cargo": "GUARDIA",
    "Salario": 15000
  }
]
```

Response Code

```
200
```

Response Headers

```
{
  "cache-control": "no-cache",
  "content-length": "107",
  "content-type": "application/json; charset=utf-8",
  "date": "Mon, 19 Aug 2024 03:18:51 GMT",
  "expires": "-1",
  "pragma": "no-cache",
  "server": "Microsoft-IIS/10.0",
```

```
    "x-aspnet-version": "4.0.30319",
    "x-powered-by": "ASP.NET",
    "x-sourcefiles": "=?UTF-8?B?QzpcVXNlcnNcU1RFXHNvdXJjZVxyZXBvc1xGQVJNQUNJQV9BUElcRkFSTUFDSUFfQVBJXGFwaV...
  }
```

POST   /api/Empleadoes

Response Class (Status 200)
OK

Model | Example Value

```
{
  "Id": 0,
  "Nombre": "string",
  "Apellido": "string",
  "Telefono": "string",
  "Cargo": "string",
  "Salario": 0
}
```

Response Content Type [application/json ▾]

Parameters

Parameter	Value	Description	Parameter Type	Data Type
empleado	(required) Parameter content type: [application/json ▾]		body	Model | Example Value ```{ "Id": 0, "Nombre": "string", "Apellido": "string", "Telefono": "string", "Cargo": "string", "Salario": 0 }```

[Try it out!]

DELETE   /api/Empleadoes/{id}

Response Class (Status 200)

OK

Model | Example Value

```
{
  "Id": 0,
  "Nombre": "string",
  "Apellido": "string",
  "Telefono": "string",
  "Cargo": "string",
  "Salario": 0
}
```

Response Content Type application/json ⌄

Parameters

Parameter	Value	Description	Parameter Type	Data Type
id	(required)		path	integer

Try it out!

GET	/api/Empleadoes/{id}

Response Class (Status 200)

OK

Model | Example Value

```
{
  "Id": 0,
  "Nombre": "string",
  "Apellido": "string",
  "Telefono": "string",
  "Cargo": "string",
  "Salario": 0
}
```

Response Content Type application/json ⌄

Parameters

Parameter	Value	Description	Parameter Type	Data Type
id	(required)		path	integer

Try it out!

PUT	/api/Empleadoes/{id}

Parameters

Parameter	Value	Description	Parameter Type	Data Type
id	(required)		path	integer
empleado	(required)		body	Model | Example Value

Parameter content type:

application/json ▼

```
{
  "Id": 0,
  "Nombre": "string",
  "Apellido": "string",
  "Telefono": "string",
  "Cargo": "string",
  "Salario": 0
}
```

Response Messages

HTTP Status Code	Reason	Response Model	Headers
204	No Content		

Try it out!

Facturas

GET	/api/Facturas

Response Class (Status 200)

OK

Model | Example Value

```
[
  {
    "Id": 0,
    "ventaId": 0,
    "venta": {
      "Id": 0,
      "FechaVenta": "2024-08-19T03:00:38.979Z",
      "clienteId": 0,
      "cliente": {
```

```
    "Id": 0,
```

Response Content Type [application/json ⌄]

[Try it out!]

POST   /api/Facturas

Response Class (Status 200)

OK

Model | Example Value

```
{
   "Id": 0,
   "ventaId": 0,
   "venta": {
     "Id": 0,
     "FechaVenta": "2024-08-19T03:00:39.012Z",
     "clienteId": 0,
     "cliente": {
       "Id": 0,
       "Nombre": "string",
```

Response Content Type [application/json ⌄]

Parameters

Parameter	Value	Description	Parameter Type	Data Type
factura	(required)		body	Model | Example Value

Parameter content type:
[application/json   ⌄]

```
{
   "Id": 0,
   "ventaId": 0,
   "venta": {
     "Id": 0,
     "FechaVenta": "2024-08-19T03:00:39.053Z"
     "clienteId": 0,
     "cliente": {
       "Id": 0,
       "Nombre": "string",
```

[Try it out!]

DELETE   /api/Facturas/{id}

Response Class (Status 200)

OK

Model | Example Value

```
{
  "Id": 0,
  "ventaId": 0,
  "venta": {
    "Id": 0,
    "FechaVenta": "2024-08-19T03:00:39.089Z",
    "clienteId": 0,
    "cliente": {
      "Id": 0,
      "Nombre": "string",
```

Response Content Type [application/json ▾]

Parameters

Parameter	Value	Description	Parameter Type	Data Type
id	(required)		path	integer

[Try it out!]

GET   /api/Facturas/{id}

Response Class (Status 200)

OK

Model | Example Value

```
{
  "Id": 0,
  "ventaId": 0,
  "venta": {
    "Id": 0,
    "FechaVenta": "2024-08-19T03:00:39.116Z",
    "clienteId": 0,
    "cliente": {
      "Id": 0,
      "Nombre": "string",
```

Response Content Type [application/json ▾]

Parameters

Parameter	Value	Description	Parameter Type	Data Type
id	(required)		path	integer

Try it out!

PUT	/api/Facturas/{id}

Parameters

Parameter	Value	Description	Parameter Type	Data Type
id	(required)		path	integer
factura	(required)		body	Model | Example Value

Parameter content type:

application/json ▾

Model \| Example Value

```
{
  "Id": 0,
  "ventaId": 0,
  "venta": {
    "Id": 0,
    "FechaVenta": "2024-08-19T03:00:39.156Z",
    "clienteId": 0,
    "cliente": {
      "Id": 0,
      "Nombre": "string",
      "Apellido": "string"
```

Response Messages

HTTP Status Code	Reason	Response Model	Headers
204	No Content		

Try it out!

Inventarios

GET	/api/Inventarios

Response Class (Status 200)

OK

Model \| Example Value

```
[
  {
    "Id": 0,
    "medicamento": {
      "Id": 0,
      "Presentacion": "string",
      "Nombre": "string",
      "Categoria": "string",
      "Precio": 0,
```

```
    "Existencia": 0,
```

Response Content Type application/json ⌄

Try it out!

POST   /api/Inventarios

Response Class (Status 200)
OK

Model | Example Value

```
{
    "Id": 0,
    "medicamento": {
        "Id": 0,
        "Presentacion": "string",
        "Nombre": "string",
        "Categoria": "string",
        "Precio": 0,
        "Existencia": 0,
        "proveedorId": 0,
```

Response Content Type application/json ⌄

Parameters

Parameter	Value	Description	Parameter Type	Data Type
inventario	(required) Parameter content type: application/json ⌄		body	Model | Example Value ```{ "Id": 0, "medicamento": { "Id": 0, "Presentacion": "string", "Nombre": "string", "Categoria": "string", "Precio": 0, "Existencia": 0, "proveedorId": 0, "proveedor": {```

Try it out!

DELETE   /api/Inventarios/{id}

Response Class (Status 200)

OK

Model Example Value

```
{
  "Id": 0,
  "medicamento": {
    "Id": 0,
    "Presentacion": "string",
    "Nombre": "string",
    "Categoria": "string",
    "Precio": 0,
    "Existencia": 0,
    "proveedorId": 0,
```

Response Content Type application/json ✔

Parameters

| Parameter	Value	Description	Parameter Type	Data Type
id	(required)		path	integer

Try it out!

GET /api/Inventarios/{id}

## Response Class (Status 200)

OK

Model Example Value

```
{
  "Id": 0,
  "medicamento": {
    "Id": 0,
    "Presentacion": "string",
    "Nombre": "string",
    "Categoria": "string",
    "Precio": 0,
    "Existencia": 0,
    "proveedorId": 0,
```

Response Content Type application/json ✔

Parameters

Parameter	Value	Description	Parameter Type	Data Type
id	(required)		path	integer

Try it out!

| PUT | /api/Inventarios/{id} | | | |

Parameters

Parameter	Value	Description	Parameter Type	Data Type
id	(required)		path	integer
inventario	(required)		body	Model | Example Value

Parameter content type:

application/json ▼

```
{
  "Id": 0,
  "medicamento": {
    "Id": 0,
    "Presentacion": "string",
    "Nombre": "string",
    "Categoria": "string",
    "Precio": 0,
    "Existencia": 0,
    "proveedorId": 0,
    "proveedor": {
```

Response Messages

HTTP Status Code	Reason	Response Model	Headers
204	No Content		

Try it out!

Medicamentoes

| GET | /api/Medicamentoes | | | |

Response Class (Status 200)

OK

Model | Example Value

```
    "Existencia": 0,
    "proveedorId": 0,
```

Response Content Type application/json ✔

| Try it out! | Hide Response

Curl

```
curl -X GET --header 'Accept: application/json' 'http://localhost:50426/api/Medicamentoes'
```

Request URL

```
http://localhost:50426/api/Medicamentoes
```

Response Body

```
      Nombre : "ACETAMINOFEN 500MG",
      "Categoria": "ANALGESICO",
      "Precio": 3.5,
      "Existencia": 200,
      "proveedorId": 2,
      "proveedor": null
    },
    {
      "Id": 2,
      "Presentacion": "FCO",
      "Nombre": "NISTATINA 100.000UI/mL",
      "Categoria": "POLIENICOS",
      "Precio": 95,
      "Existencia": 100,
      "proveedorId": 4,
      "proveedor": null
    },
    {
      "Id": 3,
      "Presentacion": "FCO",
      "Nombre": "AMOXICILINA  + AMBROXOL CLORHIDRATO 250MG/5ML",
```

Response Code

```
200
```

Response Headers

```
{
  "cache-control": "no-cache",
  "content-length": "1982",
  "content-type": "application/json; charset=utf-8",
  "date": "Mon, 19 Aug 2024 03:19:56 GMT",
  "expires": "-1",
  "pragma": "no-cache",
  "server": "Microsoft-IIS/10.0",
  "x-aspnet-version": "4.0.30319",
  "x-powered-by": "ASP.NET",
```

"x-sourcefiles": "=?UTF-8?B?QzpcVXNlcnNcU1RFXHNvdXJjZVxyZXBvc1xGQVJNQUNJQV9CUElcRkFSTUFDSUFfQVBJXGFwaV
}

POST /api/Medicamentoes

Response Class (Status 200)

OK

Model | Example Value

```
{
  "Id": 0,
  "Presentacion": "string",
  "Nombre": "string",
  "Categoria": "string",
  "Precio": 0,
  "Existencia": 0,
  "proveedorId": 0,
  "proveedor": {
    "Id": 0,
```

Response Content Type application/json

Parameters

Parameter	Value	Description	Parameter Type	Data Type
medicamento	(required) Parameter content type: application/json		body	Model | Example Value `{ "Id": 0, "Presentacion": "string", "Nombre": "string", "Categoria": "string", "Precio": 0, "Existencia": 0, "proveedorId": 0, "proveedor": { "Id": 0, "Nombre": "string",`

Try it out!

DELETE /api/Medicamentoes/{id}

Response Class (Status 200)

OK

Model | Example Value

```
{
  "Id": 0,
  "Presentacion": "string",
  "Nombre": "string",
  "Categoria": "string",
  "Precio": 0,
  "Existencia": 0,
  "proveedorId": 0,
  "proveedor": {
    "Id": 0,
```

Response Content Type application/json ⌄

Parameters

Parameter	Value	Description	Parameter Type	Data Type
id	(required)		path	integer

Try it out!

GET **/api/Medicamentoes/{id}**

Response Class (Status 200)

OK

Model | Example Value

```
{
  "Id": 0,
  "Presentacion": "string",
  "Nombre": "string",
  "Categoria": "string",
  "Precio": 0,
  "Existencia": 0,
  "proveedorId": 0,
  "proveedor": {
    "Id": 0,
```

Response Content Type application/json ⌄

Parameters

Parameter	Value	Description	Parameter Type	Data Type
id	(required)		path	integer

Try it out!

PUT　　　/api/Medicamentoes/{id}

Parameters

Parameter	Value	Description	Parameter Type	Data Type
id	(required)		path	integer
medicamento	(required)		body	

Parameter content type:

application/json ▾

Model | Example Value

```
{
  "Id": 0,
  "Presentacion": "string",
  "Nombre": "string",
  "Categoria": "string",
  "Precio": 0,
  "Existencia": 0,
  "proveedorId": 0,
  "proveedor": {
    "Id": 0,
    "Nombre": "string",
```

Response Messages

HTTP Status Code	Reason	Response Model	Headers
204	No Content		

Try it out!

Proveedors

GET　　　/api/Proveedors

Response Class (Status 200)

OK

Model | Example Value

```
[
  {
    "Id": 0,
    "Nombre": "string",
    "Direccion": "string",
    "Telefono": "string"
  }
]
```

Response Content Type application/json ▾

Try it out!

POST   /api/Proveedors

Response Class (Status 200)

OK

Model | Example Value

```
{
  "Id": 0,
  "Nombre": "string",
  "Direccion": "string",
  "Telefono": "string"
}
```

Response Content Type application/json ∨

Parameters

Parameter	Value	Description	Parameter Type	Data Type

proveedor	(required)
	
	Parameter content type:
	application/json ∨
			body	Model | Example Value
				
				{
				  "Id": 0,
				  "Nombre": "string",
				  "Direccion": "string",
				  "Telefono": "string"
				}

Try it out!

DELETE   /api/Proveedors/{id}

Response Class (Status 200)

OK

Model | Example Value

```
{
  "Id": 0,
  "Nombre": "string",
  "Direccion": "string",
  "Telefono": "string"
}
```

Response Content Type [application/json ∨]

Parameters

Parameter	Value	Description	Parameter Type	Data Type
id	(required)		path	integer

Try it out!

GET **/api/Proveedors/{id}**

Response Class (Status 200)
OK

Model | Example Value

```
{
  "Id": 0,
  "Nombre": "string",
  "Direccion": "string",
  "Telefono": "string"
}
```

Response Content Type [application/json ∨]

Parameters

Parameter	Value	Description	Parameter Type	Data Type
id	(required)		path	integer

Try it out!

PUT   **/api/Proveedors/{id}**

Parameters

Parameter	Value	Description	Parameter Type	Data Type
id	(required)		path	integer
proveedor	(required)		body	Model | Example Value

Parameter content type:

application/json ▾

Example Value model:
```
{
  "Id": 0,
  "Nombre": "string",
  "Direccion": "string",
  "Telefono": "string"
}
```

Response Messages

HTTP Status Code	Reason	Response Model	Headers
204	No Content		

Try it out!

Values

GET   **/api/Values**

Response Class (Status 200)
OK

Model   Example Value

```
[
  "string"
]
```

Response Content Type application/json ▾

Try it out!

POST   /api/Values

Parameters

Parameter	Value	Description	Parameter Type	Data Type
value	(required)		body	string

Parameter content type:

application/json ▾

Response Messages

HTTP Status Code	Reason	Response Model	Headers
204	No Content		

Try it out!

DELETE   /api/Values/{id}

Parameters

Parameter	Value	Description	Parameter Type	Data Type
id	(required)		path	integer

Response Messages

HTTP Status Code	Reason	Response Model	Headers
204	No Content		

Try it out!

GET   /api/Values/{id}

Response Class (Status 200)

string

Response Content Type application/json ▾

Parameters

Parameter	Value	Description	Parameter Type	Data Type
id	(required)		path	integer

Try it out!

PUT   /api/Values/{id}

Parameters

Parameter	Value	Description	Parameter Type	Data Type
id	(required)		path	integer
value	(required)		body	string

Parameter content type:

application/json ⌄

Response Messages

HTTP Status Code	Reason	Response Model	Headers
204	No Content		

Try it out!

Ventas

GET   /api/Ventas

Response Class (Status 200)

OK

Model | Example Value

```
[
  {
    "Id": 0,
    "FechaVenta": "2024-08-19T03:00:39.815Z",
    "clienteId": 0,
    "cliente": {
      "Id": 0,
      "Nombre": "string",
```

```
      "Apellido": "string",
      "Direccion": "string",
```

Response Content Type application/json ⌄

Try it out!

POST   /api/Ventas

Response Class (Status 200)

OK

Model | Example Value

```
{
  "Id": 0,
  "FechaVenta": "2024-08-19T03:00:39.865Z",
  "clienteId": 0,
  "cliente": {
    "Id": 0,
    "Nombre": "string",
    "Apellido": "string",
    "Direccion": "string",
    "Telefono": "string",
```

Response Content Type application/json ⌄

Parameters

| Parameter	Value	Description	Parameter Type	Data Type

venta	(required)
	
	 Parameter content type:
	 application/json ⌄
			body	Model | Example Value
				
				`{`
				`  "Id": 0,`
				`  "FechaVenta": "2024-08-19T03:00:39.881Z"`
				`  "clienteId": 0,`
				`  "cliente": {`
				`    "Id": 0,`
				`    "Nombre": "string",`
				`    "Apellido": "string",`
				`    "Direccion": "string",`
				`    "Telefono": "string",`

Try it out!

DELETE   /api/Ventas/{id}

Response Class (Status 200)

OK

Model | Example Value

```
{
  "Id": 0,
  "FechaVenta": "2024-08-19T03:00:39.900Z",
  "clienteId": 0,
  "cliente": {
    "Id": 0,
    "Nombre": "string",
    "Apellido": "string",
    "Direccion": "string",
    "Telefono": "string",
```

Response Content Type application/json ▾

Parameters

Parameter	Value	Description	Parameter Type	Data Type
id	(required)		path	integer

Try it out!

GET	/api/Ventas/{id}

Response Class (Status 200)

OK

Model | Example Value

```
{
  "Id": 0,
  "FechaVenta": "2024-08-19T03:00:39.922Z",
  "clienteId": 0,
  "cliente": {
    "Id": 0,
    "Nombre": "string",
    "Apellido": "string",
    "Direccion": "string",
    "Telefono": "string",
```

Response Content Type application/json ▾

Parameters

Parameter	Value	Description	Parameter Type	Data Type
id	(required)		path	integer

Try it out!

PUT   /api/Ventas/{id}

Parameters

Parameter	Value	Description	Parameter Type	Data Type
id	(required)		path	integer
venta	(required)		body	Model | Example Value

```
{
  "Id": 0,
  "FechaVenta": "2024-08-19T03:00:39.955Z",
  "clienteId": 0,
  "cliente": {
    "Id": 0,
    "Nombre": "string",
    "Apellido": "string",
    "Direccion": "string",
    "Telefono": "string",
    "Correo": "string"
```

Parameter content type:

application/json

Response Messages

HTTP Status Code	Reason	Response Model	Headers
204	No Content		

Try it out!

[BASE URL: , API VERSION: V1]