The hypdoc package

Heiko Oberdiek*

2018/09/07 v1.14

Abstract

This package adds hyper features to the package doc that is used in the documentation system of LaTeX 2ε. Bookmarks are added and references are linked as far as possible.

Contents

1 Features **2**

2 Usage **3**
2.1 Options . . . 3
2.2 Simple example . . . 3
2.3 Example source2e.tex . . . 4

3 Implementation **4**
3.1 Options . . . 4
3.2 Package loading . . . 4
3.2.1 Patch for bug latex/4096 . . . 5
3.3 Bookmarks . . . 5
3.4 \tableofcontents . . . 6
3.5 \listoffigures . . . 7
3.6 \listoftables . . . 7
3.7 \thebibliography . . . 7
3.8 \theindex . . . 8
3.9 \theglossary . . . 9
3.10 Index . . . 9
3.11 \PrintDescribeMacro . . . 12
3.12 \PrintMacroName . . . 12
3.13 \theCodelineNo . . . 12
3.14 \SpecialUsageIndex . . . 13
3.15 \autoindex . . . 13
3.16 \SpecialEnvIndex . . . 14
3.17 \SortIndex . . . 14
3.18 \@wrglossary . . . 14
3.19 \MacroIndent . . . 14

*Please report any issues at https://github.com/ho-tex/oberdiek/issues

4 Installation **15**
4.1 Download . . . 15
4.2 Bundle installation . . . 15
4.3 Package installation . . . 15
4.4 Refresh file name databases . . . 16
4.5 Some details for the interested . . . 16

5 History **16**
[2002/05/10 v1.0] . . . 16
[2006/02/20 v1.1] . . . 17
[2006/04/27 v1.2] . . . 17
[2006/06/01 v1.3] . . . 17
[2006/06/02 v1.4] . . . 17
[2007/04/11 v1.5] . . . 17
[2007/11/12 v1.6] . . . 17
[2009/12/10 v1.7] . . . 17
[2010/02/03 v1.8] . . . 17
[2010/03/26 v1.9] . . . 17
[2011/05/05 v1.10] . . . 17
[2011/08/19 v1.11] . . . 17
[2016/05/16 v1.12] . . . 18
[2016/10/02 v1.13] . . . 18
[2018/09/07 v1.14] . . . 18

6 Index **18**

1 Features

The package adds the following features:

Bookmarks: For supporting bookmarks package `hyperref` is loaded. Some TEX code inside section titles can cause problems during bookmark processing; these can be warnings, ugly bookmark titles or even errors. With the help of `\pdfstringdefDisableCommands` or `\texorpdfstring` you can manage these things, see `hyperref`'s package documentation.

Additional bookmarks: Unnumbered bookmark entries are generated for:

- Table of contents
- List of figures
- List of tables
- Index
- Glossary

Option `numbered` controls, whether these section or chapters should be numbered. The exception is the table of contents if this it would be the first numbered section. Then just a bookmark is added.

Metadata: The loaded package `hyperref`, enforced by option `pdfusetitle`, tries to detect `\title` and `\author` and sets the corresponding PDF information fields. In case of problems see the previous item about bookmarks. These enries can be overwritten or new ones added by `\hypersetup` after the packages is loaded, see documentation of package `hyperref`.

References, links: Because of package `\hyperref` `\ref` become links, also `\url`, footnote referencing are supported.

Index: The main part of this package deals with index links in order to support the kind of index that package `doc` provides.

Thumbnails: Package `thumbpdf` may additionally be loaded for the case that the PDF file also should contain thumbnails, see the documentation of this package. But thumbnail embedding is not really necessary, because nowadays AcrobatReader is able to generate and view thumbnails on the fly.

2 Usage

The purpose of this packages is to add PDF features to the documentation of LaTeX packages. Thus just load the package in the driver file that generates the documentation:

```
\usepackage{hypdoc}
```

Package `doc` is loaded by `hypdoc`, thus you also can replace a `\usepackage{doc}` with this line. At any case, the package must be loaded before macros of package `doc` such as `\CodelineIndex` or `\PageIndex` are used.

If the class `ltxdoc` is used, you can also use the configuration file for this class to add package `hypdoc`. Add the following line to the file `ltxdoc.cfg` (or create a new one):

```
\AtEndOfClass{\RequirePackage{hypdoc}}
```

2.1 Options

There is one option `numbered`. It controls, whether the starred versions of section or chapter inside `\tableofcontents`, `\listoffigures`, ... should be replaced by the non-star versions.

2.2 Simple example

Example of a simple driver file `foobar.drv` of a package `foobar`. Often the driver file is packed in the file `foobar.dtx` and can be extracted by docstrip or if an instruction file for docstrip is provided by:

```
tex foobar.ins
```

Note that although docstrip doesn't rely on LaTeX, sometimes you need to run the `.ins` file through LaTeX. Oddly enough, often the only LaTeX feature in use is `\NeedsTeXFormat{LaTeX2e}` in the first line.

```
\documentclass{ltxdoc}
\usepackage{hypdoc}
\RecordChanges
\EnableCrossrefs
\CodelineIndex
\begin{document}
\title{Title for package \texttt{foobar}}
\author{Author of package \texttt{foobar}}
\date{...}
\maketitle
\tableofcontents
```

```
\DocInput{foobar.dtx}
\PrintChanges
\PrintIndex
\end{document}
```

Then compile it, for example with pdfLaTeX.

```
pdflatex foobar.drv
makeindex -s gind.ist foobar.idx
makeindex -s gglo.ist -o foobar.gls foobar.glo
pdflatex foobar.drv
```

You will need several cycles until the cross references and similar things are correct.

2.3 Example source2e.tex

The source code of the base of LaTeX is available as a bunch of `.dtx` files. LaTeX provides the file `source2e.tex` to merge them all together.

Now you can either load package `hypdoc` in a private copy of this file (please, respect the LPPL) or use the configuration file `ltxdoc.cfg`. Example that also sets A4 paper size:

```
\PassOptionsToClass{a4paper}{article}
\AtEndOfClass{\RequirePackage{hypdoc}}
```

Then `source2e.tex` can be compiled by pdfTeX, for example:

```
pdflatex source2e
makeindex -s gind.ist source2e.idx
makeindex -s gglo.ist -o source2e.glo source2e.gls
pdflatex source2e
makeindex -s gind.ist source2e.idx
makeindex -s gglo.ist -o source2e.glo source2e.gls
pdflatex source2e
```

3 Implementation

```
1 ⟨*package⟩
2 \NeedsTeXFormat{LaTeX2e}
3 \ProvidesPackage{hypdoc}%
4   [2018/09/07 v1.14 Hyper extensions for doc.sty (HO)]%
```

The package identification is done at the top of the `.dtx` file in order to use only one identification string.

For unique command names this package uses `HD@` as prefix

3.1 Options

`\ifHD@numbered`

```
5 \newif\ifHD@numbered

6 \DeclareOption{numbered}{\HD@numberedtrue}
7 \ProcessOptions*\relax
```

3.2 Package loading

```
8 \RequirePackage{atveryend}[2010/03/24]
9 \RequirePackage{doc}

10 \ifx\numexpr\@undefined
```

```
  \RequirePackage{calc}%
\fi
\RequirePackage[%
  hyperindex=false,%
  pdfusetitle,%
  colorlinks,%
  pdfpagelabels%
]{hyperref}[2002/05/09]%
\hypersetup{%
  plainpages=false,%
  bookmarksopen,%
  bookmarksnumbered,%
  bookmarksopenlevel=0,%
  pdfstartview={FitBH \hypercalcbp{%
    \paperheight-\topmargin-1in-\headheight-\headsep
  }},%
}
\newcounter{HD@unique}
```

\theHD@unique

```
\renewcommand{\theHD@unique}{%
  \number\value{HD@unique}%
}
\g@addto@macro\Hy@UseMaketitleInfos{%
  \@ifundefined{fileinfo}{}{%
    \ifx\@pdfsubject\@empty
      \hypersetup{pdfsubject={\fileinfo}}%
    \fi
  }%
}
\pdfstringdefDisableCommands{%
  \let\thanks\@gobble
  \let\footnote\@gobble
  \def\cs#1{\textbackslash #1}%
  \let\normalfont\@empty
  \let\scshape\@empty
  \def\and{and }%
}
```

3.2.1 Patch for bug latex/4096

```
\begingroup\expandafter\expandafter\expandafter\endgroup
\expandafter\ifx\csname mod@math@codes\endcsname\relax
\else
  \def\HD@ModFix#1{%
    \mathcode`#1=`#1\relax
  }%
  \g@addto@macro\mod@math@codes{%
    \HD@ModFix\-%
    \HD@ModFix\+%
    \HD@ModFix\:%
    \HD@ModFix\=%
    \HD@ModFix\*%
  }%
\fi
```

3.3 Bookmarks

\HD@sectionpatch

```
\def\HD@sectionpatch{%
  \ifHD@numbered
    \HD@@sectionpatch{section}%
    \HD@@sectionpatch{chapter}%
  \else
    \let\Hy@writebookmark\HD@disable@writebookmark
  \fi
}
```

\HD@@sectionpatch

```
\def\HD@@sectionpatch#1{%
  \expandafter\let\csname HDorg@@#1\expandafter\endcsname
    \csname #1\endcsname
  \@namedef{#1}{%
    \@ifstar{\@nameuse{HDorg@@#1}}{\@nameuse{HDorg@@#1}}%
  }%
}
```

\HD@disable@writebookmark

```
\def\HD@disable@writebookmark#1#2#3#4#5{}
```

\HD@guesstoclevel A wild guessing of the toclevel. There is the hope, that the macro `#1` starts with a sectioning command.

```
\def\HD@guesstoclevel#1{%
  \expandafter\HD@@guesstoclevel#1\section\HD@end
}
```

\HD@@guesstoclevel

```
\def\HD@@guesstoclevel#1#2\HD@end{%
  \@ifundefined{toclevel@\expandafter\@gobble\string#1\@empty}{%
    1%
  }{%
    \@nameuse{toclevel@\expandafter\@gobble\string#1\@empty}%
  }%
}
```

3.4 \tableofcontents

\HDorg@tableofcontents

```
\let\HDorg@tableofcontents\tableofcontents
```

\tableofcontents As first section the table of contents shouldn't go into the toc itself. Also a number looks too funny then. Just a bookmark is enough in this case.

```
\def\tableofcontents{%
  \begingroup
    \@ifundefined{c@section}{%
      \def\c@section{0}%
    }{}%
  \expandafter\endgroup
  \ifcase\c@section
    \stepcounter{HD@unique}%
    \pdfbookmark[\HD@guesstoclevel{\HDorg@tableofcontents}]%
        {\contentsname}{toc\theHD@unique}%
    \HDorg@tableofcontents
```

```
  \else
    \ifHD@numbered
    \else
      \stepcounter{HD@unique}%
      \pdfbookmark[\HD@guesstoclevel{\HDorg@tableofcontents}]%
          {\contentsname}{toc\theHD@unique}%
    \fi
    \begingroup
      \HD@sectionpatch
      \HDorg@tableofcontents
    \endgroup
  \fi
}
```

3.5 \listoffigures

\HDorg@listoffigures

```
\let\HDorg@listoffigures\listoffigures
```

\listoffigures

```
\def\listoffigures{%
  \ifHD@numbered
  \else
    \stepcounter{HD@unique}%
    \pdfbookmark[\HD@guesstoclevel{\HDorg@listoffigures}]%
        {\listfigurename}{toc\theHD@unique}%
  \fi
  \begingroup
    \HD@sectionpatch
    \HDorg@listoffigures
  \endgroup
}
```

3.6 \listoftables

\HDorg@listoftables

```
\let\HDorg@listoftables\listoftables
```

\listoftables

```
\def\listoftables{%
  \ifHD@numbered
  \else
    \stepcounter{HD@unique}%
    \pdfbookmark[\HD@guesstoclevel{\HDorg@listoftables}]%
        {\listtablename}{toc\theHD@unique}%
  \fi
  \begingroup
    \HD@sectionpatch
    \HDorg@listoftables
  \endgroup
}
```

3.7 \thebibliography

\HDorg@thebibliography

```
\let\HDorg@thebibliography\thebibliography
```

\thebibliography

```
\def\thebibliography{%
  \ifHD@numbered
  \else
    \stepcounter{HD@unique}%
    \pdfbookmark[\HD@guesstoclevel{\HDorg@thebibliography}]%
      {\@ifundefined{chapter}{\refname}{\bibname}}{bib\theHD@unique}%
  \fi
  \HD@sectionpatch
  \HDorg@thebibliography
}
```

3.8 \theindex

\HDorg@theindex

```
\let\HDorg@theindex\theindex
```

\theindex

```
\def\theindex{%
  \let\HDorg@index@prologue\index@prologue
  \let\HDorg@writebookmark\Hy@writebookmark
  \HD@sectionpatch
  \g@addto@macro\IndexParms{%
    \ifHD@numbered
    \else
      \let\Hy@writebookmark\HDorg@writebookmark
    \fi
    \let\bfseries\HD@bfseries
  }%
  \edef\HD@toclevel@index{\HD@guesstoclevel{\index@prologue}}%
  \begingroup
    \count@=\HD@toclevel@index\relax
    \advance\count@ by 1 %
    \xdef\HD@toclevel@subindex{\the\count@}%
  \endgroup
  \def\index@prologue{%
    \ifHD@numbered
    \else
      \begingroup
        \stepcounter{HD@unique}%
        \let\Hy@writebookmark\HDorg@writebookmark
        \pdfbookmark[\HD@toclevel@index]%
            {\indexname}{index\theHD@unique}%
      \endgroup
    \fi
    \HDorg@index@prologue
  }%
  \HDorg@theindex
}
```

\HDorg@bfseries

```
\let\HDorg@bfseries\bfseries
```

\HD@bfseries

```
\def\HD@bfseries{\futurelet\HD@hfil\HD@@bfseries}%
```

\HD@@bfseries

```
\def\HD@@bfseries{%
  \HDorg@bfseries
  \ifx\HD@hfil\hfil
    \expandafter\HD@@@bfseries
  \fi
}
```

\HD@@@bfseries

```
\def\HD@@@bfseries\hfil#1\hfil{%
  \ifx\\#1\\%
  \else
    \raisebox{\baselineskip}[0pt]{%
      \kern-\HD@margin\relax
      \pdfbookmark[\HD@toclevel@subindex]{#1}{HD.#1}%
      \kern\HD@margin\relax
    }%
  \fi
  \hfil#1\hfil
}%
```

\HD@margin

```
\def\HD@margin{1mm}
```

3.9 \theglossary

\HDorg@theglossary

```
\let\HDorg@theglossary\theglossary
```

\theglossary

```
\def\theglossary{%
  \let\HDorg@glossary@prologue\glossary@prologue
  \let\HDorg@writebookmark\Hy@writebookmark
  \HD@sectionpatch
  \def\glossary@prologue{%
    \ifHD@numbered
    \else
      \begingroup
        \let\Hy@writebookmark\HDorg@writebookmark
        \stepcounter{HD@unique}%
        \pdfbookmark[\HD@guesstoclevel{\HDorg@glossary@prologue}]%
            {\changehistoryname}{glossary\theHD@unique}%
      \endgroup
    \fi
    \HDorg@glossary@prologue
  }%
  \HDorg@theglossary
}
```

\glossaryname

```
\providecommand*{\glossaryname}{Change History}
```

\glossaryname

```
\providecommand*{\changehistoryname}{\glossaryname}
```

3.10 Index

```
222 \newcounter{HD@hypercount}

\HD@helplength
223 \newlength{\HD@helplength}

\ifHD@savedest
224 \newif\ifHD@savedest
225 \HD@savedesttrue

226 \AtBeginDocument{%
227   \HD@savedest@init
228 }

229 \RequirePackage{rerunfilecheck}[2009/12/10]

\HD@savedest@init
230 \begingroup
231   \catcode`\^^M=\active
232 \@firstofone{\endgroup
233   \def\HD@savedest@init{%
234     \ifHD@savedest
235       \let\HDorg@tilde~%
236       \let~\HD@savedest@entry
237       \edef\HDorg@catcodeM{\the\catcode`\^^M}%
238       \catcode`\^^M=\active
239       \def^^M{}%
240       \InputIfFileExists{\jobname.hd}{}{}%
241       \let~\HDorg@tilde
242       \catcode`\^^M=\HDorg@catcodeM\relax
243       \newwrite\HD@savedest@out
244       \RerunFileCheck{\jobname.hd}{%
245         \immediate\closeout\HD@savedest@out
246       }{}%
247       \immediate\openout\HD@savedest@out=\jobname.hd\relax
248     \else
249       \let\HD@savedest@add\@gobble
250     \fi
251   }%

\HD@savedest@entry
252   \def\HD@savedest@entry#1^^M{%
253     \@namedef{HD.#1}{}%
254   }%
255 }

\HD@savedest@add
256 \def\HD@savedest@add#1{%
257   \immediate\write\HD@savedest@out{\string~#1}%
258 }

\ifHD@targetraise
259 \newif\ifHD@targetraise
260 \HD@targetraisetrue

\HD@target
261 \def\HD@target{%
262   \ifHD@targetraise
```

```
    \ifhmode
      \settoheight{\HD@helplength}{[H]}%
      \addtolength{\HD@helplength}{0.4ex}%
      \raisebox{\HD@helplength}[0pt][0pt]{%
        \HD@maketarget
      }%
    \else
      \HD@maketarget
    \fi
  \else
    \HD@maketarget
  \fi
}
```

`\HD@maketarget`

```
\def\HD@maketarget{%
  \stepcounter{HD@hypercount}%
  \def\HD@next{%
    \llap{\hypertarget{HD.\the\c@HD@hypercount}{}\,}%
  }%
  \ifHD@savedest
    \expandafter\ifx\csname HD.\the\c@HD@hypercount\endcsname\@empty
    \else
      \let\HD@next\relax
    \fi
  \fi
  \HD@next
}
```

`\CodelineIndex`

```
\g@addto@macro\CodelineIndex{%
  \let\special@index\HD@codeline@wrindex
}
```

`\PageIndex`

```
\g@addto@macro\PageIndex{%
  \let\special@index\HD@page@wrindex
}
```

`\HD@codeline@wrindex`

```
\def\HD@codeline@wrindex#1{%
  \begingroup
    \let\HDorg@encapchar\encapchar
    \def\encapchar##1\encapchar##2\@nil{%
      \HDorg@encapchar
      hdclindex{\the\c@HD@hypercount}{##1}%
    }%
    \codeline@wrindex{%
      #1\encapchar\encapchar\@nil
    }%
  \endgroup
}
```

`\HD@page@wrindex`

```
\def\HD@page@wrindex#1{%
  \begingroup
    \let\HDorg@encapchar\encapchar
    \def\encapchar##1\encapchar##2\@nil{%
```

```
      \HDorg@encapchar
      hdpindex{##1}%
    }%
    \HDorg@index{#1\encapchar\encapchar\@nil}%
  \endgroup
}
```

\hdclindex

```
\def\hdclindex#1#2#3{%
  \csname\ifx\\#2\\relax\else#2\fi\endcsname{%
    \hyperlink{HD.#1}{#3}%
    \HD@savedest@add{#1}%
  }%
}
```

\hdpindex

```
\def\hdpindex#1#2{%
  \csname\ifx\\#1\\relax\else#1\fi\endcsname{%
    \hyperpage{#2}%
  }%
}
```

3.11 \PrintDescribeMacro

\HDorg@PrintDescribeMacro

```
\let\HDorg@PrintDescribeMacro\PrintDescribeMacro
```

\PrintDescribeMacro

```
\renewcommand\PrintDescribeMacro[1]{%
  \begingroup
    \let\HDorg@MacroFont\MacroFont
    \def\MacroFont{%
      \HD@target
      \HDorg@MacroFont
    }%
    \HDorg@PrintDescribeMacro{#1}%
  \endgroup
}
```

3.12 \PrintMacroName

\HDorg@PrintMacroName

```
\let\HDorg@PrintMacroName\PrintMacroName
```

\PrintMacroName

```
\renewcommand\PrintMacroName[1]{%
  \begingroup
    \let\HDorg@MacroFont\MacroFont
    \def\MacroFont{%
      \HD@target
      \HDorg@MacroFont
    }%
    \HDorg@PrintMacroName{#1}%
  \endgroup
}
```

3.13 \theCodelineNo

\HDorg@theCodelineNo

```
\let\HDorg@theCodelineNo\theCodelineNo
```

\theCodelineNo

```
\renewcommand*\theCodelineNo{%
  \settowidth{\HD@helplength}{\HDorg@theCodelineNo\ }%
  \ifdim\HD@helplength<\MacroIndent
    \addtolength{\HD@helplength}{-\MacroIndent}%
    \llap{%
      \begingroup\HD@target\endgroup
      \hspace*{-\HD@helplength}%
    }%
  \else
    \HD@target
  \fi
  \HDorg@theCodelineNo
}
```

\HDorg@index

```
\AtBeginDocument{%
  \let\HDorg@index\index
}
```

3.14 \SpecialUsageIndex

\HDorg@SpecialUsageIndex

```
\let\HDorg@SpecialUsageIndex\SpecialUsageIndex
\renewcommand*\SpecialUsageIndex[1]{%
  \@bsphack
  \begingroup
    \HD@target
    \let\index\HDorg@index
    \let\HDorg@encapchar\encapchar
    \edef\encapchar usage{%
       \HDorg@encapchar hdclindex{\the\c@HD@hypercount}{usage}%
    }%
    \HDorg@SpecialUsageIndex{#1}%
  \endgroup
  \@esphack
}
```

3.15 \autoindex

```
\begingroup\expandafter\expandafter\expandafter\endgroup
\expandafter\ifx\csname autoindex\endcsname\relax
\else
```

\HDorg@autoindex

```
  \let\HDorg@autoindex\autoindex
```

\autoindex

```
  \renewcommand*\autoindex[1]{%
    \@bsphack
    \begingroup
      \HD@target
      \let\index\HDorg@index
```

```
      \let\HDorg@encapchar\encapchar
      \edef\encapchar usage{%
         \HDorg@encapchar hdclindex{\the\c@HD@hypercount}{usage}%
      }%
      \HDorg@autoindex{#1}%
    \endgroup
    \@esphack
  }%
\fi
```

3.16 \SpecialEnvIndex

\HDorg@SpecialEnvIndex

```
\let\HDorg@SpecialEnvIndex\SpecialEnvIndex
```

\SpecialEnvIndex

```
\renewcommand*\SpecialEnvIndex[1]{%
  \@bsphack
  \begingroup
    \HD@target
    \let\HDorg@encapchar\encapchar
    \edef\encapchar usage{%
      \HDorg@encapchar hdclindex{\the\c@HD@hypercount}{usage}%
    }%
    \HDorg@SpecialEnvIndex{#1}%
  \endgroup
  \@esphack
}
```

3.17 \SortIndex

\HDorg@SortIndex

```
\let\HDorg@SortIndex\SortIndex
```

\SortIndex

```
\renewcommand*{\SortIndex}[2]{%
  \@bsphack
  \begingroup
    \let\index\HD@page@wrindex
    \HDorg@SortIndex{#1}{#2}%
  \endgroup
  \@esphack
}
```

3.18 \@wrglossary

\HDorg@wrglossary

```
\let\HDorg@wrglossary\@wrglossary
```

\@wrglossary

```
\def\@wrglossary#1{%
  \let\HDorg@encapchar\encapchar
  \def\encapchar##1\encapchar##2\@nil{%
    \HDorg@encapchar
    hdpindex{##1}%
  }%
  \HDorg@wrglossary{#1\encapchar\encapchar\@nil}%
}
```

3.19 \MacroIndent

\MacroIndent automatically calculated.

```
\AfterLastShipout{%
  \if@filesw
    \immediate\write\@auxout{%
      \string\providecommand\string\HD@SetMacroIndent[1]{}%
    }%
    \immediate\write\@auxout{%
      \string\HD@SetMacroIndent{\number\value{CodelineNo}}%
    }%
  \fi
}
```

\HD@SetMacroIndent

```
\def\HD@SetMacroIndent#1{%
  \begingroup
    \value{CodelineNo}=#1\relax
    \settowidth{\MacroIndent}{\HDorg@theCodelineNo\ }%
    \global\MacroIndent\MacroIndent
  \endgroup
}
```

⟨/package⟩

4 Installation

4.1 Download

Package. This package is available on CTAN[1]:

CTAN:macros/latex/contrib/oberdiek/hypdoc.dtx The source file.

CTAN:macros/latex/contrib/oberdiek/hypdoc.pdf Documentation.

Bundle. All the packages of the bundle 'oberdiek' are also available in a TDS compliant ZIP archive. There the packages are already unpacked and the documentation files are generated. The files and directories obey the TDS standard.

CTAN:install/macros/latex/contrib/oberdiek.tds.zip

TDS refers to the standard "A Directory Structure for TEX Files" (CTAN:pkg/tds). Directories with `texmf` in their name are usually organized this way.

4.2 Bundle installation

Unpacking. Unpack the `oberdiek.tds.zip` in the TDS tree (also known as `texmf` tree) of your choice. Example (linux):

```
unzip oberdiek.tds.zip -d ~/texmf
```

4.3 Package installation

Unpacking. The `.dtx` file is a self-extracting docstrip archive. The files are extracted by running the `.dtx` through plain TEX:

```
tex hypdoc.dtx
```

[1] CTAN:pkg/hypdoc

TDS. Now the different files must be moved into the different directories in your installation TDS tree (also known as `texmf` tree):

```
hypdoc.sty → tex/latex/oberdiek/hypdoc.sty
hypdoc.pdf → doc/latex/oberdiek/hypdoc.pdf
hypdoc.dtx → source/latex/oberdiek/hypdoc.dtx
```

If you have a `docstrip.cfg` that configures and enables docstrip's TDS installing feature, then some files can already be in the right place, see the documentation of docstrip.

4.4 Refresh file name databases

If your TEX distribution (TEX Live, MiKTEX, ...) relies on file name databases, you must refresh these. For example, TEX Live users run `texhash` or `mktexlsr`.

4.5 Some details for the interested

Unpacking with LATEX. The `.dtx` chooses its action depending on the format:

plain TEX: Run docstrip and extract the files.

LATEX: Generate the documentation.

If you insist on using LATEX for docstrip (really, docstrip does not need LATEX), then inform the autodetect routine about your intention:

```
latex \let\install=y\input{hypdoc.dtx}
```

Do not forget to quote the argument according to the demands of your shell.

Generating the documentation. You can use both the `.dtx` or the `.drv` to generate the documentation. The process can be configured by the configuration file `ltxdoc.cfg`. For instance, put this line into this file, if you want to have A4 as paper format:

```
\PassOptionsToClass{a4paper}{article}
```

An example follows how to generate the documentation with pdfLATEX:

```
pdflatex hypdoc.dtx
makeindex -s gind.ist hypdoc.idx
pdflatex hypdoc.dtx
makeindex -s gind.ist hypdoc.idx
pdflatex hypdoc.dtx
```

5 History

[2002/05/10 v1.0]

- First standalone version.

[2006/02/20 v1.1]

- Option numbered added.
- `\HD@savedest@init` fixed (empty `.hd` file triggered first page with fl ligature).
- Bookmarks for `\listoffigures` and `\listoftables`.
- Documentation: features and usage added.
- LPPL 1.3.

[2006/04/27 v1.2]

- `\HD@target` fixed (`multicol.dtx`).

[2006/06/01 v1.3]

- Support for package amsdtx's `\autoindex` added.

[2006/06/02 v1.4]

- Bookmark fixed if there are several table of contents, bibliographies, glossaries, ...

[2007/04/11 v1.5]

- Line ends sanitized.

[2007/11/12 v1.6]

- Bug fix in `\listoffigures` (Axel Sommerfeldt).
- Markup added in implementation section.

[2009/12/10 v1.7]

- Use of package rerunfilecheck.

[2010/02/03 v1.8]

- Fix for bug latex/4096 added.

[2010/03/26 v1.9]

- Definition of `\HD@SetMacroIndex` is provided in the `.aux` file.

[2011/05/05 v1.10]

- `\raisebox` in `\HD@target` with height and depth of `0pt` (request of GL).

[2011/08/19 v1.11]

- Latest comma in option list for hyperref removed to avoid option clash because of LaTeX 2011/06/27 with the new `\in@`.

[2016/05/16 v1.12]

- Documentation updates.

[2016/10/02 v1.13]

- Fixes to bookmarknames, also introduce `\changehistoryname`

[2018/09/07 v1.14]

- Do not load thumpdf.

6 Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; plain numbers refer to the code lines where the entry is used.

Symbols

* 58
\+ 55
\, ... 279
\- 54
\: 56
\= 57
\@auxout 432, 435
\@bsphack 369, 386, 401, 414
\@empty 34, 43, 44, 81, 84, 282
\@esphack 379, 396, 410, 419
\@firstofone 232
\@gobble 40, 41, 81, 84, 249
\@ifstar 73
\@ifundefined 33, 81, 90, 144
\@namedef 72, 253
\@nameuse 73, 84
\@nil 298, 303, 310, 314, 424, 428
\@pdfsubject 34
\@undefined 10
\@wrglossary 421, 422
\\ 190, 318, 324
\^ 231, 237, 238, 242

\␣ 352, 443

A

\active 231, 238
\addtolength 265, 354
\advance 164
\AfterLastShipout 430
\and 45
\AtBeginDocument 226, 364
\autoindex 384, 385

B

\baselineskip 192
\bfseries 159, 181
\bibname 144

C

\c@HD@hypercount 279, 282, 300, 375, 392, 406
\c@section 91, 94
\catcode 231, 237, 238, 242
\changehistoryname 213, 221
\closeout 245
\codeline@wrindex 302
\CodelineIndex 289
\contentsname 97, 104
\count@ 163, 164, 165
\cs 42
\csname . . 48, 70, 71, 282, 318, 324, 382

D

\DeclareOption 6

E

\encapchar 297, 298, 303, 309, 310, 314, 373, 374, 390, 391, 404, 405, 423, 424, 428
\endcsname 48, 70, 71, 282, 318, 324, 382

F

\fileinfo 35
\footnote 41
\futurelet 182

G

\g@addto@macro . . 32, 53, 154, 289, 292
\glossary@prologue 203, 206
\glossaryname 220, 221

H

\HD@@@bfseries 186, 189
\HD@@bfseries 182, 183
\HD@@guesstoclevel 78, 80
\HD@@sectionpatch 63, 64, 69

\HD@bfseries 159, 182
\HD@codeline@wrindex 290, 295
\HD@disable@writebookmark 66, 76
\HD@end 78, 80
\HD@guesstoclevel 77, 96, 103, 117, 130, 143, 161, 212
\HD@helplength 223, 264, 265, 266, 352, 353, 354, 357
\HD@hfil 182, 185
\HD@maketarget 267, 270, 273, 276
\HD@margin 193, 195, 200
\HD@ModFix 50, 54, 55, 56, 57, 58
\HD@next 278, 284, 287
\HD@numberedtrue 6
\HD@page@wrindex 293, 307, 416
\HD@savedest@add 249, 256, 320
\HD@savedest@entry 236, 252
\HD@savedest@init 227, 230
\HD@savedest@out . . 243, 245, 247, 257
\HD@savedesttrue 225
\HD@sectionpatch 61, 107, 121, 134, 146, 153, 205
\HD@SetMacroIndent 433, 436, 440
\HD@target 261, 333, 344, 356, 360, 371, 388, 403
\HD@targetraisetrue 260
\HD@toclevel@index 161, 163, 173
\HD@toclevel@subindex 165, 194
\hdclindex 317
\HDorg@autoindex 384, 394
\HDorg@bfseries 181, 184
\HDorg@catcodeM 237, 242
\HDorg@encapchar 297, 299, 309, 311, 373, 375, 390, 392, 404, 406, 423, 425
\HDorg@glossary@prologue 203, 212, 216
\HDorg@index 314, 364, 372, 389
\HDorg@index@prologue 151, 177
\HDorg@listoffigures . . 112, 117, 122
\HDorg@listoftables . . . 125, 130, 135
\HDorg@MacroFont . . 331, 334, 342, 345
\HDorg@PrintDescribeMacro . . 328, 336
\HDorg@PrintMacroName 339, 347
\HDorg@SortIndex 412, 417
\HDorg@SpecialEnvIndex 399, 408
\HDorg@SpecialUsageIndex 367
\HDorg@tableofcontents 87, 96, 98, 103, 108
\HDorg@thebibliography 138, 143, 147
\HDorg@theCodelineNo 350, 352, 362, 443
\HDorg@theglossary 201, 218
\HDorg@theindex 149, 179
\HDorg@tilde 235, 241
\HDorg@wrglossary 421, 428
\HDorg@writebookmark 152, 157, 172, 204, 210
\hdpindex 323
\headheight 25
\headsep 25
\hfil 185, 189, 198
\hspace 357
\Hy@UseMaketitleInfos 32
\Hy@writebookmark 66, 152, 157, 172, 204, 210
\hypercalcbp 24
\hyperlink 319
\hyperpage 325
\hypersetup 19, 35
\hypertarget 279

I

\if@filesw 431
\ifcase 94
\ifdim 353
\ifHD@numbered 5, 62, 100, 114, 127, 140, 155, 168, 207
\ifHD@savedest 224, 234, 281
\ifHD@targetraise 259, 262
\ifhmode 263
\ifx 10, 34, 48, 185, 190, 282, 318, 324, 382
\immediate . . . 245, 247, 257, 432, 435
\index 365, 372, 389, 416
\index@prologue 151, 161, 167
\indexname 174
\IndexParms 154
\InputIfFileExists 240

J

\jobname 240, 244, 247

K

\kern 193, 195

L

\listfigurename 118
\listoffigures 112, 113
\listoftables 125, 126
\listtablename 131
\llap 279, 355

M

\MacroFont 331, 332, 342, 343
\MacroIndent 353, 354, 443, 444
\mathcode 51
\mod@math@codes 53

N

\NeedsTeXFormat 2
\newcounter 28, 222
\newif 5, 224, 259
\newlength 223
\newwrite 243
\normalfont 43
\number 30, 436
\numexpr 10

O

\openout 247

P

\PageIndex 292
\paperheight 25
\pdfbookmark 96, 103, 117, 130, 143, 173, 194, 212
\pdfstringdefDisableCommands . . . 39
\PrintDescribeMacro 328, 329
\PrintMacroName 339, 340
\ProcessOptions 7
\providecommand 220, 221, 433
\ProvidesPackage 3

R

\raisebox 192, 266
\refname 144
\renewcommand 29, 329, 340, 351, 368, 385, 400, 413
\RequirePackage 8, 9, 11, 13, 229
\RerunFileCheck 244

S

\scshape 44
\section 78
\settoheight 264
\settowidth 352, 443
\SortIndex 412, 413
\special@index 290, 293
\SpecialEnvIndex 399, 400
\SpecialUsageIndex 367, 368
\stepcounter 95, 102, 116, 129, 142, 171, 211, 277

T

\tableofcontents 87, 88
\textbackslash 42
\thanks 40
\the 165, 237, 279, 282, 300, 375, 392, 406
\thebibliography 138, 139
\theCodelineNo 350, 351
\theglossary 201, 202
\theHD@unique 29, 97, 104, 118, 131, 144, 174, 213
\theindex 149, 150
\topmargin 25

V

\value 30, 436, 442

W

\write 257, 432, 435