WEBSITE VISUAL DESIGN

For Greenfield Local Hub (GLH)

Contents

Sitemap 3

Styles 4

- Dark Mode 4
  - Background 4
  - Font 4
  - Interactive 4
- Light Mode 4
  - Background 4
  - Font 4
  - Interactive 4
- Buttons/Cards 4
- Accent Colours 5

Website Pages 5

- Navigation Bar 5
- Footer 5
- Basket Sidebar 6
- Register 6
- Log in 7
- Privacy Policy 7
- Policies 7
- Home 8
- Products 10
- Product 11
- Our Producers 11
- My Orders 12
- My Basket 13
- Order 13
- Dashboard 14
  - Orders' Section 14

Products' Section 15
Stock's Section 15
Create Product 16
Edit Product 16
Database 17
Entity Relationship Diagram 17
Data Dictionaries 18
AspNetUsers 18
AspNetUserRoles 18
AspNetRoles 19
AspNetRoleClaims 19
AspNetUserClaims 19
AspNetUserLogins 19
AspNetUserTokens 19
Products 20
Orders 20
OrderProducts 21
Discounts 21
Basket 21
BasketProducts 22
Producers 22
Algorithm Design 23
Register 23
Login 24
Filter products by price 25
Change product availability as a producer 25
Add a product to basket 26
Test Strategy 27

Sitemap



Home = The landing page containing the hero section, products section, benefits of buying locally section and “Our Producers” section

Products = Shows products that are sold by the various producers with a search bar and filter menu

Product = Shows all the details of a specific product

My basket = Contains the products that the user has added to their basket with a checkout button to order all the products in the basket

Order = The checkout page where the user can fill the order details and order their products

My orders = Contains all the orders made by a user

Our producers = Shows all the producers selling their products on the website

Dashboard = A page for users with a role of “Producer”, shows all the products of the producer and pending orders containing the products of the producer

Create product = A page for users with a role of “Producer” to add a new product

Edit product = A page for users with a role of “Producer” to edit their product’s details

Policy = Outlines the loyalty scheme’s policies

Privacy = Outlines how the user’s data is being used and protected

Register = Allows to register the user

Login = Allows to log in the user

Styles

Font Family: “Inter”

Dark Mode

Background

- Body: #1F2A24
- Foreground Elements: #2F3E35

Font

- Normal: #F5F5F5
- Lighter: #C8D5C0

Interactive

- Normal: #6BBF59
- Hover/Selected: #4F9F4A

Light Mode

Background

- Body: #FAF7F2
- Foreground Elements: #FFFFFF

Font

- Normal: #2B2B2B
- Lighter: #6B6B6B

Interactive

- Normal: #2F6F4E
- Hover/Selected: #1F4F36

Buttons/Cards

- Corners = Rounded (30px +- 10px Radius)

- Background = Drop shadow (10px Blur)
- No outline

Accent Colours

- Discounts/loyalty offers: #F4A259
- Success messages: #4CAF50
- Warnings: #E9B44C
- Errors: #D9534F

Website Pages

Link (If it does not work, see images below or contact my college to resolve any issues):

https://www.figma.com/design/PyGwdGUsLN4wLZJQRJ5s1q/GLH-Website-Design?m=auto&t=pxJRoZc7zHxV4A4C-6

Navigation Bar

Footer



Basket Sidebar



Register



Log in



Privacy Policy



Policies

Home


Slogan here
Benefits the customer gets here.
64 px font size and 700 font weight to make the slogan be easier to read and leave a bigger impact on the users.
32 px font size and regular font weight with lighter font colour for the text colour. This is done to bring attention to the slogan more and this subtitle will be used to support the slogan.
An high quality image of a farm and farmers to show to users that this website is for buying local products. The image will be a .png with green, blue, brown colours to remind users of healthiness. The image will be rounded by a radius of 25 px.
Eat Local
The product name font weight will be semi-bold with a font size of 32 px. The text colour will be the normal font colour. The price font weight will be normal with a font size of 28 px. The text colour will be the normal font colour. The city font weight will be normal with a font size of 24. The text colour will be the lighter font colour. This all is done to tell the users what information should be read first and is the most important.
Heading to inform what type of cards have been used for each cards section. Makes it easier for the user to understand the contents of the section. The font weight is bold with text size of 48 px.
40px gap between the cards to reduce clutter and to make the cards more distinct from each other.
This will be used to change the quantity of product that is added to the basket. The outline colour will be the lighter font colour with a stroke weight of 2px. The number and the number changing icons will use the normal font colour. The number will have a font weight of normal with a font size of 24 px.
Product Name
£9.99
Produced in [City Here]
– 1 +
ADD
This will be a .png for high quality. The image will be rounded by 20px with no outline. The image will be of the product on the card. When image is clicked on the user is redirected to the "Product" page for this product. The product name will be also a clickable link, so the user can click either the image or text. This ensure an better experience for users.


This button will be used to add products to the users basket. The button colour will be an interactive colour and the colour will change to the hover colour when hovered on the button. The text colour will be the normal font colour. The button will a have roundness of 10 px.
BROWSE ALL PRODUCE
This button will redirected the user to the "Products" page, so they can look at all the products being sold. The button will have an outline with the lighter font colour. The button will have a roundness of 15 px and the text will have the normal font colour with the font weight of light.
Why buy locally?
This is where the point one for buying locally goes wih a small and simple summary.
A simple and effective sentence will go here to persuade users to buy locally. The text colour will be the normal font colour and the font weight will be regular with a font size of 36 px.
This is where the point two for buying locally goes wih a small and simple summary.
This is where the point three for buying locally goes wih a small and simple summary.
This is where the point four for buying locally goes wih a small and simple summary.
Our Producers
Heading to inform what type of cards have been used for each cards section. Makes it easier for the user to understand the contents of the section. The font weight is bold with text size of 48 px.
First name and last name
Owns [business name] which is based in [business based in]
Business description here.

Our Producers

Heading to inform what type of cards have been used for each cards section. Makes it easier for the user to understand the contents of the section. The font weight is bold with text size of 48 px.

This will be a high quality image of the producers farm to make the customers believe that the products are grown locally with local farmers/producers. The image will be rounded by 20px.

First name and last name

Owns [business name] which is based in [business based in]

Business description here.

These texts will show different information about a producer. The producer names will have a font weight of semi-bold with a font size of 40 px. The subtext will have text size of 32 px with a font weight of normal. The subtext will have the lighter font colour. The business description text will have a font size of 24 px with a normal font weight. All this has been done to tell the users what information they should look at first and which one is the most important.

First name and last name

Owns [business name] which is based in [business based in]

Business description here.

First name and last name

ALL PRODUCERS

This button will redirected the user to the "Our Producers" page, so they can look at all the producers that sell their products on the website. The button will have an outline with the lighter font colour. The button will have a roundness of 15 px and the text will have the normal font colour with the font weight of light.

Final CTA for the customer to look at the products being sold.. This will lead the user to the "Products" page where they can choose what product to add to their basket.

BROWSE ALL PRODUCE

This will be a high quality image of different products made in a farm to entice the users to browse the "Products" page. This will also give the customers an idea of multiple products being sold on the website.

Products


Home Products Our Producers My Orders Dashb
The search bar to search products. The search icon will have the interactive colours. The placeholder text colour will be the lighter font colour and the actual text colour will be the normal font colour.
Price £0 to £100
Stock 1 to 999
City
London
Belfast
Bradford
Manchester
Coventry
Producer
Producer 1
Producer 2
Producer 3
Search
These tick boxes have normal font colour when ticked and the ticks are invisible when not ticked. The tick has 1px thickness.
Product Name
£9.99
Produced in [City Here]
ADD
This button will be used to add products to the users basket. The button colour will be an interactive colour and the colour will change to the hover colour when hovered on the button. The text colour will be the normal font colour. The button will a have roundness of 10 px.


Product Name
£9.99
Produced in [City Here]
ADD
Previous 1 2 3 ... 67 68 Next
Navigation
Home
Products
Our Producers
Policies
Privacy
Manage
The "Previous" or "Next" text will change depending on if your on the first page, one of the middle page or the last page. The change is in the text colour. These elements change their colours to the hover colour when they are hovered on by a mouse.
These elements are used to navigate to the other articles in the next pages. The current page number will be in the colour of the interactive hover colour. These number elements will increase in size by 8% when hovered on or clicked.

Product



Our Producers




This will be a high quality image of the producers farm to make the customers believe that the products are grown locally with local farmers/producers. The image will be rounded by 20px.
of 24 px with a normal font weight. All this has been done to tell the users what information they should look at first and which one is the most important.
See [Producer first name]'s Products
First name and last name
Owns [business name] which is based in [busi
Business description here.
A link to be redirected to the "Products" page with the filter of the producer being applied. The link text will be tailored based on the producer's name make the products seem more local and personal. The text colour will be the interactive colour, the font weight will be medium with the font size of 32 px. The link will be underlined to inform users easily that this text leads to a different page, which improves accesibility of the website.
See [Producer first name]'s Products

My Orders


Home Products Our Producers My Orders Dashboard Policies
My Orders
Heading to inform what this section is about. Makes it easier for the user to understand the contents of the section. The font weight is medium with text size of 40 px.
Horizontal inset to separate elements for better readability. It uses lighter font colour and is 1 px thick.
This show the different status types for an order. The text colour for these texts will normal colour if the orders are being filtered by the specific status. If this is not the case then the text colour will be lighter font colour. The font size of these texts is 32 px with a font weight of medium.
Pending 2
Processing 2
Collected 0
Delivered 0
Cancelled 0
This shows the number of orders for a certain status type. The text colour is the foreground elements colour and the background colour is normal font colour. The font size for the quantity is 24 px with a normal font weight.
This text shows when the order was created. The font size is 24 px with a normal font weight. The text colour is the normal font colour.
24/05/2026 12:38 am
This text shows when the order was created. The font size is 24 px with a normal font weight. The text colour is the lighter font colour.
This will have the font size of 24 px with font weight of regular. This text will be used to show the product price.
Total: £200.00
This will be a high quality image of the product. The image will be rounded by 20px.
Items:
x2 Product name here
This will have the font size of 32 px with font weight of semi-bold. This text will be used to show the product price.
CANCEL ORDER
18/06/2026 18:28 pm
Total: £100.00
This shows the quantity of a product in the order. The text colour is the foreground elements colour and the background colour is normal font colour. The font size for the quantity is 24 px with a normal font weight.
Items:
x2 Product name here
CANCEL ORDER


24/05/2026 12:38 am
Total: £200.00
Items:
x2 Product name here
Text has lighter font colour with 24px font size and medium font weight.
Button to cancel the order and change the status of the order to "Cancelled". The button background colour will change to a darker error colour.
CANCEL ORDER
Products order listed out using bullet points. Text has normal font colour with 24px font size and medium font weight.

My Basket



Order



Dashboard

Orders' Section





Products' Section



Stock's Section



Create Product



Edit Product



Database

Entity Relationship Diagram



Data Dictionaries

AspNetUsers

Column	Data Type	Required	Default	Validation	Key Type
Id	String	Yes			Primary
UserName	String	Yes			None
NormalizedUserName	String	Yes			None
Email	String	Yes		Must include a valid email structure, must have a “@” symbol, must have a domain name	None
NormalizedEmail	String	Yes			None
EmailConfirmed	Bool	Yes		Users must confirm their email	None
PasswordHash	String	Yes			None
SecurityStamp	String				None
ConcurrencyStamp	String				None
PhoneNumber	String				None
PhoneNumberConfirmed TwoFactorEnabled	Bool				None
LockoutEnd	DateTime				None
LockoutEnabled	Bool				None
AcessFailedCount	Int				None

AspNetUserRoles

Column	Data Type	Required	Default	Validation	Key Type
Id	Int	Yes			Primary
UserId	String	Yes	Users Id		Foreign
RoleId	String	Yes	Roles Id		Foreign

AspNetRoles

Column	Data Type	Required	Default	Validation	Key Type
Id	String	Yes			Primary
Name	String	Yes	Users Id		None
NormalizeName	String	Yes			None
ConcurrencyStamp	String	Yes			None

AspNetRoleClaims

Column	Data Type	Required	Default	Validation	Key Type
Id	Int	Yes			Primary
RoleId	String	Yes	Roles Id		Foreign
ClaimType	String	No			None
ClaimValue	String	No			None

AspNetUserClaims

Column	Data Type	Required	Default	Validation	Key Type
Id	Int	Yes			Primary
UserId	String	Yes	Users Id		Foreign
ClaimType	String	No			None
ClaimValue	String	No			None

AspNetUserLogins

Column	Data Type	Required	Default	Validation	Key Type
LoginProvider	String	Yes			Primary
ProviderKey	String	Yes			None
ProviderDisplayName	String	No			None
UserId	String	Yes	Users Id		Foreign

AspNetUserTokens

Column	Data Type	Required	Default	Validation	Key Type
UserId	String	Yes	Users Id		Foreign
LoginProvider	String	Yes			None
Name	String	Yes			None
Value	String	No			None

Products

Column	Data Type	Required	Default	Validation	Key Type
ProductsId	Int	Yes			Primary
ProducersId	Int	Yes			Foreign
ProductName	String	Yes			None
Price	Float	Yes		Cannot be less than or equal to 0	None
Stock	Int	Yes		Cannot be less than 0	None
Description	String	Yes			None
IsAvailable	Bool	Yes			None
MethodsUsed	String	Yes			None
GrownInCity	String	Yes		Can only be cities that are in England	None

Orders

Column	Data Type	Required	Default	Validation	Key Type
OrdersId	Int	Yes			Primary
UserId	String	Yes	Users Id		Foreign
CreatedAt	DateTime	Yes	Today		None
OrderType	String	Yes		Can only be “Delivery” or “Collection”	None
ScheduledTime	DateTime	Yes		Cannot be a date before the current date	None
DeliveryAddress	String	No		Only available to use if “OrderType” is “Delivery”. Can only be a valid address.	None
DeliveryCity	String	No		Only available to use if “OrderType” is “Delivery”. Can only be a valid city.	None

DeliveryPostcode	String	No		Only available to use if “OrderType” is “Delivery”. Can only be a valid postcode.	None
DeliveryFee	Float	No		Only available to use if “OrderType” is “Delivery”	None
OrderStatus	String	No	Pending	Can only be a set order status option	None
UsedDiscount	Bool	Yes	False		None
DiscountsId	Int	No	DiscountsId		Foreign

OrderProducts

Column	**Data Type**	**Required**	**Default**	**Validation**	**Key Type**
OrderProductsId	Int	Yes			Primary
OrdersId	Int	Yes	OrdersId		Foreign
ProductsId	Int	Yes	ProductsId		Foreign
Quantity	Int	Yes	1	Cannot be less than 1 and cannot be more than in stock	None

Discounts

Column	**Data Type**	**Required**	**Default**	**Validation**	**Key Type**
DiscountsId	Int	Yes			Primary
Code	String	Yes			None
DiscountPercentage	Float	Yes			None
IsActive	Bool	Yes			None

Basket

Column	**Data Type**	**Required**	**Default**	**Validation**	**Key Type**
BasketsId	Int	Yes			Primary
UserId	String	Yes	Users Id		Foreign

BasketProducts

Column	Data Type	Required	Default	Validation	Key Type
BasketProductsId	Int	Yes			Primary
BasketsId	Int	Yes	BasketsId		Foreign
ProductsId	Int	Yes	ProductsId		Foreign
Quantity	Int	Yes	1	Cannot be less than 1	None

Producers

Column	Data Type	Required	Default	Validation	Key Type
ProducersId	Int	Yes			Primary
UserId	String	Yes	Users Id		Foreign
ProducerFirstName	String	Yes			None
ProducerLastName	String	Yes			None
BusinessName	String	Yes			None
BusinessDescription	String	Yes			None
BusinessBasedIn	String	Yes		Can only be cities that are in England	None

Algorithm Design

Register

```
FUNCTION CheckDetails(email, password, confirmPassword)
    IF NOT (email = EMAIL TYPE) THEN
        RETURN DISPLAY EMAIL TYPE ERROR MESSAGE
    ENDIF

    IF NOT (password = PASSWORD TYPE) THEN
        RETURN DISPLAY PASSWORD TYPE ERROR MESSAGE
    ENDIF

    IF NOT (confirmPassword = password) THEN
        RETURN DISPLAY "Password does not match!"
    ENDIF

    SET emailExists TO AWAIT TABLE "Users" FIND email

    IF emailExist THEN
        RETURN DISPLAY "Email already exists!"
    ENDIF

    POST email, password, confirmPassword TO TABLE "Users"
    SAVE CHANGES TO DATABASE

    RETURN TO VIEW "Home"
ENDFUNCTION

FUNCTION Register()
    SET email TO INPUT AS EMAIL
    SET password TO INPUT AS PASSWORD
    SET confirmPassword TO INPUT AS PASSWROD

    BUTTON "Submit" CLICKED EXECUTE CheckDetails(email, password, confirmPassword)
ENDFUNCTION

BUTTON "Register" CLICKED EXECUTE Register()
```

When the user clicks register, get their email, password and confirmation password. Check the information given by the user for email format, password format and if confirmation password matches password. If the information is incorrect give them an error message on

their screen for the specific information field. If the information is correct send it to the table called “Users” and save the changes made to database.

Login

```
FUNCTION Login()
    SET email TO INPUT AS EMAIL
    SET password TO INPUT AS PASSWORD

    IF NOT (email = EMAIL TYPE) THEN
        RETURN DISPLAY EMAIL TYPE ERROR MESSAGE
    ENDIF

    SET userRecord TO AWAIT TABLE "Users" FIND email

    IF userRecord = EMPTY THEN
        RETURN DISPLAY "Email does not exit!"
    ENDIF

    IF NOT (password = GET "Password" FROM userRecord) THEN
        RETURN DISPLAY "Incorrect password!"
    ENDIF

    RETURN VIEW "Home"
ENDFUNCTION

BUTTON "Login" CLICKED EXECUTE Login()
```

When the user clicks login, get the user’s email address and password. Check the information given by the user for email format, if the email address exists in the “Users” table and if the password matches the password in the record found in the “Users” table using the email address. If the information is incorrect display an error message on the user’s screen for the specific information field. If the information is correct, then send the user to the home page with their account logged in.

Filter products by price

```
FUNCTION FilterProductsByPrice()
    SET minPrice TO INPUT
    SET maxPrice TO INPUT

    SET filteredProducts TO AWAIT TABLE "Products" BY [minPrice, maxPrice]

    RETURN VIEW "Products" WITH filteredProducts
ENDFUNCTION

BUTTON "Filter Products" CLICKED EXECUTE FilterProductsByPrice()
```

When the user clicks the filter button, filtered products are found from the table “Products” by the minimum price and maximum price inputted by the user. The filtered products are sent to the “Products” page to be displayed and then the user is sent to the “Products” page.

Change product availability as a producer

```
FUNCTION EditProductAvailability()
    SET userRole TO GET "User Role" FROM TABLE "User Roles" USING USER

    IF NOT userRole = "Producer" THEN
        RETURN View "Access Denied"
    ENDIF

    SET productId TO INPUT
    SET availability TO INPUT

    POST productId, availability TO TABLE "Products"
    SAVE CHANGES TO DATABASE

    RETURN VIEW "Products"
ENDFUNCTION

BUTTON "Edit Product Availability" CLICKED EXECUTE EditProductAvailability()
```

When the user clicks the “Edit Product Availability” button, the user’s role is taken from the “User Roles” table and checked for if it is a “Producer” role. If the user role is not a “Producer” role then the user is denied access and sent to the “Access Denied” page. If the user has access to page, then the product that’s availability is going to change is taken, and

the new availability status from the user. This new data is sent to the “Products” table and then saved to the database. Finally, the user is sent to the “Products” page.

Add a product to basket

```
FUNCTION AddProductToBasket()
    SET userId TO GET USER_ID

    IF userId = EMPTY THEN
        RETURN View "Login"
    ENDIF

    SET productId TO INPUT
    SET quantity TO INPUT

    IF quantity < 1 THEN
        DISPLAY "Quantity cannot be less than 1!"
        RETURN VIEW "Products"
    ENDIF

    SET userBasketId TO GET "User Basket Id" FROM TABLE "Basket" USING userId

    POST userBasketId, productId, quantity TO TABLE "Basket"
    SAVE CHANGES TO DATABASE

    RETURN VIEW "Products"
ENDFUNCTION

BUTTON "Add" CLICKED EXECUTE AddProductToBasket()
```

When the user clicks the “Add” button the user’s identification is checked to see if they are logged in, if they are not then they are redirected to the log in page. The product identification and quantity are inputted by the users for the product to be added to the basket. The quantity is checked for if it is less than 1, if that is true then a relevant error message is shown to the user and the user is redirected to the products page without no product being added to the basket. If the quantity is not less than 1, then the user’s basket identification is retrieved from the table “Basket” using the user’s identification. The user identification, product identification and quantity are sent to the table “Basket” and then the changes are saved to the database. Finally, the user is sent to the products page with the product being added to the basket.

Test Strategy

Date of Test	Component to be Tested	Type of Test to be carried out	Prerequisites and dependencies
14/04/26	Register	White box Black box Functionality Security Integration	The register function should be fully functional and implemented. Migrations and update database must be applied. The controller logic should be completed to handle user and error handling for incorrect inputs, duplicate accounts and password completely must be set up. **Test Data:** **Normal** Email: test@gmail.com Password: Password123! Confirm Password: Password123! **Erroneous** Email: bademail Password: 111 Confirm Password: 222 **Extreme** Email: test@testemail.com Password: QwE12? Confirm Password: QwE12?
14/04/26	Log in	White box Black box Functionality Security Integration	The log-in page must be created. Migrations and update database must be applied. The controller logic must work correctly. **Test Data:** **Normal** Email: test@gmail.com Password: Password123! **Erroneous** Email: bademail Password: 111 **Extreme** Email: test@testemail.com *(Valid extreme)* Password: QwE12? *(Valid extreme)*

14/04/26	Log out	Black box Functionality Security Integration	Log in system must be fully functional and allow users to create accounts. Log out button must work and be visible to the users. No test data needed.
14/04/26	Remember Me check box on the log in page	White box Black box Functionality Integration	Log in system must be fully functional. Valid account should exist. Tester must click the remember me check box when logging in, leave the page, open the page on the same device and check if site kept the user logged in. No test data needed.
14/04/26	Forgot password button on the log in page	White box Black box Functionality Integration	Log in system must be fully functional. Valid account should exist. Forgotten system must be fully functional. Tester should click forgot password, and a reset email should be sent to reset password. No test data needed.
14/04/26	Link buttons on the navigation bar	Black box Functionality Integration	All the pages for each link should be made and the controller logic for each link must work correctly. The navigation bar should be made and be fully functional. Tester must check each link to see if it leads to the correct page. No test data needed.
14/04/26	Logo on the navigation bar and the footer	Black box Functionality Integration	Home page should be made and be fully functional. The navigation bar should be made and be fully functional. The footer should be made and be fully functional. Tester should click the logo to check if they are taken to the home page. No test data needed.
14/04/26	Links on the footer	Black box Functionality Integration	All the pages for each link should be made and the controller logic for each link must work correctly. The footer should be made and be fully functional. Tester must check each link to see if it leads to the correct page. No test data needed.

14/04/26	Basket button on the navigation bar	White box Black box Functionality Integration	Home page should be made and be fully functional. Log in system must be fully functional. Valid account should exist. Migrations and update database must be applied. Basket controller should be made and fully functional. The tester must click on the basket button located on the navigation bar and check if a side bar shows up containing all the products that have been added to the basket with a checkout button. No test data needed.
14/04/26	Close basket button on the basket side bar	White box Black box Functionality Integration	Home page should be made and be fully functional. Basket side bar should be made and fully functional. The tester must open the basket by pressing the basket button on the navigation bar and click the “X” on the side bar to check if the side bar closes or disappears. No test data needed.
14/04/26	Basket items number text on the navigation bar	White box Black box Functionality Integration	Home page should be made and be fully functional. Log in system must be fully functional. Valid account should exist. Migrations and update database must be applied. Basket controller should be made and fully functional. The tester must add and remove products to their basket and check if the text showing the number of items in the basket changes accurately to the number of items in the current basket. No test data needed.
14/04/26	“Previous Baskets” button on basket side bar	White box Black box Functionality Integration	Home page should be made and be fully functional. All baskets’ page should be made and be fully functional. Basket side bar should be made and fully functional. Log in system must be fully functional. Valid account should exist.

			Migrations and update database must be applied. Tester must click the “Previous Baskets” button to check if they get redirected to the all-baskets’ page. No test data needed.
14/04/26	Checkout using the “CHECKOUT” button on the basket side bar	White box Black box Functionality Integration	Home page should be made and be fully functional. Order page should be made and be fully functional. Log in system must be fully functional. Valid account should exist. Migrations and update database must be applied. Basket controller should be made and fully functional. No test data needed. The tester must add some products to the basket and click the checkout button to check if they get redirected to the order page. No test data needed.
14/04/26	Items and subtotal text on the basket side bar	White box Black box Functionality Integration	Home page should be made and be fully functional. Basket side bar should be made and fully functional. Basket controller should be made and fully functional. Log in system must be fully functional. Valid account should exist. Migrations and update database must be applied. The must login using a “Customer” role account and add different items to the basket. Afterwards the tester must change the quantity of different products, and check if the items count and the subtotal changes accordingly. No test data needed.
14/04/26	Accessibility features	Black box Functionality Integration	Accessibility system must be fully functional and accessible by users. Tester should test each accessibility feature to see if it works. For example, colour mode, text resize and text-to-speech. No test data needed.
14/04/26	Cookies’ functionality	Black box Functionality	Cookies UI must be made.

		Integration	Tester must check if the cookies show/pop up when new users enter the site. No test data needed.
14/04/26	Accept all and decline all buttons on the cookies pop up.	White box Black box Functionality Integration	Cookies must be fully functional and must pop up using JavaScript. Testers must check if the cookies disappear after either one of the buttons on the cookies is clicked. No test data needed.
14/04/26	Products section on the home page	White box Black box Functionality Integration	Home page should be made and be fully functional. Products page should be made and be fully functional. Tester must be able to view some of the existing products on the products section on the homepage and view more using the “BROWSE ALL PRODUCE” button. No test data needed.
14/04/26	“ADD” button on the products’ section on the home page	White box Black box Functionality Integration	Home page should be made and be fully functional. Log in system must be fully functional. Valid account should exist. Migrations and update database must be applied. Basket controller should be made and fully functional. Tester must login using a “Customer” role account. Then the tester must click the “ADD” button for any product on the products section and check if that product is added to the basket with right amount of quantity. No test data needed.
17/04/26	Quantity change buttons on the products’ section on the home page	White box Black box Functionality Integration	Home page should be made and be fully functional. Log in system must be fully functional. Valid account should exist. Migrations and update database must be applied. Basket controller should be made and fully functional. Quantity changing functionality should be made. Tester must login using a “Customer” role account. Then the tester must use the plus and minus buttons to change

			the quantity to be added to the basket when clicked “ADD”. Afterwards the quantity has changed the tester must add the product with the changed quantity to the basket and check if the correct amount of quantity for the specific product was added to the basket. No test data needed.
17/04/26	“BROWSE ALL PRODUCE” button on the products’ section on the home page	White box Black box Functionality Integration	Home page should be made and be fully functional. Products page should be made and be fully functional. Migrations and update database must be applied. The tester must click the “BROWSE ALL PRODUCE” button and must check if they are redirected to the products’ page. No test data needed.
17/04/26	“Our Producers” section on the home page	White box Black box Functionality Integration	Home page should be made and be fully functional. Producers’ page should be made and be fully functional. Migrations and update database must be applied. Tester must check if they can view some of the producers that sell their products using the platform. The details of the producers should be shown using a card and an image of the producer or their farm. No test data needed.
17/04/26	“ALL PRODUCERS” button on the “Our Producers” section on the home page	White box Black box Functionality Integration	Home page should be made and be fully functional. Producers’ page should be made and be fully functional. Migrations and update database must be applied. The tester must click the “ALL PRODUCERS” button and must check if they are redirected to the producers’ page. No test data needed.
17/04/26	“BROWSE ALL PRODUCE” button on the call-to-	White box Black box Functionality Integration	Home page should be made and be fully functional. Products page should be made and be fully functional.

	action section of the homepage		Migrations and update database must be applied. The tester must click the “BROWSE ALL PRODUCE” call-to-action button and must check if they are redirected to the products’ page. No test data needed.
17/04/26	Filter products on the products’ page	White box Black box Functionality Integration	Home page should be made and be fully functional. Products’ page should be made and be fully functional. All models should be made. Migrations and update database must be applied. Tester must go on the products’ page and change the various fields provided in the filters section. Then wait for the products to be changed according to the specific filters applied. Tester must check if the products have been filtered according to the specific filters applied. No test data needed.
17/04/26	Search products on the products page	White box Black box Functionality Integration	Home page should be made and be fully functional. Products’ page should be made and be fully functional. All models should be made. Migrations and update database must be applied. Tester must go on the products’ page and then use the search bar to search different products by their names. Then the tester must check if only the products that match the search query roughly are shown. No test data needed.
17/04/26	Pagination buttons on the products’ page	White box Black box Functionality Integration	Products’ page should be made and be fully functional. All models should be made. Migrations and update database must be applied. Tester must use the pagination buttons to see the other products that have been not shown on the products’ page, to allow for better performance of the website. No test data needed.

17/04/26	Order a product through the order page	White box Black box Functionality Integration	Home page should be made and be fully functional. Products' page should be made and be fully functional. "My Basket" 's page should be made and be fully functional. Order's page should be made and be fully functional. All models should be made. Migrations and update database must be applied. The tester must add certain products to their basket and proceed to the checkout using the "CHECKOUT" button. From there the tester must click "PROCEED TO ORDER" button from the "My Basket" page. When they are on the "Order" page they must check they can see the correct products and prices on the order section. Then the tester should also use some test to check if valid data is accepted and invalid data gives appropriate error messages. **Test Data:** **Normal** Products in basket: 2 "Watermelon Slice (100g)" for £0.89 and 2 "Apple bag (100g)" for £1.59 Order Type: Collection Collection Date: 09/05/2026 Discount Code: SUMMER10! Address: 1 Spon Lane City: Birmingham Postcode: B70 6AW **Erroneous** Order Type: Empty Collection Date: ??/--/!! Address: 123 Example Road City: Fake City Postcode: BBB 321 **Extreme** Products in basket: 1 "Watermelon Slice (100g)" for £0.89 and 1 "Apple bag (100g)" for £1.59 *(Valid Extreme)* Products in basket: -4000 "Watermelon Slice (100g)" for £0.89 and -4000

			“Apple bag (100g)” for £1.59 *(Invalid Extreme)*
17/04/26	Product details on the “Product” page	White box Black box Functionality Integration	Home page should be made and be fully functional. Products’ page should be made and be fully functional. “Product” page should be made and be fully functional. All models should be made. Migrations and update database must be applied. Tester must go to the products page through the “Products” button or “BROWSE ALL PRODUCE” button. Then they must click on one of product cards and be redirected to the “Product” page for the specific product. There the tester must check if the correct details of the product are being shown in the correct places or sections. No test data needed.
17/04/26	Producers’ details on the “Our Producers” page	White box Black box Functionality Integration	Home page should be made and be fully functional. Producers’ page should be made and be fully functional. All models should be made. Migrations and update database must be applied. The tester must navigate to the “Our producers” page using the “Our Producers” link on the navigation bar. When the tester is on the “Our Producers” page they must check if all producers’ details are being shown and if the details are correct compared to the details stored in the database. No test data needed.
17/04/26	Products’ link on the “Our Producers” page	White box Black box Functionality Integration	Home page should be made and be fully functional. Producers’ page should be made and be fully functional. All models should be made. Migrations and update database must be applied. The tester must navigate to the “Our producers” page using the “Our Producers” link on the navigation bar. When the tester is on the “Our Producers” page they must check if they

			can click links to the view the producers' products on the "Products" Page. No test data needed.
17/04/26	Order details on the "My Orders" page	White box Black box Functionality Integration	Home page should be made and be fully functional. "My Orders" page should be made and be fully functional. Basket controller should be made and fully functional. The tester must order some products and check their order through navigating to the "My Orders" page using the "My Orders" button on the navigation bar. Then the tester must check if the order details are accurate and up-to-date. No test data needed.
17/04/26	Cancelling orders on the "My Orders" page	White box Black box Functionality Integration	Home page should be made and be fully functional. "My Orders" page should be made and be fully functional. Basket controller should be made and fully functional. The tester must order some products and check their order through navigating to the "My Orders" page using the "My Orders" button on the navigation bar. Then the tester must click the "CANCEL ORDER" button on the order card and check if it can be seen by clicking the heading "Cancelled". No test data needed.
17/04/26	Switching between order statuses on the "My Orders" page	White box Black box Functionality Integration	Home page should be made and be fully functional. "My Orders" page should be made and be fully functional. Basket controller should be made and fully functional. The tester must order some products and check their order through navigating to the "My Orders" page using the "My Orders" button on the navigation bar. Then the tester must check if different orders can be seen by clicking the different order status headings. No test data needed.

17/04/26	Remove products on the “My Baskets” page	White box Black box Functionality Integration	Home page should be made and be fully functional. “My Basket” page should be made and be fully functional. Basket controller should be made and fully functional. The tester must order some products and check their order through navigating to the “My Basket” page using the “CHECKOUT” button on the basket side bar. Then the tester must check if products are being removed from the basket by click on the “X” buttons. No test data needed.
17/04/26	Create a product as a producer	White box Black box Functionality Integration Security	Home page should be made and be fully functional. Dashboard page should be made and be fully functional. “Create Product” page should be made and be fully functional. All models should be made. Migrations and update database must be applied. Tester must login using an account with role of “Producer” and navigate to the dashboard using the navigation bar. Tester must click the “Products” button to see the products’ section on the dashboard. Then the tester must check if they get redirected to the “Create Product” page after clicking the “New Product” button. On the “Create Product” page the tester must fill out the product information using the test data. Then check if valid data is accepted successfully and invalid data is rejected using appropriate error messages. **Test Data:** **Normal** Product Name: Whole Mango (100g) Stock: 50 City: Belfast Description: Juicy and naturally sweet mangoes. Methods Used: Organic fertilizer used to grow the mangoes fast. Chemicals

			sprayed on the mangoes to ensure the mangoes are not infected by insects. **Erroneous** Product Name: Empty Stock: “!!” City: Fake City Description: Empty Methods Used: Empty **Extreme** Stock: 0 *(Valid Extreme)* Stock: -400 *(Invalid Extreme)*
17/04/26	Edit a product as a producer	White box Black box Functionality Integration Security	Home page should be made and be fully functional. Dashboard page should be made and be fully functional. “Edit Product” page should be made and be fully functional. All models should be made. Migrations and update database must be applied. Tester must login using an account with role of “Producer” and navigate to the dashboard using the navigation bar. Tester must click the “Products” button to see the products’ section on the dashboard. Then the tester must check if they get redirected to the “Edit Product” page after clicking on the “Edit” button from one of the product cards. On the “Edit Product” page the tester must fill out the product information using the test data. Then check if valid data is accepted successfully and invalid data is rejected using appropriate error messages, after clicking the “Save Changes” button. **Test Data:** **Normal** Product Name: Whole Mango (200g) Stock: 20 City: Belfast Description: Juicy and naturally sweet mangoes. Methods Used: Organic fertilizer used to grow the mangoes fast. Chemicals sprayed on the mangoes to ensure the mangoes are not infected by insects.

			Erroneous Product Name: Empty Stock: “!!” City: Another Fake City Description: Empty Methods Used: Empty **Extreme** Stock: 0 *(Valid Extreme)* Stock: -64 *(Invalid Extreme)*
17/04/26	Deny or approve orders as a producer.	White box Black box Functionality Integration Security	Home page should be made and be fully functional. Dashboard page should be made and be fully functional. All models should be made. Migrations and update database must be applied. Tester must login using an account with role of “Producer” and navigate to the dashboard using the navigation bar. Tester must click the “Orders” to see the orders’ section on the dashboard. Tester must click on the buttons to either deny an order or approve an order. This should be done for multiple products. After doing that the tester must check if the orders’ status has been changed for the different customer accounts correctly. No test data needed.