Day 1

Topic: C++ Basic & Input/Output:

Very Easy

1) Sum of Natural Numbers up to N

Calculate the sum of all natural numbers from 1 to n, where n is a positive integer. Use the formula:
Sum=n×(n+1)/2 .
Take n as input and output the sum of natural numbers from 1 to n .

Task

Given an integer n, print the sum of all natural numbers from 1 to n.

Input Format

One integer n, the upper limit for calculating the sum.

Constraints

- $1 \leq n \leq 10^4$.

Output Format

Print the sum of all natural numbers from 1 to n.

Test Cases:

Example 1

Input:

```
5
```

Output:

```
15
```

Explanation:
Using the formula, Sum=5×(5+1)/2=15 .

Example 2

Input:

100

Output:

5050

Explanation:
Using the formula, Sum=100×(100+1)/2=5050 .

Example 3

Input:

1

Output:

1

Explanation:
Using the formula, Sum=1×(1+1)/2=1 .

SOLUTION:

```cpp
main.cpp
 1  #include <iostream>
 2  using namespace std;
 3
 4  int main() {
 5      int n;
 6      // Take input for n
 7      cin >> n;
 8
 9      // Calculate sum using the formula
10      int sum = n * (n + 1) / 2;
11
12      // Print the result
13      cout << sum << endl;
14
15      return 0;
16  }
17
```

```
                                          input
5
15
```

1)Count Digits in a Number

Objective

Count the total number of digits in a given number n. The number can be a positive integer. For example, for the number 12345, the count of digits is 5. For a number like 900000, the count of digits is 6.

Given an integer n, your task is to determine how many digits are present in n. This task will help you practice working with loops, number manipulation, and conditional logic.

Task

Given an integer n, print the total number of digits in n.

Input Format

One integer n.

Constraints

- $1 \leq n \leq 10^9$

Output Format

Print the number of digits in n.

Test Cases
Example 1:
Input:
12345

Output:

5

Explanation:
The number 12345 has 5 digits: 1, 2, 3, 4, 5.

Example 2:
Input:

900000

Output:

6

Explanation:
The number 900000 has 6 digits: 9, 0, 0, 0, 0, 0.

Example 3:
Input:

1

Output:

1

Explanation:
The number 1 has only 1 digit.

SOLUTION:

```cpp
#include <iostream>
using namespace std;

int main() {
    int n;
    cin >> n;  // Input the integer n

    int count = 0;  // Variable to store the number of digits

    // Loop to count digits by repeatedly dividing n by 10
    while (n > 0) {
        n = n / 10;  // Remove the last digit by dividing by 10
        count++;     // Increment the digit count
    }

    // Output the total number of digits
    cout << count << endl;

    return 0;
}
```

input
```
12345
5
```

1) Function Overloading for Calculating Area.

Objective

Write a program to calculate the area of different shapes using function overloading.
Implement overloaded functions to compute the area of a circle, a rectangle, and a triangle.

Input Format
The program should accept:
1. Radius of the circle for the first function.
2. Length and breadth of the rectangle for the second function.
3. Base and height of the triangle for the third function.

Constraints
$1 \leq$ radius, length, breadth, base, height $\leq 10^3$
Use 3.14159 for the value of π.

Output Format
Print the computed area of each shape in a new line.

Test Cases:

Example 1

Input:

Radius = 5
Length = 4, breadth = 6
Base = 3, height = 7

Output:
78.53975
24
10.5

Explanation:
- The area of the circle with radius 5 is $3.14159 * 5^2 = 78.53975$.
- The area of the rectangle with length 4 and breadth 6 is $4 * 6 = 24$.
- The area of the triangle with base 3 and height 7 is $0.5*3*7 = 10.5$.

Example 2

Input:
Radius = 10
Length = 15, breadth = 8
Base = 12, height = 9

Output:

314.159

120

54

Explanation:

- The area of the circle with radius 10 is $3.14159 * 10^2 = 314.159$.
- The area of the rectangle with length 15 and breadth 8 is $15 * 8 = 120$.
- The area of the triangle with base 12 and height 9 is $0.5 * 12 * 9 = 54$.

Example 3

Input:

Radius = 1

length = 2, breadth = 3

Base = 5, height = 8

Output:

3.14159

6

20

Explanation:

The area of the circle with radius 1 is $3.14159 * 1^2 = 3.14159$.

The area of the rectangle with length 2 and breadth 3 is $2 * 3 = 6$.

 The area of the triangle with base 5 and height 8 is $0.5 * 5 * 8 = 20$.

SOLUTION:

```cpp
#include <iostream>
using namespace std;

// Function to calculate the area of a circle
double calculateArea(double radius) {
    return 3.14159 * radius * radius;
}

// Function to calculate the area of a rectangle
int calculateArea(int length, int breadth) {
    return length * breadth;
}

// Function to calculate the area of a triangle
double calculateArea(double base, double height) {
    return 0.5 * base * height;
}

int main() {
    // Input values
    double radius, base, height;
    int length, breadth;

    // Reading input
    cin >> radius;
    cin >> length >> breadth;
    cin >> base >> height;

    // Calling overloaded functions and printing results
    cout << calculateArea(radius) << endl;   // Area of circle
    cout << calculateArea(length, breadth) << endl;   // Area of rectangle
    cout << calculateArea(base, height) << endl;   // Area of triangle

    return 0;
}
```

input

3
24
30
2
4
28.2743
720
4

1)Implement Polymorphism for Banking Transactions
Objective
Design a C++ program to simulate a banking system using polymorphism. Create a base class
Account with a virtual method calculateInterest(). Use the derived classes SavingsAccount
and CurrentAccount to implement specific interest calculation logic:

- **SavingsAccount**: Interest = Balance × Rate × Time.
- **CurrentAccount**: No interest, but includes a maintenance fee deduction.

Input Format

1. Account Type (1 for Savings, 2 for Current).
2. Account Balance (integer).
3. For Savings Account: Interest Rate (as a percentage) and Time (in years).
4. For Current Account: Monthly Maintenance Fee.

Constraints

- Account type: $1 \leq$ type ≤ 2 .
- Balance: $1000 \leq$ balance $\leq 1{,}000{,}000$.
- Interest Rate: $1 \leq$ rate ≤ 15.
- Time: $1 \leq$ time ≤ 10 .
- Maintenance Fee: $50 \leq$ fee ≤ 500 .

Test Cases:
Example 1: Savings Account Interest
Input:
Account Type: 1
Balance: 10000
Interest Rate: 5
Time: 3
Output:
Savings Account Interest: 1500

Example 2: Current Account Fee
Input:
Account Type: 2
Balance: 20000
Maintenance Fee: 200
Output:
Balance after fee deduction: 19800

Example 3: Invalid Account Type
Input:
Account Type: 3
Output:

Invalid account type.

SOLUTION:

```cpp
1  #include <iostream>
2  using namespace std;
3
4  // Base class Account
5  class Account {
6  protected:
7      double balance;
8
9  public:
10     Account(double balance) : balance(balance) {}
11
12     // Virtual method for calculating interest or fee (to be overridden in derived classes)
13     virtual void calculateInterestOrFee() = 0;
14
15     // Method to get the current balance
16     double getBalance() {
17         return balance;
18     }
19 };
20
21 // Derived class for SavingsAccount
22 class SavingsAccount : public Account {
23 private:
24     double interestRate;
25     int time;
26
27 public:
28     SavingsAccount(double balance, double interestRate, int time)
29         : Account(balance), interestRate(interestRate), time(time) {}
30
31     // Overriding the calculateInterestOrFee method to calculate interest for SavingsAccount
32     void calculateInterestOrFee() override {
33         double interest = balance * (interestRate / 100) * time;
34         cout << "Savings Account Interest: " << interest << endl;
35     }
36 };
37
38 // Derived class for CurrentAccount
39 class CurrentAccount : public Account {
40 private:
41     double maintenanceFee;
42
43 public:
44     CurrentAccount(double balance, double maintenanceFee)
45         : Account(balance), maintenanceFee(maintenanceFee) {}
46
47     // Overriding the calculateInterestOrFee method to deduct maintenance fee for CurrentAccount
48     void calculateInterestOrFee() override {
```

```cpp
44     CurrentAccount(double balance, double maintenanceFee)
45         : Account(balance), maintenanceFee(maintenanceFee) {}
46
47     // Overriding the calculateInterestOrFee method to deduct maintenance fee for CurrentAccount
48     void calculateInterestOrFee() override {
49         balance -= maintenanceFee;
50         cout << "Balance after fee deduction: " << balance << endl;
51     }
52 };
53
54 int main() {
55     int accountType;
56     double balance, interestRate, maintenanceFee;
57     int time;
58
59     // Input: Account type, balance and other parameters based on account type
60     cout << "Enter account type (1 for Savings, 2 for Current): ";
61     cin >> accountType;
62
63     if (accountType == 1) {  // Savings Account
64         cout << "Enter balance: ";
65         cin >> balance;
66         cout << "Enter interest rate (in %): ";
67         cin >> interestRate;
68         cout << "Enter time (in years): ";
69         cin >> time;
70
71         // Create SavingsAccount object and calculate interest
72         SavingsAccount savingsAccount(balance, interestRate, time);
73         savingsAccount.calculateInterestOrFee();
74
75     } else if (accountType == 2) {  // Current Account
76         cout << "Enter balance: ";
77         cin >> balance;
78         cout << "Enter monthly maintenance fee: ";
79         cin >> maintenanceFee;
80
81         // Create CurrentAccount object and calculate fee deduction
82         CurrentAccount currentAccount(balance, maintenanceFee);
83         currentAccount.calculateInterestOrFee();
84
85     } else {
86         cout << "Invalid account type." << endl;  // Invalid account type
87     }
88
89     return 0;
90 }
91
```

Very Hard

1)Hierarchical Inheritance for Employee Management System

Objective

Create a C++ program to simulate an employee management system using hierarchical inheritance. Design a base class Employee that stores basic details (name, ID, and salary). Create two derived classes:

Manager: Add and calculate bonuses based on performance ratings.

Developer: Add and calculate overtime compensation based on extra hours worked.

The program should allow input for both types of employees and display their total earnings.

Input Format

1. Employee Type (1 for Manager, 2 for Developer).
2. Name (string), ID (integer), and salary (integer).
3. For Manager: Performance Rating (1–5).
4. For Developer: Extra hours worked (integer).

Constraints

- Employee type: $1 \leq$ type ≤ 2 .
- Salary: $10,000 \leq$ salary$\leq 1,000,000$.
- Rating: $1 \leq$ rating ≤ 5 .
- Extra hours: $0 \leq$ hours ≤ 100 .
- Bonus per rating point: 10% of salary.
- Overtime rate: $500 per hour.

Test Cases:
Example 1: Manager with Rating Bonus
Input:
Employee Type: 1
Name: Alice
ID: 101
Salary: 50000
Rating: 4
Output:
Employee: Alice (ID: 101)
Role: Manager

Base Salary: 50000
Bonus: 20000
Total Earnings: 70000

Example 2: Developer with Overtime
Input:
Employee Type: 2
Name: Bob
ID: 102
Salary: 40000
Extra Hours: 10
Output:
Employee: Bob (ID: 102)
Role: Developer
Base Salary: 40000
Overtime Compensation: 5000
Total Earnings: 45000
Example 3: Invalid Employee Type
Input:
Employee Type: 3
Output:
Invalid employee type.

SOLUTION:

```cpp
1   #include <iostream>
2   #include <string>
3   using namespace std;
4
5   // Base class Employee
6   class Employee {
7   protected:
8       string name;
9       int id;
10      int salary;
11
12  public:
13      // Constructor to initialize employee details
14      Employee(string n, int i, int s) : name(n), id(i), salary(s) {}
15
16      // Virtual function to calculate total earnings (to be overridden)
17      virtual void calculateTotalEarnings() = 0;
18
19      // Function to display basic details
20      void displayDetails() {
21          cout << "Employee: " << name << " (ID: " << id << ")" << endl;
22          cout << "Base Salary: " << salary << endl;
23      }
24  };
25
26  // Derived class Manager
27  class Manager : public Employee {
28  private:
29      int rating;   // Performance rating (1 to 5)
30
31  public:
32      // Constructor to initialize Manager details
33      Manager(string n, int i, int s, int r) : Employee(n, i, s), rating(r) {}
34
35      // Override the function to calculate total earnings for a Manager
36      void calculateTotalEarnings() override {
37          // Bonus calculation: 10% of salary per rating point
38          double bonus = (rating * 0.1) * salary;
39          double totalEarnings = salary + bonus;
40
41          // Display the manager's details and total earnings
42          displayDetails();
43          cout << "Role: Manager" << endl;
44          cout << "Bonus: " << bonus << endl;
45          cout << "Total Earnings: " << totalEarnings << endl;
46      }
47  };
48
```

```cpp
48
49  // Derived class Developer
50  class Developer : public Employee {
51  private:
52      int extraHours;  // Extra hours worked by the developer
53
54  public:
55      // Constructor to initialize Developer details
56      Developer(string n, int i, int s, int h) : Employee(n, i, s), extraHours(h) {}
57
58      // Override the function to calculate total earnings for a Developer
59      void calculateTotalEarnings() override {
60          // Overtime compensation: $500 per hour
61          double overtimeCompensation = extraHours * 500;
62          double totalEarnings = salary + overtimeCompensation;
63
64          // Display the developer's details and total earnings
65          displayDetails();
66          cout << "Role: Developer" << endl;
67          cout << "Overtime Compensation: " << overtimeCompensation << endl;
68          cout << "Total Earnings: " << totalEarnings << endl;
69      }
70  };
71
72  int main() {
73      int employeeType;
74      string name;
75      int id, salary, rating, extraHours;
76
77      // Input: Employee type (1 for Manager, 2 for Developer)
78      cout << "Enter employee type (1 for Manager, 2 for Developer): ";
79      cin >> employeeType;
80
81      if (employeeType == 1) {  // Manager
82          cout << "Enter name: ";
83          cin.ignore();  // To clear the input buffer
84          getline(cin, name);
85          cout << "Enter ID: ";
86          cin >> id;
87          cout << "Enter salary: ";
88          cin >> salary;
89          cout << "Enter performance rating (1-5): ";
90          cin >> rating;
91
92          // Create Manager object and calculate total earnings
93          Manager manager(name, id, salary, rating);
94          manager.calculateTotalEarnings();
95
```

```cpp
96      } else if (employeeType == 2) {  // Developer
97          cout << "Enter name: ";
98          cin.ignore();  // To clear the input buffer
99          getline(cin, name);
100         cout << "Enter ID: ";
101         cin >> id;
102         cout << "Enter salary: ";
103         cin >> salary;
104         cout << "Enter extra hours worked: ";
105         cin >> extraHours;
106
107         // Create Developer object and calculate total earnings
108         Developer developer(name, id, salary, extraHours);
109         developer.calculateTotalEarnings();
110
111     } else {
112         cout << "Invalid employee type." << endl;  // Invalid employee type
113     }
114
115     return 0;
116 }
117
```

```
Enter employee type (1 for Manager, 2 for Developer): 1
Enter name: harleen
Enter ID: 2
Enter salary: 89000
Enter performance rating (1-5): 5
Employee: harleen (ID: 2)
Base Salary: 89000
Role: Manager
Bonus: 44500
Total Earnings: 133500


...Program finished with exit code 0
Press ENTER to exit console.
```