Name-Anirudh Singh Manhas UID-22BCS10576 Batch-B.E.-CSE Section-KPIT-901'A'

```
Question 1-

CODE-

#include <iostream>
using namespace std;
int main() {
  int n;

  cout << "Enter a positive integer: ";
  cin >> n;

  if (n > 0) {
    int totalSum = n * (n + 1) / 2;
    cout << "The sum of natural numbers from 1 to " << n << " is: " << totalSum << endl;
  } else {
    cout << "Please enter a positive integer." << endl;
  }
  return 0;
}
```

Enter a positive integer: 24
The sum of natural numbers from 1 to 24 is: 300

Output-

```
CODE-
```

```
#include <iostream>
using namespace std;
int main() {
  int n;
  int count = 0;
  cout << "Enter a positive integer: ";</pre>
  cin >> n;
  if (n \le 0)
     cout << "Please enter a positive integer." << endl;</pre>
     return 0;
  while (n != 0) {
     n = n / 10;
     count++;
  cout << "The number of digits is: " << count << endl;</pre>
  return 0;
}
```

Output-

```
Enter a positive integer: 656565
The number of digits is: 6
```

```
Question 3-

CODE-

#include <iostream>
#include <cmath>
using namespace std;

double calculateArea(double radius) {
  return M_PI * radius * radius;
}

double calculateArea(double length, double breadth) {
  return length * breadth;
```

```
double calculateArea(double base, double height, bool isTriangle) {
  return 0.5 * base * height;
int main() {
  double radius;
  cout << "Enter the radius of the circle: ";
  cin >> radius;
  cout << "Area of the circle: " << calculateArea(radius) << endl;
  double length, breadth;
  cout << "Enter the length and breadth of the rectangle: ";
  cin >> length >> breadth;
  cout << "Area of the rectangle: " << calculateArea(length, breadth) << endl;</pre>
  double base, height;
  cout << "Enter the base and height of the triangle: ";
  cin >> base >> height;
  cout << "Area of the triangle: " << calculateArea(base, height, true) << endl;
  return 0;
}
```

Output-

```
Enter the radius of the circle: 20
Area of the circle: 1256.64
Enter the length and breadth of the rectangle: 2 4
Area of the rectangle: 8
Enter the base and height of the triangle: 4 8
Area of the triangle: 16
```

Ouestion 4-

CODE-

#include <iostream>

```
using namespace std;
class Account {
protected:
  double balance;
public:
  Account(double bal) : balance(bal) {}
  virtual void calculateInterest() = 0;
  virtual ~Account() {}
};
class SavingsAccount : public Account {
  double rate;
  int time:
public:
  SavingsAccount(double bal, double r, int t) : Account(bal), rate(r), time(t) {}
  void calculateInterest() override {
     double interest = balance * (rate / 100) * time;
    cout << "Savings Account Interest: " << interest << endl;</pre>
     cout << "Total Balance after Interest: " << (balance + interest) << endl;
  }
};
class CurrentAccount : public Account {
  double maintenanceFee;
public:
  CurrentAccount(double bal, double fee): Account(bal), maintenanceFee(fee)
{}
  void calculateInterest() override {
     double finalBalance = balance - maintenanceFee;
     cout << "Current Account Maintenance Fee: " << maintenanceFee << endl;
     cout << "Final Balance after Fee Deduction: " << finalBalance << endl;
  }
};
int main() {
  int accountType;
  cout << "Enter Account Type (1 for Savings, 2 for Current): ";
  cin >> accountType;
```

```
if (accountType == 1) {
    double balance, rate;
    int time;
    cout << "Enter Balance: ";</pre>
    cin >> balance;
    cout << "Enter Interest Rate (%): ";
    cin >> rate;
    cout << "Enter Time (years): ";</pre>
    cin >> time;
    SavingsAccount savings(balance, rate, time);
    savings.calculateInterest();
  } else if (accountType == 2) {
    double balance, maintenanceFee;
    cout << "Enter Balance: ";</pre>
    cin >> balance;
    cout << "Enter Monthly Maintenance Fee: ";</pre>
    cin >> maintenanceFee;
    CurrentAccount current(balance, maintenanceFee);
    current.calculateInterest();
  } else {
    cout << "Invalid account type entered." << endl;</pre>
  }
  return 0;
}
Output-
Enter Account Type (1 for Savings, 2 for Current): 1
 Enter Balance: 20000
 Enter Interest Rate (%): 22
 Enter Time (years):
 Savings Account Interest: 17600
 Total Balance after Interest: 37600
```

```
Question 5-
CODE-
#include <iostream>
#include <string>
using namespace std;
class Employee {
protected:
  string name;
  int id;
  double salary;
public:
  Employee(string empName, int empId, double empSalary)
    : name(empName), id(empId), salary(empSalary) {}
  virtual void calculateEarnings() = 0;
  virtual void displayDetails() {
    cout << "Name: " << name << endl;</pre>
    cout << "ID: " << id << endl;
    cout << "Base Salary: " << salary << endl;</pre>
  }
  virtual ~Employee() {}
};
class Manager: public Employee {
  int performanceRating;
public:
  Manager(string empName, int empId, double empSalary, int rating)
    : Employee(empName, empId, empSalary), performanceRating(rating) {}
  void calculateEarnings() override {
    double bonus = 0;
    switch (performanceRating) {
       case 5: bonus = salary * 0.2; break;
       case 4: bonus = salary * 0.15; break;
       case 3: bonus = salary * 0.1; break;
       default: bonus = 0; break;
     }
```

```
cout << "Performance Rating: " << performanceRating << endl;</pre>
     cout << "Bonus: " << bonus << endl;</pre>
     cout << "Total Earnings: " << (salary + bonus) << endl;</pre>
};
class Developer : public Employee {
  int extraHours:
public:
  Developer(string empName, int empId, double empSalary, int hours)
     : Employee(empName, empId, empSalary), extraHours(hours) {}
  void calculateEarnings() override {
     double overtimeCompensation = extraHours * 50;
     cout << "Extra Hours Worked: " << extraHours << endl;</pre>
     cout << "Overtime Compensation: " << overtimeCompensation << endl;</pre>
     cout << "Total Earnings: " << (salary + overtimeCompensation) << endl;
  }
};
int main() {
  int employeeType;
  cout << "Enter Employee Type (1 for Manager, 2 for Developer): ";
  cin >> employeeType;
  string name;
  int id;
  double salary;
  cout << "Enter Name: ";
  cin >> name;
  cout << "Enter ID: ";
  cin >> id:
  cout << "Enter Salary: ";</pre>
  cin >> salary;
  if (employeeType == 1) {
     int performanceRating;
     cout << "Enter Performance Rating (1-5): ";</pre>
     cin >> performanceRating;
     Manager manager(name, id, salary, performanceRating);
```

```
manager.displayDetails();
manager.calculateEarnings();
} else if (employeeType == 2) {
   int extraHours;
   cout << "Enter Extra Hours Worked: ";
   cin >> extraHours;

Developer developer(name, id, salary, extraHours);
   developer.displayDetails();
   developer.calculateEarnings();
} else {
   cout << "Invalid Employee Type!" << endl;
}

return 0;
}</pre>
```

Output-

```
Enter Employee Type (1 for Manager, 2 for Developer): 2
Enter Name: Vansh
Enter ID: 12
Enter Salary: 50000
Enter Extra Hours Worked: 8
Name: Vansh
ID: 12
Base Salary: 50000
Extra Hours Worked: 8
Overtime Compensation: 400
Total Earnings: 50400
```