

# DOMAIN WINTER CAMP

*(Department of Computer Science and Engineering)*

Name: Shivam Aanand    UID: 22BCS10568    Section: KPIT\_901(A)

## DAY 2

**Ques 1.** You are given an integer array jobs, where jobs[i] is the amount of time it takes to complete the ith job. There are k workers that you can assign jobs to. Each job should be assigned to exactly one worker. The working time of a worker is the sum of the time it takes to complete all jobs assigned to them. Your goal is to devise an optimal assignment such that the maximum working time of any worker is minimized.

**Return the minimum possible maximum working time of any assignment.**

### Program code:

```
#include <iostream>

#include <vector>

#include <algorithm>

#include <numeric>

using namespace std;

bool canAssign(const vector<int>& jobs, vector<int>& workers, int
maxWorkingTime, int index) {

    if (index == jobs.size()) {

        return true;

    }
```

```

for (int i = 0; i < workers.size(); ++i) {
    if (workers[i] + jobs[index] <= maxWorkingTime) {
        workers[i] += jobs[index];
        if (canAssign(jobs, workers, maxWorkingTime, index + 1)) {
            return true;
        }
        workers[i] -= jobs[index];
    }
    if (workers[i] == 0) {
        break;
    }
}
return false;
}

int minimumTimeRequired(vector<int>& jobs, int k) {
    int left = *max_element(jobs.begin(), jobs.end());
    int right = accumulate(jobs.begin(), jobs.end(), 0);

    sort(jobs.rbegin(), jobs.rend());
    while (left < right) {
        int mid = left + (right - left) / 2;
        vector<int> workers(k, 0);
        if (canAssign(jobs, workers, mid, 0)) {
            right = mid;
        } else {
            left = mid + 1;
        }
    }
}

```

```

    }
    return left;
}


int main() {
    vector<int> jobs = {3, 2, 3};
    int k = 3;

    cout << "Minimum possible maximum working time: " <<
    minimumTimeRequired(jobs, k) << endl;

    return 0;
}

```

**Output:**



The screenshot shows a dark-themed window titled "Output". Inside, the text "Minimum possible maximum working time: 3" is displayed in a monospaced font. Below this, a status message "=== Code Execution Successful ===" is shown, with a cursor at the end of the line.

**Ques 2. On a social network consisting of  $m$  users and some friendships between users, two users can communicate with each other if they know a common language.**

**You are given an integer  $n$ , an array `languages`, and an array `friendships` where:**

**There are  $n$  languages numbered 1 through  $n$ ,**

**`languages[i]` is the set of languages the  $i$ th user knows, and**

**`friendships[i] = [ui, vi]` denotes a friendship between the users  $ui$  and  $vi$ .**

**You can choose one language and teach it to some users so that all friends can communicate with each other. Return the minimum number of users you need to teach.**

**Note that friendships are not transitive, meaning if x is a friend of y and y is a friend of z, this doesn't guarantee that x is a friend of z.**

**Program code:**

```
#include <iostream>
#include <vector>
#include <unordered_set>
#include <unordered_map>
#include <algorithm>
using namespace std;

int minNumberOfUsersToTeach(int n, vector<vector<int>>& languages,
vector<vector<int>>& friendships) {
    unordered_map<int, unordered_set<int>> userLanguages;
    for (int i = 0; i < languages.size(); ++i) {
        for (int lang : languages[i]) {
            userLanguages[i + 1].insert(lang);
        }
    }
    unordered_set<int> toTeachUsers;
    vector<pair<int, int>> toTeachPairs;
    for (const auto& friendship : friendships) {
        int u = friendship[0], v = friendship[1];
        bool canCommunicate = false;
        for (int lang : userLanguages[u]) {
            if (userLanguages[v].count(lang)) {
                canCommunicate = true;
                break;
            }
        }
    }
}
```

```

    }
    if (!canCommunicate) {
        toTeachPairs.emplace_back(u, v);
        toTeachUsers.insert(u);
        toTeachUsers.insert(v);
    }
}

if (toTeachPairs.empty()) {
    return 0;
}

int minTeach = toTeachUsers.size();
for (int lang = 1; lang <= n; ++lang) {
    unordered_set<int> teachSet;
    for (const auto& pair : toTeachPairs) {
        int u = pair.first, v = pair.second;
        if (!userLanguages[u].count(lang)) {
            teachSet.insert(u);
        }
        if (!userLanguages[v].count(lang)) {
            teachSet.insert(v);
        }
    }
    minTeach = min(minTeach, (int)teachSet.size());
}

```

```

    return minTeach;
}


int main() {
    int n = 2;
    vector<vector<int>> languages = {{1}, {2}, {1, 2}};
    vector<vector<int>> friendships = {{1, 2}, {1, 3}, {2, 3}};

    cout << "Minimum number of users to teach: " <<
    minNumberOfUsersToTeach(n, languages, friendships) << endl;

    return 0;
}

```

**Output:**



The screenshot shows a dark-themed window titled "Output". The text inside the window reads: "Minimum number of users to teach: 1" followed by a blank line and "=== Code Execution Successful ===".

**Ques 3. Determine if a 9 x 9 Sudoku board is valid. Only the filled cells need to be validated according to the following rules:**

**Each row must contain the digits 1-9 without repetition.**

**Each column must contain the digits 1-9 without repetition.**

**Each of the nine 3 x 3 sub-boxes of the grid must contain the digits 1-9 without repetition.**

**Note:**

**A Sudoku board (partially filled) could be valid but is not necessarily solvable.**

**Only the filled cells need to be validated according to the mentioned rules.**

**Program Code:**

```
#include <iostream>
#include <vector>
#include <unordered_set>

using namespace std;

bool isValidSudoku(vector<vector<char>>& board) {
    vector<unordered_set<char>> rows(9);
    vector<unordered_set<char>> cols(9);
    vector<unordered_set<char>> boxes(9);

    for (int i = 0; i < 9; ++i) {
        for (int j = 0; j < 9; ++j) {
            char num = board[i][j];
            if (num != '.') {
                // Check row
                if (rows[i].count(num)) {
                    return false;
                }
                rows[i].insert(num);
                if (cols[j].count(num)) {
                    return false;
                }
            }
        }
    }
}
```

```

    }
    cols[j].insert(num);
    int boxIndex = (i / 3) * 3 + (j / 3);
    if (boxes[boxIndex].count(num)) {
        return false;
    }
    boxes[boxIndex].insert(num);
}
}
}

return true;
}

```

```


int main() {
    vector<vector<char>> board = {
        {'5', '3', '.', '.', '7', '.', '.', '.', '.'},
        {'6', '.', '.', '1', '9', '5', '.', '.', '.'},
        {'.', '9', '8', '.', '.', '.', '.', '6', '.'},
        {'8', '.', '.', '.', '6', '.', '.', '.', '3'},
        {'4', '.', '.', '8', '.', '3', '.', '.', '1'},
        {'7', '.', '.', '.', '2', '.', '.', '.', '6'},
        {'.', '6', '.', '.', '.', '.', '2', '8', '.'},
        {'.', '.', '.', '4', '1', '9', '.', '.', '5'},
        {'.', '.', '.', '.', '8', '.', '.', '7', '9'}
    };
}

```



```
    cout << (isValidSudoku(board) ? "Valid Sudoku" : "Invalid Sudoku") << endl;
    return 0;
}
```

**Output:**

A screenshot of a code execution environment. At the top, the word "Output" is displayed in a light blue font. Below it, the text "Valid Sudoku" is shown in a light blue font. At the bottom, the text "=== Code Execution Successful ===" is displayed in a light blue font.

**Ques 4. You are given an integer array height of length n. There are n vertical lines drawn such that the two endpoints of the ith line are (i, 0) and (i, height[i]).**

**Find two lines that together with the x-axis form a container, such that the container contains the most water.**

**Return the maximum amount of water a container can store.**

**Notice that you may not slant the container.**

**Program Code:**

```
#include <iostream>
#include <vector>
#include <algorithm>

using namespace std;
int maxArea(vector<int>& height) {
```

```

int left = 0;
int right = height.size() - 1;
int max_area = 0;
while (left < right) {
    int h = min(height[left], height[right]);
    int w = right - left;
    int current_area = h * w;
    max_area = max(max_area, current_area);
    if (height[left] < height[right]) {
        ++left;
    } else {
        --right;
    }
}
return max_area;
}

int main() {
    vector<int> height = {1, 8, 6, 2, 5, 4, 8, 3, 7};

    cout << "Maximum amount of water the container can store: " <<
maxArea(height) << endl;

    return 0;
}

```

### Output:

```

Output
Maximum amount of water the container can store: 49

=== Code Execution Successful ===

```

**Ques 5. Given an integer numRows, return the first numRows of Pascal's triangle.**

**In Pascal's triangle, each number is the sum of the two numbers directly above it as shown:**

**Example 1:**

**Input: numRows = 5**


**Output: [[1],[1,1],[1,2,1],[1,3,3,1],[1,4,6,4,1]]**

**Program Code:**

```
#include <iostream>
#include <vector>
using namespace std;
vector<vector<int>> generate(int numRows) {
    vector<vector<int>> triangle;
    if (numRows <= 0) {
        return triangle;
    }
    triangle.push_back({1});
    for (int i = 1; i < numRows; ++i) {
        vector<int> row(i + 1, 1);
        for (int j = 1; j < i; ++j) {
            row[j] = triangle[i - 1][j - 1] + triangle[i - 1][j];
        }
        triangle.push_back(row);
    }
    return triangle;
}
```

```
}  
int main() {  
    int numRows = 5;  
    vector<vector<int>> result = generate(numRows);  
    for (const auto& row : result) {  
        for (int val : row) {  
            cout << val << " ";  
        }  
        cout << endl;  
    }  
    return 0;  
}
```

**Output:**



```
Output  
^ 1  
  1 1  
 1 2 1  
1 3 3 1  
1 4 6 4 1  
  
=== Code Execution Successful ===
```