LAB 1.C-----Objective:

The objective of this lab is to copy the given instructions that will give the result by storing a phrase "Welcome to CSCI 320!!!" in a memory location, the goal of the assignment is to better understand and interact with the SBC680000 board to store data into memory and execute the program

#### **Procedure:**

First we assigned some values (A-Z, a-z, and 0-9) to some memory location using code or the easy68k instruction set. Instructions are given such that the address 2200 would contain "Welcome to CSCI 320!!!" when program is executed.


# **Program Description:**

This program stores uppercase letters starting from \$00002000 memory location, lowercase from \$00002020, and numbers from \$00002040. The code is used to display "Welcome to CSCI 320!!!"


#### **Source File:**

```
* Title : Lab 1.C
* Written by : Dalton Wright
* Date : 01/21/2021
* Description: This program prints "Welcome to CSCI320".
   ORG
         $2000
    DC.L 'ABCDEFGHIJKLMNOPQRSTUVWXYZ'
    ORG
           $2020
    DC.L 'abcdefghijklmnopqrstuvwxyz'
    ORG
          $2040
    DC.W '0123456789'
START:
   LEA.L $002000,A2
    LEA.L $002020,A3
    LEA.L $002040,A4
    LEA.L $002200,A1
   MOVE.B $002016, (A1) +
   MOVE.B $002024, (A1) +
    MOVE.B $00202B, (A1) +
   MOVE.B $002022, (A1) +
   MOVE.B $00202E, (A1) +
    MOVE.B $00202C, (A1) +
   MOVE.B $002024, (A1) +
   MOVE.B #32, (A1) +
   MOVE.B 19(A3) , (A1) +
   MOVE.B 14(A3) , (A1) +
   MOVE.B #32, (A1) +
   MOVE.B 2(A2) , (A1) +
   MOVE.B 18(A2) , (A1) +
    MOVE.B 2(A2) , (A1) +
   MOVE.B 8(A2) , (A1) +
   MOVE.B #32, (A1) +
    MOVE.B 3(A4) , (A1) +
    MOVE.B 2(A4) , (A1) +
   MOVE.B (A4) , (A1) +
   MOVE.B #33, (A1) +
   MOVE.B #33, (A1) +
   MOVE.B #33, (A1) +
   MOVE.B #32, (A1) +
    SIMHALT
                        ; halt simulator
    END
         START ; last line of source
```

# Memory before execution:



# Memory after execution:



### Lab 1.C Log-Trace:

EASy68K execution log file: 1/21/2021 2:46:41 PM

00002200: 57 65 6C 63 6F 6D 65 20 74 6F 20 43 53 43 49 20 Welcome to CSCI

00002210: 33 32 30 21 21 21 20 FF FF FF FF FF FF FF FF FF 320!!! -------

D0=00000000 D4=00000000 A0=00000000 A4=00000000 T\_S\_INT\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=00100000000000

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=0000204A Code=45F8 2000 Line= 15 LEA.L \$002000,A2

00002200: 57 65 6C 63 6F 6D 65 20 74 6F 20 43 53 43 49 20 Welcome to CSCI

00002210: 33 32 30 21 21 21 20 FF FF FF FF FF FF FF FF FF 320!!! ------

D0=00000000 D4=00000000 A0=00000000 A4=00000000 T\_S\_INT\_\_\_XNZVC

D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=0000204E Code=47F8 2020 Line= 16 LEA.L \$002020,A3

D0=00000000 D4=00000000 A0=00000000 A4=00000000 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=00100000000000

D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000

PC=00002052 Code=49F8 2040 Line= 17 LEA.L \$002040,A4

D0=00000000 D4=00000000 A0=00000000 A4=00002040 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=00100000000000

D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000

PC=00002056 Code=43F8 2200 Line= 18 LEA.L \$002200,A1

D0=00000000 D4=00000000 A0=00000000 A4=00002040 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000000 A1=00002200 A5=00000000 SR=00100000000000

D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000

PC=0000205A Code=12F8 2016 Line= 20 MOVE.B \$002016,(A1)+

D0=00000000 D4=00000000 A0=00000000 A4=00002040 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000000 A1=00002201 A5=00000000 SR=00100000000000

D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000

PC=0000205E Code=12F8 2024 Line= 21 MOVE.B \$002024,(A1)+

D0=00000000 D4=00000000 A0=00000000 A4=00002040 T\_S\_INT\_\_\_XNZVC

D0=00000000 D4=00000000 A0=00000000 A4=00002040 T\_S\_INT\_\_XNZVC

D1=00000000 D5=00000000 A1=00002203 A5=00000000 SR=00100000000000

D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000

PC=00002066 Code=12F8 2022 Line= 23 MOVE.B \$002022,(A1)+

D0=00000000 D4=00000000 A0=00000000 A4=00002040 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000000 A1=00002204 A5=00000000 SR=00100000000000

D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000

00002200: 57 65 6C 63 6F 6D 65 20 74 6F 20 43 53 43 49 20 Welcome to CSCI

00002210: 33 32 30 21 21 21 20 FF FF FF FF FF FF FF FF FF 320!!! ------

D0=00000000 D4=00000000 A0=00000000 A4=00002040 T S INT XNZVC

D1=00000000 D5=00000000 A1=00002205 A5=00000000 SR=0010000000000000

D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000

PC=0000206E Code=12F8 202C Line= 25 MOVE.B \$00202C,(A1)+

00002200: 57 65 6C 63 6F 6D 65 20 74 6F 20 43 53 43 49 20 Welcome to CSCI

00002210: 33 32 30 21 21 21 20 FF FF FF FF FF FF FF FF FF 320!!! ------

D0=00000000 D4=00000000 A0=00000000 A4=00002040 T S INT XNZVC

D1=00000000 D5=00000000 A1=00002206 A5=00000000 SR=0010000000000000

D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000

PC=00002072 Code=12F8 2024 Line= 26 MOVE.B \$002024,(A1)+

00002200: 57 65 6C 63 6F 6D 65 20 74 6F 20 43 53 43 49 20 Welcome to CSCI

00002210: 33 32 30 21 21 21 20 FF FF FF FF FF FF FF FF FF 320!!! -------D0=00000000 D4=00000000 A0=00000000 A4=00002040 T S INT XNZVC D1=00000000 D5=00000000 A1=00002207 A5=00000000 SR=0010000000000000 D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000 D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000 PC=00002076 Code=12FC 0020 Line= 27 MOVE.B #32,(A1)+ 00002200: 57 65 6C 63 6F 6D 65 20 74 6F 20 43 53 43 49 20 Welcome to CSCI 00002210: 33 32 30 21 21 21 20 FF FF FF FF FF FF FF FF FF 320!!! -------D0=00000000 D4=00000000 A0=00000000 A4=00002040 T\_S\_INT\_\_\_XNZVC D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000 D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000 PC=0000207A Code=12EB 0013 Line= 28 MOVE.B 19(A3),(A1)+

D0=00000000 D4=00000000 A0=00000000 A4=00002040 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000000 A1=00002209 A5=00000000 SR=00100000000000

D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000

PC=0000207E Code=12EB 000E Line= 29 MOVE.B 14(A3) ,(A1)+

D0=00000000 D4=00000000 A0=00000000 A4=00002040 T\_S\_INT\_\_XNZVC

D1=00000000 D5=00000000 A1=0000220A A5=00000000 SR=00100000000000

D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000

PC=00002082 Code=12FC 0020 Line= 30 MOVE.B #32,(A1)+

D0=00000000 D4=00000000 A0=00000000 A4=00002040 T\_S\_INT\_\_XNZVC
D1=00000000 D5=00000000 A1=0000220B A5=00000000 SR=001000000000000

D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000

PC=00002086 Code=12EA 0002 Line= 31 MOVE.B 2(A2),(A1)+

D0=00000000 D4=00000000 A0=00000000 A4=00002040 T\_S\_INT\_\_XNZVC

D1=00000000 D5=00000000 A1=0000220C A5=00000000 SR=001000000000000

D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000

PC=0000208A Code=12EA 0012 Line= 32 MOVE.B 18(A2) ,(A1)+

D0=00000000 D4=00000000 A0=00000000 A4=00002040 T\_S\_INT\_\_XNZVC

D1=00000000 D5=00000000 A1=0000220D A5=00000000 SR=001000000000000

D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000

PC=0000208E Code=12EA 0002 Line= 33 MOVE.B 2(A2) ,(A1)+

D0=00000000 D4=00000000 A0=00000000 A4=00002040 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000000 A1=0000220E A5=00000000 SR=00100000000000

D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000

PC=00002092 Code=12EA 0008 Line= 34 MOVE.B 8(A2) ,(A1)+

D0=00000000 D4=00000000 A0=00000000 A4=00002040 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000000 A1=0000220F A5=00000000 SR=00100000000000

D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000

PC=00002096 Code=12FC 0020 Line= 35 MOVE.B #32,(A1)+

D0=00000000 D4=00000000 A0=00000000 A4=00002040 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000000 A1=00002210 A5=00000000 SR=00100000000000

D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000

PC=0000209A Code=12EC 0003 Line= 36 MOVE.B 3(A4) ,(A1)+

D0=00000000 D4=00000000 A0=00000000 A4=00002040 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000000 A1=00002211 A5=00000000 SR=00100000000000

D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000

PC=0000209E Code=12EC 0002 Line= 37 MOVE.B 2(A4) ,(A1)+

D0=00000000 D4=00000000 A0=00000000 A4=00002040 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000000 A1=00002212 A5=00000000 SR=00100000000000

D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000

PC=000020A2 Code=12D4 Line= 38 MOVE.B (A4) ,(A1)+

D0=00000000 D4=00000000 A0=00000000 A4=00002040 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000000 A1=00002213 A5=00000000 SR=00100000000000

D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000

PC=000020A4 Code=12FC 0021 Line= 39 MOVE.B #33,(A1)+

D0=00000000 D4=00000000 A0=00000000 A4=00002040 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000000 A1=00002214 A5=00000000 SR=00100000000000

D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000

PC=000020A8 Code=12FC 0021 Line= 40 MOVE.B #33,(A1)+

00002200: 57 65 6C 63 6F 6D 65 20 74 6F 20 43 53 43 49 20 Welcome to CSCI

00002210: 33 32 30 21 21 21 20 FF FF FF FF FF FF FF FF FF 320!!! -------

D0=00000000 D4=00000000 A0=00000000 A4=00002040 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000000 A1=00002215 A5=00000000 SR=00100000000000

D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000

00002200: 57 65 6C 63 6F 6D 65 20 74 6F 20 43 53 43 49 20 Welcome to CSCI

00002210: 33 32 30 21 21 21 20 FF FF FF FF FF FF FF FF FF 320!!! -------

D0=00000000 D4=00000000 A0=00000000 A4=00002040 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000000 A1=00002216 A5=00000000 SR=00100000000000

D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000

PC=000020B0 Code=12FC 0020 Line= 42 MOVE.B #32,(A1)+

00002200: 57 65 6C 63 6F 6D 65 20 74 6F 20 43 53 43 49 20 Welcome to CSCI

00002210: 33 32 30 21 21 21 20 FF FF FF FF FF FF FF FF FF 320!!! -------

D0=00000000 D4=00000000 A0=00000000 A4=00002040 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000000 A1=00002217 A5=00000000 SR=001000000000000

D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000

PC=000020B4 Code=FFFF FFFF Line= 45 SIMHALT ; halt simulator

LAB 1.O------Objective:

The objective of this lab is to copy the given instructions from Lab 1.C and manipulate using address register direct, address register indirect, post-increment, pre-decrement, and displacement in order to store your name starting at memory location \$2100, and also store a SSN at memory location \$2160, the goal of the assignment is to better understand and interact with the SBC680000 board to store data into memory and execute the program while getting a expected output using a variety of address register commands.

#### **Procedure:**

First we assigned some values (A-Z, a-z, and 0-9) to some memory location using code or the easy68k instruction set. Instructions are given such that the address \$2100 would contain your name and address \$2160 would contain a social security number when the program is executed.


## **Program Description:**

This program stores uppercase letters starting from \$00002000 memory location, lowercase from \$00002020, and numbers from \$00002040. The code is used to display your name and a social security number in two separate locations. The program is to use multiple different addressing modes.


## **Source File:**

```
* Title : Lab 1.0
* Written by : Dalton Wright
* Date : 01/29/2021
* Description: This program stores my name at location $2100, and
  stores a SSN at location $2160.
         $2000
   ORG
   DC.L 'ABCDEFGHIJKLMNOPQRSTUVWXYZ'
         $2020
   DC.L 'abcdefghijklmnopqrstuvwxyz'
   ORG $2040
   DC.W '0123456789'
START:
                      ; first instruction of program
   LEA.L $00002000,A2
   LEA.L $00002020,A3
   LEA.L $00002040,A4
   LEA.L $00002100,A1
   LEA.L $00002169,A5
   MOVE.B 3(A2), (A1) +
                              * D
   MOVE.B $00002020, (A1) +
MOVE.B $0000202B, (A1) +
MOVE.B $00002033, (A1) +
                              *a
                              *1
                              *t
   MOVE.B 14(A3),(A1)+
                              *0
   MOVE.B 13(A3), (A1)+
   MOVE.B #32, (A1) +
   MOVE.B $00002016, (A1)+
   MOVE.B 17 (A3), (A1)+
                              *r
   MOVE.B 8(A3),(A1)+
                              *i
   MOVE.B $00002026, (A1) + MOVE.B $00002027, (A1) +
                              *g
                              *h
   MOVE.B $00002033, (A1)+
                              *t
   MOVE.B #32, (A1) +
   MOVE.B $00002041,-0(A5) *S
   MOVE.B $00002040,-1(A5)
                             *S
   MOVE.B $00002042,-2(A5)
                              *N
   MOVE.B $00002046,-3(A5)
                              *6
                              *5
   MOVE.B $00002041,-4(A5)
   MOVE.B $00002045,-5(A5)
                              *1
   MOVE.B $00002046,-6(A5)
                              *6
   MOVE.B 13(A2),-7(A5)
                              *2
   MOVE.B 18(A2),-8(A5)
                              *0
   MOVE.B 18(A2), -9(A5)
                              *1
* Put program code here
   SIMHALT ; halt simulator
* Put variables and constants here
   END START ; last line of source
```

## Memory before execution:



#### Memory after execution:



### Lab 1.O Log-Trace:

EASy68K execution log file: 1/29/2021 5:38:53 PM

D0=00000000 D4=00000000 A0=00000000 A4=00000000 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=00100000000000

D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=0000204E Code=47F8 2020 Line= 17 LEA.L \$00002020,A3

00002200: FF
00002210: FF
00002220: FF
00002230: FF
D0=00000000 D4=00000000 A0=00000000 A4=00000000 T_S_INTXNZVC
D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=00100000000000
D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000
D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000
PC=00002052 Code=49F8 2040 Line= 18 LEA.L \$00002040,A4
00002200: FF
00002210: FF
00002220: FF
00002230: FF
D0=00000000 D4=00000000 A0=00000000 A4=00002040 T_S_INTXNZVC
D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=00100000000000
D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000
D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000
PC=00002056 Code=43F8 2100 Line= 19 LEA.L \$00002100,A1
00002200: FF
00002210: FF

00002230: FF
D0=00000000 D4=00000000 A0=00000000 A4=00002040 T_S_INTXNZVC
D1=00000000 D5=00000000 A1=00002100 A5=00000000 SR=00100000000000
D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000
D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000
PC=0000205A Code=4BF8 2169 Line= 20 LEA.L \$00002169,A5
00002200: FF
00002210: FF
00002220: FF
00002230: FF
D0=00000000 D4=00000000 A0=00000000 A4=00002040 T_S_INTXNZVC
D1=00000000 D5=00000000 A1=00002100 A5=00002169 SR=001000000000000
D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000
D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000
PC=0000205E Code=12EA 0003 Line= 22 MOVE.B 3(A2),(A1)+ *D
00002200: FF
00002210: FF
00002220: FF
00002230: FF

D0=00000000 D4=00000000 A0=00000000 A4=00002040 T S INT XNZVC D1=00000000 D5=00000000 A1=00002101 A5=00002169 SR=0010000000000000 D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000 D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000 PC=00002062 Code=12F8 2020 Line= 23 MOVE.B \$00002020,(A1)+ \*a D0=00000000 D4=00000000 A0=00000000 A4=00002040 T S INT XNZVC D1=00000000 D5=00000000 A1=00002102 A5=00002169 SR=0010000000000000 D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000 D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000 

D0=00000000 D4=00000000 A0=00000000 A4=00002040 T\_S\_INT\_\_XNZVC

D1=00000000 D5=00000000 A1=00002103 A5=00002169 SR=001000000000000

D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000

D0=00000000 D4=00000000 A0=00000000 A4=00002040 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000000 A1=00002104 A5=00002169 SR=001000000000000

D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000

PC=0000206E Code=12EB 000E Line= 26 MOVE.B 14(A3),(A1)+ \*o

D0=00000000 D4=00000000 A0=00000000 A4=00002040 T\_S\_INT\_\_XNZVC

D1=00000000 D5=00000000 A1=00002105 A5=00002169 SR=0010000000000000

D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000

PC=00002072 Code=12EB 000D Line= 27 MOVE.B 13(A3),(A1)+ \*r

00002200: FF
00002210: FF
00002220: FF
00002230: FF
D0=00000000 D4=00000000 A0=00000000 A4=00002040 T_S_INTXNZVC
D1=00000000 D5=00000000 A1=00002106 A5=00002169 SR=001000000000000
D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000
D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000
PC=00002076 Code=12FC 0020 Line= 29 MOVE.B #32,(A1)+
00002200: FF
00002210: FF
00002220: FF
00002230: FF
D0=00000000 D4=00000000 A0=00000000 A4=00002040 T_S_INTXNZVC
D1=00000000 D5=00000000 A1=00002107 A5=00002169 SR=001000000000000
D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000
D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000
PC=0000207A Code=12F8 2016 Line= 31 MOVE.B \$00002016,(A1)+ *W
00002200: FF
00002210: FF
00002220: FF

D0=00000000 D4=00000000 A0=00000000 A4=00002040 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000000 A1=00002108 A5=00002169 SR=001000000000000

D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000

PC=0000207E Code=12EB 0011 Line= 32 MOVE.B 17(A3),(A1)+ \*r

D0=00000000 D4=00000000 A0=00000000 A4=00002040 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000000 A1=00002109 A5=00002169 SR=001000000000000

D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000

PC=00002082 Code=12EB 0008 Line= 33 MOVE.B 8(A3),(A1)+ \*i

D0=00000000 D4=00000000 A0=00000000 A4=00002040 T\_S\_INT\_\_\_XNZVC

D0=00000000 D4=00000000 A0=00000000 A4=00002040 T\_S\_INT\_\_XNZVC

D1=00000000 D5=00000000 A1=0000210B A5=00002169 SR=001000000000000

D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000

PC=0000208A Code=12F8 2027 Line= 35 MOVE.B \$00002027,(A1)+ \*h

D0=00000000 D4=00000000 A0=00000000 A4=00002040 T\_S\_INT\_\_XNZVC

D1=00000000 D5=00000000 A1=0000210C A5=00002169 SR=00100000000000

D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000

D0=00000000 D4=00000000 A0=00000000 A4=00002040 T S INT XNZVC D1=00000000 D5=00000000 A1=0000210D A5=00002169 SR=0010000000000000 D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000 D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000 PC=00002092 Code=12FC 0020 Line= 38 MOVE.B #32,(A1)+

D0=00000000 D4=00000000 A0=00000000 A4=00002040 T S INT XNZVC D1=00000000 D5=00000000 A1=0000210E A5=00002169 SR=0010000000000000 D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000 D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000 PC=00002096 Code=1B78 2041 0000 Line= 41 MOVE.B \$00002041,-0(A5) \*S

00002210: FF
00002220: FF
00002230: FF
D0=00000000 D4=00000000 A0=00000000 A4=00002040 T_S_INTXNZVC
D1=00000000 D5=00000000 A1=0000210E A5=00002169 SR=001000000000000
D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000
D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000
PC=0000209C Code=1B78 2040 FFFF Line= 42 MOVE.B \$00002040,-1(A5) *S
00002200: FF
00002210: FF
00002220: FF
00002230: FF
D0=00000000 D4=00000000 A0=00000000 A4=00002040 T_S_INTXNZVC
D1=00000000 D5=00000000 A1=0000210E A5=00002169 SR=001000000000000
D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000
D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000
PC=000020A2 Code=1B78 2042 FFFE Line= 43 MOVE.B \$00002042,-2(A5) *N
00002200: FF
00002210: FF
00002220: FF
00002230: FF

D0=00000000 D4=00000000 A0=00000000 A4=00002040 T\_S\_INT\_\_XNZVC D1=00000000 D5=00000000 A1=0000210E A5=00002169 SR=0010000000000000 D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000 D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000 PC=000020A8 Code=1B78 2046 FFFD Line= 44 MOVE.B \$00002046,-3(A5) \*6 D0=00000000 D4=00000000 A0=00000000 A4=00002040 T\_S\_INT\_\_\_XNZVC D1=00000000 D5=00000000 A1=0000210E A5=00002169 SR=0010000000000000 D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000 D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000 PC=000020AE Code=1B78 2041 FFFC Line= 45 MOVE.B \$00002041,-4(A5) \*5 

D0=00000000 D4=00000000 A0=00000000 A4=00002040 T\_S\_INT\_\_XNZVC

D1=00000000 D5=00000000 A1=0000210E A5=00002169 SR=0010000000000000

D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000 D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000 PC=000020B4 Code=1B78 2045 FFFB Line= 46 MOVE.B \$00002045,-5(A5) \*1 D0=00000000 D4=00000000 A0=00000000 A4=00002040 T S INT XNZVC D1=00000000 D5=00000000 A1=0000210E A5=00002169 SR=0010000000000000 D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000 D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000 PC=000020BA Code=1B78 2046 FFFA Line= 47 MOVE.B \$00002046,-6(A5) \*6 D0=00000000 D4=00000000 A0=00000000 A4=00002040 T S INT XNZVC D1=00000000 D5=00000000 A1=0000210E A5=00002169 SR=001000000000000 D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000 D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000

PC=000020C0 Code=1B6A 000D FFF9 Line= 48 MOVE.B 13(A2),-7(A5)

00002200: FF
00002210: FF
00002220: FF
00002230: FF
D0=00000000 D4=00000000 A0=00000000 A4=00002040 T_S_INTXNZVC
D1=00000000 D5=00000000 A1=0000210E A5=00002169 SR=00100000000000
D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000
D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000
PC=000020C6 Code=1B6A 0012 FFF8 Line= 49 MOVE.B 18(A2),-8(A5) *0
00002200: FF
00002210: FF
00002220: FF
00002230: FF
D0=00000000 D4=00000000 A0=00000000 A4=00002040 T_S_INTXNZVC
D1=00000000 D5=00000000 A1=0000210E A5=00002169 SR=00100000000000
D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000
D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000
PC=000020CC Code=1B6A 0012 FFF7 Line= 50 MOVE.B 18(A2),-9(A5) *1
00002200: FF
00002210: FF

D0=00000000 D4=00000000 A0=00000000 A4=00002040 T S INT XNZVC

D1=00000000 D5=00000000 A1=0000210E A5=00002169 SR=0010000000000000

D2=00000000 D6=00000000 A2=00002000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00002020 A7=01000000 SS=01000000

PC=000020D2 Code=FFFF FFFF Line= 54 SIMHALT ; halt simulator

LAB 2.C-----Objective:

The objective of this lab is to study step by step the processing of the data registers and address registers with different memory partitions and using a variety of different addressing modes like predecrement and post-increment.

### **Procedure:**

First we assigned we load up our effective addresses and assign specified values for specific address registers, then move memory locations to different data registers. Once the memory setup is complete we load our memory addresses locations and assign them the specified values or contents given in the lab and load our contents into data register.


# **Program Description:**

This program simulates an experiment that helps to understand memory partitions and using different addressing modes and allows step by step tracing for each instruction with what is happening inside the memory locations and the registers themselves. The program uses locations \$2518-\$2556.


#### **Source File:**

```
* Title : Lab 2.C
* Written by : Dalton Wright
* Date : 01/06/2021
* Description: This program loads info into memory locations and
     address/data registers using addressing modes.
   ORG $2000
   DC.L 'ABCDEFGHIJKLMNOPQRSTUVWXYZ'
   ORG
         $2020
   DC.L 'abcdefghijklmnopgrstuvwxyz'
   ORG $2040
   DC.W '0123456789'
START:
   LEA.L $002468FA, A3
   LEA.L $00002544,A4
   LEA.L $00002518,A6
   MOVE.L #$0000000, D3
   MOVE.L #$FFFFFFF, D5
   MOVE.L #$0000000,D6
   MOVE.L #$44334241, $2518
   MOVE.L #$0000000, $251C
   MOVE.L #$25530000, $2520
   MOVE.L #$01EFABCD, $2524
   MOVE.L #$5476CC22, $2528
   MOVE.L #$FF3412FF, $252C
   MOVE.L #$A2671FEE, $2544
   MOVE.L #$FFFFFFF, $2548
   MOVE.L #$01000000, $254C
   MOVE.L #$ABCDFFFF, $2550
   MOVE.L #$0000000, $2554
   MOVE.B 3(A6), D3
   MOVE.W 4(A4),6(A6)
   MOVE.L (A6) + , D5
   MOVE.W (A4) + , $002522
   MOVE.B $00252E, - (A4)
   LEA.L $00252A,A3
   MOVE.W (A3),D6
* Put program code here
   SIMHALT
                      ; halt simulator
* Put variables and constants here
   END START ; last line of source
```

## Memory before execution:



## Memory after execution:



#### Lab 2.C Log-Trace:

EASy68K execution log file: 2/6/2021 6:34:46 PM

D0=00000000 D4=00000000 A0=00000000 A4=00000000 T\_S\_INT\_\_XNZVC
D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=00100000000000
D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000
D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000
PC=0000204A Code=47F9 002468FA Line= 16 LEA.L \$002468FA,A3

D0=00000000 D4=00000000 A0=00000000 A4=00002544 T\_S\_INT\_\_XNZVC
D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=00100000000000
D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000
D3=00000000 D7=00000000 A3=002468FA A7=01000000 SS=01000000
PC=00002054 Code=4DF8 2518 Line= 18 LEA.L \$00002518,A6

D0=00000000 D4=00000000 A0=00000000 A4=00002544 T\_S\_INT\_\_XNZVC
D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=00100000000000
D2=00000000 D6=00000000 A2=00000000 A6=00002518 US=00FF0000
D3=00000000 D7=00000000 A3=002468FA A7=01000000 SS=01000000
PC=00002058 Code=7600 Line= 20 MOVE.L #\$00000000,D3

D0=00000000 D4=00000000 A0=00000000 A4=00002544 T\_S\_INT\_\_XNZVC
D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=001000000000100
D2=00000000 D6=00000000 A2=00000000 A6=00002518 US=00FF0000
D3=00000000 D7=00000000 A3=002468FA A7=01000000 SS=01000000
PC=0000205A Code=7AFF Line= 21 MOVE.L #\$FFFFFFF,D5

D0=00000000 D4=00000000 A0=00000000 A4=00002544 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=FFFFFFF A1=00000000 A5=00000000 SR=001000000001000
D2=00000000 D6=00000000 A2=00000000 A6=00002518 US=00FF0000
D3=00000000 D7=00000000 A3=002468FA A7=01000000 SS=01000000
PC=0000205C Code=7C00 Line= 22 MOVE.L #\$00000000,D6

D0=00000000 D4=00000000 A0=00000000 A4=00002544 T\_S\_INT\_\_XNZVC
D1=00000000 D5=FFFFFFFF A1=00000000 A5=00000000 SR=001000000000100
D2=00000000 D6=00000000 A2=00000000 A6=00002518 US=00FF0000
D3=00000000 D7=00000000 A3=002468FA A7=01000000 SS=01000000
PC=0000205E Code=21FC 44334241 2518 Line= 24 MOVE.L #\$44334241, \$2518

D0=00000000 D4=00000000 A0=00000000 A4=00002544 T\_S\_INT\_\_XNZVC
D1=00000000 D5=FFFFFFFF A1=00000000 A5=00000000 SR=001000000000000
D2=00000000 D6=00000000 A2=00000000 A6=00002518 US=00FF0000
D3=00000000 D7=00000000 A3=002468FA A7=01000000 SS=01000000
PC=00002066 Code=21FC 00000000 251C Line= 25 MOVE.L #\$00000000, \$251C

D0=00000000 D4=00000000 A0=00000000 A4=00002544 T\_S\_INT\_\_XNZVC
D1=00000000 D5=FFFFFFFF A1=00000000 A5=00000000 SR=001000000000100
D2=00000000 D6=00000000 A2=00000000 A6=00002518 US=00FF0000
D3=00000000 D7=00000000 A3=002468FA A7=01000000 SS=01000000
PC=0000206E Code=21FC 25530000 2520 Line= 26 MOVE.L #\$25530000, \$2520

D0=00000000 D4=00000000 A0=00000000 A4=00002544 T\_S\_INT\_\_XNZVC
D1=00000000 D5=FFFFFFFF A1=00000000 A5=00000000 SR=00100000000000
D2=00000000 D6=00000000 A2=00000000 A6=00002518 US=00FF0000
D3=00000000 D7=00000000 A3=002468FA A7=01000000 SS=01000000
PC=00002076 Code=21FC 01EFABCD 2524 Line= 27 MOVE.L #\$01EFABCD, \$2524

D0=00000000 D4=00000000 A0=00000000 A4=00002544 T\_S\_INT\_\_XNZVC
D1=00000000 D5=FFFFFFFF A1=00000000 A5=00000000 SR=00100000000000
D2=00000000 D6=00000000 A2=00000000 A6=00002518 US=00FF0000
D3=00000000 D7=00000000 A3=002468FA A7=01000000 SS=01000000
PC=0000207E Code=21FC 5476CC22 2528 Line= 28 MOVE.L #\$5476CC22, \$2528

D0=00000000 D4=00000000 A0=00000000 A4=00002544 T S INT XNZVC

D0=00000000 D4=00000000 A0=00000000 A4=00002544 T\_S\_INT\_\_XNZVC
D1=00000000 D5=FFFFFFFF A1=00000000 A5=00000000 SR=001000000001000
D2=00000000 D6=00000000 A2=00000000 A6=00002518 US=00FF0000
D3=00000000 D7=00000000 A3=002468FA A7=01000000 SS=01000000
PC=0000208E Code=21FC A2671FEE 2544 Line= 31 MOVE.L #\$A2671FEE, \$2544

D0=00000000 D4=00000000 A0=00000000 A4=00002544 T\_S\_INT\_\_XNZVC
D1=00000000 D5=FFFFFFFF A1=00000000 A5=00000000 SR=001000000001000
D2=00000000 D6=00000000 A2=00000000 A6=00002518 US=00FF0000
D3=00000000 D7=00000000 A3=002468FA A7=01000000 SS=01000000
PC=00002096 Code=21FC FFFFFFFF 2548 Line= 32 MOVE.L #\$FFFFFFFF, \$2548

D0=00000000 D4=00000000 A0=00000000 A4=00002544 T\_S\_INT\_\_XNZVC
D1=00000000 D5=FFFFFFFF A1=00000000 A5=00000000 SR=001000000001000
D2=00000000 D6=00000000 A2=00000000 A6=00002518 US=00FF0000
D3=00000000 D7=00000000 A3=002468FA A7=01000000 SS=01000000
PC=0000209E Code=21FC 01000000 254C Line= 33 MOVE.L #\$01000000, \$254C

D0=00000000 D4=00000000 A0=00000000 A4=00002544 T\_S\_INT\_\_XNZVC
D1=00000000 D5=FFFFFFFF A1=00000000 A5=00000000 SR=001000000000000
D2=00000000 D6=00000000 A2=00000000 A6=00002518 US=00FF0000
D3=00000000 D7=00000000 A3=002468FA A7=01000000 SS=01000000
PC=000020A6 Code=21FC ABCDFFFF 2550 Line= 34 MOVE.L #\$ABCDFFFF, \$2550

D0=00000000 D4=00000000 A0=00000000 A4=00002544 T\_S\_INT\_\_XNZVC
D1=00000000 D5=FFFFFFFF A1=00000000 A5=00000000 SR=001000000001000
D2=00000000 D6=00000000 A2=00000000 A6=00002518 US=00FF0000
D3=00000000 D7=00000000 A3=002468FA A7=01000000 SS=01000000
PC=000020AE Code=21FC 00000000 2554 Line= 35 MOVE.L #\$00000000, \$2554

D0=00000000 D4=00000000 A0=00000000 A4=00002544 T S INT XNZVC

D1=00000000 D5=FFFFFFF A1=00000000 A5=00000000 SR=00100000000100 D2=00000000 D6=00000000 A2=00000000 A6=00002518 US=00FF0000 D3=00000000 D7=00000000 A3=002468FA A7=01000000 SS=01000000 PC=000020B6 Code=162E 0003 Line= 37 MOVE.B 3(A6),D3

D0=00000000 D4=00000000 A0=000000000 A4=00002544 T\_S\_\_INT\_\_\_XNZVC
D1=00000000 D5=FFFFFFFF A1=00000000 A5=00000000 SR=00100000000000
D2=00000000 D6=00000000 A2=00000000 A6=00002518 US=00FF0000
D3=00000041 D7=00000000 A3=002468FA A7=01000000 SS=01000000
PC=000020BA Code=3D6C 0004 0006 Line= 38 MOVE.W 4(A4),6(A6)

D0=00000000 D4=00000000 A0=00000000 A4=00002544 T\_S\_INT\_\_XNZVC
D1=00000000 D5=FFFFFFFF A1=00000000 A5=00000000 SR=001000000001000
D2=00000000 D6=00000000 A2=00000000 A6=00002518 US=00FF0000
D3=00000041 D7=00000000 A3=002468FA A7=01000000 SS=01000000
PC=000020C0 Code=2A1E Line= 39 MOVE.L (A6)+,D5

D0=00000000 D4=00000000 A0=00000000 A4=00002544 T\_S\_INT\_\_\_XNZVC
D1=00000000 D5=44334241 A1=00000000 A5=00000000 SR=00100000000000
D2=00000000 D6=00000000 A2=00000000 A6=0000251C US=00FF0000
D3=00000041 D7=00000000 A3=002468FA A7=01000000 SS=01000000
PC=000020C2 Code=31DC 2522 Line= 40 MOVE.W (A4)+,\$002522

D0=00000000 D4=00000000 A0=00000000 A4=00002545 T\_S\_INT\_\_XNZVC
D1=00000000 D5=44334241 A1=00000000 A5=00000000 SR=00100000000000
D2=00000000 D6=00000000 A2=00000000 A6=0000251C US=00FF0000
D3=00000041 D7=00000000 A3=002468FA A7=01000000 SS=01000000
PC=000020CA Code=47F8 252A Line= 42 LEA.L \$00252A,A3

D0=00000000 D4=00000000 A0=00000000 A4=00002545 T S INT XNZVC

D0=00000000 D4=00000000 A0=000000000 A4=00002545 T\_S\_INT\_\_XNZVC
D1=00000000 D5=44334241 A1=00000000 A5=00000000 SR=001000000001000
D2=00000000 D6=0000CC22 A2=00000000 A6=0000251C US=00FF0000
D3=00000041 D7=00000000 A3=0000252A A7=01000000 SS=01000000
PC=000020D0 Code=FFFF FFFF Line= 47 SIMHALT ; halt simulator

LAB 2.O------Objective:

The objective of this lab is to store a user defined vector "A-J" at location \$004AC4 and using relative addressing modes reverse the vector beginning at location \$004ACE.

## **Procedure:**

First we loaded our effective address \$00000000 into address register A0, then LEA our wanted start position of our created vector with program counter into A0. Then moving copies of the locations into our data registers we can reverse the vector so the vector reads "J-A".


## **Program Description:**

This program simulates an experiment that helps to understand how to manipulate the locations of a stored vector and using data registers to reverse the vector.


#### **Source File:**

```
* Title : Lab 2.0
* Written by : Dalton Wright
* Date : 02/19/2021
* Description: This program reverses vector.
*----
   ORG $4AC4
DC.L 'ABCDEFGHIJ'
START:
                      ; first instruction of program
   LEA.L $0000000, A0
   LEA.L $004AC4(PC),A0
   MOVE.B 0(A0),D0
   MOVE.B 1(A0),D1
MOVE.B 2(A0),D2
   MOVE.B 3(A0), D3
   MOVE.B 4(A0), D4
   NOP
   MOVE.B 9(A0),0(A0)
   MOVE.B 8 (A0),1 (A0)
MOVE.B 7 (A0),2 (A0)
   MOVE.B 6(A0),3(A0)
   MOVE.B 5(A0),4(A0)
   NOP
   MOVE.B D0,9(A0)
   MOVE.B D1,8 (A0)
MOVE.B D2,7 (A0)
   MOVE.B D3,6(A0)
   MOVE.B D4,5(A0)
* Put program code here
                      ; halt simulator
   SIMHALT
* Put variables and constants here
   END START ; last line of source
```

## Memory before execution:



## Memory after execution:



## Lab 2.O Log-Trace:

EASy68K execution log file: 2/19/2021 2:36:07 PM

D0=00000000 D4=00000000 A0=00000000 A4=00000000 T\_S\_INT\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=00100000000000

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00004AD0 Code=41F8 0000 Line= 11 LEA.L \$0000000,A0

D0=00000000 D4=00000000 A0=00000000 A4=00000000 T\_S\_INT\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=00100000000000

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00004AD4 Code=41FA FFEE Line= 12 LEA.L \$004AC4(PC),A0

D0=00000000 D4=00000000 A0=00004AC4 A4=00000000 T\_S\_INT\_\_XNZVC
D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=00100000000000
D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000
D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000
PC=00004AD8 Code=1028 0000 Line= 13 MOVE.B 0(A0),D0

D0=00000041 D4=00000000 A0=00004AC4 A4=00000000 T\_S\_INT\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=00100000000000

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

D0=00000041 D4=00000000 A0=00004AC4 A4=00000000 T S INT XNZVC D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000 D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000 PC=00004AE0 Code=1428 0002 Line= 15 MOVE.B 2(A0),D2

D0=00000041 D4=00000000 A0=00004AC4 A4=00000000 T S INT XNZVC D2=00000043 D6=00000000 A2=00000000 A6=00000000 US=00FF0000 D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000 PC=00004AE4 Code=1628 0003 Line= 16 MOVE.B 3(A0),D3

D0=00000041 D4=00000000 A0=00004AC4 A4=00000000 T S INT XNZVC D2=00000043 D6=00000000 A2=00000000 A6=00000000 US=00FF0000 D3=00000044 D7=00000000 A3=00000000 A7=01000000 SS=01000000 PC=00004AE8 Code=1828 0004 Line= 17 MOVE.B 4(A0),D4

D0=00000041 D4=00000045 A0=00004AC4 A4=00000000 T S INT XNZVC D2=00000043 D6=00000000 A2=00000000 A6=00000000 US=00FF0000 D3=00000044 D7=00000000 A3=00000000 A7=01000000 SS=01000000 PC=00004AEC Code=4E71 Line= 18 NOP

D0=00000041 D4=00000045 A0=00004AC4 A4=00000000 T\_S\_INT\_\_XNZVC
D1=00000042 D5=00000000 A1=00000000 A5=00000000 SR=00100000000000
D2=00000043 D6=00000000 A2=00000000 A6=00000000 US=00FF0000
D3=00000044 D7=00000000 A3=00000000 A7=01000000 SS=01000000
PC=00004AEE Code=1168 0009 0000 Line= 19 MOVE.B 9(A0),0(A0)

D0=00000041 D4=00000045 A0=00004AC4 A4=00000000 T\_S\_INT\_\_XNZVC
D1=00000042 D5=00000000 A1=00000000 A5=00000000 SR=00100000000000
D2=00000043 D6=00000000 A2=00000000 A6=00000000 US=00FF0000
D3=00000044 D7=00000000 A3=00000000 A7=01000000 SS=01000000
PC=00004AF4 Code=1168 0008 0001 Line= 20 MOVE.B 8(A0),1(A0)

D0=00000041 D4=00000045 A0=00004AC4 A4=00000000 T\_S\_INT\_\_XNZVC

D1=00000042 D5=00000000 A1=00000000 A5=00000000 SR=00100000000000

D2=00000043 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000044 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00004AFA Code=1168 0007 0002 Line= 21 MOVE.B 7(A0),2(A0)

D0=00000041 D4=00000045 A0=00004AC4 A4=00000000 T\_S\_INT\_\_XNZVC
D1=00000042 D5=00000000 A1=00000000 A5=00000000 SR=00100000000000
D2=00000043 D6=00000000 A2=00000000 A6=00000000 US=00FF0000
D3=00000044 D7=00000000 A3=00000000 A7=01000000 SS=01000000
PC=00004B00 Code=1168 0006 0003 Line= 22 MOVE.B 6(A0),3(A0)

D0=00000041 D4=00000045 A0=00004AC4 A4=00000000 T\_S\_INT\_\_XNZVC
D1=00000042 D5=00000000 A1=00000000 A5=00000000 SR=00100000000000
D2=00000043 D6=00000000 A2=00000000 A6=00000000 US=00FF0000
D3=00000044 D7=00000000 A3=00000000 A7=01000000 SS=01000000
PC=00004B06 Code=1168 0005 0004 Line= 23 MOVE.B 5(A0),4(A0)

D0=00000041 D4=00000045 A0=00004AC4 A4=00000000 T\_S\_INT\_\_XNZVC

D1=00000042 D5=00000000 A1=00000000 A5=00000000 SR=00100000000000

D2=00000043 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000044 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00004B0C Code=4E71 Line= 25 NOP

D0=00000041 D4=00000045 A0=00004AC4 A4=00000000 T\_S\_INT\_\_XNZVC

D1=00000042 D5=00000000 A1=00000000 A5=00000000 SR=00100000000000

D2=00000043 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000044 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00004B0E Code=1140 0009 Line= 26 MOVE.B D0,9(A0)

D0=00000041 D4=00000045 A0=00004AC4 A4=00000000 T\_S\_INT\_\_XNZVC
D1=00000042 D5=00000000 A1=00000000 A5=00000000 SR=00100000000000
D2=00000043 D6=00000000 A2=00000000 A6=00000000 US=00FF0000
D3=00000044 D7=00000000 A3=00000000 A7=01000000 SS=01000000
PC=00004B12 Code=1141 0008 Line= 27 MOVE.B D1,8(A0)

D0=00000041 D4=00000045 A0=00004AC4 A4=00000000 T\_S\_INT\_\_XNZVC
D1=00000042 D5=00000000 A1=00000000 A5=00000000 SR=00100000000000
D2=00000043 D6=00000000 A2=00000000 A6=00000000 US=00FF0000
D3=00000044 D7=00000000 A3=00000000 A7=01000000 SS=01000000
PC=00004B16 Code=1142 0007 Line= 28 MOVE.B D2,7(A0)

D0=00000041 D4=00000045 A0=00004AC4 A4=00000000 T\_S\_INT\_\_XNZVC
D1=00000042 D5=00000000 A1=00000000 A5=00000000 SR=00100000000000
D2=00000043 D6=00000000 A2=00000000 A6=00000000 US=00FF0000
D3=00000044 D7=00000000 A3=00000000 A7=01000000 SS=01000000
PC=00004B1A Code=1143 0006 Line= 29 MOVE.B D3,6(A0)

D0=00000041 D4=00000045 A0=00004AC4 A4=00000000 T\_S\_INT\_\_XNZVC
D1=00000042 D5=00000000 A1=00000000 A5=00000000 SR=00100000000000
D2=00000043 D6=00000000 A2=00000000 A6=00000000 US=00FF0000
D3=00000044 D7=00000000 A3=00000000 A7=01000000 SS=01000000
PC=00004B1E Code=1144 0005 Line= 30 MOVE.B D4,5(A0)

D0=00000041 D4=00000045 A0=00004AC4 A4=00000000 T\_S\_INT\_\_XNZVC

D1=00000042 D5=00000000 A1=00000000 A5=00000000 SR=00100000000000

D2=00000043 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000044 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00004B22 Code=FFFF FFFF Line= 35 SIMHALT ; halt simulator

LAB 3.C	 	 
Objective:		

The objective of this lab is to study memory partitions and addressing modes.

## **Procedure:**

First we loaded our effective address \$00002100 into A1, after initializing all of the required address and data registers, then we setup our memory partitions from \$00002100-\$0000211C, then perform the labs instruction set.


# **Program Description:**

This program simulates an experiment that helps to understand how to manipulate the initializations of the registers and memory partitions.


#### **Source File:**

```
* Title : Lab 3.C
* Written by : Dalton Wright
* Date : 02/26/2021
* Description: More addressing modes, use of memory partitions.
  ORG $2100
START:
   LEA.L $00000000,A1
   MOVE.L #$0000000, D0
   MOVE.L #$0000000,D1
   MOVE.L #$0000000, D2
   MOVE.L #$0000000,D3
   MOVE.L #$0000000, D4
   MOVE.L #$0000000, D5
   MOVE.L #$0000000, D6
   MOVE.L #$0000000, D7
   MOVE.L #$44434241, $2100
   MOVE.L #$00000000, $2104
   MOVE.L #$25530000, $2108
   MOVE.L #$01EF0000, $210C
   MOVE.L #$FFFFCCCC, $2110
   MOVE.L #$87652222, $2114
   MOVE.L #$BBBB3333, $2118
   MOVE.L #$ABCDEF00, $211C
   LEA $002100,A1
   MOVE.L #10,D7
   MOVEQ #27, D0
   MOVE.B #27, D1
   MOVE.B \#-28,D2
   MOVE.W #1001,D3
   MOVE.L #$01010101,D4
   MOVE.B 16(A1,D7),D5
   MOVE.B $002110(PC),D6
* Put program code here
   SIMHALT
                      ; halt simulator
* Put variables and constants here
   END START ; last line of source
```

## Memory before execution:



## Memory after execution:



## Lab 3.C Log-Trace:

EASy68K execution log file: 2/26/2021 6:39:20 PM

```
D0=00000000 D4=00000000 A0=00000000 A4=00000000 T S INT XNZVC
D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000
D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000
PC=00002100 Code=43F8 0000
                             Line= 9 LEA.L $00000000.A1
D0=00000000 D4=00000000 A0=00000000 A4=00000000 T S INT XNZVC
D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000
D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000
PC=00002104 Code=7000
                           Line= 11
                                    MOVE.L #$0000000,D0
D0=00000000 D4=00000000 A0=00000000 A4=00000000 T S INT XNZVC
D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=001000000000100
D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000
D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000
PC=00002106 Code=7200
                           Line= 12
                                   MOVE.L #$00000000,D1
D0=00000000 D4=00000000 A0=00000000 A4=00000000 T S INT XNZVC
D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=00100000000100
D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000
D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000
PC=00002108 Code=7400
                           Line= 13 MOVE.L #$00000000,D2
D0=00000000 D4=00000000 A0=00000000 A4=00000000 T S INT XNZVC
D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=00100000000100
D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000
D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000
PC=0000210A Code=7600
                           Line= 14
                                     MOVE.L #$0000000,D3
D0=00000000 D4=00000000 A0=00000000 A4=00000000 T S INT XNZVC
D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=00100000000100
D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000
D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000
PC=0000210C Code=7800
                           Line= 15
                                     MOVE.L #$0000000,D4
```

```
D0=00000000 D4=00000000 A0=00000000 A4=00000000 T_S_INT__XNZVC
D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=001000000000100
D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000
D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000
PC=0000210E Code=7A00
                            Line= 16
                                     MOVE.L #$0000000,D5
D0=00000000 D4=00000000 A0=00000000 A4=00000000 T S INT XNZVC
D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=001000000000100
D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000
D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000
PC=00002110 Code=7C00
                           Line= 17 MOVE.L #$0000000,D6
D0=00000000 D4=00000000 A0=00000000 A4=00000000 T_S_INT__XNZVC
D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=001000000000100
D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000
D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000
PC=00002112 Code=7E00
                           Line= 18
                                    MOVE.L #$00000000,D7
D0=00000000 D4=00000000 A0=00000000 A4=00000000 T S INT XNZVC
D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=001000000000100
D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000
D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000
PC=00002114 Code=21FC 44434241 2100 Line= 20 MOVE.L #$44434241, $2100
D0=00000000 D4=00000000 A0=00000000 A4=00000000 T_S_INT__XNZVC
D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000
D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000
PC=0000211C Code=21FC 00000000 2104 Line= 21 MOVE.L #$00000000, $2104
D0=00000000 D4=00000000 A0=00000000 A4=00000000 T S INT XNZVC
D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=00100000000100
D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000
D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000
PC=00002124 Code=21FC 25530000 2108 Line= 22 MOVE.L #$25530000, $2108
D0=00000000 D4=00000000 A0=00000000 A4=00000000 T_S_INT__XNZVC
D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000
D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000
```

D0=00000000 D4=00000000 A0=00000000 A4=00000000 T\_S\_INT\_\_XNZVC D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000 D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000 PC=00002134 Code=21FC FFFFCCCC 2110 Line= 24 MOVE.L #\$FFFFCCCC, \$2110 D0=00000000 D4=00000000 A0=00000000 A4=00000000 T S INT XNZVC D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=001000000001000 D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000 D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000 PC=0000213C Code=21FC 87652222 2114 Line= 25 MOVE.L #\$87652222, \$2114 D0=00000000 D4=00000000 A0=00000000 A4=00000000 T S INT XNZVC D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=001000000001000 D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000 D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000 PC=00002144 Code=21FC BBBB3333 2118 Line= 26 MOVE.L #\$BBBB3333, \$2118 D0=00000000 D4=00000000 A0=00000000 A4=00000000 T S INT XNZVC D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=001000000001000 D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000 D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000 PC=0000214C Code=21FC ABCDEF00 211C Line= 27 MOVE.L #\$ABCDEF00, \$211C D0=00000000 D4=00000000 A0=00000000 A4=00000000 T S INT XNZVC D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=001000000001000 D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000 D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000 PC=00002154 Code=43F8 2100 Line= 29 LEA \$002100,A1 D0=00000000 D4=00000000 A0=00000000 A4=00000000 T S INT XNZVC D1=00000000 D5=00000000 A1=00002100 A5=00000000 SR=001000000001000 D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000 D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000 PC=00002158 Code=7E0A Line= 31 MOVE.L #10,D7

D0=00000000 D4=00000000 A0=00000000 A4=00000000 T\_S\_INT\_\_XNZVC
D1=00000000 D5=00000000 A1=00002100 A5=00000000 SR=00100000000000
D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000
D3=00000000 D7=0000000A A3=00000000 A7=01000000 SS=01000000

D0=0000001B D4=00000000 A0=00000000 A4=00000000 T S INT XNZVC D1=00000000 D5=00000000 A1=00002100 A5=00000000 SR=0010000000000000 D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000 D3=00000000 D7=0000000A A3=00000000 A7=01000000 SS=01000000 PC=0000215C Code=123C 001B Line= 33 MOVE.B #27,D1

D0=0000001B D4=00000000 A0=00000000 A4=00000000 T S INT XNZVC D1=0000001B D5=00000000 A1=00002100 A5=00000000 SR=0010000000000000 D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000 D3=00000000 D7=0000000A A3=00000000 A7=01000000 SS=01000000 PC=00002160 Code=143C 00E4 Line= 34 MOVE.B #-28,D2

D0=0000001B D4=00000000 A0=00000000 A4=00000000 T S INT XNZVC D1=0000001B D5=00000000 A1=00002100 A5=00000000 SR=001000000001000 D2=000000E4 D6=00000000 A2=00000000 A6=00000000 US=00FF0000 D3=00000000 D7=0000000A A3=00000000 A7=01000000 SS=01000000 PC=00002164 Code=363C 03E9 Line= 35 MOVE.W #1001.D3

D0=0000001B D4=00000000 A0=00000000 A4=00000000 T S INT XNZVC D2=000000E4 D6=00000000 A2=00000000 A6=00000000 US=00FF0000 D3=000003E9 D7=0000000A A3=00000000 A7=01000000 SS=01000000 PC=00002168 Code=283C 01010101 Line= 36 MOVE.L #\$01010101,D4

D0=0000001B D4=01010101 A0=00000000 A4=00000000 T S INT XNZVC D1=0000001B D5=00000000 A1=00002100 A5=00000000 SR=0010000000000000 D2=000000E4 D6=00000000 A2=00000000 A6=00000000 US=00FF0000 D3=000003E9 D7=0000000A A3=00000000 A7=01000000 SS=01000000 PC=0000216E Code=1A31 7010 Line= 37 MOVE.B 16(A1.D7).D5

D0=0000001B D4=01010101 A0=00000000 A4=00000000 T S INT XNZVC D1=0000001B D5=00000033 A1=00002100 A5=00000000 SR=0010000000000000 D2=000000E4 D6=00000000 A2=00000000 A6=00000000 US=00FF0000 D3=000003E9 D7=0000000A A3=00000000 A7=01000000 SS=01000000 PC=00002172 Code=1C3A FF9C Line= 38 MOVE.B \$002110(PC),D6

D0=0000001B D4=01010101 A0=00000000 A4=00000000 T S INT XNZVC D1=0000001B D5=00000033 A1=00002100 A5=00000000 SR=001000000001000 D2=000000E4 D6=000000FF A2=00000000 A6=00000000 US=00FF0000

# D3=000003E9 D7=0000000A A3=00000000 A7=01000000 SS=01000000

PC=00002176 Code=FFFF FFFF Line= 43 SIMHALT ; halt simulator

LAB 5.C	`	
Objective	ve:	

The objective of this lab is to study the use of pointer types and linked data structures.

## **Procedure:**

First we move our data into different memory locations stated by the instructions of the lab, we the load effective addresses into address registers A1-A6, and use a pointer going to A5 between the two.


## **Program Description:**

This program simulates an experiment that helps to understand the use of a pointer and linked list data structure in the x68 instruction set.


#### **Source File:**

```
* Title : Lab 5.C
* Written by : Dalton Wright
* Date : 03/20/2021
* Description: Pointers and Linked Data Structures
   ORG $1000
START:
                      ; first instruction of program
   MOVE.L #$41414141, $74A8
   MOVE.L #$000074D0, $74AC
   MOVE.L #$0000000, $74B0
   MOVE.L #$00000000, $74B4
   MOVE.L #$43434343, $74B8
   MOVE.L #$000074C0, $74BC
   MOVE.L #$4444444, $74C0
   MOVE.L #$00000000, $74C4
   MOVE.L #$00000000, $74C8
   MOVE.L #$0000000, $74CC
   MOVE.L #$42424242, $74D0
   MOVE.L #$000074B8, $74D4
   LEA.L $00000000,A1
   LEA.L $00000000,A2
   LEA.L $00000000, A6
   LEA.L $00000000,A5
   LEA.L $00000000,A3
   LEA.L $0074A8,A6
   MOVE.L 4(A6),A1
   MOVE.L 4(A1), A2
   LEA.L $000074B0,A5
   MOVE.L A2,4(A5)
   MOVE.L A5,4(A1)
* Put program code here
   SIMHALT
                       ; halt simulator
* Put variables and constants here
         START
                     ; last line of source
   END
```

## Memory before execution:



## Memory after execution:



## Lab 3.C Log-Trace:

EASy68K execution log file: 3/20/2021 2:20:06 PM

D0=00000000 D4=00000000 A0=00000000 A4=00000000 T\_S\_INT\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=001000000000000

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00001000 Code=21FC 41414141 74A8 Line= 9 MOVE.L #\$41414141, \$74A8

D0=00000000 D4=00000000 A0=00000000 A4=00000000 T\_S\_INT\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=00100000000000

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00001008 Code=21FC 000074D0 74AC Line= 10 MOVE.L #\$000074D0, \$74AC

D0=00000000 D4=00000000 A0=00000000 A4=00000000 T\_S\_INT\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=001000000000000

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00001010 Code=21FC 00000000 74B0 Line= 11 MOVE.L #\$00000000, \$74B0

D0=00000000 D4=00000000 A0=00000000 A4=00000000 T\_S\_INT\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=001000000000100

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00001018 Code=21FC 00000000 74B4 Line= 12 MOVE.L #\$00000000, \$74B4

D0=00000000 D4=00000000 A0=00000000 A4=00000000 T\_S\_INT\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=001000000000100

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00001020 Code=21FC 43434343 74B8 Line= 13 MOVE.L #\$43434343, \$74B8

D0=00000000 D4=00000000 A0=00000000 A4=00000000 T\_S\_INT\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=00100000000000

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00001028 Code=21FC 000074C0 74BC Line= 14 MOVE.L #\$000074C0, \$74BC

D0=00000000 D4=00000000 A0=00000000 A4=00000000 T\_S\_INT\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=00100000000000

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

D0=00000000 D4=00000000 A0=00000000 A4=00000000 T\_S\_INT\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=00100000000000

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00001038 Code=21FC 00000000 74C4 Line= 16 MOVE.L #\$00000000, \$74C4

D0=00000000 D4=00000000 A0=00000000 A4=00000000 T\_S\_INT\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=001000000000100

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00001040 Code=21FC 00000000 74C8 Line= 17 MOVE.L #\$00000000, \$74C8

D0=00000000 D4=00000000 A0=00000000 A4=00000000 T\_S\_INT\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=001000000000100

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00001048 Code=21FC 00000000 74CC Line= 18 MOVE.L #\$00000000, \$74CC

D0=00000000 D4=00000000 A0=00000000 A4=00000000 T\_S\_INT\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=00100000000100

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00001050 Code=21FC 42424242 74D0 Line= 19 MOVE.L #\$42424242, \$74D0

D0=00000000 D4=00000000 A0=00000000 A4=00000000 T\_S\_INT\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=00100000000000

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00001058 Code=21FC 000074B8 74D4 Line= 20 MOVE.L #\$000074B8, \$74D4

D0=00000000 D4=00000000 A0=00000000 A4=00000000 T\_S\_INT\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=00100000000000

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00001060 Code=43F8 0000 Line= 22 LEA.L \$00000000,A1

D0=00000000 D4=00000000 A0=00000000 A4=00000000 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=00100000000000

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00001064 Code=45F8 0000 Line= 23 LEA.L \$00000000,A2

D0=00000000 D4=00000000 A0=00000000 A4=00000000 T\_S\_INT\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=00100000000000

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00001068 Code=4DF8 0000 Line= 24 LEA.L \$00000000,A6

D0=00000000 D4=00000000 A0=00000000 A4=00000000 T\_S\_INT\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=00100000000000

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=0000106C Code=4BF8 0000 Line= 25 LEA.L \$00000000,A5

D0=00000000 D4=00000000 A0=00000000 A4=00000000 T\_S\_INT\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=00100000000000

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00001070 Code=47F8 0000 Line= 26 LEA.L \$00000000,A3

D0=00000000 D4=00000000 A0=00000000 A4=00000000 T\_S\_INT\_\_XNZVC
D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=0010000000000000

D0=00000000 D4=00000000 A0=00000000 A4=00000000 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=00100000000000

D2=00000000 D6=00000000 A2=00000000 A6=000074A8 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00001078 Code=226E 0004 Line= 29 MOVE.L 4(A6),A1

D0=00000000 D4=00000000 A0=00000000 A4=00000000 T\_S\_INT\_\_XNZVC

D1=00000000 D5=00000000 A1=000074D0 A5=00000000 SR=00100000000000

D2=00000000 D6=00000000 A2=00000000 A6=000074A8 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=0000107C Code=2469 0004 Line= 30 MOVE.L 4(A1),A2

D0=00000000 D4=00000000 A0=00000000 A4=00000000 T\_S\_INT\_\_XNZVC

D1=00000000 D5=00000000 A1=000074D0 A5=00000000 SR=001000000000000

D2=00000000 D6=00000000 A2=000074B8 A6=000074A8 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00001080 Code=4BF8 74B0 Line= 31 LEA.L \$000074B0,A5

D0=00000000 D4=00000000 A0=00000000 A4=00000000 T\_S\_INT\_\_XNZVC

D1=00000000 D5=00000000 A1=000074D0 A5=000074B0 SR=001000000000000

D2=00000000 D6=00000000 A2=000074B8 A6=000074A8 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00001084 Code=2B4A 0004 Line= 32 MOVE.L A2,4(A5)

D0=00000000 D4=00000000 A0=00000000 A4=00000000 T\_S\_INT\_\_XNZVC

D1=00000000 D5=00000000 A1=000074D0 A5=000074B0 SR=001000000000000

D2=00000000 D6=00000000 A2=000074B8 A6=000074A8 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00001088 Code=234D 0004 Line= 33 MOVE.L A5,4(A1)

LAB 4.O-----Objective:

The objective of this lab is to use Hamming technique for encoding and decoding information to enable detection and correction.

## **Procedure:**

First we have our 4bits (abcd) and we want the parity bits (rst) these bits are known as the check bits, the resulting outcome is abcrdst .

# **Program Description:**

This program simulates use of Hamming encode and decode algorithm.

#### **Source File:**

```
* Title : Lab 4.0 Hamming Code
* Written by : Dalton Wright
* Date : 03/26/2021
* Description: Hamming Code Algorithm
*_____
   ORG $1000
START:
                     ; first instruction of program
   MOVE.L #0, D2
   MOVE.L #0, D3
   MOVE.L #0, D4
   MOVE.L #0, D5
   MOVE.L #0, D6
   MOVE.L #0, D7
   MOVE.B #11,$00002400
   LEA.L $00002400,A0
   MOVE.B (A0),D1
   MOVE.L #1,D1
   MOVE.L #2,D2
   MOVE.L #4,D3
   MOVE.L #8,D4
   MOVE.L #16, D5
   MOVE.L #32,D6
   MOVE.L #64,D7
   AND.L D0,D1
   AND.L DO,D2
   AND.L D0,D3
   AND.L D0,D4
   AND.L DO, D5
   AND.L DO, D6
   AND.L DO,D7
   AND.W D1,D2
   AND.W D1, D3
   AND.W D1, D4
   AND.W D1,D5
   LSR.W #1,D2
   LSR.W #2,D3
   LSR.W #3,D4
   LSR.W #4,D5
   LSR.W #5,D6
   LSR.W #6,D7
   EOR.W D7, D4
   EOR.W D6, D4
   EOR.W D5, D4
   EOR.W D7, D2
   EOR.W D6, D2
   EOR.W D3, D2
   EOR.W D7, D1
   EOR.W D5, D1
```

```
EOR.W D3, D1

MOVE.B D4,D0
LSL.W #1, D0


EOR.W D2, D0
LSL.W #1, D0

EOR.W D1, D0

* Put program code here
SIMHALT ; halt simulator

* Put variables and constants here
END START ; last line of source
```

#### Memory after execution:



## Lab 4.O Log-Trace:

EASy68K execution log file: 3/27/2021 2:33:14 PM

D0=00000000 D4=00000000 A0=00000000 A4=00000000 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=00100000000000

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00001000 Code=7400 Line= 10 MOVE.L #0, D2

D0=00000000 D4=00000000 A0=00000000 A4=00000000 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=001000000000100

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00001002 Code=7600 Line= 11 MOVE.L #0, D3

D0=00000000 D4=00000000 A0=00000000 A4=00000000 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=00100000000100

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00001004 Code=7800 Line= 12 MOVE.L #0, D4

D0=00000000 D4=00000000 A0=00000000 A4=00000000 T S INT XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=00100000000100

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00001006 Code=7A00 Line= 13 MOVE.L #0, D5

D0=00000000 D4=00000000 A0=00000000 A4=00000000 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=001000000000100

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00001008 Code=7C00 Line= 14 MOVE.L #0, D6

D0=00000000 D4=00000000 A0=00000000 A4=00000000 T\_S\_INT\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=00100000000100

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=0000100A Code=7E00 Line= 15 MOVE.L #0, D7

D0=00000000 D4=00000000 A0=00000000 A4=00000000 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=001000000000100

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=0000100C Code=11FC 000B 2400 Line= 16 MOVE.B #11,\$00002400

D0=00000000 D4=00000000 A0=00000000 A4=00000000 T\_S\_INT\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=00100000000000

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00001012 Code=41F8 2400 Line= 17 LEA.L \$00002400,A0

D0=00000000 D4=00000000 A0=00002400 A4=00000000 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=00100000000000

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00001016 Code=1210 Line= 18 MOVE.B (A0),D1

D0=00000000 D4=00000000 A0=00002400 A4=00000000 T\_S\_INT\_\_\_XNZVC

D1=0000000B D5=00000000 A1=00000000 A5=00000000 SR=00100000000000

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00001018 Code=7201 Line= 19 MOVE.L #1,D1

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000
D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000
PC=0000101A Code=7402 Line= 20 MOVE.L #2,D2

D0=00000000 D4=00000000 A0=00002400 A4=00000000 T\_S\_INT\_\_\_XNZVC

D1=00000001 D5=00000000 A1=00000000 A5=00000000 SR=00100000000000

D2=00000002 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=0000101C Code=7604 Line= 21 MOVE.L #4,D3

D0=00000000 D4=00000000 A0=00002400 A4=00000000 T\_S\_INT\_\_\_XNZVC

D1=00000001 D5=00000000 A1=00000000 A5=00000000 SR=00100000000000

D2=00000002 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000004 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=0000101E Code=7808 Line= 22 MOVE.L #8,D4

D0=00000000 D4=00000008 A0=00002400 A4=00000000 T\_S\_INT\_\_\_XNZVC

D1=00000001 D5=00000000 A1=00000000 A5=00000000 SR=00100000000000

D2=00000002 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000004 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00001020 Code=7A10 Line= 23 MOVE.L #16,D5

D0=00000000 D4=00000008 A0=00002400 A4=00000000 T\_S\_INT\_\_\_XNZVC

D1=00000001 D5=00000010 A1=00000000 A5=00000000 SR=00100000000000

D2=00000002 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000004 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00001022 Code=7C20 Line= 24 MOVE.L #32,D6

D0=00000000 D4=00000008 A0=00002400 A4=00000000 T\_S\_INT\_\_\_XNZVC

D1=00000001 D5=00000010 A1=00000000 A5=00000000 SR=00100000000000

D2=00000002 D6=00000020 A2=00000000 A6=00000000 US=00FF0000

D3=00000004 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00001024 Code=7E40 Line= 25 MOVE.L #64,D7

D0=00000000 D4=00000008 A0=00002400 A4=00000000 T\_S\_INT\_\_\_XNZVC
D1=00000001 D5=00000010 A1=00000000 A5=00000000 SR=00100000000000
D2=00000002 D6=00000020 A2=00000000 A6=00000000 US=00FF0000
D3=00000004 D7=00000040 A3=00000000 A7=01000000 SS=01000000
PC=00001026 Code=C280 Line= 27 AND.L D0,D1

D0=00000000 D4=00000008 A0=00002400 A4=00000000 T\_S\_INT\_\_XNZVC

D1=00000000 D5=00000010 A1=00000000 A5=00000000 SR=00100000000100

D2=00000002 D6=00000020 A2=00000000 A6=00000000 US=00FF0000

D3=00000004 D7=00000040 A3=00000000 A7=01000000 SS=01000000

PC=00001028 Code=C480 Line= 28 AND.L D0,D2

D0=00000000 D4=00000008 A0=00002400 A4=00000000 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000010 A1=00000000 A5=00000000 SR=001000000000100

D2=00000000 D6=00000020 A2=00000000 A6=00000000 US=00FF0000

D3=00000004 D7=00000040 A3=00000000 A7=01000000 SS=01000000

PC=0000102A Code=C680 Line= 29 AND.L D0.D3

D0=00000000 D4=00000008 A0=00002400 A4=00000000 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000010 A1=00000000 A5=00000000 SR=001000000000100

D2=00000000 D6=00000020 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000040 A3=00000000 A7=01000000 SS=01000000

PC=0000102C Code=C880 Line= 30 AND.L D0,D4

D0=00000000 D4=00000000 A0=00002400 A4=00000000 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000010 A1=00000000 A5=00000000 SR=001000000000100

D2=00000000 D6=00000020 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000040 A3=00000000 A7=01000000 SS=01000000

PC=0000102E Code=CA80 Line= 31 AND.L D0,D5

D0=00000000 D4=00000000 A0=00002400 A4=00000000 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=001000000000100

D2=00000000 D6=00000020 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000040 A3=00000000 A7=01000000 SS=01000000

PC=00001030 Code=CC80 Line= 32 AND.L D0,D6

D0=00000000 D4=00000000 A0=00002400 A4=00000000 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=001000000000100

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000040 A3=00000000 A7=01000000 SS=01000000

PC=00001032 Code=CE80 Line= 33 AND.L D0,D7

D0=00000000 D4=00000000 A0=00002400 A4=00000000 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=001000000000100

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00001034 Code=C441 Line= 35 AND.W D1,D2

D0=00000000 D4=00000000 A0=00002400 A4=00000000 T\_S\_INT\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=00100000000100

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

D0=00000000 D4=00000000 A0=00002400 A4=00000000 T S INT XNZVC D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=001000000000100 D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000 D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000 PC=00001038 Code=C841 Line= 37 AND.W D1,D4

D0=00000000 D4=00000000 A0=00002400 A4=00000000 T\_S\_INT\_\_XNZVC D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=00100000000100 D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000 D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000 

D0=00000000 D4=00000000 A0=00002400 A4=00000000 T S INT XNZVC D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=001000000000100 D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000 D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000 

D0=00000000 D4=00000000 A0=00002400 A4=00000000 T S INT XNZVC

D0=00000000 D4=00000000 A0=00002400 A4=00000000 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=001000000000100

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00001048 Code=BF44 Line= 48 EOR.W D7, D4

D0=00000000 D4=00000000 A0=00002400 A4=00000000 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=001000000000100

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=0000104A Code=BD44 Line= 49 EOR.W D6, D4

D0=00000000 D4=00000000 A0=00002400 A4=00000000 T\_S\_INT\_\_XNZVC
D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=001000000000100

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000
D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000
PC=0000104C Code=BB44 Line= 50 EOR.W D5, D4

D0=00000000 D4=00000000 A0=00002400 A4=00000000 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=001000000000100

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=0000104E Code=BF42 Line= 51 EOR.W D7, D2

D0=00000000 D4=00000000 A0=00002400 A4=00000000 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=001000000000100

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00001050 Code=BD42 Line= 52 EOR.W D6, D2

D0=00000000 D4=00000000 A0=00002400 A4=00000000 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=001000000000100

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00001052 Code=B742 Line= 53 EOR.W D3, D2

D0=00000000 D4=00000000 A0=00002400 A4=00000000 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=001000000000100

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00001054 Code=BF41 Line= 54 EOR.W D7, D1

D0=00000000 D4=00000000 A0=00002400 A4=00000000 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=001000000000100

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00001056 Code=BB41 Line= 55 EOR.W D5, D1

D0=00000000 D4=00000000 A0=00002400 A4=00000000 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=001000000000100

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00001058 Code=B741 Line= 56 EOR.W D3, D1

D0=00000000 D4=00000000 A0=00002400 A4=00000000 T\_S\_INT\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=00100000000100

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=0000105A Code=1004 Line= 58 MOVE.B D4,D0

D0=00000000 D4=00000000 A0=00002400 A4=00000000 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=001000000000100

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=0000105C Code=E348 Line= 59 LSL.W #1, D0

D0=00000000 D4=00000000 A0=00002400 A4=00000000 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=001000000000100

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=0000105E Code=B540 Line= 61 EOR.W D2, D0

D0=00000000 D4=00000000 A0=00002400 A4=00000000 T\_S\_INT\_\_\_XNZVC

D1=00000000 D5=00000000 A1=00000000 A5=00000000 SR=001000000000100

D2=00000000 D6=00000000 A2=00000000 A6=00000000 US=00FF0000

D3=00000000 D7=00000000 A3=00000000 A7=01000000 SS=01000000

PC=00001062 Code=B340 Line= 64 EOR.W D1, D0

LAB x86	
Objective:	

The objective of this lab is to be introduced to x86, analyze, edit, assemble, link and run the listed programs for the lab activity.

# **Procedure:**

Using the GUI Turbo Assembler to analyze, edit, link and run the programs. Basic commands of x86, assemble, link, and run.

# **Program Description:**

This program simulates use of the x86 instruction set.

### **Source Files:**

```
PGM4 1:
TITLE PGM4_1: ECHO PROGRAM
.MODEL SMALL
.STACK 100H
.CODE
MAIN PROC
; display prompt
MOV AH,2
               ; display character function
MOV DL, '?'; character is?
INT 21H
          display it;
;input a character
MOV AH,1
               ;read character function
INT 21H
           ;character in AL
MOV BL.AL
               ;save it in BL
;go to a new line
MOV AH,2
            ; display character function
MOV DL,0DH ;carriage return
INT 21H ;execute carriage return
MOV DL,0AH ;line feed
INT 21H
           ;execute line feed
; display character
MOV DL,BL
               ;retrieve character
INT 21H ;and display it
;return to DOS
MOV AH,4CH; DOS exit function
INT 21H ;exit to DOS
MAIN ENDP
END MAIN
```

```
PGM4_1.asm 📓
   1 TITLE PGM4_1: ECHO PROGRAM
  2 .MODEL SMALL
3 .STACK 100H
4 .CODE
   5 MAIN
  /display prompt
MOV AH.2
MOV CALL, '?' ; character is a

INT 21H ; display it
                                  ;display character function
20 ;display character
21 MOV DL, BL ;retrieve chara
22 INT 21H ;and display it
23 ;return to DOS
24 MOV AH, 4CH ;DOS exit function
25 INT 21H ;exit to DOS
26 MAIN ENDP
27 END MAIN
  28
```

```
PGM4_2:
TITLE PGM4 2: PRINT STRING PROGRAM
.MODEL SMALL
.STACK 100H
.DATA
MSG DB "HELLO!$"
.CODE
MAIN PROC
;initialize DS
 MOV AX,@DATA
 MOV DS,AX
                ;initialize DS
;display message
 LEA DX,MSG; get message
 MOV AH,9
               ;display string function
 INT 21H ;display message
;return to DOS
 MOV AH,4CH
 INT 21H ;DOS exit
MAIN ENDP
 END MAIN
```

```
PGM4_2.asm 🔀
  1 TITLE PGM4_2: PRINT STRING PROGRAM
  2 .MODEL SMALL
3 .STACK 100H
  4 .DATA
  5 MSG DB "HELLO!$"
  6 .CODE
  7 MAIN PROC
  8 ;initialize DS
        MOV AX, @DATA
MOV DS, AX
 10
                                          ;initialize DS
 11 ; display message
        LEA DX,MSG ;get message
MOV AH,9 ;display string function
INT 21H ;display message
 12
 13
 14
 15 ; return to DOS
         MOV AH, 4CH
 16
 17
                                      ;DOS exit
 18 MAIN ENDP
 19
          END MAIN
 | A|10/2021 12:49:32 PM : Assembling file: PGM4_2.asm | 4/10/2021 12:49:32 PM : Error messages: None | 4/10/2021 12:49:32 PM : Warning messages: None | 4/10/2021 12:49:32 PM : Passes: 1 | 4/10/2021 12:49:32 PM : Remaining memory: 468k
  4/10/2021 12:49:32 PM:
```

```
TITLE PGM4 3: CASE CONVERSION PROGRAM
               .MODEL SMALL
               .STACK 100H
               .DATA
               MSG1 DB "ENTER A LOWER CASE LETTER: $"
               MSG2 DB 0DH,0AH,"IN UPPER CASE IT IS: "
               CHAR DB '?,'$"
               .CODE
               MAIN PROC
               ;initialize ds
                           MOV AX,@DATA ;get data segment
                                                                                                                 ;initialize DS
                           MOV DS,AX
               ;print user prompt
                           LEA DX,MSG1 ;get first message
                                                                 ; display string function
                                                               ;display first message
               ;input a character and convert to upper case
                                                               ;read character function
                                                                ;read a small letter into AL
                            SUB AL, 20H; convert it to upper case
                           MOV CHAR, AL; and store it
               ;display on the next line
                                                               ;get second message MSG2
                                                                ;display string function
                                                               ;display message and upper case
               ;DOS exit
                           MOV AH,4CH
                           INT 21H ;DOS exit
               MAIN ENDP
                           END MAIN
               PGM4_3.asm 🔀
                     4 .DATA
5 MSG1
                                                               DB "ENTER A LOWER CASE LETTER: S"
DB ODH, OAH, "IN UPPER CASE IT IS: "
DB '7,'S''
                      6 MSG2
7 CHAR
8 . CODE
                                 . CODE
                  9 MAIN PROC
10 ;initialize ds
                  11 MOV AX, GDATA ;get data segment
12 MOV DS, AX ;initialize DS
13 ;print user prompt
                                       LEA DX, MSG1 ;get first message
                               ; yet first message; display string function; display first message; input a character and convert to upper case; read character function; read a empli lotton in read a empli lotton in read a empli lotton in the content of the cont
                              ;read character function
;read a small letter into AL
SUB AL,20H
MOV CHAR,AL ;and store it
;display on the next line
;get second message MSG2
;display string function
;display message and upper case
                  19
20
21
21 ; dis<sub>1</sub> 22 ; dis<sub>2</sub> 23 24 25 26 ; DOS exit 27 MOV AH, 4CH INT 21H MAIN ENDP END MAIN ENDP END MAIN 21:52:53 PM: 12:52:53 PM: 12:52:52 PM: 12:52:52 PM: 12:52:52 PM: 12:52 P
                                                                                                    ;DOS exit
                 | 4|10|202112(32)3 PM: Assembling file: PGM4_3.asm| | 4|10|202112(32)3 PM: Error messages: None | 4|10|202112(32)3 PM: Warning messages: None | 4|10|202112(32)3 PM: Passes: 1 | 4|10|202112(32)3 PM: Remaining memory: 467k | 4|10|202112(32)3 PM:
```

**PGM4 3:**