

Service Health Map (geo-map) — what it is & how to configure it

Rebuilt 2026-08-28 — this panel used to plot *services*, using a hacked coordinate value in each service's Description field. That approach was removed 2026-06-30 at the client's request — not a rejection of the map itself, but of *how* it sourced coordinates. It's back, rebuilt to plot *customer sites* using a real Spectrum field instead. If you're looking for the old service-Description approach, it no longer exists; don't re-add it.

WHAT IT IS

The **Service Health Map** is a panel on the **Service Availability & Health** dashboard. It plots **customer sites** on a US map — one pin per customer, not per service — colored by that customer's worst current health across whichever services are in scope. It respects the dashboard's existing **Service** and **Customer** filters, exactly like every other panel here.

It is a Grafana enhancement — it is NOT part of the CABI Reports. There is no geo-map in the CABI (CA Business Intelligence / Operational Reports) set; this is an additive capability Grafana provides that the legacy CABI reports did not.

On the dashboard the section is labelled:

Service Health Map (optional) · Enhancement - not included in CABI

It's expanded by default — no click needed to see it. ("Optional" describes that it's a Grafana-only addition with no CABI equivalent, not that it's hidden.)

WHY CUSTOMER SITES, NOT SERVICES

A service can be used by several customers in several places — the motivating example: one shared app used by ten customer locations, four of which are having trouble. A per-service pin can't show that; it collapses ten sites into one dot. A per-customer pin can, and it also gives a diagnostic read for free:

- **Most or all of a service's customer-sites are red** → look at the service itself — this points at a shared/central cause.
- **A handful of sites are red, most are fine** → look at those specific sites — this points at something local to them, not the shared service.

Filter the dashboard's **Service** variable to one service and the map narrows to just that service's customer footprint, making this read immediate.

Known gotcha with this demo's data: if a service has been split into several site-specific stand-ins (this environment has **Tixchange**, **Tixchange-Miami**, **Tixchange-NewYork**, **Tixchange-SanFrancisco** as four separate service objects, each tied to at most one customer), filtering to the general/umbrella name alone may show far fewer — or zero — sites than you expect, because the customer associations live on the site-specific objects, not the umbrella one. Check **Service Detail** → **Customers Using This Service** for the service you're filtering to before concluding the map is wrong.

HOW A CUSTOMER SITE APPEARS ON THE MAP

Coordinates come from the **Customer's** own **Primary Contact Location** field (falling back to **Secondary Contact Location** if Primary is empty). This is a real, existing Spectrum Service Manager attribute — nothing is hacked onto an unrelated field this time. A customer with neither field populated simply doesn't appear on the map; every other panel on the dashboard is unaffected.

Exactly what to put in the field

Set the customer's **Primary Contact Location** (or **Secondary**) to its coordinates in this **exact** format:

latitude,longitude

- **Decimal degrees only** (e.g. `40.7128`), not degrees/minutes/seconds.
- **Latitude first, longitude second**, separated by a single comma.
- **Negative = West or South**. In the continental US longitude is always negative (e.g. `-74.0060`).
- **Nothing else in the field** — no labels, no trailing notes. A space immediately after the comma is fine; anything else in the field is not.

Worked examples (the three real customers currently on the map)

CUSTOMER	PRIMARY CONTACT LOCATION	SHOWS UP AT
Miami-Users	25.7617,-80.1918	Miami, FL
NewYork-Users	40.7128,-74.0060	New York, NY
SanFrancisco-Users	37.7749,-122.4194	San Francisco, CA

Valid vs invalid

FIELD VALUE	RESULT
25.7617,-80.1918	✓ plots in Miami
37.7749, -122.4194	✓ plots in San Francisco (a space after the comma is OK)
Miami office	✗ no coordinates → not on map
HQ 25.7617,-80.1918	✗ leading text → ignored (must START with the number)
25.7617,-80.1918,HQ	✗ trailing text → the part after the last comma (HQ) is read as longitude and fails
25°45'42"N 80°11'30"W	✗ degrees/minutes/seconds not supported — use decimals

Where to set it in Spectrum

- Open the **OneClick** console.
- Navigate to **Customers** and select the **SM_Customer** you want to map (e.g. `Miami-Users`).
- In **Component Detail** → **Information** → **Contact Information**, find **Primary Contact Location** (or **Secondary Contact Location**).
- Enter the coordinate pair exactly as above and **save**.
- Back in Grafana, refresh the dashboard — the customer now appears.

How to find a location's coordinates

In **Google Maps**, right-click the location → the first item in the menu is the `latitude, longitude` pair → click it to copy, then paste into the field (a trailing space after the comma is tolerated).

COLORS (HEALTH MAPPING)

The map colors each customer by the **worst** health status among their in-scope services (Up is best, Down/Loss of Management tied for worst):

HEALTH	COLOR
Up	green
Maintenance	blue
Slightly Degraded	yellow
Degraded	orange
Down	red
Loss Of Management	red

HISTORY

- **Original version:** one pin per service, coordinates hacked into the service's `Description` field. Removed 2026-06-30 ("Remove geo-map section (client request)") because of that mechanism, not the map itself.
- **Current version** (2026-08-28): one pin per customer site, coordinates read from the Customer's own Primary/Secondary Contact Location field, and scoped by the dashboard's existing Service/Customer filters. Query joins `sm_customers` → `sm_customermhs` → `sm_slmuses` → `sm_monitors`, the same customer↔service link every other panel on this dashboard already uses.