

EXPO SDK

EXPO SECURESTORE

DEMO



1

EXPO SDK

- Is a series of native libraries for each iOS and Android platform
- Allows JavaScript to access the system features of the device such as
 - the camera
 - push notifications
 - local storage
 - contacts
 - and operating system APIs

USEFUL LIBRARIES

- SplashScreen: makes a splash screen when launching the app
- Localization: manages l10n/i18n of your application for localization purposes
- MapView: uses maps inside the app
- ImagePicker/ImageManipulator: opens images or videos from the device
- Sharing: shares data between the app and the device
- SecureStore: saves data on the device storage
- Camera: captures photos and videos using the device's camera

2

EXPO SECURE STORE

- Provides a way to encrypt and securely store key–value pairs locally on the device
- Each Expo project has a separate storage system and has no access to the storage of other Expo projects
- Size limit for a value is 2048 bytes
- On Android, values are stored in **SharedPreferences**, encrypted with Android's Keystore system
- On iOS, values are stored using the keychain services as **kSecClassGenericPassword**

SECURE STORE

- npx expo install **expo-secure-store**
- Some methods
 - getItem() / getItemAsync ()
 - setItem() / setItemAsync()
 - deleteItemAsync()

Saving the data

static **setItemSync**(key: string, value: string, options)

Name	Type	Description
key	string	The key to associate with the stored value. Keys may contain alphanumeric characters, <code>.</code> , <code>-</code> , and <code>_</code> .
value	string	The value to store. Size limit is 2048 bytes.
options (optional)	SecureStoreOptions	An <code>SecureStoreOptions</code> object. Default: <code>{}</code>

Reading the data

static **getItemAsync**(key: string, options) => void)

Name	Type	Description
key	string	The key that was used to store the associated value.
options (optional)	SecureStoreOptions	An <code>SecureStoreOptions</code> object. Default: <code>{}</code>

Deleting the data

static **deleteItemAsync**(key: string, options) => void)

Name	Type	Description
key	<code>string</code>	The key that was used to store the associated value.
options (optional)	<code>SecureStoreOptions</code>	An <code>SecureStoreOptions</code> object. Default: <code>{}</code>

```

import * as SecureStore from 'expo-secure-store';

const ExpoSecureStoreDemo = () =>
{
  const [key, setKey] = useState();
  const [input, setInput] = useState();

  const saveData = async () =>
  {
    try {
      await SecureStore.setItemAsync(key, input)
      Alert.alert('Data successfully saved')
    } catch (e){
      Alert.alert('Failed to save the data to the storage')
    }
  }

  const readData = async () =>
  {
    try{
      const value = await SecureStore.getItemAsync(key);
      if (value !== null){
        setInput(value);}
      else {
        setInput('Data not found')
      }
    } catch (e)
    {
      Alert.alert('Failed to fetch the input from storage');
    }
  };
}

```

