

## Tables (7)

Name	Type	Schema
<b>cart_movies</b>		CREATE TABLE cart_movies ( id INTEGER PRIMARY KEY AUTOINCREMENT, cart_id INTEGER NOT NULL, movie_id INTEGER NOT NULL, quantity INTEGER NOT NULL, FOREIGN KEY (cart_id) REFERENCES carts(id), FOREIGN KEY (movie_id) REFERENCES movies(id), CONSTRAINT valid_quantity CHECK (quantity > 0) )
id	INTEGER	"id" INTEGER
cart_id	INTEGER	"cart_id" INTEGER NOT NULL
movie_id	INTEGER	"movie_id" INTEGER NOT NULL
quantity	INTEGER	"quantity" INTEGER NOT NULL
<b>carts</b>		CREATE TABLE carts ( id INTEGER PRIMARY KEY AUTOINCREMENT, status VARCHAR(20) NOT NULL, created_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP, user_id INTEGER NOT NULL, FOREIGN KEY (user_id) REFERENCES users(id), CONSTRAINT valid_status CHECK (status IN ('new', 'abandoned', 'purchased')) )
id	INTEGER	"id" INTEGER
status	VARCHAR(20)	"status" VARCHAR(20) NOT NULL
created_at	TIMESTAMP	"created_at" TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP

Name	Type	Schema
user_id	INTEGER	"user_id" INTEGER NOT NULL
<b>categories</b>		CREATE TABLE categories ( id INTEGER PRIMARY KEY AUTOINCREMENT, name VARCHAR(50) NOT NULL UNIQUE, display_order INTEGER NOT NULL DEFAULT 0 )
id	INTEGER	"id" INTEGER
name	VARCHAR(50)	"name" VARCHAR(50) NOT NULL UNIQUE
display_order	INTEGER	"display_order" INTEGER NOT NULL DEFAULT 0
<b>movie_details</b>		CREATE TABLE "movie_details" ( "id" INTEGER, "movie_id" INTEGER NOT NULL UNIQUE, "director" VARCHAR(100) NOT NULL, "genre" VARCHAR(100) NOT NULL, "trailer_url" VARCHAR(255), "rating" REAL NOT NULL DEFAULT 0.0, "time" TEXT NOT NULL DEFAULT 'undefined', "subtitles" TEXT DEFAULT 'English,Spanish', "language" Language DEFAULT 'English', "staring" TEXT, PRIMARY KEY("id" AUTOINCREMENT), FOREIGN KEY("movie_id") REFERENCES "movies"("id") )
id	INTEGER	"id" INTEGER
movie_id	INTEGER	"movie_id" INTEGER NOT NULL UNIQUE
director	VARCHAR(100)	"director" VARCHAR(100) NOT NULL

Name	Type	Schema
genre	VARCHAR(100)	"genre" VARCHAR(100) NOT NULL
trailer_url	VARCHAR(255)	"trailer_url" VARCHAR(255)
rating	REAL	"rating" REAL NOT NULL DEFAULT 0.0
time	TEXT	"time" TEXT NOT NULL DEFAULT 'undefined'
subtitles	TEXT	"subtitles" TEXT DEFAULT 'English,Spanish'
language	Language	"language" Language DEFAULT 'English'
staring	TEXT	"staring" TEXT
<b>movies</b>		CREATE TABLE "movies" ( "id" INTEGER, "title" VARCHAR(100) NOT NULL, "description" TEXT NOT NULL, "imgUrl" BLOB NOT NULL, "price" REAL NOT NULL, "category_id" INTEGER NOT NULL, "release_year" VARCHAR(4) NOT NULL, "is_featured" BOOLEAN NOT NULL DEFAULT 0, PRIMARY KEY("id" AUTOINCREMENT), FOREIGN KEY("category_id") REFERENCES "categories"("id") )
id	INTEGER	"id" INTEGER
title	VARCHAR(100)	"title" VARCHAR(100) NOT NULL
description	TEXT	"description" TEXT NOT NULL
imgUrl	BLOB	"imgUrl" BLOB NOT NULL
price	REAL	"price" REAL NOT NULL
category_id	INTEGER	"category_id" INTEGER NOT NULL
release_year	VARCHAR(4)	"release_year" VARCHAR(4)

Name	Type	Schema
		NOT NULL
is_featured	BOOLEAN	"is_featured" BOOLEAN NOT NULL DEFAULT 0
<b>sqlite_sequence</b>		CREATE TABLE sqlite_sequence(name,seq)
name		"name"
seq		"seq"
<b>users</b>		CREATE TABLE users ( id INTEGER PRIMARY KEY AUTOINCREMENT, created_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP, name VARCHAR(100) NOT NULL, email VARCHAR(255) NOT NULL UNIQUE, password VARCHAR(255) NOT NULL, user_type VARCHAR(10) NOT NULL, CONSTRAINT valid_user_type CHECK (user_type IN ('admin', 'shopper')) )
id	INTEGER	"id" INTEGER
created_at	TIMESTAMP	"created_at" TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP
name	VARCHAR(100)	"name" VARCHAR(100) NOT NULL
email	VARCHAR(255)	"email" VARCHAR(255) NOT NULL UNIQUE
password	VARCHAR(255)	"password" VARCHAR(255) NOT NULL
user_type	VARCHAR(10)	"user_type" VARCHAR(10) NOT NULL

## Indices (0)

Name	Type	Schema
------	------	--------

## Views (0)

Name	Type	Schema
------	------	--------

## Triggers (0)

Name	Type	Schema
------	------	--------