```
SLIP 3
SLIP3.HTML
<!DOCTYPE>
<html>
<head>
<title>login Page</title>
</head>
<body>
<center>
<form action="slip3.php" method="GET">
Username:-<input type="text" name="t1"><br><br>
Password:-<input type="password" name="t2"><br><br>
<input type="submit" name="submit" value="Submit">
</center>
</body>
</html>
SLIP3.PHP
<?php
session_start();
$ SESSION['t1']=$ GET['t1'];
$ SESSION['t2']=$ GET['t2'];
if(!isset($ SESSION['count']))
$ SESSION['count']=0:
if($ SESSION['t1']=="mansi" && $ SESSION['t2']=="123456")
echo"<center><b><h1>welcome login successful</h1></b></center>";
}
else
if($ SESSION['count']<20)
$ SESSION['count']=$ SESSION['count']+1;
echo"<center><b><h1>Invalid Password Please,Try again<br>><br>><br>></b></h1><a
href='slip3.html'>Login again</a></center>";
}
else
echo"<center><b><h1>failed</h1></b></center>";
echo"<center><b><h1>only 3 attempts</h1></b></center>";
?>
SLIP 4
SLIP4.HTML
<!DOCTYPE>
<html>
<head>
<title>Employee Details</title>
</head>
<body>
<center>
<form action="slip4.php" method="GET">
ID:-<input type="text" name="t1"><br><br>
```

```
Name:-<input type="text" name="t2"><br><br>
Address:-<input type="text" name="t3"><br><br>
<input type="submit" name="submit" value="Submit">
</center>
</body>
</html>
SLIP4.PHP
<?php
session start();
$ SESSION['t1']=$ GET['t1'];
$ SESSION['t2']=$ GET['t2'];
$ SESSION['t3']=$ GET['t3'];
<html>
<center>
<form action="slip4 emp.php" method="GET">
Basic:-<input type="text" name="t4"><br><br>
DA:-:-<input type="text" name="t5"><br><br>
HRA:-<input type="text" name="t6"><br><br>
<input type="submit" name="submit" value="Submit">
</center>
</body>
</html>
SLIP4 EMP.PHP
<?php
session start();
$basic=$ GET['t4'];
$da=$ GET['t5'];
$hra=$ GET['t6'];
echo "<b>Details of Employee</b><br>";
echo "ID :-".$ SESSION['t1']."<br>";
echo "Name :-".$ SESSION['t2']."<br>";
echo "Address:-".$ SESSION['t3']."<br><";
echo "<b>Income Details of Employee</b><br>";
echo "Basic:-".$basic."<br>";
echo "DA:-".$da."<br>";
echo "HRA:-".$hra."<br>>";
echo "<b>Total Income of Employee</b><br>";
$total=$basic+$da+$hra;
echo "Total:-".$total;
?>
SLIP 5
SLIP5.XML
<?xml version="1.0"?>
<itemlist>
<Item category="Electronic">
<ItemName>SmartPhone/ItemName>
<ItemPrice>20000</ItemPrice>
<Quantity>4</Quantity>
</ltem>
<Item category="Electronic">
<ItemName>Camera/ItemName>
```

```
<ItemPrice>45000
<Quantity>3</Quantity>
</ltem>
<Item category="Electronic">
<ItemName>Printer</ItemName>
<ItemPrice>15000
<Quantity>2</Quantity>
</ltem>
<Item category="Electronic">
<ItemName>Laptop
<ItemPrice>36000/ItemPrice>
<Quantity>1</Quantity>
</ltem>
<Item category="Electronic">
<ItemName>TV</ItemName>
<ItemPrice>50000
<Quantity>2</Quantity>
</ltem>
</itemlist>
Slip 6
slip6.xml
<?xml version="1.0" encoding="UTF-8"?>
<BookInfo>
<book>
<bookno>1</bookno>
<br/><bookname>JAVA</bookname>
<authername>Balguru Swami</authername>
<price>250</price>
<vear>2006
</book>
<book>
<bookno>2</bookno>
<bookname>c</bookname>
<authername>Denis Ritche</authername>
<price>500</price>
<year>1971</year>
</book>
</BookInfo>
slip6.php
<?php
$xml=Simplexml load file("slip6.xml")or die("cannot open file");
echo "Book NoBook NameAuther
NamePriceYear";
foreach($xml->book as $a)
echo "" . $a->bookno ."";
echo "" . $a->bookname ."";
echo "" . $a->authername ."";
echo "" . $a->price ."";
echo "" . $a->year . "";
?>
```

```
Slip 7
slip7.xml
<?xml version="1.0" encoding="UTF-8"?>
<MovieInfo>
<Movie>
<MovieNo>1</MovieNo>
<MovieTitle>Sairat</MovieTitle>
<a href="#"><ActorName>Rinku Rajguru and Akash Thosar</a>/ActorName>
<ReleseYear>2018</ReleseYear>
</Movie>
<Movie>
<MovieNo>2</MovieNo>
<MovieTitle>Jawan</MovieTitle>
<ActorName>Sharukh Khan</ActorName>
<ReleseYear>2023</ReleseYear>
</Movie>
<Movie>
<MovieNo>3</MovieNo>
<MovieTitle>Bramhastra</MovieTitle>
<a href="#"><ActorName>Alia Bhatt And Ranbir Kapor</actorName></a>
<ReleseYear>2022</ReleseYear>
</Movie>
<Movie>
<MovieNo>4</MovieNo>
<MovieTitle>Hanuman</MovieTitle>
<ActorName>Teja Sajja</ActorName>
<ReleseYear>2024</ReleseYear>
</Movie>
<Movie>
<MovieNo>5</MovieNo>
<MovieTitle>Fighter</MovieTitle>
<a href="#"><ActorName>Ritik Roshan And Dipika Padukon</a></a>/ActorName>
<ReleseYear>2018</ReleseYear>
</Movie>
</MovieInfo>
slip7.php
<?php
$dom=new DomDocument();
$dom->load("slip7.xml");
echo"<h2> Movie Name</h2>";
$mname=$dom->getElementsByTagName("MovieTitle");
foreach($mname as $name)
echo"<b>$name->textContent<b><br>";
echo"<h2> Movie Actor</h2>";
$actor=$dom->getElementsByTagName("ActorName");
foreach($actor as $actorn)
echo"<b>$actorn->textContent<b><br>";
?>
```

```
SLIP 8
<html>
<head>
<script type=text/javascript>
function myFunction()
{
       var r=prompt("Exams are near! Have you started preparing??");
       if(r==null)
              alert("please enter something!");
       else if(r=='yes')
              alert("Good");
       }
       else
       {
              alert("Start Preparing!");
       }
       var s=confirm("Press a button");
       if(s==true)
             s="You Pressed OK!";
       else
       {
              s="You Pressed Cancle!";
       var student=prompt("Please Enter Your Name","Mansi Nighot");
       if(student!=null)
              document.getElementById("demo").innerHTML="Hello" + Student + "!How are you
today?";
</script>
</head>
<body>
       Hey! Welcome to First Page
       <button onclick=myFunction()>Click</button>
</body>
</html>
SLIP 9
<!DOCTYPE>
<html>
<head>
<script type=text/javascript>
function validation()
    var username=document.getElementById("username").value;
    var password=document.getElementById("password").value;
    if(username=="mansi" && password=="mansi@123")
    {
```

```
document.write("<a href=slip9.html>Visit To Form</a>");
    }
    else
    {
      document.write("Incorrect username and password<br/>br>Please Try Again");
    }
</script>
</head>
<body>
       <h2>Student Membership Form</h2>
       <form id="loginform">
              User Name: <input type="text" id="username" name="username"><br>
              Password: <input type="password" id="password" name="password"><br><br>
              <input type="button" value="Login" onclick=validation()>
       </form>
       <span><b>Note:Username and password
demo<br/>br>username:mansi<br/>obr>password:mansi@123</b></span>
</body>
</html>
Slip9.html
<!DOCTYPE>
<html>
<head>
</head>
<body>
       <center><h2>Student Membership Form</h2>
       <form border=2>
       Name: <input type="text"><br><br>
       Class: <input type="text"><br><br>
       Stream: <input type="text"><br><br>
       <button style="color:pink">Submit</button>
</body>
</html>
SLIP 11
<!DOCTYPE>
<html>
<head>
<script type=text/javascript>
function getname()
{
      var name=prompt("Enter Your Name").value=name;
      document.getElementById("user").value=name;
      name=document.getElementById("name").style.color="red";
      name=document.getElementById("name").style.fontSize="18";
function changesize()
{
      var l=document.getElementById("user").value;
      if(I.length==0)
      {
              document.getElementById("pic").height="50";
              document.getElementById("pic").width="50";
```

```
}
}
/*function over()
       document.getElementById("display").innerHTML="MOUSEOVER";
function down()
       document.getElementById("display").innerHTML="MOUSEDOWN";
function up()
       document.getElementById("display").innerHTML="MOUSEUP";
}*/
</script>
</head>
<body onload="getname()">
<form>
Name: <input type="text" id="user" name="name" onlick=changesize()><br>
<button>Submit</button><br><br>
<img id="pic" src="pic.jpg" width="300" height="300";</pre>
<!--input type="submit" name="button" value="button" onmouseover="over()">
<input type="submit" name="button" value="button" onmousedown="down()">
<input type="submit" name="button" value="button" onmouseup="up()"-->
<span id="display">Status</span><br><br>
</form>
</body>
<html>
Another File of slip 11
<html>
<head>
<script>
function getname()
var r=prompt("Enter the student name:");
document.getElementById("user").value=r;
document.getElementById("user").style.color="blue";
document.getElementById("user").style.fontSize="18";
}
function Csize()
 var l=document.getElementById("user").value;
 if(l.length==0)
 document.getElementById("virat").height="50";
 document.getElementById("virat").width="50";
 }
}
</script>
</head>
<body onload="getname()">
 <input type="text" name="name" id="user" onclick="Csize()">
 <input type="submit" name="submit" id="submit">
```

```
<br>
 <img id="virat" src="virat.jpeg" width="300" height="300";
</body>
</html>
SLIP 12
slip12.html
<!DOCTYPE>
<html>
<body>
<script>
function textchange()
 var xhttp = new XMLHttpRequest();
 var fname=document.getElementById("fname").value;
 xhttp.open("GET", "slip12.php?fname=" +fname, true);
 xhttp.send();
 xhttp.onreadystatechange = function()
     if (xhttp.readyState == 4 && xhttp.status == 200)
         document.getElementById("para").innerHTML = xhttp.responseText;
 };
}
</script>
Enter the File Name<input type="text" name="fname" id="fname"><br>
Display the content of file Here
<button type="button" onclick="textchange()">Display</button>
</body>
</html>
slip12.php
<?php
$fname=$ GET['fname'];
$handle=fopen($fname,"r");
echo "<h1>Contact Details</h1><br>";
echo "Sr.NoNamePhone
NumberResidence NumberAddress";
while($data=fscanf($handle,"%d %s %d %d %d %s"))
{
  list($sno,$name,$pno,$rno,$add)=$data;
  echo "$sno$name$pno$rno$add";
fclose($handle);
?>
contact.dat
1 Mansi 9890 1222 Manchar
2 Ananya 7410 1234 Pune
```

```
slip13.php
<html>
  <head>
     <title>Form for number input</title>
  </head>
  <body>
     <script type="text/javascript">
       function getName()
         var name=document.getElementById("name").value;
         if(name==" ")
         {
            document.getElementById("response").innerHTML="Stranger,please tell me your
name!";
         else
            var xhttp=new XMLHttpRequest();
            xhttp.onreadystatechange=function()
              if(this.readyState==4 && this.status==200)
                 document.getElementById("response").innerHTML=this.responseText;
            };
            xhttp.open("GET","slip13 1.php?name="+name,true);
            xhttp.send();
         }
    </script>
     <form>
       Name: <input type="text" id="name" onKeyUp="getName()">
     </form>
     <div id="response"></div>
  </body>
</html>
Slip13_1.php
<?php
$name=$_GET['name'];
echo $name;
if($name=='Virat' || $name=='Rohit' || $name=='Dhoni' || $name=='Ashwin' || $name=='Harbhajan')
  echo "Hello, Master!";
}
else
  echo " I don't know you !";
?>
```

SLIP13

```
<html>
<body>
<script type="text/javascript">
function display()
var x=new XMLHttpRequest();
var n=document.getElementById('n').value;
x.open("GET","slip14_1.php?n="+n,true);
x.send();
x.onreadystatechange=function()
if(x.readyState==4 && x.status==200)
document.getElementById("show").innerHTML=x.responseText;
</script>
Teacher Name: <select name='n' id='n' onclick="display()"><br>
<option value="Prof.Mansi">Mansi
<option value="Prof.Ajinkya">Ajinkya
<option value="Prof.Anaya">Anaya
</select>
<h1 id="show"></h1>
</body>
</html>
slip14_1.php
<?php
$tname=$ GET['n'];
$con=pg connect("dbname=tf020 user=postgres")or die("could not connect");
$gry="select * from teacher where tname='$tname'";
$rs=pg query($con,$qry)or die("unable to execute query");
if($rs!=null)
  echo"";
  echo"Teacher No.Teacher NameTeacher
QualificationTeacher Salary":
  while($row=pg fetch row($rs))
  {
    echo"":
    echo"".$row[0]."";
    echo"".$row[1]."";
    echo"".$row[2]."";
    echo"".$row[3]."";
    echo"":
  echo"";
}
else
echo"No Records Found";
pg close($con);
?>
```

## **DATABASE:**

```
tf020=# create table teacher(tno int primary key,tname varchar(20),qualification varchar(20),salary
int);
CREATE TABLE
tf020=# insert into teacher values(111, 'Prof.Mansi', 'PHD in Statistics', 50000);
INSERT 0 1
SLIP 15
slip15_1.php
<html>
<body>
<script type="text/javascript">
function display()
var x=new XMLHttpRequest();
var n=document.getElementById('n').value;
x.open("GET","slip15 1.php?n="+n,true);
x.send();
x.onreadystatechange=function()
if(x.readyState==4 && x.status==200)
document.getElementById("show").innerHTML=x.responseText;
</script>
Suggestion:<input type="text" name="n" id="n" onclick="display()"> <br>
<h1 id="show"></h1>
</body>
</html>
SLIP 16
slip16_1.php
<!DOCTYPE html>
<html>
<head>
<title>Book Selection</title>
</head>
<body>
<script type="text/javascript">
function display()
{
       var x = new XMLHttpRequest();
       var bookname = document.getElementById('n').value;
       x.open("GET", "slip16 2.php?bookname=" +bookname, true);
       x.send();
       x.onreadystatechange = function()
 {
         if (x.readyState == 4 && x.status == 200)
{
            document.getElementById("show").innerHTML = x.responseText;
         }
       };
```

```
}
</script>
<h2>Select Book:</h2>
<select id='n' onclick="display()" size=1>
<option value="Statisctics">Statisctics</option>
<option value="PHP">PHP</option>
<option value="Operating System">Operating System
<option value="Software Testing">Software Testing
<option value="JAVA">JAVA</option>
  </select>
  <div id="show"></div>
</body>
</html>
slip16_2.php
<?php
$book name = $ GET['bookname'];
$xml=simplexml load file("slip16.xml") or die("Cannot open the file");
echo "<h2>Book Information:</h2>";
echo "Book TitleAuthorPublication
YearPrice";
foreach($xml->Book as $b)
{
  if(strcmp($b->Book Title, $book name) === 0)
{
    echo "" . $b->Book Title . "";
    echo "" . $b->Book Author . "";
    echo "" . $b->Book PubYear . "";
    echo "" . $b->Book Price . "";
 }
}
echo "";
?>
SLIP 25
slip25.xml
<?xml version="1.0"?>
<CricketTeam>
<Team country="Australia">
<player>Watsun</player>
<runs>1000</runs>
<wicket>40</wicket>
</Team>
<Team country="India">
<player>Rohit Sharma</player>
<runs>2000</runs>
<wicket>20</wicket>
</Team>
<Team country="Pakistan">
<player>Afridi</player>
<runs>6000</runs>
<wicket>65</wicket>
</Team>
```

```
<Team country="India">
<player>Virat Kohli</player>
<runs>1000</runs>
<wicket>30</wicket>
</Team>
<Team country="Australia">
<ple>splayer>Steve Smith</player>
<runs>30</runs>
<wicket>4</wicket>
</Team>
</CricketTeam>
slip25.php
<html>
<head></head>
<body>
<?php
$xml=simplexml load file("slip25.xml")or die("cannot die");
<center><b>Cricket details</b>
Team
Player
Runs
Wicket
<?php
foreach($xml->Team as $a)
{
   echo"".$a["country"]."";
   echo"".$a->player."";
   echo"".$a->runs."";
   echo"".$a->wicket."";
?>
</body>
</html>
SLIP 26
slip26.php
<html>
<body>
<script type="text/javascript">
function display()
var x=new XMLHttpRequest();
var n=document.getElementById('n').value;
alert(n);
x.open("GET","slip26_1.php?n="+n,true);
x.send():
x.onreadystatechange=function()
if(x.readyState==4 && x.status==200)
```

```
document.getElementById("show").innerHTML=x.responseText;
</script>
Employee Name: <select name='n' id='n' onclick="display()"><br>
<option value="Mansi">Mansi
<option value="Ajinkya">Ajinkya
<option value="Anaya">Anaya
</select>
<h1 id="show"></h1>
</body>
</html>
slip26_1.php
<?php
$ename=$_GET['n'];
echo $ename:
$con=pg connect("dbname=tf020 user=postgres")or die("could not connect");
$qry="select * from employee where ename='$ename'";
$rs=pg query($con,$qry)or die("unable to execute query");
if($rs!=null)
 echo"";
 echo"Employee NoEmployee
NameDesignationSalary";
 while($row=pg fetch row($rs))
echo"":
echo"".$row[0]."";
echo"".$row[1]."";
echo"".$row[2]."";
echo"".$row[3]."";
echo"";
 }
 echo"";
else
echo"No Records Found";
pg_close($con);
?>
DATABASE:
tf020=# create table employee(eno int primary key,ename varchar(20),designation
varchar(20), salary int);
CREATE TABLE
tf020=# insert into employee values(11, 'Mansi', 'CEO', 15000000);
INSERT 0 1
```

## SLIP 29 slip29.php

```
<html>
 <body>
   <form action="<?php echo $ SERVER['PHP SELF']?>" method="GET">
       Enter a number <input type="text" name="t1" value="<?php if(isset($ GET['t1'])) echo
$ GET['t1']?>">
       <br>
       <input type="radio" name="num" value="sum"> Sum of digits of number
       <input type="radio" name="num" value="fib"> Fibonacci
       <input type="submit" name="submit" value="submit">
   </form>
 </body>
</html>
<?php
$t1=$ GET['t1'];
if(isset($_GET['submit']))
   if($ GET['num']=='sum')
   {
      $sum=0;
      $rem=0;
     $num=$t1;
      for($i=0;$i<=strlen($t1);$i++)
         $rem=$num%10;
         $sum=$sum+$rem;
         $num=$num/10;
      }
      echo "<br/>br>Sum of digits of : $sum";
    if($ GET['num']=='fib')
      $num1=0;
      $num2=1;
      n=0;
      echo "Fibonacci sequence:";
      while(n< 1)
        echo " ".$num1;
        $num3=$num1+$num2;
        $num1=$num2;
        $num2=$num3;
        n=n+1;
?>
```

```
<?xml version="1.0"?>
<ABCBOOK>
   <BOOK category="Technical">
      <Book Title>C Programming</Book Title>
      <Book Author>Dennis Ritche</Book Author>
      <Book Price>500</Book Price>
   </BOOK>
  <BOOK category="Story">
     <Book Title>Robin Hood</Book Title>
      <Book Author>Howard Pyle</Book Author>
      <Book Price>435</Book Price>
  </BOOK>
  <BOOK category="Yoga">
     <Book Title>Patanjali</Book Title>
     <Book Author>Ram Baba</Book Author>
      <Book Price>2500</Book Price>
  </BOOK>
  <BOOK category="Story">
      <Book Title>Mahaharat</Book Title>
     <Book Author>Vyasa</Book Author>
      <Book Price>4500</Book Price>
  </BOOK>
   <BOOK category="Yoga">
     <Book Title>Yoga Fitness For Beginners</Book Title>
      <Book Author>Emily Oddo</Book Author>
      <Book Price>1500</Book Price>
  </BOOK>
  <BOOK category="Technical">
      <Book Title>JAVA Programming</Book Title>
      <Book Author>James Gosling</Book Author>
      <Book Price>1000</Book Price>
  </BOOK>
</ABCBOOK>
slip30.php
<html>
<head></head>
<body>
<?php
$xml=simplexml load file("slip30.xml")or die("cannot die");
<center><b>Book Details</b>
Book Name
Tiitle
Author
Price
<?php
$r=$ GET['r'];
foreach($xml->BOOK as $a)
  echo"".$a["category"]."";
  echo"".$a->Book Title."";
  echo"".$a->Book Author."";
  echo"".$a->Book Price."";
```