HSWRMS

WEB UI DEMO

MASTER SUMMARY & UI/UX SPECIFICATION

Tổng hợp tiêu chí, kiến trúc màn hình, design system, motion, role-based UI, 56-screen inventory, Figma reconstruction và QA/freeze criteria từ toàn bộ ngữ cảnh Web UI demo đã trao đổi trong Project.

MỤC TIÊU TÀI LIỆU

Dùng như một baseline ổn định để tiếp tục phát triển, review, tái dựng Figma và bảo vệ UI demo. Tài liệu không thay thế SRS; business rules vẫn lấy SRS làm nguồn chuẩn, còn phần UI/UX ưu tiên trạng thái frontend thực tế và HSWRMS_DESIGN.md.

Hanoi · October 2026

NỘI DUNG TỔNG HỢP

- 1. Nguồn chuẩn và nguyên tắc không được phá
- 2. Mục tiêu Web UI demo và phạm vi mô phỏng
- 3. Current frontend technology snapshot
- 4. Visual DNA: Quiet Luxury + Editorial + Operational Clarity
- 5. Design tokens, typography, spacing, responsive & accessibility
- 6. Motion / interaction direction
- 7. Application shells, role model & navigation architecture
- 8. Reusable component system
- 9. Official 56-screen UI inventory
- 10. Module-by-module UI behavior (M1–M6)
- 11. Cross-module states, privacy, RBAC & UI invariants
- 12. M2 Walk-in, M3 Scheduling, M4 Ingredient-Demand refinements
- 13. Mock data & demo simulation rules
- 14. Internationalization & long-language safety
- 15. Figma reconstruction status and browser source-of-truth
- 16. QA / regression / freeze criteria
- 17. Open UI/business items and guardrails
- 18. Suggested presentation walkthrough

SOURCE-OF-TRUTH HIERARCHY

Business source: SRS / approved business decisions. Visual source: HSWRMS_DESIGN.md + current rendered frontend. Implementation source: actual React/TypeScript code. Figma is a reconstruction/design-delivery layer and must not silently override working browser behavior.

1. NGUỒN CHUẨN & NGUYÊN TẮC KHÔNG ĐƯỢC PHÁ

Bản tổng hợp này được khôi phục từ các trao đổi trước trong Project và các tài liệu/analysis đã dùng khi build frontend: HSWRMS_DESIGN.md, HSWRMS_Implementation_Plan, HSWRMS_Antigravity_Prompts, Prompt Roadmap UI/UX, SRS 56-screen inventory và các lần audit code/browser để tái dựng Figma.

Nguồn	Vai trò	Quy tắc
SRS / approved decisions	Business source of truth	Không tự tạo flow/rule mới khi requirement chưa chốt.
HSWRMS_DESIGN.md	Visual/UI source	Giữ Quiet Luxury, token, typography, density split.
Current React frontend	Rendered implementation truth	Figma/QA phải bám layout/component đang chạy thực tế.
Screen Inventory 1–56	Official screen baseline	Không renumber/rename casual; không tạo Screen 57 nếu chỉ reuse flow.
Open Items	Unresolved boundary	Gắn nhãn open/proposed; không biến thành approved requirement.

GUARDRAIL CỐT LÕI

Không dùng câu 'làm đẹp hơn' như một yêu cầu tự do. Mọi polish phải bảo toàn business flow, role access, privacy projection, screen identity, component language và current source-of-truth.

2. MỤC TIÊU WEB UI DEMO & PHẠM VI MÔ PHỎNG

UI demo được xây để thuyết trình và kiểm chứng trải nghiệm, không phải production backend hoàn chỉnh.

- High-fidelity frontend prototype: page structure, navigation, role-based layouts, realistic state, visual polish và business flow simulation.
- 56 official screens phải có component thật, route thật, layout/role đúng; không tuyên bố 56/56 nếu còn placeholder.
- Dùng local/mock data và simulated async states; không mô phỏng sai business rule chỉ vì chưa có backend.
- Không triển khai thật VNPay, OAuth, email, database, encryption, residence-report integration hay production concurrency trong giai đoạn demo.
- Front-end demo phải thể hiện đúng các invariant quan trọng: data minimization, billing guard, Payment Success ≠ Checkout Completed, Spa atomic candidate/reservation logic.

DEMO KHÔNG PHẢI 'CLICKABLE MOCKUP' ĐƠN GIẢN

Các màn phải liên kết theo flow thật, có status/empty/error/blocked state, role-aware navigation và dữ liệu mock nhất quán xuyên module.

3. CURRENT FRONTEND TECHNOLOGY SNAPSHOT

Layer	Current demo stack	UI implication
Core	React 19 + TypeScript	Typed reusable components, role-specific pages.
Build	Vite 8	Fast dev/build; SPA route deployment needs direct-refresh smoke test.
Routing	React Router DOM v7	Nested layouts, RoleGuard, route-based shells.
i18n	i18next + react-i18next	VI default; EN, zh-CN, JA, FR supported.
Motion	GSAP + ScrollTrigger + Lenis	Cinematic Public/Customer; minimal operational motion.
Charts	Recharts	Manager/Admin analytics only where useful.
Icons	Lucide React	Consistent minimal line icon language.
State	React Context + local/mock data	Auth/role/demo entities; no production API dependency.
Backend target	Java + Spring Boot REST + JPA/Hibernate + Security/JWT + SQL Server	Frontend remains React; no JSP/Thymeleaf.

Current project analysis also recorded five application shells: PublicLayout, AuthLayout, CustomerLayout, OperationalLayout và ManagerAdminLayout.

4. VISUAL DNA: QUIET LUXURY + EDITORIAL + OPERATIONAL CLARITY

Visual foundation lấy cảm hứng từ hospitality/wellness cao cấp: Amanoi là nền tảng thẩm mỹ; illoca/Lenis dùng để tham khảo nhịp scroll/storytelling; ThreeUI/OP–XY dùng chọn lọc cho điểm nhấn motion. Không biến HeavenStay thành website 3D hay tech-product.

Zone	Character	Không được làm
Public / Customer	Cinematic, editorial, spacious, image-led, calm, aspirational	Catalog dày đặc, gradient/neon, excessive pills/shadows.
Operational Staff	Compact, structured, data-first, fast scanning	Generic admin template tách biệt thương hiệu.
Manager / Admin	Restrained, analytical, trustworthy, very low motion	Cinematic effects làm giảm clarity.

ONE BRAND, TWO DENSITIES

Experience UI và Operational UI dùng cùng token, typography, border/status language; khác nhau ở mật độ thông tin và motion budget, không phải hai sản phẩm khác nhau.

5. DESIGN TOKENS, TYPOGRAPHY, SPACING, RESPONSIVE & ACCESSIBILITY

Token	Value	Usage
Canvas	#FAF9F6	Main background
Soft	#F5F3EF	Secondary section/card
Surface	#FFFFFF	Forms/tables/operational cards
Text Primary	#2B2B2B	Primary text
Text Secondary	#706E6B	Helper/meta
Border	#E5E2DC	Dividers/borders
Forest	#4F5A50	Primary brand accent
Olive	#6D7466	Secondary accent
Sand	#D8C7AE	Warm decorative accent

Typography: Cormorant Garamond / serif display for editorial headings; Inter for body/UI/forms/tables. Trong artifact/demo có thể fallback Georgia + system sans khi cần.

- Spacing rhythm: 8px-based, common steps 4/8/12/16/24/32/48/64/80/96/128.
- Experience sections: 80–128px vertical padding, max content width khoảng 1200–1320px, editorial text 680–840px.
- Operational: card gap 16–24px, table row 48–56px, 12-column dashboard grid.
- Default radius restrained 0–6px; operational widgets có thể 6–8px. Pill chỉ cho status/tag.
- Demo must remain readable at 1366×768 and 1920×1080; stress-test additionally 1024/768/390.
- Status must use text + color, never color alone. Keyboard focus, labels, error messages, touch target ≥44px.

6. MOTION / INTERACTION DIRECTION

Surface	Motion budget
Landing	High, selective cinematic storytelling
Retreat Detail	High–moderate
Customer authenticated	Moderate
Operational staff	Minimal
Manager/Admin	Very low

- Lenis is the exclusive smooth-scroll engine; synchronized with GSAP ticker and ScrollTrigger.
- Route changes reset scroll and refresh ScrollTrigger after navigation.
- Reduced-motion bypasses Lenis and keeps native scrolling.
- Approved motion vocabulary: fade/reveal, translate Y 12–20px, restrained image hover scale ~1.02–1.03, underline/border transitions, skeleton pulse.

- Public/customer may use TextReveal, ImageReveal, ParallaxMedia, Sticky Story, MagneticButton, custom cursor when pointer/hover capabilities allow.
- Custom cursor must hide around form controls and should not run on operational routes.
- Avoid bounce, parallax overload, flashy autoplay, excessive glow.

MOTION PRINCIPLE

Motion hỗ trợ storytelling và hierarchy. Không được làm chậm operational tasks, che validation, hay biến staff dashboard thành landing page.

7. APPLICATION SHELLS, ROLE MODEL & NAVIGATION ARCHITECTURE

Shell	Audience	Navigation	Density
PublicLayout	Unauthenticated/Public	PublicNavbar + Footer	Editorial
AuthLayout	Register/Login/OTP/Reset	Focused auth navigation	Minimal
CustomerLayout	Customer	CustomerNavbar / responsive compact nav	Experience
OperationalLayout	Receptionist, Therapist, F&B	Role-aware left sidebar	Compact
ManagerAdminLayout	Manager, Admin	Governance/analytics navigation	Dense but restrained

Public navigation: Retreats, Villas & Accommodation, Spa & Wellness, Dining, Experiences, About HeavenStay, Sign In, Book Retreat CTA.

Customer navigation: Dashboard, My Bookings, Spa & Therapy, Dining/Meal Plan, Health & Dietary Profile, Customer Folio, Account Settings.

Operational sidebar chỉ hiển thị chức năng role thực sự có quyền. Không hiển thị hàng loạt disabled links. RoleSwitcher chỉ là dev/demo tool, không phải production navigation.

8. REUSABLE COMPONENT SYSTEM

Group	Core components	Key rule
Controls	Button, TextInput, PasswordInput, Checkbox, FormField	Default/hover/focus/disabled/loading; validation rõ.
Feedback	Toast, AlertBanner, EmptyState, LoadingSkeleton, ErrorState, ConfirmDialog	Message = what happened + next action.
Containers	Card, Modal, Drawer	Modal cho concise/confirm; Drawer cho detail/filter.
Navigation	PublicNavbar, CustomerNavbar, OperationalSidebar, Breadcrumb, Footer	Role-aware, responsive, no overlap.
Data display	DataTable, Pagination, KpiCard, Timeline, StatusChip	Search/filter/sort/paginate; status text + color.
M3 schedule	DailySchedule, TimeSlotGrid, SessionCard	Availability/status clarity; candidate không phải manual mix-and-match.
Domain	BookingSummaryCard, FolioLineItem, SensitiveInfoCard, MealOrderCard, ReviewStars	Keep business vocabulary consistent.

Figma reconstruction status đã ghi nhận: Core Controls và Structures đã được build/QA; Navigation & Layout là nhóm tiếp theo gồm PublicNavbar, CustomerNavbar, SidebarNavItem, OperationalSidebar và Footer.

9. OFFICIAL 56-SCREEN UI INVENTORY

#	Screen	Feature
1	Public Landing	Common / M1-M2
2	Customer Dashboard	Common / Customer
3	Register	M1
4	Email OTP Verification	M1

5	Login	M1
6	Password Reset	M1
7	Account Settings	M1
8	Health & Dietary Profile	M1
9	Health Data Deletion Request	M1
10	Staff Account List	M6
11	Staff Account Detail	M6
12	Master Data Management	M6
13	Retreat Package List	M2
14	Retreat Package Detail	M2
15	Retreat Booking Form	M2
16	Booking Summary & Deposit	M2
17	Deposit Payment Result	M2
18	My Bookings	M2
19	Booking Detail & Itinerary	M2
20	Receptionist Dashboard	M2
21	Daily Arrivals	M2
22	Check-In & Residence Information	M2
23	Villa Assignment	M2
24	Villa Status Management	M2
25	Spa Treatment List	M3
26	Spa Session Booking	M3
27	Available / Alternative Slot Selection	M3
28	Spa Booking Confirmation	M3
29	My Spa Sessions	M3
30	Manual Extra Spa Booking	M3
31	Therapist Dashboard	M3
32	Therapist Daily Schedule	M3
33	Therapist Session Detail	M3
34	Dietary Menu	M4
35	Daily Meal Selection	M4
36	Extra A-la-carte Order	M4
37	My Meal Plan / Orders	M4
38	F&B Dashboard	M4
39	Daily Meal Prep List	M4
40	Meal Order Detail	M4
41	Customer Folio & Consolidated Invoice	M5
42	Final Payment	M5
43	Final Payment Result	M5
44	Checkout Confirmation	M5
45	Review & Rating	M5
46	Revenue Dashboard	M5
47	Occupancy Report	M5
48	Therapist Utilization Report	M5
49	Admin Dashboard	M6
50	Business Parameters	M6
51	Feature Flag Management	M6
52	Permission Matrix	M6
53	Limited Admin Rights Delegation	M6
54	Sensitive Data Audit Log	M6
55	Manager Dashboard	M6
56	System Overview Dashboard	M6

56/56 RULE

Screen inventory là baseline chính thức. Reuse cùng component/mode khi actor khác nhưng business form giống nhau; không tạo thêm official screen chỉ để đổi entry point. Final audit phải kiểm từng screen: route, real component, layout, role, no placeholder.

10. MODULE-BY-MODULE UI BEHAVIOR

10.1 M1 - Authentication & Sensitive Health Profile

```
Public → Register/SSO → OTP/Login → Customer Dashboard → Account / Health & Dietary → Consent / Deletion Request
```

- Auth screens phải focused, uncluttered, nhưng vẫn cùng brand language.
- Consent checkbox phải explicit và không pre-checked.
- Health & Dietary Profile tách khỏi Account Settings; sensitive panels có privacy cue.
- Health deletion request hiển thị lifecycle rõ: pending/deferred/completed/cancelled; không biến runtime validation thành account status.
- Role routing sau login đưa user về shell tương ứng.

10.2 M2 - Retreat Package & Accommodation

```
Landing/Packages → Detail → Booking Form → Summary & Deposit → Result → My Bookings → Itinerary
```

- Customer-facing package/villa pages thiên editorial, hình ảnh lớn, guided journey; không giống e-commerce catalog.
- Villa Category là thứ Customer chọn khi booking; Physical Villa là resource cụ thể khi check-in.
- Receptionist Dashboard ưu tiên Arrivals, Check-in, Villa Status, Checkout queue.
- Walk-in không cần screen mới: S20 [+ New Walk-in Booking] → reuse S15 in Receptionist mode → S22 → S23.
- Walk-in form thêm Customer lookup/register + booking channel context nhưng không duplicate business validation.

10.3 M3 - Spa & Therapy Scheduling

```
Customer: S25 → S26 → S27 → S28 → S29   |   Receptionist: S20 → S30 → S27 → S28   |   Therapist: S31 → S32 → S33
```

- S26 chỉ lấy treatment + preferred date/time + note/flexibility; Customer/Receptionist không chọn Therapist/Room trực tiếp.
- S27 hiển thị candidate hoàn chỉnh: Time Slot + Qualified Therapist + Compatible Treatment Room; Recommended/Alternative là mock deterministic, không invent scoring weights.
- S28 là final review + revalidation state; candidate stale phải quay lại alternatives, không giả vờ UI lock là đủ.
- S29 tách session lifecycle với attendance confirmation lifecycle; reminder timeline T-24h / T-2h / T-75m / T-60m / T-15m.
- Recovery: giữ nguyên giờ và đổi resource trước; đổi giờ cần explicit consent; slot swap là last resort và cần all-affected consent.
- S33 chỉ hiển thị treatment-relevant health projection; final actions Completed/No-Show. IN_PROGRESS chưa là persisted state nếu chưa approve.

10.4 M4 - Dietary F&B

```
Dietary Menu → Daily Meal / Extra A-la-carte → My Meal Plan → F&B Dashboard → Prep List → Order Detail
```

- Personalized menu = allergy/dietary suitability + current menu availability.
- F&B staff chỉ thấy food-relevant allergy/dietary warnings, không full medical history.
- Recipe logic dùng MENU_ITEM_INGREDIENT với quantity_per_serving; required quantity = ordered servings × quantity per serving.
- F&B Dashboard nên giữ hierarchy: KPI Summary → Today's Meal Orders → Ingredient Demand + Inventory Alerts → Menu Availability.
- Ingredient Demand không phải catalog. Bên trái demand/available/difference/status; bên phải shortage/low-stock alerts.
- Không cần screen mới cho ingredient quantity: recipe editor nằm trong Menu Item management; dashboard chỉ theo dõi vận hành.
- Meal Order Detail có thể mở drawer/modal 'ingredient impact' mà không tạo official screen mới.

10.5 M5 - Folio, Checkout & Analytics

```
Folio → Check unsettled services → Consolidated Invoice → Final Payment → Payment Result → Finalize Stay → Review / Analytics
```

- Front-desk Receptionist owns operational checkout flow; Customer folio view nếu có là read-only personal charges view.
- Billing Guard: nếu Spa/F&B còn pending/preparing/rescheduling phù hợp thì block final checkout.
- Payment Successful ≠ Checkout Completed. Sau payment vẫn phải finalize invoice/folio/booking/villa.
- VNPay callback simulation phải thể hiện idempotent semantics ở UI copy/state; không double-finalize.
- Revenue/Occupancy/Therapist Utilization dashboards dùng Recharts, filter/export affordance, visual density restrained.

10.6 M6 - Administration & Permission

```
Admin / Manager Sign-in → Role Scope → Staff/Master Data/Parameters/Flags/Permissions/Delegation/Audit/System Overview
```

- Manager ≠ Admin. Manager default read/restricted; delegated capability phải scope/time-bound.
- Permission Matrix là functional authorization model, không chỉ navigation styling.
- Feature flags không được tắt core guards như RBAC/audit/checkout protection.
- Audit Log là read-only operational UI; details masked, filterable, export only when permitted.
- System Overview render role-scoped widgets; direct URL vẫn phải guard.

11. CROSS-MODULE STATES, PRIVACY, RBAC & UI INVARIANTS

Invariant	UI implication	Anti-pattern
Payment Success ≠ Checkout Completed	Separate result vs finalization screens/states	One green success screen that closes everything implicitly.
Generate Candidate ≠ Reserve Resource	S27 options; S28 revalidation	Disable button = reservation.
Confirmation EXPIRED ≠ No-Show	S29 recovery state; No-Show only Therapist final outcome	Treat no response as attendance outcome.
Role permission ≠ frontend visibility	RoleGuard + backend target architecture; menu reflects permission	Security by hiding links only.
Health Profile ownership = M1	M3/M4 receive minimum-necessary projection	Show full profile to staff.
Villa Category ≠ Physical Villa	Different labels/forms in booking vs check-in	Use same entity/select everywhere.
Runtime check ≠ persistent state	Loading/revalidation/stock-check shown as transient feedback	Add every transient result to DB status.

12. SPECIAL REFINEMENTS ALREADY AGREED

12.1 M2 Walk-in Booking

```
S20 Receptionist Dashboard → [+ New Walk-in Booking] → S15 Retreat Booking Form (Receptionist mode) → S22 Check-In → S23 Villa Assignment
```

Không tạo Screen 57. Entry point khác, nhưng core booking form/service logic được reuse.

12.2 M3 Current Approved UI Model

Screen	Role	Approved responsibility
25	Customer	Browse/select treatment.
26	Customer / Receptionist	Collect request preferences only.
27	Customer / Receptionist	Show complete system-generated candidates.
28	Customer / Receptionist	Final review + revalidation + atomic reservation representation.
29	Customer	Sessions + confirmation/recovery

		proposal.
30	Receptionist	Initiate extra Spa; no manual resource assignment.
31–33	Therapist	Dashboard → schedule → minimized session detail + Completed/No-Show.

12.3 M4 Ingredient-Demand Dashboard

```
Meal Orders → Recipe Quantity → Ingredient Demand → Compare Usable Batches → Sufficient / Low Stock / Insufficient
```

Bố cục ưu tiên 2-column: Ingredient Demand Today khoảng 65–70% và Inventory Alerts khoảng 30–35%; Menu Availability nằm sau để cho thấy ảnh hưởng vận hành.

13. MOCK DATA & DEMO SIMULATION RULES

- Mock data phải realistic và cross-linked: users, packages, villas, bookings, Spa treatments, therapists, rooms, sessions, meals, orders, batches, folio charges, reviews, audit log, permissions, parameters, analytics.
- Không duplicate dataset theo screen; dùng shared context/domain objects để trạng thái thay đổi nhìn nhất quán.
- Simulated integrations được phép: VNPay result, SSO callback, email delivery, calendar sync; nhưng UI copy phải phân biệt mock/demo với production semantics.
- Không fake production concurrency. Có thể mô phỏng stale candidate, failed payment, stock shortage, blocked checkout bằng scenario toggles.
- RoleSwitcher/dev persona nên cho phép demo nhanh các role nhưng không xuất hiện như production feature.

14. INTERNATIONALIZATION & LONG-LANGUAGE SAFETY

Current frontend context ghi nhận 5 ngôn ngữ: Vietnamese (default), English, Simplified Chinese, Japanese, French.

- CustomerNavbar phải xem như 4 protected zones: Brand / Main Navigation / Language Selector / Profile.
- Brand/Language/Profile không shrink; main nav flexible, min-width: 0; chuyển sớm sang More/Plus khi không đủ chỗ.
- Không dùng CSS hack riêng cho French; stress test phải structural.
- Kiểm các breakpoint: 1920, 1600, 1536, 1440, 1366, 1280, 1180, 1024, 768, 390.
- Text truncation không được che action/validation/status quan trọng.

15. FIGMA RECONSTRUCTION STATUS & SOURCE-OF-TRUTH

Figma file: HSWRMS — UI/UX Design. Mục tiêu là tái dựng frontend đang chạy thành editable component/screen system, không redesign requirement.

Area	Status recorded	Notes
02 Components · Core Controls	Built + QA	Button, StatusChip, TextInput, PasswordInput, FormField, Checkbox.
02 Components · Structures	Built + QA	Card, Modal, OperationalPagination, OperationalAlertBanner, Breadcrumb, SectionHeading, OperationalPageHeader.
Navigation & Layout	Next / partial	PublicNavbar, CustomerNavbar, SidebarNavItem, OperationalSidebar, Footer.
Full screen reconstruction	Pending after components	Recreate from actual browser/React behavior.
Tooling constraint	Figma MCP Starter quota blocked progress	Link/access was correct; issue was quota, not design file permission.

VISUAL SOURCE OF TRUTH

Khi browser frontend và Figma khác nhau, ưu tiên UI đang chạy + HSWRMS_DESIGN.md + approved business flow. Figma phải được cập nhật theo đó, không sửa code chỉ để khớp một bản Figma cũ.

16. QA / REGRESSION / FREEZE CRITERIA

Gate	Pass condition
Completeness	56/56 official screens real; canonical routes; no ComingSoon/Placeholder/NotImplemented.
UI Consistency	Radius, 8px spacing, typography, CTA hierarchy, card/table/form/modal/status consistency.
Responsive	No overlap/clipping at 1920/1366/1024/768/390.
i18n	VI/EN/zh-CN/JA/FR; long strings safe.
Accessibility	Keyboard focus, labels, status semantics, sufficient contrast, reduced motion.
RBAC/Privacy	Wrong-role direct URL blocked; sensitive projections minimized; Manager != Admin.
Business Rules	Spa candidate/revalidation, checkout guard, payment/finalization separation, M4 stock logic remain intact.
Performance	Route-level lazy loading after feature freeze; avoid over-splitting; quantify bundle when optimizing.
Build	npx tsc --noEmit + npm run build pass.
Release	Production SPA direct-route refresh, role/i18n smoke, assets/mobile smoke verified before freeze.

17. OPEN UI / BUSINESS ITEMS & GUARDRAILS

Topic	Current position	UI handling
M3/M4 → M5 Folio posting	Charge must reach Folio; write-path ownership still open.	UI can show resulting charge; do not imply direct DB ownership.
M3 in-app notification	Email mandatory; full bell/push not approved.	Do not make bell mandatory business flow.
M2/M5 payment transaction ownership	Shared vs separate model not finalized.	Keep UI purpose/method semantics clear.
Cash vs VNPay	VNPay confirmed; Cash wording still needs confirmation in current SRS.	Do not overstate official payment scope.
M4 service location	Restaurant-only vs villa delivery open.	Do not add delivery flow without approval.
M4 package-specific menu restriction	Suitability filter approved; package hard-limit not finalized.	Keep package restriction as proposed only.
M3 IN_PROGRESS	Prototype concept exists; persisted state not approved.	Start Session may remain UI-only until confirmed.
M3 confirmation persistence	Lifecycle separation approved; exact logical representation open.	UI keeps confirmation distinct from session status.

18. SUGGESTED PRESENTATION WALKTHROUGH

Một demo tốt không cần click qua 56 màn. Nên chọn các flow đại diện để chứng minh design system + business depth + cross-module consistency.

Sequence	Show	Point to defend
1	Public Landing → Retreat Detail	Quiet Luxury, storytelling, motion budget.
2	Register/Login → Customer Dashboard	Role routing, shared design language.
3	Booking Form → Deposit Result → Itinerary	M2 stay context.
4	Spa 25→26→27→28→29	System-driven scheduling; candidate ≠ reservation.
5	F&B 34→38→40	Personalization + ingredient demand + privacy projection.
6	Receptionist Folio/Checkout 41→44	Billing guard; Payment Success ≠ Checkout Completed.
7	Manager/Admin dashboards	Same brand, denser UI, RBAC/delegation distinction.
8	RoleSwitcher / language stress	Demo completeness, role-aware navigation, i18n.

FINAL BASELINE

GIỮ ỔN ĐỊNH TỪ ĐÂY

Quiet Luxury + two-density UI; 56-screen official baseline; React/Vite current frontend as rendered source; M3 system-driven complete candidates; M4 ingredient-demand operational dashboard; M5 guarded checkout; M6 least-privilege governance; role-based privacy projection; motion decreases as role becomes more operational. Mọi thay đổi mới phải được đánh dấu là refinement/open item, không âm thầm rewrite baseline.

— End of HSWRMS Web UI Demo Master Summary —

SOURCE BASIS & CONTINUITY NOTES

Các nguồn chính đã được khôi phục/đối chiếu khi tạo bản tóm tắt này:

Source	Used for
HSWRMS_DESIGN.md	Design intent, tokens, typography, density split, navigation, components, responsive and motion rules.
HSWRMS_Implementation_Plan / Revised Baseline	56-screen implementation map, role shells, mock-data strategy, module build phases and business UI invariants.
HSWRMS_Antigravity_Prompts.md	Inspect-first workflow, scope guardrails, no-invent rules, demo-only integration constraints.
HSWRMS Prompt Roadmap UI/UX	Audit/freeze workflow, motion budget, consistency checks, long-language and production smoke gates.
Current frontend/browser analysis	React 19/Vite 8/Router v7/i18n/GSAP/Lenis status, 5 layouts, motion components and 56-screen real-component target.
Figma reconstruction context	Component reconstruction progress, browser-as-source-of-truth and current Figma quota/tooling constraint.
Current SRS + later business refinements	Official screen numbering, role ownership, M2 walk-in reuse, M3 current scheduling model, M4 ingredient-demand dashboard.

Continuity rule

Từ thời điểm này, tài liệu này nên được xem là baseline UI demo ổn định. Khi có thay đổi mới, chỉ cập nhật phần chịu ảnh hưởng và ghi rõ Approved / Proposed / Open Item; không rewrite lại toàn bộ visual language hoặc screen architecture nếu requirement gốc không thay đổi.