

^

☆

Travels (14)			Copy Travel	Accept Travel	Reject Travel	Create	Delete
☐ Travel ID	Agency ID	Customer ID	Starting Date	End Date	Overall Status		
☐ 2	Hot Socks Travel (70007)	Prinz (608)	Sep 6, 2025	Sep 6, 2025	Open		
☐ 3	Hendrik's (70046)	Detemple (93)	Sep 6, 2025	Jul 5, 2026	Open		
☐ 4	The Ultimate Answer (70042)	Madeira (665)	Sep 6, 2025	Jul 5, 2026	Open		
☐ 5	Hot Socks Travel (70007)	Mechler (225)	Sep 6, 2025	Sep 6, 2025	Open		
☐ 6	Flights and More (70049)	Neubasler (72)	Sep 6, 2025	Jul 5, 2026	Open		
☐ 7	Hendrik's (70046)	Wohl (138)	Sep 6, 2025	Jul 5, 2026	Open		
☐ 8	Ben McCloskey Ltd. (70012)	Müller (705)	Sep 6, 2025	Sep 8, 2025	Open		
☐ 9	Sunny, Sunny, Sunny (70032)	Benz (115)	Sep 6, 2025	Jul 5, 2026	Accepted		
☐ 10	Ali's Bazar (70016)	Leisert (697)	Sep 6, 2025	Sep 8, 2025	Accepted		
☒ 11	HP (70005)	Lautenbach (582)	Sep 6, 2025	Sep 6, 2025	Open		

Action: Copy Travel (Factory Action)

Description

copyTravel is an *instance-bound factory action* that creates a **new Travel instance** by duplicating an existing one. The action does not copy the TravelID; instead, a new key is generated automatically using RAP early numbering. When the copy is created, several fields are automatically adjusted to ensure that the resulting Travel instance is valid and follows business rules:

- BeginDate is set to the current system date
-
- EndDate is set to 30 days after the current system date
-
- OverallStatus is reset to 'O' (Open)
-
- All other fields (such as CustomerID, AgencyID, Currency, Description, BookingFee, TotalPrice...) are copied from the source travel
-

When to Use It

Use the **Copy Travel** action when:

- Users want to **quickly create a similar travel request** without re-entering all the data
-
- A travel request must be **repeated regularly** (e.g., monthly business trips)
-
- Testing scenarios where you need multiple similar entries quickly
-
- Business processes require “template-like” travel creation
-

It improves efficiency by eliminating redundant manual input and accelerating workflow creation.

The screenshot displays the SAP Travel Management 'Travel' form. At the top right, there are three buttons: 'Reject Travel', 'Accept Travel', and 'Deduct Discount'. The form itself is titled 'Travel' and contains several input fields and a dropdown menu. The fields are organized into four columns: 1. Identification: Travel ID (71), Agency ID (HP (70005)), and Customer ID (Lautenbach (582)). 2. Dates: Starting Date (Nov 29, 2025) and End Date (Dec 29, 2025). 3. Pricing: Total Price (959.00 USD) and Booking Fee (20.00 USD). 4. Details: Overall Status (Open), Description (Vacation), and Attachment (empty). Each date field has a calendar icon, and each price field has a currency icon.

Action: Accept Travel (Instance-Bound Action)

Description

acceptTravel is an *instance-bound non-factory action* that sets:
OverallStatus = 'A'

This marks the travel request as **Accepted**.

Once a travel is accepted:

- The instance becomes read-only for updates
-
- Some operations (like editing or discounting) are disabled via dynamic instance features
-
- Business processes can continue with downstream steps (e.g., ticketing or invoicing)

-

When to Use It

Use **Accept Travel** when:

- The travel request has been reviewed and approved
-
- All validations and checks have been passed
-
- The travel is ready to move to the “approved” stage of the business process
-

Accept Travel represents a **final approval step**, transitioning the travel request into a confirmed state.

☒ 11	HP (70005)	Lautenbach (582)	Sep 6, 2025	Sep 6, 2025	Accepted	>
--	------------	------------------	-------------	-------------	----------	---

Action: Reject Travel (Instance-Bound Action)

Description

rejectTravel is an *instance-bound non-factory action* that sets:

OverallStatus = 'X'

This marks the travel request as **Rejected** and prevents further processing.

Certain operations (like update or discount) become disabled once the Travel is in rejected status.

Rejected items remain visible for audit purposes but cannot be modified.

When to Use It

Use **Reject Travel** when:

- The travel request does not meet business requirements
-
- Information is incomplete or invalid, and the user is not allowed to correct it
-
- Approval workflow results in a negative outcome
-
- A manager needs to formally deny the travel
-

Reject Travel represents a **terminal lifecycle state** for a travel request.

☒ 11	HP (70005)	Lautenbach (582)	Sep 6, 2025	Sep 6, 2025	Rejected	>
--	------------	------------------	-------------	-------------	----------	---

Action: Deduct Discount (Instance-Bound Action with Parameter)

Description

deductDiscount is an *instance-bound non-factory action* that applies a **percentage discount** to the travel's BookingFee.

The action expects an input parameter from structure:

/dmo/a_travel_discount

The parameter includes:

- discount_percent — a numeric value representing the percentage to be deducted from the booking fee.
-

The action performs several validation checks:

- The discount must be greater than **0%**
-
- The discount must be $\leq$ **100%**
-
- The discount is mandatory (cannot be initial)
-

If the discount is invalid, the action:

- Rejects the operation
-
- Returns a behavior message
-
- Highlights the affected UI fields and disables the action button for that specific operation
-

If the discount is valid, the action:

- Calculates the reduced fee using:
- `NewFee = BookingFee * (1 - discount_percent / 100)`
-
-
- Updates the BookingFee field for the selected Travel instance
-
- Returns the modified Travel instance in the action result
-

The action integrates naturally with dynamic feature control:

- deductDiscount is **enabled only** when the travel is in status 'O' (Open)
-

When to Use It

Use **Deduct Discount** when:

- You want to apply a promotional discount or a special reduction to the booking fee
-
- A customer receives a negotiated discount
-
- A travel agent adjusts prices based on internal rules or exceptions
-
- You need to simulate different pricing scenarios in testing
-
- The travel is still in “open” status and subject to financial adjustments
-

This action provides flexible pricing control directly within the RAP Business Object and is especially useful in scenarios involving:

- Discount policies
-
- Customer loyalty programs
-
- Manual overrides
-
- Sales or promotional periods
-
-



69

Draft ▾

Reject Travel

Accept Travel

Deduct Discount



Travel

Travel ID:

69

Starting Date: *

Nov 30, 2025



Total Price:

500.00



Overall Status:

Open ▾

Agency ID:

HP (70001)



End Date: *

Dec 10, 2025



Description:

test

Attachment:

-



Customer ID: *

Buchholm (6)



Booking Fee:

100.00



Starting Date: *

Nov 30, 2025



Total Price:

End Date: *

Dec 10, 2025



Booking Fee:

100.00



Deduct Discount

Discount Percentage:

10

Deduct Discount

Cancel

Travel

Travel ID:

69

Starting Date: *

Nov 30, 2025



Total Price:

500.00



Overall Status:

Open ▾

Agency ID:

HP (70001)



End Date: *

Dec 10, 2025



Description:

test

Attachment:

-



Customer ID: *

Buchholm (6)



Booking Fee:

90.00

