


User defined inputs (only those lines go in to your city script)		
HV	x,y	coords for food hiding valley
hideFood	Yes/No	if the script should hide your food in valley
leave	550000	amount of food to leave in the city when hiding
camp	1/hh:mm:ss	adds camp time to the food hiding
train	wo, w, s, p, sw, a, c, cata, t, b, r, cp	select what troops to train
Hero	Heroname	Hero to use for training (enter scriptSelect to let the script find your best atk hero)
splitBatch	Yes/No	all population divided to all barracks or all population in one barrack each time
sendHero	Yes/No	shuold the same Hero be used in all cities
Next	%cityName%	Next city for hero to visit




Barracks And Queues
set loopcounter
x = 1
set value
QNo = "$m_city.cityManager.troopProduceQueue[0].allProduceQueueArray.length$"
countBatches
$m_city.cityManager.troopProduceQueue[{%x%}].allProduceQueueArray.length$
set value
QNo = "QNo $m_city.cityManager.troopProduceQueue[{%x%}].allProduceQueueArray.length$"
No
set loopcounter
x = {%x%+1}
iferror
$m_city.cityManager.troopProduceQueue[{%x%}].allProduceQueueArray.length$
Yes
finishedCountBatches
production
0 0 0 0
settaxrate 0
"----------"
" Population in $m_city.castle.name$ $m_city.cityManager.resource.curPopulation$ of $m_city.cityManager.resource.maxPopulation$"
" Curent troop training status in barracks"
Barracks Q: "%QNo%"
"----------"
production
100 100 100 100
Barracks And Queues

Find best Hero & calculate production capacity
set value
troopType = %train%
set loopcounter
cityInList = 0
Hero != scriptSelect ?
No
Yes
%Hero%
"Now looking in all cities to find your best attack hero"
heroAttack = 0
findBestHero
$m_city.allCities[%cityInList%].cityManager.bestAttackHero(),
totAtk = {{$m_city.allCities[%cityInList%].cityManager.bestAttackHero().power$+$m_city.allCities[%cityInList%].cityManager.bestAttackHero().attack$} *1.5m_city.allCities[%cityInList%].cityManager.bestAttackHero().powerBuffAdded$}
totAtk > heroAttack ?
heroAttack = {{$m_city.allCities[%cityInList%].cityManager.bestAttackHero().power$+$m_city.allCities[%cityInList%].cityManager.bestAttackHero().attack$} *1.$m_city.allCities[%cityInList%].cityManager.bestAttackHero().powerBuffAdded$}
Hero = $m_city.allCities[%cityInList%].cityManager.heroes[%cityInList%].name$
City = $m_city.allCities[{%cityInList%}].castle,name$
set values
$m_city.allCities[%cityInList%].cityManager.bestAttackHero(),
searchInNextCity
"Finished looking at heroes in $m_city.allCities[{%cityInList%}].castle,name$"
set loopcounter
cityInList = %cityInList%+1
cityInList < c,lengt
$m_city.allCities,length$
calculateToopTrainingTime
"You have chosen wisely! Your selected hero is the best attack hero in this town"
foundSelcetedHero
$m_city.allCities[%cityInList%].cityManager.heroes[%heroInList%],$
heroAttack = {{$m_city.allCities[%cityInList%].cityManager.heroes[%heroInList%].attack$ +$m_city.allCities[%cityInList%].cityManager.heroes[%heroInList%].power$}
City = $m_city.allCities[{%cityInList%}].castle,name$
set value
troopType = $m_city.getValue(String,%troopType%).toLowerCase()$
%heroAttack% !>1000
No
"Maximum effective hero attack is limited to 1000. Resetting entered value of %heroAttack% to 1000."
set value
heroAttack = 1000
Yes
troopNameGame ["Worker", "Warrior", "Scout", "Pikemen", "Swordsmen", "Archer", "Cavalry", "Cataphract", "Transporter", "Ballista", "BatteringRam", "Catapult"]
troopName ["wo", "w", "s", "p", "sw", "a", "c", "cata", "t", "b", "r", "cp"]
trainBaseTimes ["50", "24", "98", "150", "224", "350", "500", "1500",]
barracksLvlReq ["1", "1", "2", "2", "3", "4", "5", "7", "6", "9", "9", "10"]
barrCntPerLvl ["0", "0", "0", "0", "0", "0", "0", "0", "0", "0"]
set arrays
checkValidTroopName
%troopType%
getindexof i troopName %troopType%
%%
i < 0
"--< ATTENTION >-- The entered troopType value (%troopType%)' was not found and is invalid. Check your troop type in the 'set train ?' line and make sure it has a valid entry"
END
Yes
validTroopName
"- Counting barracks for $m_city.allCities.length$ cities, This may take a minute, please wait,.."
$m_city.allCities.length$
set loopcounter
i = 0
checkBarracksInCity
$m_city.allCities[{%i%}].cityManager.allBuildings.length$
ii = 0
checkNextBuildingIndex
ii = {%ii%-1}
%ii% < 0 ?
$m_city.allCities[{%i%}].cityManager.buildings[{%ii%}].positionkB$
,postD > 40 ?
,name ! = Barracks
barrCntPerLvl[{$m_city.allCities[{%i%}].castle.getBuildings({%ii%-1}).level$}]%+1
endOfBuildings
"-= Completed counting barracks in $m_city.allCities[{%i%-1}].castle,name$"
i = {%i%+1}
$m_city.allCities.length$
%i% < .length ?
"-= Found a total of {%barrCntPerLvl[1]%+%barrCntPerLvl[2]%+%barrCntPerLvl[3]%+%barrCntPerLvl[4]%+%barrCntPerLvl[5]%+%barrCntPerLvl[6]%+%barrCntPerLvl[7]%+%barrCntPerLvl[8]%+%barrCntPerLvl[9]%+%barrCntPerLvl[10]%} barracks,"
doneWithBarracks
%troopType%
getIndexof i troopName %troopType%
%%
i != 7
No
i > 7
techLevel {$m_city.cityManager.researches[6].level$}
techLevel $m_city.cityManager.researches[4].level$
trainingTimeInSec {%trainBaseTimes[{%i%}]%*{0,9^%techLevel%}*{0,998605367071^%heroAttack%}}
reqBarracksCount 0
ii %barracksLvlReq[{%i%}]%
getReqBarracksCount
reqBarracksCount {%reqBarracksCount%+%barrCntPerLvl[{%ii%}]%}
ii = %ii%+1
ii < .length ?
%barrCntPerLvl.length%
"Your best atk hero is %Hero% with an atk value of %heroAttack%."
"%Hero% is curently staioned in %City%"
"The training time for a single %troopNameGame[{%i%}]% is {%trainingTimeInSec%/60}m {%trainingTimeInSec%}0}s."
"You can train {86400/%trainingTimeInSec%\1} %troopNameGame[{%i%}]%(s) per day per barracks."
"You have a total of %reqBarracksCount% level %barracksLvlReq[{%i%}]% or higher barracks that can train a maximum of {{{86400/%trainingTimeInSec%}*{%reqBarracksCount%}}\1} %troopNameGame[{%i%}]%(s) per day."
Find best Hero & calculate production capacity
userSelectedHero
%Hero% != ,name
$m_city.cityManager.bestAttackHero().name$
$m_city.cityManager.bestAttackHero(),
Set values
heroAttack = {{$m_city.allCities[{%cityInList%}].cityManager.heroes[0].attack$ +$m_city.allCities[{%cityInList%}].cityManager.heroes[0].power$}*1.5m_city.allCities[0].cityManager.heroes[0].powerAddedBuff$
City = $m_city.allCities[0].cityManager.heroes[0].name$
findSelectedHero
" -<ATTENTION!> The hero you have selected is not the best attack hero in this town!!"
"The hero might be in another city! Hang on, I'll find it for you,.."
set loopcounter
heroInList = 0
searchAllCities
%Hero% = ,name
$m_city.allCities[%cityInList].cityManager.heroes[%heroInList%].name$
heroInList = %heroInList% + 1
heroInList < h,lengt
$m_city.allCities[{%cityInList%}].cityManager.heroes.length$
heroInList = 0
cityInList = %cityInList% + 1
cityInList < c,lengt
$m_city.allCities,length$
"The hero you specified can not be found in any of your cities"
END


Count barracks and calculate batch size
"-"
"Preparing $m_city.castle.name$ for training troops Using food hidden at %HV%"
"This only takes a few minutes so please be patient"
"-"
get number of barracks in curent city
%BarrackLength%
$m_city.cityManager.troopProduceQueue.length$
set %barrackPosIdsString%
"%barrackPosIdsString%"
$m_city.cityManager.troopProduceQueue[0].positionId$
set loopcounter
%inv% = 1
produceQueueLoop
set %barrackPosIdsString%
"%barrackPosIdsString% %barrackPosIdsString%(0,...n)"
$m_city.cityManager.troopProduceQueue[%inv%].positionId$
Yes
set loopcounter
%inv% = %inv% + 1
%inv% < Barracks# ?
$m_city.cityManager.troopProduceQueue.length$
No
set barrack pos id array
setarr B "barracksPosIdsString"
setarr tT
"wo w s p sw a c cata t b r cp"
setarr qds
"1 1 1 1 1 2 3 6 4 5 10 8"
setarr names
"Workers Warriors Scouts Pikemen Swordsmen Archers Cavalry Cataphract Transporters Ballistae Batteringrams Catapults"
%train%
getindexof ix tT %train%
%ix%
%qd% = %qds(%ix%)%
%name% = %names(%ix%)%
set Q-size divider and troopName
"Ctiy $m_city.castle.name$ has %BarracksLength% Barracks for troop training"
$m_city.castle.name$
splitBatch ?
Yes
No
"All barracks will be used in each batch for training %name% with hero %Hero%"
%Hero%
"When the city population reches $m_city.cityManager.resource.maxPopulation$ the script will train {$m_city.cityManager.resource.maxPopulation$/%qd%%BarracksLength%} %name% in each Barrack"
$m_city.cityManager.resource.maxPopulation$
%trainingTimeInSec%
trainingtime calculated ?
Yes
splitBatch ?
Yes
"That batch will be finished in {{{{$m_city.cityManager.resource.maxPopulation$\/%qd%}*%trainingTimeInSec%}\60} min {{{{$m_city.cityManager.resource.maxPopulation$\/%qd%}*%trainingTimeInSec%}|60}\1} s"
%trainingTimeInSec%
No
splitBatch ?
No
"All population will be used to make one big batch of {$m_city.cityManager.resource.maxPopulation$/%qd%\1} %name% in a single barrack"
%trainingTimeInSec%
$m_city.cityManager.resource.maxPopulation$
splitBatch ?
Yes
No
"That batch will be finished in {{{{$m_city.cityManager.resource.maxPopulation$\/%qd%}*%trainingTimeInSec%}\60} min {{{{$m_city.cityManager.resource.maxPopulation$\/%qd%}*%trainingTimeInSec%}|60}\1} s"
%trainingTimeInSec%
$m_city.cityManager.resource.maxPopulation$
Yes
done counting barracks and calculate batch size