

I Make **Every Day!**

See How...

Work From Home & Earn \$7,397 A Month...



Home

Frameworks -

Database -

Technology -

Web Development -

Build/Test Tools -

Servers -

Questions: Ask | Latest

Home >

J2me ► J2ME Label Example

Aprenda JAVA com quem

faz na prática!

Instrutores que atuam no

mercado de TI.

J2ME Label Example

Share on Google+

J2ME Label Example

This is the simple create label example in which we create an

label text.


J2ME Label **Example**

This is the simple create label example in which we create an StringItem to display the "UserId" as a label text. In the given application we are using setLabel to set the new label to the

ItemString. We are replacing the new label on the place of previous label and setText on the position on the previous text. The complete source code is given below and the screenshot of the application given below for easy to understand.


- item.setLabel("E-MAIL ID: ");
- item.setText("sandeep15284@rediffmail.com");
- · form.removeCommand(next);

Search Google™ Custom Search





The Application is as follows:










LabelMIDlet.java

```
import javax.microedition.midlet.*;
import javax.microedition.lcdui.*;
public class LabelMIDlet extends MIDlet implements CommandListener{
 private Display display;
 private Form form;
 private StringItem item;
 private Command next, exit;
 public LabelMIDlet(){
 display = Display.getDisplay(this);
  form = new Form("Label Text");
 item = new StringItem("UserId: ", "sandeep15284@rediffmail.com");
 next = new Command("Next", Command.SCREEN, 1);
  exit = new Command("Exit", Command.EXIT, 1);
  form.addCommand(exit);
  form.addCommand(next);
  form.append(item);
  form.setCommandListener(this);
 public void startApp(){
 display.setCurrent(form);
```



AdChoiceş ▷

- ► Java Tutorial
- ▶ Java Spring
- ► Mobile Java

AdChoices ▷

- ► Java Programming
- ► Download Java
- ▶ Java Me

AdCho


- ► Java IO
- ► Java Applications
- ▶ Java Control



```
public void pauseApp(){ }

public void destroyApp(boolean unconditional){
  notifyDestroyed();
}

public void commandAction(Command c, Displayable s){
  String label = c.getLabel();
  if (label.equals("Next")){
   item.setLabel("E-MAIL ID: ");
   item.setText("sandeep15284@rediffmail.com");
  form.removeCommand(next);
} else if (label.equals("Exit")) {
  destroyApp(true);
}
}
```



Download Source Code

Advertisemen





«Previous Index Next»

Follow us on <u>Twitter</u>, or add us on <u>Facebook</u> or <u>Google Plus</u> to keep you updated with the recent trends of Java and other open source platforms. <u>Connect Me on Google+</u>

Posted on: December 1, 2008				
盘	Tweet 0	in Share 2 +1 0		
We're on g+	Follow	Recommend the tutorial	ra.	
+1	+735	Q +1 { 0	B	

Ask Questions? Discuss: J2ME Label Example	
Post your Comment	
Your Name (*):	
Your Email :	



COMMENTS

Software Solutions

ISF Development lex Development

Website Development

Web Designing
Web Redesigning Logo Design Web Design Packages Domain Registration

Web Promotion Services

Search Eng. Optimization Search Eng. Submission SEO Tips SEO Portfolio Web Promotion Plans

Content Development

Content Development Article Writing Ritcle Witting
News Writing
SEO Copywriting
Technical Documentation
Article Marketing

Web Hosting Services

ASP.NET Hosting
Unix Hosting
E-Commerce Hosting
Windows Hosting
Hosting Plan

E-Commerce Solutions

Home Privacy Policy
© All Rights are Reserved for Rose India