Android UX SDK 4.14 Release Notes

Release Date

2021.02.23

Highlights

- Support for Mavic Air 2.
- DJIMapkit: Mapbox has been upgraded, more DJIPolygon and DJIPolyline methods are being exposed.
- · Bug fixes.
- Important notice about upcoming changes: We are working on an open source version of the UX SDK which is currently available as a beta in Github. Shortly after this 4.14 release, iOS UX SDK version 5 beta 4.1 will be open source and available in iOS UX SDK Beta and Android UX SDK version 5 beta 5.1 in Android UX SDK Beta.

Supported Android Mobile SDK

DJI Android Mobile SDK v4.14: download at https://developer.dji.com/mobile-sdk/downloads/.

Android Compatibility

UX SDK is compatible with Android 4.4 and above.

Products	* Mavic Air 2 * Mavic Mini * Matrice 300 RTK * DJI Smart Controller * Matrice 200 V2 * Matrice 210 V2 * Matrice 210 RTK V2 * Phantom 4 RTK * Mavic 2 Enterprise Dual * Mavic 2 Enterprise * Mavic 2 Zoom * Spark * Matrice 210 * Matrice 210 * Matrice 200 * Inspire 2 * Mavic Pro * Mavic Air * Phantom 4, Phantom 4 Pro & Phantom 4 Advanced, Phantom 4 Pro V2.0 * Matrice 600 & Matrice 600 Pro and RTK * Phantom 3 Standard, Advanced, 4K & Professional * Inspire 1, Inspire 1 Pro & Inspire 1 RAW * Matrice 100 with X3, X5 & X5R * Cendence
Cameras	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S, X7 * Spark Camera * Phantom 4 Pro Camera * Mavic Pro Camera * Phantom 4 Camera * Phantom 3 Cameras * Zenmuse XT, Zenmuse XT2

Mavic Air 2: 01.01.0610Mavic Mini: 01.00.0500

• Matrice 300 RTK: 02.02.01.02 and D-RTK 2: 03.00.00.16

• DJI Smart Controller: 01.00.0820

Matrice 200 Series V2 01.00.0710 and D-RTK 2: 03.00.0013

Phantom 4 RTK: 02.02.0503 and D-RTK 2: 02.02.0505

• Mavic 2 Enterprise Dual: 01.01.0800

• Mavic 2 Enterprise: 01.01.0800

Mavic 2 Pro: 01.00.0670Mavic 2 Zoom: 01.00.0670

• Mavic Air: 01.00.0620

Phantom 4 Pro V2.0: 01.00.52.00

• Zenmuse XT2: 01.00.03.50

• Spark: 01.00.1000

Matrice 200 series: 01.02.0450Phantom 4 Advanced: 01.04.01.00

• Inspire 2: 01.02.0300

Phantom 4 Pro: 01.05.0600Zenmuse Z30: 01.00.06.10

• Mavic Pro: 01.04.0500

• Matrice 600 Pro: 01.00.01.67

• Matrice 600 and RTK: 01.00.01.67

• Phantom 4: 02.00.0700

• Zenmuse XT: 01.31.00.60

• Zenmuse Z3: 1.11.01.50

• Inspire 1 series: 1.11.01.50

• Phantom 3 Professional & Advanced: 1.11.20

• Phantom 3 Standard: 1.9.20

Phantom 3 4K: 1.6.50Matrice 100: 01.31.00.60

Bug Fixes:

- MapWidget may crash when using MapBox as the map provider: Fixed. A crash may occur when MapBox is used as the map provider and the user exits the Activity that holds the map.
- **DJIPolyline getOptions method returns null:** Fixed. The method has been removed since it was not used.
- Secondary video feed initialization issues: Fixed.
- Travel mode button is enabled when no product is connected: Fixed.
- "Image Transmission Signal Weak" warning shows on Mavic Mini: Fixed.

- Text sometimes does not resize correctly: When widgets are placed inside a fragment and the fragment size changes, text size sometimes is not resized correctly.
- Vision Widget and Radar Widget do not support Matrice 300 RTK, Mavic Mini, and Mavic Air 2: These features will be supported in Android UX SDK 5 Beta.
- [OLD]Mobile SDK 4.7 and later versions are incompatible with x86 devices: Since v4.7, Mobile SDK has included FFMpeg lib to provide the transcoded video feed, but FFMpeg x86 so files will lead to the runtime crash when the target API of APP is larger than 23(included).
- [OLD]Inability to customize video and photo button behavior on Mavic 2 series
 RC: The Mavic 2 series aircraft allows developers to customize the behavior of the photo and video buttons on the RC. The UX SDK does not currently give these buttons a default behavior. Using the buttons to take a picture or video using the RC while connected to UX SDK will not work by default. The developer must assign a behavior for them to work.
- [OLD]FPVOverlay only works with primary camera: FPVOverlay will always work
 only with the primary camera on dual camera aircraft even when overlaid on the
 secondary camera view.
- [OLD]**Self-unlocking of fly zones may not work on HERE maps:** Self-unlocking fly zones on HERE maps may not work as expected.

© 2021 DJI	. All Rights Reserved	i.		

Android UX SDK 4.14 Trial 1 Release Notes

Release Date

2020.12.10

Highlights

- Support for Mavic Air 2.
- DJIMapkit: Mapbox has been upgraded, more DJIPolygon and DJIPolyline methods are being exposed.
- Bug fixes.
- Important notice about upcoming changes: We are working on an open source version of the UX SDK which is currently available as a beta in Github. Shortly after this 4.14 release, iOS UX SDK version 5 beta 4 will be open source and available in iOS UX SDK Beta and Android UX SDK version 5 beta 5 in Android UX SDK Beta.

Supported Android Mobile SDK

DJI Android Mobile SDK v4.14 Trial 1: download at https://developer.dji.com/mobile-sdk/downloads/.

Android Compatibility

UX SDK is compatible with Android 4.4 and above.

	* Mavic Air 2
	* Mavic Mini
	* Matrice 300 RTK
	* DJI Smart Controller
	* Matrice 200 V2
	* Matrice 210 V2
	* Matrice 210 RTK V2
	* Phantom 4 RTK
	* Mavic 2 Enterprise Dual
	* Mavic 2 Enterprise
	* Mavic 2 Pro
	* Mavic 2 Zoom
Products	* Spark
Products	* Matrice 210
	* Matrice 210RTK
	* Matrice 200
	* Inspire 2
	* Mavic Pro
	* Mavic Air
	* Phantom 4, Phantom 4 Pro & Phantom 4 Advanced, Phantom 4 Pro
	V2.0
	* Matrice 600 & Matrice 600 Pro and RTK
	* Phantom 3 Standard, Advanced, 4K & Professional
	* Inspire 1, Inspire 1 Pro & Inspire 1 RAW
	* Matrice 100 with X3, X5 & X5R
	* Cendence
	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S, X7
	* Spark Camera
	* Phantom 4 Pro Camera
Cameras	* Mavic Pro Camera
	* Phantom 4 Camera
	* Phantom 3 Cameras
	* Zenmuse XT, Zenmuse XT2

Mavic Air 2: 01.00.0460Mavic Mini: 01.00.0500

• Matrice 300 RTK: 01.00.02.14 and D-RTK 2: 03.00.00.13

• DJI Smart Controller: 01.00.0820

Matrice 200 Series V2 01.00.0710 and D-RTK 2: 03.00.0013

Phantom 4 RTK: 02.02.0503 and D-RTK 2: 02.02.0505

• Mavic 2 Enterprise Dual: 01.01.0800

• Mavic 2 Enterprise: 01.01.0800

Mavic 2 Pro: 01.00.0670Mavic 2 Zoom: 01.00.0670

Mavic Air: 01.00.0620

Phantom 4 Pro V2.0: 01.00.52.00

• Zenmuse XT2: 01.00.03.50

• Spark: 01.00.1000

Matrice 200 series: 01.02.0450Phantom 4 Advanced: 01.04.01.00

• Inspire 2: 01.02.0300

Phantom 4 Pro: 01.05.0600Zenmuse Z30: 01.00.06.10

• Mavic Pro: 01.04.0500

• Matrice 600 Pro: 01.00.01.67

• Matrice 600 and RTK: 01.00.01.67

• Phantom 4: 02.00.0700

• Zenmuse XT: 01.31.00.60

• Zenmuse Z3: 1.11.01.50

• Inspire 1 series: 1.11.01.50

• Phantom 3 Professional & Advanced: 1.11.20

• Phantom 3 Standard: 1.9.20

Phantom 3 4K: 1.6.50Matrice 100: 01.31.00.60

Bug Fixes:

- MapWidget may crash when using MapBox as the map provider: Fixed. A crash may occur when MapBox is used as the map provider and the user exits the Activity that holds the map.
- **DJIPolyline getOptions method returns null:** Fixed. The method has been removed since it was not used.
- Secondary video feed initialization issues: Fixed.
- Travel mode button is enabled when no product is connected: Fixed.
- "Image Transmission Signal Weak" warning shows on Mavic Mini: Fixed.

- Text sometimes does not resize correctly: When widgets are placed inside a
 fragment and the fragment size changes, text size sometimes is not resized correctly.
- Vision Widget and Radar Widget do not support Matrice 300 RTK, Mavic Mini, and Mavic Air 2: These features will be supported in Android UX SDK 5 Beta.
- [OLD]Mobile SDK 4.7 and later versions are incompatible with x86 devices: Since v4.7, Mobile SDK has included FFMpeg lib to provide the transcoded video feed, but FFMpeg x86 so files will lead to the runtime crash when the target API of APP is larger than 23(included).
- [OLD]Inability to customize video and photo button behavior on Mavic 2 series
 RC: The Mavic 2 series aircraft allows developers to customize the behavior of the photo and video buttons on the RC. The UX SDK does not currently give these buttons a default behavior. Using the buttons to take a picture or video using the RC while connected to UX SDK will not work by default. The developer must assign a behavior for them to work.
- [OLD]FPVOverlay only works with primary camera: FPVOverlay will always work
 only with the primary camera on dual camera aircraft even when overlaid on the
 secondary camera view.
- [OLD]**Self-unlocking of fly zones may not work on HERE maps**: Self-unlocking fly zones on HERE maps may not work as expected.

© 2020 DJI. All Rights	Reserved.
· · · · · · · · · · · · · · · · · · ·	

Android UX SDK 4.13 Release Notes

Release Date

2020.07.27

Highlights

- · Support for Mavic Mini.
- · Bug fixes.
- Important notice about upcoming changes: We will be releasing a new, open-source version of the UXSDK and deprecating the current closed source version this year. In addition, we will be releasing a new open source beta shortly after 4.13. The iOS UX SDK version 5 beta 3 will be open source and available in iOS UX SDK Beta and Android UX SDK version 5 beta 4 in Android UX SDK Beta.

Supported Android Mobile SDK

DJI Android Mobile SDK v4.13: download at https://developer.dji.com/mobile-sdk/downloads/.

Android Compatibility

UX SDK is compatible with Android 4.4 and above.

Products	* Mavic Mini * Matrice 300 RTK * DJI Smart Controller * Matrice 200 V2 * Matrice 210 RTK V2 * Phantom 4 RTK * Mavic 2 Enterprise Dual * Mavic 2 Enterprise * Mavic 2 Pro * Mavic 2 Zoom * Spark * Matrice 210 * Matrice 210 * Matrice 210 * Matrice 200 * Inspire 2 * Mavic Pro * Mavic Pro * Mavic Air * Phantom 4, Phantom 4 Pro & Phantom 4 Advanced, Phantom 4 Pro
	* Phantom 4, Phantom 4 Pro & Phantom 4 Advanced, Phantom 4 Pro V2.0
	* Matrice 600 & Matrice 600 Pro and RTK
	* Phantom 3 Standard, Advanced, 4K & Professional
	* Inspire 1, Inspire 1 Pro & Inspire 1 RAW
	* Matrice 100 with X3, X5 & X5R * Cendence
	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S, X7
	* Spark Camera * Phantom 4 Pro Camera
Cameras	* Mavic Pro Camera
	* Phantom 4 Camera
	* Phantom 3 Cameras
	* Zenmuse XT, Zenmuse XT2

• Mavic Mini: 01.00.0500

• Matrice 300 RTK: 01.00.01.08 and D-RTK 2: 03.00.00.13

• DJI Smart Controller: 01.00.0650

• Matrice 200 Series V2 and D-RTK 2: 01.00.0590

• Phantom 4 RTK: 02.02.0312 and D-RTK 2: 02.02.0307

Mavic 2 Enterprise Dual: 01.01.0640

• Mavic 2 Enterprise: 01.01.0640

Mavic 2 Pro: 01.00.0510Mavic 2 Zoom: 01.00.0510

• Mavic Air: 01.00.0620

Phantom 4 Pro V2.0: 01.00.22.00

• Zenmuse XT2: 01.00.03.50

• Spark: 01.00.1000

Matrice 200 series: 01.02.0450Phantom 4 Advanced: 01.04.01.00

• Inspire 2: 01.02.0300

Phantom 4 Pro: 01.05.0600Zenmuse Z30: 01.00.06.10

Mavic Pro: 01.04.0500

• Matrice 600 Pro: 01.00.01.67

• Matrice 600 and RTK: 01.00.01.67

Phantom 4: 02.00.0700Zenmuse XT: 01.31.00.60

Zenmuse Z3: 1.11.01.50Inspire 1 series: 1.11.01.50

inopire i conec. i. i i i i i i

Phantom 3 Professional & Advanced: 1.11.20

• Phantom 3 Standard: 1.9.20

Phantom 3 4K: 1.6.50Matrice 100: 01.31.00.60

Bug Fixes:

- **FPVWidget may not resize correctly:** Fixed. When switching between different resolutions, the video feed may look stretched.
- **Pre-Flight Checklist Panel crash:** Fixed. Pre-Flight Checklist Panel sometimes crashes when opening the panel.
- Return Home Widget can cause the drone to take off: Fixed. Clicking confirm landing after the drone lands causes the drone to take off again. The dialog is now hidden when the user manually lands.

Known Issues

• MapWidget may crash when using MapBox as the map provider. A crash may occur when MapBox is used as the map provider and the user exits the Activity that holds the map. We will upgrade the MapBox SDK version in a future release.

- Vision Widget and Radar Widget do not support Matrice 300 RTK and Mavic Mini. These features will be supported in Android UX SDK 5 Beta.
- [OLD]Mobile SDK 4.7 and later versions are incompatible with x86 devices: Since v4.7, Mobile SDK has included FFMpeg lib to provide the transcoded video feed, but FFMpeg x86 so files will lead to the runtime crash when the target API of APP is larger than 23(included).
- [OLD]Inability to customize video and photo button behavior on Mavic 2 series RC: The Mavic 2 series aircraft allows developers to customize the behavior of the photo and video buttons on the RC. The UX SDK does not currently give these buttons a default behavior. Using the buttons to take a picture or video using the RC while connected to UX SDK will not work by default. The developer must assign a behavior for them to work.
- [OLD]FPVOverlay only works with primary camera: FPVOverlay will always work
 only with the primary camera on dual camera aircraft even when overlaid on the
 secondary camera view.
- [OLD]**Self-unlocking of fly zones may not work on HERE maps:** Self-unlocking fly zones on HERE maps may not work as expected.

© 2020 DJI. All Right	s Reserved.	

Android UX SDK 4.12 Release Notes

Release Date

2020.05.08

Highlights

- Support for Matrice 300 RTK.
- Chinese translations for the PreFlightChecklistPanel.
- Android minSdkVersion has been changed from API 16 to 19.
- Bug fixes.
- Important notice about upcoming changes: We will be releasing a new, open-source version of the UXSDK and deprecating the current closed source version this year. In addition, we will be releasing a new open source beta shortly after 4.12. The iOS UX SDK version 5 beta 2 will be open source and available in iOS UX SDK Beta and Android UX SDK version 5 beta 3 in Android UX SDK Beta.

Supported Android Mobile SDK

DJI Android Mobile SDK v4.12: download at https://developer.dji.com/mobile-sdk/downloads/.

Android Compatibility

UX SDK is compatible with Android 4.4 and above.

Products	* Matrice 300 RTK * DJI Smart Controller * Matrice 200 V2 * Matrice 210 V2 * Matrice 210 RTK V2 * Phantom 4 RTK * Mavic 2 Enterprise Dual * Mavic 2 Pro * Mavic 2 Zoom * Spark * Matrice 210 * Matrice 210 * Matrice 210 * Matrice 210 * Matrice 200 * Inspire 2 * Mavic Pro * Mavic Air * Phantom 4, Phantom 4 Pro & Phantom 4 Advanced, Phantom 4 Pro V2.0 * Matrice 600 & Matrice 600 Pro and RTK * Phantom 3 Standard, Advanced, 4K & Professional * Inspire 1, Inspire 1 Pro & Inspire 1 RAW * Matrice 100 with X3, X5 & X5R * Cendence
Cameras	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S, X7 * Spark Camera * Phantom 4 Pro Camera * Mavic Pro Camera * Phantom 4 Camera * Phantom 3 Cameras * Zenmuse XT, Zenmuse XT2

- Matrice 300 RTK: 01.00.0106 and D-RTK 2: 03.00.00.12
- DJI Smart Controller: 01.00.0650
- Matrice 200 Series V2 and D-RTK 2: 01.00.0590
- Phantom 4 RTK: 02.02.0312 and D-RTK 2: 02.02.0307
- Mavic 2 Enterprise Dual: 01.01.0640
- Mavic 2 Enterprise: 01.01.0640

• Mavic 2 Pro: 01.00.0510

• Mavic 2 Zoom: 01.00.0510

• Mavic Air: 01.00.0620

Phantom 4 Pro V2.0: 01.00.22.00

• Zenmuse XT2: 01.00.03.50

• Spark: 01.00.1000

• Matrice 200 series: 01.02.0450

Phantom 4 Advanced: 01.04.01.00

• Inspire 2: 01.02.0300

• Phantom 4 Pro: 01.05.0600

• Zenmuse Z30: 01.00.06.10

Mavic Pro: 01.04.0500

• Matrice 600 Pro: 01.00.01.67

• Matrice 600 and RTK: 01.00.01.67

• Phantom 4: 02.00.0700

• Zenmuse XT: 01.31.00.60

• Zenmuse Z3: 1.11.01.50

• Inspire 1 series: 1.11.01.50

Phantom 3 Professional & Advanced: 1.11.20

• Phantom 3 Standard: 1.9.20

Phantom 3 4K: 1.6.50

Matrice 100: 01.31.00.60

Bug Fixes:

- PreFlight Checklist Panel fails to set max altitude under 120m: Fixed.
- Vision Widget sometimes crashes with a ConcurrentModificationException: Fixed.

- Radar Widget does not support Matrice 300 RTK.
- Return Home Widget does not work with Matrice 300 RTK.
- [OLD]Mobile SDK 4.7 and later versions are incompatible with x86 devices: Since v4.7, Mobile SDK has included FFMpeg lib to provide the transcoded video feed, but FFMpeg x86 so files will lead to the runtime crash when the target API of APP is larger than 23(included).
- [OLD]Inability to customize video and photo button behavior on Mavic 2 series RC: The Mavic 2 series aircraft allows developers to customize the behavior of the

photo and video buttons on the RC. The UX SDK does not currently give these buttons a default behavior. Using the buttons to take a picture or video using the RC while connected to UX SDK will not work by default. The developer must assign a behavior for them to work.

- [OLD] FPVOverlay only works with primary camera: FPVOverlay will always work only with the primary camera on dual camera aircraft even when overlaid on the secondary camera view.
- [OLD]**Self-unlocking of fly zones may not work on HERE maps:** Self-unlocking fly zones on HERE maps may not work as expected.
- [OLD] FPVWidget may not resize correctly: When switching between different resolutions, the video feed may look stretched.

© 2020 DJI.	All Rights Reserved.
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	

Android UX SDK 4.11.1 Release Notes

Release Date

2019.11.19

Highlights

- Support for Android Mobile SDK v4.11.1
- · Bug fixes.
- Important notice about upcoming changes: We will be releasing a new, open-source
 version of the UXSDK and deprecating the current closed source version next year. In
 addition, the UX SDK version 5 beta 1.1 is currently open source and available for iOS
 and UX SDK version 5 beta 2 for Android.

Supported Android Mobile SDK

DJI Android Mobile SDK v4.11.1: download at https://developer.dji.com/mobile-sdk/downloads/.

Android Compatibility

UX SDK is compatible with Android 4.2 and above.

Products	* DJI Smart Controller * Matrice 200 V2 * Matrice 210 V2 * Matrice 210 RTK V2 * Phantom 4 RTK * Mavic 2 Enterprise Dual * Mavic 2 Pro * Mavic 2 Zoom * Spark * Matrice 210 * Matrice 210 * Matrice 200 * Inspire 2 * Mavic Air * Phantom 4, Phantom 4 Pro & Phantom 4 Advanced, Phantom 4 Pro V2.0 * Matrice 600 & Matrice 600 Pro and RTK * Phantom 3 Standard, Advanced, 4K & Professional * Inspire 1, Inspire 1 Pro & Inspire 1 RAW
	* Matrice 100 with X3, X5 & X5R * Cendence
	Centrelice
	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S, X7
	* Spark Camera * Phantom 4 Pro Camera
Cameras	* Mavic Pro Camera
	* Phantom 4 Camera
	* Phantom 3 Cameras
	* Zenmuse XT, Zenmuse XT2

• DJI Smart Controller: 01.00.0530

• Matrice 200 Series V2 and D-RTK 2: 01.00.04.50

• Phantom 4 RTK and D-RTK 2: 02.01.00.09

• Mavic 2 Enterprise Dual: 01.00.0000

• Mavic 2 Enterprise: 01.00.0000

• Mavic 2 Pro: 01.00.04.00

• Mavic 2 Zoom: 01.00.04.00

Mavic Air: 01.00.0620

Phantom 4 Pro V2.0: 01.00.22.00

• Zenmuse XT2: 1.0.0.6

Spark: 01.00.1000

Matrice 200 series: 01.02.0301Phantom 4 Advanced: 01.04.01.00

Inspire 2: 01.02.0300

Phantom 4 Pro: 01.05.0600Zenmuse Z30: 01.00.01.20

• Mavic Pro: 01.04.0500

• Matrice 600 Pro: 01.00.01.67

• Matrice 600 and RTK: 01.00.01.67

Phantom 4: 02.00.0700Zenmuse XT: 01.31.00.60Zenmuse Z3: 1.11.01.50

• Inspire 1 series: 1.11.01.50

• Phantom 3 Professional & Advanced: 1.11.20

• Phantom 3 Standard: 1.9.20

Phantom 3 4K: 1.6.50Matrice 100: 1.3.1.82

Bug Fixes:

 CameraCaptureWidget stops recording video when it is removed from the parent view: Fixed.

- Incompatibility of Mobile SDK since 4.7 with x86 devices: On x86 devices that run Android API 23 or above, if the application is targeted with API 23 or above, FFmpeg lib might lead to runtime crashes or warnings.
- Inability to customize video and photo button behavior on Mavic 2 series RC: The
 Mavic 2 series aircraft allows developers to customize the behavior of the photo and
 video buttons on the RC. The UX SDK does not currently give these buttons a default
 behavior. Using the buttons to take a picture or video using the RC while connected to
 UX SDK will not work by default. The developer must assign a behavior for them to
 work.
- FPVOverlay only works with primary camera: FPVOverlay will always work only with the primary camera on dual camera aircraft even when overlaid on the secondary camera view.
- Self-unlocking of fly zones may not work on HERE maps: Self-unlocking fly zones

on HERE maps may not work as expected.

• **FPVWidget may not resize correctly:** When switching between different resolutions, the video feed may look stretched.

©	2019	DJ	I. Al	ΙRi	ghts	Re	ser	vec	d.											

Android UX SDK 4.11.2 Release Notes

Release Date

2020.03.20

Highlights

- Support for Android Mobile SDK v4.11.2
- Android Q support.
- · Bug fixes.
- Important notice about upcoming changes: We will be releasing a new, open-source
 version of the UXSDK and deprecating the current closed source version later this year.
 In addition, the UX SDK version 5 beta 1.1 is currently open source and available for
 iOS and UX SDK version 5 beta 2 for Android.

Supported Android Mobile SDK

DJI Android Mobile SDK v4.11.2: download at https://developer.dji.com/mobile-sdk/downloads/.

Android Compatibility

UX SDK is compatible with Android 4.2 and above.

Products	* DJI Smart Controller * Matrice 200 V2 * Matrice 210 V2 * Matrice 210 RTK V2 * Phantom 4 RTK * Mavic 2 Enterprise Dual * Mavic 2 Enterprise * Mavic 2 Zoom * Spark * Matrice 210 * Matrice 210 * Matrice 200 * Inspire 2 * Mavic Pro * Mavic Air * Phantom 4, Phantom 4 Pro & Phantom 4 Advanced, Phantom 4 Pro V2.0 * Matrice 600 & Matrice 600 Pro and RTK * Phantom 3 Standard, Advanced, 4K & Professional * Inspire 1, Inspire 1 Pro & Inspire 1 RAW * Matrice 100 with X3, X5 & X5R * Cendence
Cameras	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S, X7 * Spark Camera * Phantom 4 Pro Camera * Mavic Pro Camera * Phantom 4 Camera * Phantom 3 Cameras * Zenmuse XT, Zenmuse XT2

• DJI Smart Controller: 01.00.0530

• Matrice 200 Series V2 and D-RTK 2: 01.00.04.50

• Phantom 4 RTK and D-RTK 2: 02.01.00.09

• Mavic 2 Enterprise Dual: 01.01.0640

• Mavic 2 Enterprise: 01.01.0640

Mavic 2 Pro: 01.00.04.00Mavic 2 Zoom: 01.00.04.00

Mavic Air: 01.00.0620

Phantom 4 Pro V2.0: 01.00.22.00

• Zenmuse XT2: 1.0.0.6

• Spark: 01.00.1000

Matrice 200 series: 01.02.0450Phantom 4 Advanced: 01.04.01.00

Inspire 2: 01.02.0300

Phantom 4 Pro: 01.05.0600Zenmuse Z30: 01.00.01.20

• Mavic Pro: 01.04.0500

• Matrice 600 Pro: 01.00.01.67

• Matrice 600 and RTK: 01.00.01.67

Phantom 4: 02.00.0700Zenmuse XT: 01.31.00.60Zenmuse Z3: 1.11.01.50

• Inspire 1 series: 1.11.01.50

• Phantom 3 Professional & Advanced: 1.11.20

• Phantom 3 Standard: 1.9.20

Phantom 3 4K: 1.6.50Matrice 100: 1.3.1.82

Bug Fixes:

- PreFlightCheckListPanel crashes when the SDK is not yet registered: Fixed.
- FPVWidget cannot be added into a ConstraintLayout: Fixed

- [OLD]Incompatibility of Mobile SDK since 4.7 with x86 devices: On x86 devices that run Android API 23 or above, if the application is targeted with API 23 or above, FFmpeg lib might lead to runtime crashes or warnings.
- [OLD]Inability to customize video and photo button behavior on Mavic 2 series RC: The Mavic 2 series aircraft allows developers to customize the behavior of the photo and video buttons on the RC. The UX SDK does not currently give these buttons a default behavior. Using the buttons to take a picture or video using the RC while connected to UX SDK will not work by default. The developer must assign a behavior for them to work.
- [OLD]FPVOverlay only works with primary camera: FPVOverlay will always work
 only with the primary camera on dual camera aircraft even when overlaid on the
 secondary camera view.
- [OLD]Self-unlocking of fly zones may not work on HERE maps: Self-unlocking fly

zones on HERE maps may not work as expected.

- [OLD]**FPVWidget may not resize correctly:** When switching between different resolutions, the video feed may look stretched.
- FPV widget may not resize correctly: In 3:2 and 4:3 aspect ratios when removing and adding the widget during resizing.

@	2	20)2	0	D	J	١. ا	Αl	II I	Ri	ig	ht	ts	F	ϵ	s	е	rv	e	d.																																										
d.	11	11	r.ir.	//	1	e je	//	11	d.	//	90	10	11	de.	11	di.	11	di.	11	di.	11	e de	1	1	j,	11	e de	j,	11	1	1	j,	11	1	v.	11	7	1	d.	1	di.	1	1	e de	11	9	e de	11	de.	11	di.	11	d.	11	1	j,	1	j,	1	11	10	r.i

Android UX SDK 4.11 Release Notes

Release Date

2019.9.23

Highlights

- Support for Android Mobile SDK v4.11
- · Added AndroidX support.
- Important notice about upcoming changes: We will be releasing a new, open-source
 version of the UXSDK and deprecating the current closed source version later this year.
 In addition, the UX SDK version 5 beta 1 is currently open source and available for both
 iOS and Android.

Supported Android Mobile SDK

DJI Android Mobile SDK v4.11: download at https://developer.dji.com/mobile-sdk/downloads/.

Android Compatibility

UX SDK is compatible with Android 4.2 and above.

	* DJI Smart Controller			
	* Matrice 200 V2			
	* Matrice 210 V2			
	* Matrice 210 RTK V2			
	* Phantom 4 RTK			
	* Mavic 2 Enterprise Dual			
	* Mavic 2 Enterprise			
	* Mavic 2 Pro			
	* Mavic 2 Zoom			
	* Spark			
	* Matrice 210			
	* Matrice 210RTK			
	* Matrice 200			
Products	* Inspire 2			
	* Mavic Pro			
	* Mavic Air			
	* Phantom 4, Phantom 4 Pro & Phantom 4 Advanced, Phantom 4 Pro			
	V2.0			
	* Matrice 600 & Matrice 600 Pro, RTK and Ronin MX			
	* Phantom 3 Standard, Advanced, 4K & Professional			
	* Inspire 1, Inspire 1 Pro & Inspire 1 RAW			
	* Matrice 100 with X3, X5 & X5R			
	* Lightbridge 2 with A2			
	* Lightbridge 2 with standalone A3 or N3			
	* Focus			
	* N1 Video Encoder			
	* Cendence			
	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S, X7			
	* Spark Camera			
	* Phantom 4 Pro Camera			
Cameras	* Mavic Pro Camera			
	* Phantom 4 Camera			
	* Phantom 3 Cameras			
	* Zenmuse XT, Zenmuse XT2			
	,			

- DJI Smart Controller: 01.00.0530
- Matrice 200 Series V2 and D-RTK 2: 01.00.04.50
- Phantom 4 RTK and D-RTK 2: 02.01.00.09

Mavic 2 Enterprise Dual: 01.00.0000

• Mavic 2 Enterprise: 01.00.0000

Mavic 2 Pro: 01.00.04.00Mavic 2 Zoom: 01.00.04.00

• Mavic Air: 01.00.0620

Phantom 4 Pro V2.0: 01.00.22.00

Zenmuse XT2: 1.0.0.6

• Spark: 01.00.1000

Matrice 200 series: 01.02.0301Phantom 4 Advanced: 01.04.01.00

• Inspire 2: 01.02.0300

Phantom 4 Pro: 01.05.0600Zenmuse Z30: 01.00.01.20

• N3: 1.7.6.0

• Mavic Pro: 01.04.0500

• Matrice 600 Pro: 01.00.01.67

Matrice 600, RTK and Ronin MX: 01.00.01.67

Phantom 4: 02.00.0700Zenmuse XT: 01.31.00.60

Zenmuse Z3: 1.11.01.50Inspire 1 series: 1.11.01.50

Phantom 3 Professional & Advanced: 1.11.20

• Phantom 3 Standard: 1.9.20

Phantom 3 4K: 1.6.50Matrice 100: 1.3.1.82Lightbridge 2: 1.1.70

• A3: 1.7.7.0

- Incompatibility of Mobile SDK since 4.7 with x86 devices: On x86 devices that run
 Android API 23 or above, if the application is targeted with API 23 or above, FFmpeg lib
 might lead to runtime crashes or warnings.
- Inability to customize video and photo button behavior on Mavic 2 series RC: The
 Mavic 2 series aircraft allows developers to customize the behavior of the photo and
 video buttons on the RC. The UX SDK does not currently give these buttons a default
 behavior. Using the buttons to take a picture or video using the RC while connected to
 UX SDK will not work by default. The developer must assign a behavior for them to
 work.
- FPVOverlay only works with primary camera: FPVOverlay will always work only with the primary camera on dual camera aircraft even when overlaid on the secondary

camera view.

- Self-unlocking of fly zones may not work on HERE maps: Self-unlocking fly zones on HERE maps may not work as expected.
- **FPVWidget may not resize correctly:** When switching between different resolutions, the video feed may look stretched.

© 2019 DJI. All Rig	s Reserved.

Android UX SDK 4.10 Release Notes

Release Date

2019.05.14

Highlights

- · Mapbox support added
- Support for Android Mobile SDK v4.10
- Important notice about upcoming changes: We're going to be releasing a new, opensource version of the UXSDK and deprecating this closed source version later this year.

Other Changes

- Marker dragging support added to all maps.
- Head LED auto turn off added to camera settings for supported aircraft (Mavic series and Phantom series after P4).
- Travel mode button added to the preflight checklist for supported aircraft (Inspire series).

Supported Android Mobile SDK

DJI Android Mobile SDK v4.10: download at https://developer.dji.com/mobile-sdk/downloads/.

Android Compatibility

UX SDK is compatible with Android 4.2 and above.

Products	* DJI Smart Controller * Matrice 200 Series V2 * Phantom 4 RTK * Mavic 2 Enterprise Dual * Mavic 2 Pro * Mavic 2 Zoom * Spark * Matrice 210 * Matrice 210 * Matrice 200 * Inspire 2 * Mavic Pro * Mavic Air * Phantom 4, Phantom 4 Pro & Phantom 4 Advanced, Phantom 4 Pro V2.0 * Matrice 600 & Matrice 600 Pro, RTK and Ronin MX * Phantom 3 Standard, Advanced, 4K & Professional * Inspire 1, Inspire 1 Pro & Inspire 1 RAW * Matrice 100 with X3, X5 & X5R * Lightbridge 2 with A2 * Lightbridge 2 with standalone A3 or N3 * Focus * N1 Video Encoder * Cendence
	* Cendence
Cameras	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S, X7 * Spark Camera * Phantom 4 Pro Camera * Mavic Pro Camera * Phantom 4 Camera * Phantom 3 Cameras * Zenmuse XT, Zenmuse XT2

- DJI Smart Controller: 01.00.0530
- Matrice 200 Series V2 and D-RTK 2: 01.00.04.50
- Phantom 4 RTK and D-RTK 2: 02.01.00.09
- Mavic 2 Enterprise Dual: 01.00.0000
- Mavic 2 Enterprise: 01.00.0000

Mavic 2 Pro: 01.00.04.00Mavic 2 Zoom: 01.00.04.00

• Mavic Air: 01.00.0620

• Phantom 4 Pro V2.0: 01.00.22.00

• Zenmuse XT2: 1.0.0.6

• Spark: 01.00.1000

Matrice 200 series: 01.02.0301

Phantom 4 Advanced: 01.04.01.00

• Inspire 2: 01.02.0300

Phantom 4 Pro: 01.05.0600Zenmuse Z30: 01.00.01.20

• N3: 1.7.6.0

• Mavic Pro: 01.04.0500

• Matrice 600 Pro: 01.00.01.67

Matrice 600, RTK and Ronin MX: 01.00.01.67

Phantom 4: 02.00.0700Zenmuse XT: 01.31.00.60Zenmuse Z3: 1.11.01.50

• Inspire 1 series: 1.11.01.50

Phantom 3 Professional & Advanced: 1.11.20

• Phantom 3 Standard: 1.9.20

Phantom 3 4K: 1.6.50Matrice 100: 1.3.1.82Lightbridge 2: 1.1.70

• A3: 1.7.7.0

- Incompatibility of Mobile SDK since 4.7 with x86 devices: On x86 devices that run Android API 23 or above, if the application is targeted with API 23 or above, FFmpeg lib might lead to runtime crashes or warnings.
- Inability to customize video and photo button behavior on Mavic 2 series RC:
 Mavic 2 series aircraft allow developers to customize the behavior of photo and video
 buttons on the RC. Because the UX SDK does not currently give these buttons a default
 behavior, the user needs to assign behaviors to them before using.
- FPVOverlay only works with primary camera: FPVOverlay will always work only with the primary camera on dual camera aircraft even when overlaid on the secondary camera view.
- Self-unlocking of fly zones may not work on HERE maps: Self-unlocking fly zones on HERE maps may not work as expected.

,,,,,	 	 	

Android UX SDK 4.9 Release Notes

Release Date

2019.01.28

Highlights

• Support for Android Mobile SDK v4.9

Supported Android Mobile SDK

DJI Android Mobile SDK v4.9: download at https://developer.dji.com/mobile-sdk/downloads/.

Android Compatibility

UX SDK is compatible with Android 4.2 and above.

	* Phantom 4 RTK * Mavic 2 Enterprise Dual * Mavic 2 Enterprise
	* Mavic 2 Pro
	* Mavic 2 Zoom
	* Spark
	* Matrice 210
	* Matrice 210RTK
	* Matrice 200
	* Inspire 2
	* Mavic Pro
Products	* Mavic Air
	* Phantom 4, Phantom 4 Pro & Phantom 4 Advanced, Phantom 4 Pro
	V2.0
	* Matrice 600 & Matrice 600 Pro, RTK and Ronin MX
	* Phantom 3 Standard, Advanced, 4K & Professional
	* Inspire 1, Inspire 1 Pro & Inspire 1 RAW
	* Matrice 100 with X3, X5 & X5R
	* Lightbridge 2 with A2
	* Lightbridge 2 with standalone A3 or N3
	* Focus
	* N1 Video Encoder
	* Cendence
	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S, X7
	* Spark Camera
	* Phantom 4 Pro Camera
Cameras	* Mavic Pro Camera
	* Phantom 4 Camera
	* Phantom 3 Cameras
	* Zenmuse XT, Zenmuse XT2

• Phantom 4 RTK: 01.07.0116

• D-RTK 2: 01.07.0116

• Mavic 2 Enterprise Dual: 01.00.0000

• Mavic 2 Enterprise: 01.00.0000

Mavic 2 Pro: 01.00.0200Mavic 2 Zoom: 01.00.0200

• Mavic Air: 01.00.0500

Phantom 4 Pro V2.0: 01.00.2200

Zenmuse XT2: 1.0.0.6Spark: 01.00.1000

Matrice 200 series: 01.02.0301Phantom 4 Advanced: 01.00.0128

• Inspire 2: 01.02.0301

• Phantom 4 Pro: 01.05.0600

Z30: 1.0.0.47N3: 1.7.6.0

Mavic Pro: 01.04.0500Matrice 600 Pro: 1.0.1.66

Matrice 600, RTK and Ronin MX: 1.0.1.66

Phantom 4: 02.00.0700
Zenmuse XT: 1.31.0.00
Zenmuse Z3: 1.11.01.50
Inspire 1 series: 1.11.01.50

• Phantom 3 Professional & Advanced: 1.11.20

• Phantom 3 Standard: 1.9.20

Phantom 3 4K: 1.6.50Matrice 100: 1.3.1.82Lightbridge 2: 1.1.70

• A3: 1.7.7.0

Known Issues

- Incompatibility of Mobile SDK since 4.7 with x86 devices: On x86 devices that run Android API 23 or above, if the application is targeted with API 23 or above, FFmpeg lib might lead to runtime crashes or warnings.
- Inability to customize video and photo button behavior on Mavic 2 series RC:
 Mavic 2 series aircraft allow developers to customize the behavior of photo and video
 buttons on the RC. Because the UX SDK does not currently give these buttons a default
 behavior, the user needs to assign behaviors to them before using.
- FPVOverlay only works with primary camera: FPVOverlay will always work only with the primary camera on dual camera aircraft even when overlaid on the secondary camera view.

© 2019 DJI. All Rights Reserved.

Android UX SDK 4.8.1 Release Notes

Release Date

2018.11.16

Highlights

• Support for Android Mobile SDK v4.8.1

Supported Android Mobile SDK

DJI Android Mobile SDK v4.8.1: download at https://developer.dji.com/mobile-sdk/downloads/.

Android Compatibility

UX SDK is compatible with Android 4.2 and above.

Products	* Mavic 2 Enterprise * Mavic 2 Pro * Mavic 2 Zoom * Spark * Matrice 210 * Matrice 210RTK * Matrice 200 * Inspire 2 * Mavic Pro * Mavic Air * Phantom 4, Phantom 4 Pro & Phantom 4 Advanced, Phantom 4 Pro V2.0 * Matrice 600 & Matrice 600 Pro, RTK and Ronin MX * Phantom 3 Standard, Advanced, 4K & Professional * Inspire 1, Inspire 1 Pro & Inspire 1 RAW * Matrice 100 with X3, X5 & X5R * Lightbridge 2 with A2 * Lightbridge 2 with standalone A3 or N3 * Focus * N1 Video Encoder * Cendence
Cameras	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S, X7 * Spark Camera * Phantom 4 Pro Camera * Mavic Pro Camera * Phantom 4 Camera * Phantom 3 Cameras * Zenmuse XT, Zenmuse XT2

• Mavic 2 Enterprise: 00.01.0300

Mavic 2 Pro: 01.00.0100Mavic 2 Zoom: 01.00.0100

• Mavic Air: 01.00.0500

• Phantom 4 Pro V2.0: 01.00.2200

Zenmuse XT2: 1.0.0.6Spark: 01.00.1000

Matrice 200 series: 01.01.0913Phantom 4 Advanced: 01.00.0128

• Inspire 2: 01.02.0200

• Phantom 4 Pro: 01.05.0600

Z30: 1.0.0.47N3: 1.7.1.5

Mavic Pro: 01.04.0500Matrice 600 Pro: 1.0.1.66

Matrice 600, RTK and Ronin MX: 1.0.1.65

Phantom 4: 02.00.0700
Zenmuse XT: 1.31.0.00
Zenmuse Z3: 1.11.01.50
Inspire 1 series: 1.11.01.50

Phantom 3 Professional & Advanced: 1.11.20

• Phantom 3 Standard: 1.9.20

Phantom 3 4K: 1.6.50Matrice 100: 1.3.1.0Lightbridge 2: 1.1.60

• A3: 1.7.1.5

Known Issues

- Incompatibility of Mobile SDK 4.8.X with x86 devices: On x86 devices that run Android API 23 or above, if the application is targeted with API 23 or above, FFmpeg lib might lead to runtime crashes or warnings.
- Inability to customize video and photo button behavior on Mavic 2 series RC:
 Mavic 2 series aircraft allow developers to customize the behavior of photo and video
 buttons on the RC. Because the UX SDK does not currently give these buttons a default
 behavior, the user needs to assign behaviors to them before using.
- FPVOverlay only works with primary camera: FPVOverlay will always work only with the primary camera on dual camera aircrafts even when overlaid on the secondary camera view.

© 2018 DJI. All Rights Reserved.

Android UX SDK 4.8 Release Notes

Release Date

2018.10.29

Highlights

 Addition of widgets and panels supporting Mavic 2 Enterprise features and accessories including Access Locker, Speaker, Spotlight and Beacon

Other Changes

- · Addition of grid overlays of various types for the video feeds
- Addition of internal storage support in all widgets for aircraft that support it.
- Addition of maximum altitude limitation and maximum flight distance limitation to the preflight checklist
- Addition of video compression standard in camera settings for aircraft that support it.
- Addition of portrait mode for aicraft that support it (Mavic Pro)
- Addition of VPS (visual positioning system) widget to the camera dashboard
- Addition of new photo modes supported by the Mavic 2 series

Supported Android Mobile SDK

 DJI Android Mobile SDK v4.8: download at https://developer.dji.com/mobilesdk/downloads/.

Android Compatibility

UX SDK is compatible with Android 4.2 and above.

Products	* Mavic 2 Enterprise * Mavic 2 Pro * Mavic 2 Zoom * Spark * Matrice 210 * Matrice 210RTK * Matrice 200 * Inspire 2 * Mavic Pro * Mavic Air * Phantom 4, Phantom 4 Pro & Phantom 4 Advanced, Phantom 4 Pro V2.0 * Matrice 600 & Matrice 600 Pro, RTK and Ronin MX * Phantom 3 Standard, Advanced, 4K & Professional * Inspire 1, Inspire 1 Pro & Inspire 1 RAW * Matrice 100 with X3, X5 & X5R * Lightbridge 2 with A2 * Lightbridge 2 with standalone A3 or N3 * Focus * N1 Video Encoder * Cendence
Cameras	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S, X7 * Spark Camera * Phantom 4 Pro Camera * Mavic Pro Camera * Phantom 4 Camera * Phantom 3 Cameras * Zenmuse XT, Zenmuse XT2

• Mavic 2 Enterprise: 00.01.0300

Mavic 2 Pro: 01.00.0100Mavic 2 Zoom: 01.00.0100

• Mavic Air: 01.00.0500

• Phantom 4 Pro V2.0: 01.00.2200

Zenmuse XT2: 1.0.0.6Spark: 01.00.1000

Matrice 200 series: 01.01.0913Phantom 4 Advanced: 01.00.0128

• Inspire 2: 01.02.0200

• Phantom 4 Pro: 01.05.0600

Z30: 1.0.0.47N3: 1.7.1.5

Mavic Pro: 01.04.0500Matrice 600 Pro: 1.0.1.66

Matrice 600, RTK and Ronin MX: 1.0.1.65

Phantom 4: 02.00.0700
Zenmuse XT: 1.31.0.00
Zenmuse Z3: 1.11.01.50
Inspire 1 series: 1.11.01.50

Phantom 3 Professional & Advanced: 1.11.20

• Phantom 3 Standard: 1.9.20

Phantom 3 4K: 1.6.50Matrice 100: 1.3.1.0Lightbridge 2: 1.1.60

• A3: 1.7.1.5

Bug Fixes

Known Issues

- Incompatibility of Mobile SDK 4.8 with x86 devices: On x86 devices that run Android API 23 or above, if the application is targeted with API 23 or above, FFmpeg lib might lead to runtime crashes or warnings.
- Inability to customize video and photo button behavior on Mavic 2 series RC:
 Mavic 2 series aircraft allow developers to customize the behavior of photo and video
 buttons on the RC. Because the UX SDK does not currently give these buttons a default
 behavior, the user needs to assign behaviors to them before using.
- FPVOverlay only works with primary camera: FPVOverlay will always work only with the primary camera on dual camera aircrafts even when overlaid on the secondary camera view.

© 2018 DJI. All Rights Reserve

Android UX SDK 4.7.1 Release Notes

Release Date

2018.09.04

Highlights

• Support for Android Mobile SDK v4.7.1

Other Changes

-The Mavic 2 Pro and Mavic 2 Zoom's distortion calibration feature requires additional resource files, increasing the size of the Mobile SDK package. If your app doesn't support these aircraft you can exclude these resource files with a one line gradle configuration. Please see the sample demo for details.

Supported Android Mobile SDK

- DJI Android Mobile SDK v4.7: download at https://developer.dji.com/mobile-sdk/downloads/.
- Mavic 2 Enterprise Dual support
- P4R support

Android Compatibility

UX SDK is compatible with Android 4.2 and above.

Products	* Spark * Matrice 210 * Matrice 210RTK * Matrice 200 * Inspire 2 * Mavic Pro * Mavic Air * Phantom 4, Phantom 4 Pro & Phantom 4 Advanced * Matrice 600 & Matrice 600 Pro, RTK and Ronin MX * Phantom 3 Standard, Advanced, 4K & Professional * Inspire 1, Inspire 1 Pro & Inspire 1 RAW * Matrice 100 with X3, X5 & X5R * Lightbridge 2 with A2 * Lightbridge 2 with standalone A3 or N3 * Focus * N1 Video Encoder * Cendence
Cameras	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S, X7 * Spark Camera * Phantom 4 Pro Camera * Mavic Pro Camera * Phantom 4 Camera * Phantom 3 Cameras * Zenmuse XT

Mavic Air: 01.00.0300

• Spark: 01.00.0900

Matrice 200 series: 01.01.0600Phantom 4 Advanced: 01.00.0128

• Inspire 2: 01.01.0300

• Phantom 4 Pro: 01.05.0600

Z30: 1.0.0.47N3: 1.7.1.5

Mavic Pro: 01.04.0300Matrice 600 Pro: 1.0.1.65

• Matrice 600, RTK and Ronin MX: 1.0.1.65

Phantom 4: 02.00.0700Zenmuse XT: 1.31.0.00

Zenmuse Z3: 1.11.01.50Inspire 1 series: 1.11.01.50

• Phantom 3 Professional & Advanced: 1.11.20

• Phantom 3 Standard: 1.9.20

Phantom 3 4K: 1.6.50Matrice 100: 1.3.1.0Lightbridge 2: 1.1.60

• A3: 1.7.1.5

Known Issues:

• Incompatibility of Mobile SDK 4.7 with x86 devices: On x86 devices that run Android API 23 or above, if the application is targeted with API 23 or above, FFmpeg lib might lead to runtime crashes or warnings.

© 2018 DJI. All Rights Reserved.

Android UX SDK 4.7 Release Notes

Release Date

2018.8.23

Highlights

- Support for Android Mobile SDK v4.7
- FlySafe features such as self-unlock and custom unlock have been added to MapWidget. User can also customize the color of each flyzone type.
- MapWidget now has login state.
- Preflight Checklist now exposes remaining SD card error and slow SD card error.
- User can now enable/disable FPV items such as Grids, Histogram, Radar, and ColorWaveform.
- Bug fixes

Other Changes

-The Mavic 2 Pro and Mavic 2 Zoom's distortion calibration feature requires additional resource files, increasing the size of the Mobile SDK package. If your app doesn't support these aircraft you can exclude these resource files with a one line gradle configuration. Please see the sample demo for details.

Supported Android Mobile SDK

 DJI Android Mobile SDK v4.7: download at https://developer.dji.com/mobilesdk/downloads/.

Android Compatibility

UX SDK is compatible with Android 4.2 and above.

Products	* Spark * Matrice 210 * Matrice 210RTK * Matrice 200 * Inspire 2 * Mavic Pro * Mavic Air * Phantom 4, Phantom 4 Pro & Phantom 4 Advanced * Matrice 600 & Matrice 600 Pro, RTK and Ronin MX * Phantom 3 Standard, Advanced, 4K & Professional * Inspire 1, Inspire 1 Pro & Inspire 1 RAW * Matrice 100 with X3, X5 & X5R * Lightbridge 2 with A2 * Lightbridge 2 with standalone A3 or N3 * Focus * N1 Video Encoder * Cendence
Cameras	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S, X7 * Spark Camera * Phantom 4 Pro Camera * Mavic Pro Camera * Phantom 4 Camera * Phantom 3 Cameras * Zenmuse XT

Mavic Air: 01.00.0300Spark: 01.00.0900

• Matrice 200 series: 01.01.0600

• Phantom 4 Advanced: 01.00.0128

• Inspire 2: 01.01.0300

• Phantom 4 Pro: 01.05.0600

Z30: 1.0.0.47N3: 1.7.1.5

Mavic Pro: 01.04.0300Matrice 600 Pro: 1.0.1.65

• Matrice 600, RTK and Ronin MX: 1.0.1.65

Phantom 4: 02.00.0700Zenmuse XT: 1.31.0.00

Zenmuse Z3: 1.11.01.50Inspire 1 series: 1.11.01.50

• Phantom 3 Professional & Advanced: 1.11.20

• Phantom 3 Standard: 1.9.20

Phantom 3 4K: 1.6.50Matrice 100: 1.3.1.0Lightbridge 2: 1.1.60

• A3: 1.7.1.5

Known Issues:

• Incompatibility of Mobile SDK 4.7 with x86 devices: On x86 devices that run Android API 23 or above, if the application is targeted with API 23 or above, FFmpeg lib might lead to runtime crashes or warnings.

© 2018 DJI. All Rights Reserved.

Android UX SDK 4.6 Release Notes

Release Date

2018.6.29

Highlights

- Support for Android Mobile SDK v4.6
- · Bug fixes

Supported Android Mobile SDK

 DJI Android Mobile SDK v4.6: download at https://developer.dji.com/mobilesdk/downloads/.

Android Compatibility

UX SDK is compatible with Android 4.2 and above.

Products	* Spark * Matrice 210 * Matrice 210RTK * Matrice 200 * Inspire 2 * Mavic Pro * Mavic Air * Phantom 4, Phantom 4 Pro & Phantom 4 Advanced * Matrice 600 & Matrice 600 Pro, RTK and Ronin MX * Phantom 3 Standard, Advanced, 4K & Professional * Inspire 1, Inspire 1 Pro & Inspire 1 RAW * Matrice 100 with X3, X5 & X5R * Lightbridge 2 with A2 * Lightbridge 2 with standalone A3 or N3 * Focus * N1 Video Encoder * Cendence
Cameras	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S, X7 * Spark Camera * Phantom 4 Pro Camera * Mavic Pro Camera * Phantom 4 Camera * Phantom 3 Cameras * Zenmuse XT

Mavic Air: 01.00.0300

• Spark: 01.00.0900

Matrice 200 series: 01.01.0600Phantom 4 Advanced: 01.00.0128

• Inspire 2: 01.01.0300

• Phantom 4 Pro: 01.05.0600

Z30: 1.0.0.47N3: 1.7.1.5

Mavic Pro: 01.04.0300Matrice 600 Pro: 1.0.1.65

• Matrice 600, RTK and Ronin MX: 1.0.1.65

Phantom 4: 02.00.0700Zenmuse XT: 1.31.0.00

Zenmuse Z3: 1.11.01.50Inspire 1 series: 1.11.01.50

• Phantom 3 Professional & Advanced: 1.11.20

• Phantom 3 Standard: 1.9.20

Phantom 3 4K: 1.6.50Matrice 100: 1.3.1.0Lightbridge 2: 1.1.60

• A3: 1.7.1.5

© 2018 DJI. All Rights Reserved.

Android UX SDK 4.5.1 Release Notes

Release Date

2018.5.1

Highlights

- Support for Android Mobile SDK v4.5.1
- · Bug fixes

Supported Android Mobile SDK

DJI Android Mobile SDK v4.5.1: download at https://developer.dji.com/mobile-sdk/downloads/.

Android Compatibility

UX SDK is compatible with Android 4.2 and above.

Products	* Spark * Matrice 210 * Matrice 210RTK * Matrice 200 * Inspire 2 * Mavic Pro * Mavic Air * Phantom 4, Phantom 4 Pro & Phantom 4 Advanced * Matrice 600 & Matrice 600 Pro, RTK and Ronin MX * Phantom 3 Standard, Advanced, 4K & Professional * Inspire 1, Inspire 1 Pro & Inspire 1 RAW * Matrice 100 with X3, X5 & X5R * Osmo, Osmo Pro, Osmo RAW & Osmo+ * Osmo Mobile * Osmo Mobile 2 * Lightbridge 2 with A2 * Lightbridge 2 with standalone A3 or N3 * Focus * N1 Video Encoder * Cendence
Cameras	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S, X7 * Spark Camera * Phantom 4 Pro Camera * Mavic Pro Camera * Phantom 4 Camera * Phantom 3 Cameras * Zenmuse XT

Mavic Air: 01.00.0300Osmo Mobile 2: 2.1.0.20

• Spark: 01.00.0900

Matrice 200 series: 01.01.0600Phantom 4 Advanced: 01.00.0128

• Inspire 2: 01.01.0300

• Phantom 4 Pro: 01.05.0600

Z30: 1.0.0.47N3: 1.7.1.5

• Mavic Pro: 01.04.0300

• Matrice 600 Pro: 1.0.1.65

• Matrice 600, RTK and Ronin MX: 1.0.1.65

Phantom 4: 02.00.0700
Zenmuse XT: 1.31.0.00
Zenmuse Z3: 1.11.01.50
Inspire 1 series: 1.11.01.50

• Osmo: 1.11.2.70

• Osmo Pro/RAW: 1.4.0.70

• Osmo+: 1.6.1.00

• Osmo Mobile: 1.6.0.80

• Phantom 3 Professional & Advanced: 1.11.20

• Phantom 3 Standard: 1.9.20

Phantom 3 4K: 1.6.50Matrice 100: 1.3.1.0Lightbridge 2: 1.1.60

• A3: 1.7.1.5

Bug Fixes

- MapWidget crash: Fixed crashes related to MapWidget initialization.
- MapWidget and GoogleMaps: Fixed bug where GoogleMaps behavior with showDirectionToHome was unstable.

© 2018 DJI. All Rights Reserved.

Android UX SDK 4.5 Release Notes

Release Date

2018.4.4

Highlights

- Name change: UI Library has been renamed "UX SDK".
- Full support of X7 camera, which includes the following:
 - SSD support
 - Exposure Index (EI)
 - Dewarping
 - Dedusting
- Color Waveform for both X7 and X5S cameras
- Map widget that currently supports:
 - Amaps
 - Google Maps
- Bug fixes

Supported Android Mobile SDK

DJI Android Mobile SDK v4.5: download at https://developer.dji.com/mobile-sdk/downloads/.

Android Compatibility

UX SDK is compatible with Android 4.2 and above.

Products	* Spark * Matrice 210 * Matrice 210RTK * Matrice 200 * Inspire 2 * Mavic Pro * Mavic Air * Phantom 4, Phantom 4 Pro & Phantom 4 Advanced * Matrice 600 & Matrice 600 Pro, RTK and Ronin MX * Phantom 3 Standard, Advanced, 4K & Professional * Inspire 1, Inspire 1 Pro & Inspire 1 RAW * Matrice 100 with X3, X5 & X5R * Osmo, Osmo Pro, Osmo RAW & Osmo+ * Osmo Mobile * Osmo Mobile 2 * Lightbridge 2 with A2 * Lightbridge 2 with standalone A3 or N3 * Focus * N1 Video Encoder * Cendence
Cameras	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S, X7 * Spark Camera * Phantom 4 Pro Camera * Mavic Pro Camera * Phantom 4 Camera * Phantom 3 Cameras * Zenmuse XT

Mavic Air: 01.00.0300Osmo Mobile 2: 2.1.0.20

• Spark: 01.00.0900

Matrice 200 series: 01.01.0600Phantom 4 Advanced: 01.00.0128

• Inspire 2: 01.01.0300

• Phantom 4 Pro: 01.05.0600

Z30: 1.0.0.47N3: 1.7.1.5

• Mavic Pro: 01.04.0300

Matrice 600 Pro: 1.0.1.65

Matrice 600, RTK and Ronin MX: 1.0.1.65

Phantom 4: 02.00.0700
Zenmuse XT: 1.31.0.00
Zenmuse Z3: 1.11.01.50
Inspire 1 series: 1.11.01.50

• Osmo: 1.11.2.70

Osmo Pro/RAW: 1.4.0.70

• Osmo+: 1.6.1.00

• Osmo Mobile: 1.6.0.80

• Phantom 3 Professional & Advanced: 1.11.20

• Phantom 3 Standard: 1.9.20

Phantom 3 4K: 1.6.50Matrice 100: 1.3.1.0Lightbridge 2: 1.1.60

• A3: 1.7.1.5

Bug Fixes

- Mavic: Fixed issue where HD signal status widget was always empty on Mavic.
- Phantom 4 Pro & Mavic: Resetting camera gave false-negative time-out. Fixed.

Known Issues

 MapWidget and GoogleMaps: GoogleMaps behavior with showDirectionToHome is not stable.

© 2018 DJI. All Rights Reserved.

Android UI Library 4.4 Release Notes

Release Date

2017.12.22

Highlights

- Histogram
- · Gimbal control through FPV long press
- · Collision detection widgets
- Optional grid mode as FPV overlay
- Bug fixes
- SDK Integration: Some of SDK classes now need to be loaded before using. Loading
 process is done by Helper.install(). Developer needs to call this method before using
 any SDK functionality. Failling to do so will result in unexpected crashes. UILIb sample
 has add this to reflect the new requirement. Please refer to the sample app for more
 detail.

Supported Android Mobile SDK

DJI Android Mobile SDK v4.4: download at https://developer.dji.com/mobile-sdk/downloads/.

Android Compatibility

UI Library is compatible with Android 4.2 and above.

Products	* Spark * Matrice 210 * Matrice 210RTK * Matrice 200 * Inspire 2 * Mavic Pro * Phantom 4, Phantom 4 Pro & Phantom 4 Advanced * Matrice 600 & Matrice 600 Pro, RTK and Ronin MX * Phantom 3 Standard, Advanced, 4K & Professional * Inspire 1, Inspire 1 Pro & Inspire 1 RAW * Matrice 100 with X3, X5 & X5R * Osmo, Osmo Pro, Osmo RAW & Osmo+ * Osmo Mobile * Lightbridge 2 with A2 * Lightbridge 2 with standalone A3 or N3 * Focus * N1 Video Encoder * Cendence
Cameras	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S, X7 * Spark Camera * Phantom 4 Pro Camera * Mavic Pro Camera * Phantom 4 Camera * Phantom 3 Cameras * Zenmuse XT

• Spark: 01.00.0701

Matrice 200 series: 01.01.0412Phantom 4 Advanced: 01.00.0128

• Inspire 2: 01.01.0200

• Phantom 4 Pro: 01.04.0602

Z30: 1.0.0.43N3: 1.7.1.5

Mavic Pro: 01.04.0100Matrice 600 Pro: 1.0.1.65

• Matrice 600, RTK and Ronin MX: 1.0.1.65

Phantom 4: 02.00.0106Zenmuse XT: 1.24.0.10

Zenmuse Z3: 1.11.01.50Inspire 1 series: 1.11.01.50

• Osmo: 1.11.2.70

• Osmo Pro/RAW: 1.3.0.40

• Osmo+: 1.6.1.00

• Osmo Mobile: 1.6.0.80

• Phantom 3 Professional & Advanced: 1.11.20

• Phantom 3 Standard: 1.9.20

Phantom 3 4K: 1.6.50Matrice 100: 1.3.1.0Lightbridge 2: 1.1.60

• A3: 1.7.1.5

Bug Fixes

• Inspire 2 flight time remaining read 00:00: This has been fixed.

Known Issues

- Mavic Pro: HD signal status widget is empty.
- Phantom 4 Pro & Mavic Pro: Resetting camera gives false-negative time-out, camera does reset.

© 2017 DJI. All Rights Reserved.

Android UI Library 4.3.2 Release Notes

Release Date

2017.10.09

Highlights

• Compatibility with Android SDK v4.3.2.

Supported Android Mobile SDK

DJI Android Mobile SDK v4.3.2: download at https://developer.dji.com/mobile-sdk/downloads/.

Android Compatibility

UI Library is compatible with Android 4.2 and above.

Products	* Spark * Matrice 210 * Matrice 210RTK * Matrice 200 * Inspire 2 * Mavic Pro * Phantom 4, Phantom 4 Pro & Phantom 4 Advanced * Matrice 600 & Matrice 600 Pro, RTK and Ronin MX * Phantom 3 Standard, Advanced, 4K & Professional * Inspire 1, Inspire 1 Pro & Inspire 1 RAW * Matrice 100 with X3, X5 & X5R * Osmo, Osmo Pro, Osmo RAW & Osmo+ * Osmo Mobile * Lightbridge 2 with A2 * Lightbridge 2 with standalone A3 or N3 * Focus * N1 Video Encoder
Cameras	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S * Spark Camera * Phantom 4 Pro Camera * Mavic Pro Camera * Phantom 4 Camera * Phantom 3 Cameras * Zenmuse XT

• Spark: 01.00.0600

• Matrice 200: 01.0.0100

• Phantom 4 Advanced: 01.00.0128

• Inspire 2: 01.01.0010

• Phantom 4 Pro: 01.04.0602

Z30: 1.0.0.43N3: 1.7.1.5

Mavic Pro: 01.03.1000Matrice 600 Pro: 1.0.1.60

• Matrice 600, RTK and Ronin MX: 1.0.1.60 Phantom 4: 02.00.0106

Zenmuse XT: 1.30.0.10Zenmuse Z3: 1.11.1.50

• Inspire 1: 1.10.1.50

• Inspire 1 Pro (X5 camera): 1.10.1.50

• Inspire 1 RAW (X5R camera): 1.10.1.50 Osmo: 1.11.2.70

• Osmo Pro (X5 camera): 1.4.0.70

• Osmo RAW (X5R camera): 1.4.0.70

• Osmo+: 1.6.1.00

• Osmo Mobile: 1.6.0.80

• Phantom 3 Professional & Advanced: 1.11.20 Phantom 3 Standard: 01.09.0200

Phantom 3 4K: 1.6.50Matrice 100: 1.3.1.0Lightbridge 2: 1.1.60

• A3: 1.7.1.5

Bug Fixes

· Improved widget scaling.

Known Issues

- Mavic: HD signal status widget is empty.
- Phantom 4 Pro & Mavic: Resetting camera gives false-negative time-out; camera does reset.
- "UNKNOWN" ISO and EV in DLog color mode: When in DLog color mode ISO and EV will read "UNKNOWN" in the camera config info status widget.
- Inspire 2 flight time remaining reads 00:00.

© 2017 DJI. All Rights Reserved.

Android UI Library 4.3 Release Notes

Release Date

2017.09.17

Highlights

- Picture-in-picture (PiP) which provides secondary FPV
- · Center exposure handling
- Preflight checklist improvements, such as being able to reorder checklist items
- Z30 support
- Ability to independently toggle on/off battery icon, voltage, and percentage

Supported Android Mobile SDK

DJI Android Mobile SDK v4.3: download at https://developer.dji.com/mobile-sdk/downloads/.

Android Compatibility

UI Libraries is compatible with Android 4.2 and above.

Products	* Spark * Matrice 210 * Matrice 210RTK * Matrice 200 * Inspire 2 * Mavic Pro * Phantom 4, Phantom 4 Pro & Phantom 4 Advanced * Matrice 600 & Matrice 600 Pro, RTK and Ronin MX * Phantom 3 Standard, Advanced, 4K & Professional * Inspire 1, Inspire 1 Pro & Inspire 1 RAW * Matrice 100 with X3, X5 & X5R * Osmo, Osmo Pro, Osmo RAW & Osmo+ * Osmo Mobile * Lightbridge 2 with A2 * Lightbridge 2 with standalone A3 or N3 * Focus * N1 Video Encoder
Cameras	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S * Spark Camera * Phantom 4 Pro Camera * Mavic Pro Camera * Phantom 4 Camera * Phantom 3 Cameras * Zenmuse XT

• Spark: 01.00.0400

• Matrice 200: 01.00.00.0000

• Phantom 4 Advanced: 01.00.0128

• Inspire 2: 1.0.0330

• Phantom 4 Pro: 01.04.0602

Z30: 1.0.0.37N3: 1.7.0.0

Mavic Pro: 01.03.0900Matrice 600 Pro: 1.0.1.20

• Matrice 600, RTK and Ronin MX: 1.0.1.20

Phantom 4: 1.2.602Zenmuse XT: 1.24.0.10Zenmuse Z3: 1.10.1.40

• Inspire 1: 1.10.1.40

• Inspire 1 Pro (X5 camera): 1.10.1.40

• Inspire 1 RAW (X5R camera): 1.10.1.40

• Osmo: 1.10.2.60

Osmo Pro (X5 camera): 1.3.0.40Osmo RAW (X5R camera): 1.3.0.40

• Osmo+: 1.5.0.90

Osmo Mobile: 1.6.0.80

• Phantom 3 Professional & Advanced: 1.10.90

• Phantom 3 Standard: 1.8.10

Phantom 3 4K: 1.5.40Matrice 100: 1.3.1.0Lightbridge 2: 1.1.60

• A3: 1.7.0.0

Bug Fixes

· Improved widget scaling.

Known Issues

- Mavic: HD signal status widget is empty.
- Phantom 4 Pro & Mavic: Resetting camera gives false-negative time-out; camera does reset.
- "UNKNOWN" ISO and EV in DLog color mode: When in DLog color mode ISO and EV will read "UNKNOWN" in the camera config info status widget.

• Inspire 2 flight time remaining reads 00:00.

© 2017 DJI. All Rights Reserved.

Android UI Library 4.2.1 Release Notes

Release Date

2017.07.04

Highlights

- Compatibility with Mobile SDK 4.2.1
- Support for DJI Spark
- Preflight checklist improvements
- Added manual focus widget, whereby use can click on FPV to focus on that spot
- · Minor bug fixes

Supported Android Mobile SDK

DJI Android Mobile SDK v4.2.1: download at https://developer.dji.com/mobile-sdk/downloads/.

Android Compatibility

UI Libraries is compatible with Android 4.2 and above.

Products	* Spark * Inspire 2 * Mavic Pro * Phantom 4 & Phantom 4 Pro * Matrice 600 & Matrice 600 Pro, RTK and Ronin MX * Phantom 3 Standard, Advanced, 4K & Professional * Inspire 1, Inspire 1 Pro & Inspire 1 RAW * Matrice 100 with X3, X5 & X5R * Lightbridge 2 with A2 * Lightbridge 2 with standalone A3 or N3 * Focus * N1 Video Encoder
Cameras	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S * Phantom 4 Pro Camera * Mavic Pro Camera * Phantom 4 Camera * Phantom 3 Cameras * Zenmuse XT

Spark: 1.00.0400Inspire 2: 1.0.0330

Phantom 4 Pro: 1.3.509

Z30: 1.0.0.20N3: 1.7.0.0

• Mavic Pro: 1.3.6

• Matrice 600 Pro: 1.0.0.80

• Matrice 600, RTK and Ronin MX: 1.0.0.80

Phantom 4: 1.2.602
Zenmuse XT: 1.24.0.10
Zenmuse Z3: 1.10.1.40
Inspire 1: 1.10.1.40

Inspire 1 Pro (X5 camera): 1.10.1.40Inspire 1 RAW (X5R camera): 1.10.1.40

• Phantom 3 Professional & Advanced: 1.10.90

• Phantom 3 Standard: 1.8.10

Phantom 3 4K: 1.5.40Matrice 100: 1.3.1.0Lightbridge 2: 1.1.50

Known Issues

- Mavic: HD signal status widget is empty.
- **Phantom 4 Pro & Mavic:** Resetting camera gives false-negative time-out; camera **does** reset.
- Camera settings on some aircraft: Color filters have literal string names, instead of descriptive names, e.g.: "Film B" instead of "Blockbuster".

© 2017 DJI. All Rights Reserved.

Android UI Library 4.1.1 Release Notes

Release Date

2017.06.06

Highlights

- Compatibility with Android Mobile SDK 4.1.1
- · Minor bug fixes

Supported Android Mobile SDK

DJI Android Mobile SDK v4.1.1: download at https://developer.dji.com/mobile-sdk/downloads/.

Android Compatibility

UI Libraries is compatible with Android 4.2 and above.

Products	* Matrice 200 * Inspire 2 * Mavic Pro * Phantom 4, Phantom 4 Pro & Phantom 4 Advanced * Matrice 600 & Matrice 600 Pro, RTK and Ronin MX * Phantom 3 Standard, Advanced, 4K & Professional * Inspire 1, Inspire 1 Pro & Inspire 1 RAW * Matrice 100 with X3, X5 & X5R * Osmo, Osmo Pro, Osmo RAW & Osmo+ * Osmo Mobile * Lightbridge 2 with A2 * Lightbridge 2 with standalone A3 or N3 * Focus * N1 Video Encoder
Cameras	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S * Phantom 4 Pro Camera * Mavic Pro Camera * Phantom 4 Camera * Phantom 3 Cameras * Zenmuse XT

• Matrice 200: upcoming

• Phantom 4 Advanced: 2.1.0.0

• Inspire 2: 1.0.0330

• Phantom 4 Pro: 1.3.0509

Z30: 1.0.0.20N3: 1.7.0.0

• Mavic Pro: 1.3.7

• Matrice 600 Pro: 1.0.1.20

• Matrice 600, RTK and Ronin MX: 1.0.1.20

Phantom 4: 1.2.602Zenmuse XT: 1.24.0.10Zenmuse Z3: 1.10.1.40

• Inspire 1: 1.10.1.40

Inspire 1 Pro (X5 camera): 1.10.1.40Inspire 1 RAW (X5R camera): 1.10.1.40

• Osmo: 1.8.2.40

• Osmo Pro (X5 camera): 1.3.0.40

Osmo RAW (X5R camera): 1.3.0.40

• Osmo+: 1.5.0.90

• Osmo Mobile: 1.5.0.70

• Phantom 3 Professional & Advanced: 1.10.90

• Phantom 3 Standard: 1.8.10

Phantom 3 4K: 1.5.40Matrice 100: 1.3.1.0Lightbridge 2: 1.1.60

• A3: 1.7.0.0

Known Issues

- UI Library is currently incompatible with the Osmo products on Android.
- Mavic: HD signal status widget is empty.
- Sometimes Preflight Checklist values are stale: Stale values are refreshed when aircraft pushes new data.
- Phantom 4 Pro & Mavic: Resetting camera gives false-negative time-out; camera does reset.
- Camera settings on some aircraft: Color filters have literal string names, instead of descriptive names, e.g.: ""Film B" instead of "Blockbuster".

© 2017 DJI. All Rights Reserved.

Android UI Library 4.0.1.1.0.0 Release Notes

Release Date

2017.04.18

Highlights

- UI widgets for aircraft state seen typically on an FPV screen (e.g. Battery icon)
- UI widgets for some automated controls (e.g. auto take-off)
- UI panels for camera settings (exposure and others)
- A preflight checklist panel
- Elements with assets and logic tied to the SDK
- Elements which are more responsive to settings changes than in the public beta

Included in this Release

- UI Library
- A sample app showing how to use the UI Library in its default implementation, and how to customize widgets
- Documentation introducing UI Libraries

Supported Android Mobile SDK

DJI Android Mobile SDK v4.0.1: download at https://developer.dji.com/mobile-sdk/downloads/.

Android Compatibility

UI Libraries is compatible with Android 4.2 and above.

Products	* Inspire 2 * Mavic Pro * Phantom 4 & Phantom 4 Pro * Matrice 600 & Matrice 600 Pro, RTK and Ronin MX * Phantom 3 Standard, Advanced, 4K & Professional * Inspire 1, Inspire 1 Pro & Inspire 1 RAW * Matrice 100 with X3, X5 & X5R * Lightbridge 2 with A2 * Lightbridge 2 with standalone A3 or N3 * Focus * N1 Video Encoder
Cameras	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S * Phantom 4 Pro Camera * Mavic Pro Camera * Phantom 4 Camera * Phantom 3 Cameras * Zenmuse XT

• Inspire 2: 1.0.0330

• Phantom 4 Pro: 1.3.509

Z30: 1.0.0.20N3: 1.7.0.0

• Mavic Pro: 1.3.6

• Matrice 600 Pro: 1.0.0.80

• Matrice 600, RTK and Ronin MX: 1.0.0.80

• Phantom 4: 1.2.602

• Zenmuse XT: 1.24.0.10

• Zenmuse Z3: 1.10.1.40

• Inspire 1: 1.10.1.40

• Inspire 1 Pro (X5 camera): 1.10.1.40

• Inspire 1 RAW (X5R camera): 1.10.1.40

• Phantom 3 Professional & Advanced: 1.10.90

• Phantom 3 Standard: 1.8.10

Phantom 3 4K: 1.5.40Matrice 100: 1.3.1.0

• Lightbridge 2: 1.1.50

• A3: 1.7.0.0

Known Issues

- UI Library is currently incompatible with the Osmo products on Android.
- Mavic: HD signal status widget is empty.
- Sometimes Preflight Checklist values are stale: Stale values are refreshed when aircraft pushes new data.
- Phantom 4 Pro & Mavic: Resetting camera gives false-negative time-out; camera does reset.
- Camera settings on some aircraft: Color filters have literal string names, instead of descriptive names, e.g.: ""Film B" instead of "Blockbuster".

© 2017 DJI. All Rights Reserved.	
----------------------------------	--