



## **Zurich University of Applied Sciences**

Department Life Sciences and Facility Management

Institute of Computational Life Sciences

TRACK MODULE 1

---

### **Project Title**

---

*Author:*

Maxine Muster

*Supervisors:*

Dr. Albert Einstein

Isaac Newton

Submitted on

June 4, 2023

Study program:

Applied Computational Life Sciences, M.Sc.

## Imprint

*Project:* Track Module 1  
*Title:* Project Title  
*Author:* Maxine Muster  
*Date:* June 4, 2023  
*Keywords:* gravity, physics, disruptive science  
*Copyright:* Zurich University of Applied Sciences

*Study program:*  
Applied Computational Life Sciences, M.Sc.  
Zurich University of Applied Sciences

*Supervisor 1:*  
Dr. Albert Einstein  
Zurich University of Applied Sciences  
Email: [e=mc2@zhaw.ch](mailto:e=mc2@zhaw.ch)  
Web: [Link](#)

*Supervisor 2:*  
Isaac Newton  
University of Cambridge  
Email: [f=am@newton.com](mailto:f=am@newton.com)  
Web: [Link](#)

# Declaration of Authorship

REMOVE THIS SECTION IF THE ORIGINAL COPY OF THE ZHAW  
DECLARATION OF ORIGINALITY IS USED IN THE APPENDIX.

I, Maxine Muster, declare that this thesis titled, "Project Title" and the work presented in it are my own. I confirm that:

- This work was done wholly or mainly while in candidature for a research degree at the Zurich University of Applied Sciences.
- Where any part of this thesis has previously been submitted for a degree or any other qualification at this university or any other institution, this has been clearly stated.
- Where I have consulted the published work of others, this is always clearly attributed.
- Where I have quoted from the work of others, the source is always given. With the exception of such quotations, this thesis is entirely my own work.
- I have acknowledged all main sources of help.
- Where the thesis is based on work done by myself jointly with others, I have made clear exactly what was done by others and what I have contributed myself.

Signed:

---

Date:

---

# Abstract

The abstract is like a miniature version of the entire manuscript. Structure it similarly: Begin with the context and motivation for the project, a brief description of the method and available data, your findings, and conclusions. Limit yourself to one page!

# Zusammenfassung

Die Zusammenfassung entspricht einer Miniaturversion des gesamten Dokuments. Gliedere sie ähnlich: Beginne mit dem Kontext und der Motivation für das Projekt, einer kurzen Beschreibung der Methode und der verfügbaren Daten, Ihren Ergebnissen und den Schlussfolgerungen. Beschränke dich auf eine Seite!

# Acknowledgements

The acknowledgements belong here. Do not forget to mention your project supervisors, without flattering them too much.

# Contents

<b>Declaration of Authorship</b>	<b>iii</b>
<b>Abstract</b>	<b>iv</b>
<b>Zusammenfassung</b>	<b>v</b>
<b>Acknowledgements</b>	<b>vi</b>
<b>List of Abbreviations</b>	<b>ix</b>
<b>1 Introduction to L<sup>A</sup>T<sub>E</sub>X</b>	<b>1</b>
1.1 Welcome and Thank You . . . . .	1
1.2 Learning L <sup>A</sup> T <sub>E</sub> X . . . . .	1
1.2.1 A (not so short) Introduction to L <sup>A</sup> T <sub>E</sub> X . . . . .	1
1.2.2 A Short Math Guide for L <sup>A</sup> T <sub>E</sub> X . . . . .	2
1.2.3 Common L <sup>A</sup> T <sub>E</sub> X Math Symbols . . . . .	2
1.2.4 L <sup>A</sup> T <sub>E</sub> X on a Mac . . . . .	2
1.3 Getting Started with this Template . . . . .	2
1.3.1 About this Template . . . . .	3
1.4 What this Template Includes . . . . .	3
1.4.1 Folders . . . . .	3
1.4.2 Files . . . . .	4
1.5 Filling in Your Information in the <b>main.tex</b> File . . . . .	5
1.6 The <b>main.tex</b> File Explained . . . . .	5
1.7 Thesis Features and Conventions . . . . .	6
1.7.1 Printing Format . . . . .	6
1.7.2 Using US Letter Paper . . . . .	7
1.7.3 References . . . . .	7
A Note on bibtex . . . . .	8
1.7.4 Tables . . . . .	8
1.7.5 Figures . . . . .	9
1.7.6 Typesetting mathematics . . . . .	10
1.8 Sectioning and Subsectioning . . . . .	10
1.9 In Closing . . . . .	11
<b>2 Code Listings</b>	<b>12</b>
<b>A Frequently Asked Questions</b>	<b>14</b>
A.1 How do I change the colors of links? . . . . .	14
A.2 How can I add a Figure in the Appendix? . . . . .	14
<b>B Declaration of Originality</b>	<b>15</b>





# List of Abbreviations

**LAH** List Abbreviations **Here**  
**WSF** What (it) **Stands For**

*For/Dedicated to/To my...*

## Chapter 1

# Introduction to L<sup>A</sup>T<sub>E</sub>X

### 1.1 Welcome and Thank You

Welcome to this L<sup>A</sup>T<sub>E</sub>X Thesis Template, a beautiful and easy to use template for writing a thesis using the L<sup>A</sup>T<sub>E</sub>X typesetting system.

If you are writing a thesis (or will be in the future) and its subject is technical or mathematical (though it doesn't have to be), then creating it in L<sup>A</sup>T<sub>E</sub>X is highly recommended as a way to make sure you can just get down to the essential writing without having to worry over formatting or wasting time arguing with your word processor.

L<sup>A</sup>T<sub>E</sub>X is easily able to professionally typeset documents that run to hundreds or thousands of pages long. With simple mark-up commands, it automatically sets out the table of contents, margins, page headers and footers and keeps the formatting consistent and beautiful. One of its main strengths is the way it can easily typeset mathematics, even *heavy* mathematics. Even if those equations are the most horribly twisted and most difficult mathematical problems that can only be solved on a super-computer, you can at least count on L<sup>A</sup>T<sub>E</sub>X to make them look stunning.

### 1.2 Learning L<sup>A</sup>T<sub>E</sub>X

L<sup>A</sup>T<sub>E</sub>X is not a WYSIWYG (What You See is What You Get) program, unlike word processors such as Microsoft Word or Apple's Pages. Instead, a document written for L<sup>A</sup>T<sub>E</sub>X is actually a simple, plain text file that contains *no formatting*. You tell L<sup>A</sup>T<sub>E</sub>X how you want the formatting in the finished document by writing in simple commands amongst the text, for example, if I want to use *italic text for emphasis*, I write the `\emph{text}` command and put the text I want in italics in between the curly braces. This means that L<sup>A</sup>T<sub>E</sub>X is a "mark-up" language, very much like HTML.

#### 1.2.1 A (not so short) Introduction to L<sup>A</sup>T<sub>E</sub>X

If you are new to L<sup>A</sup>T<sub>E</sub>X, there is a very good eBook – freely available online as a PDF file – called, "The Not So Short Introduction to L<sup>A</sup>T<sub>E</sub>X". The book's title is typically shortened to just *lshort*. You can download the latest version (as it is occasionally updated) from here: <http://www.ctan.org/tex-archive/info/lshort/english/lshort.pdf>

It is also available in several other languages. Find yours from the list on this page: <http://www.ctan.org/tex-archive/info/lshort/>

It is recommended to take a little time out to learn how to use L<sup>A</sup>T<sub>E</sub>X by creating several, small ‘test’ documents, or having a close look at several templates on:

<http://www.LaTeXTemplates.com>

Making the effort now means you’re not stuck learning the system when what you *really* need to be doing is writing your thesis.

### 1.2.2 A Short Math Guide for L<sup>A</sup>T<sub>E</sub>X

If you are writing a technical or mathematical thesis, then you may want to read the document by the AMS (American Mathematical Society) called, “A Short Math Guide for L<sup>A</sup>T<sub>E</sub>X”. It can be found online:

<http://www.ams.org/tex/amslatex.html> → “Additional Documentation”  
<https://mirror.foobar.to/CTAN/info/short-math-guide/>

### 1.2.3 Common L<sup>A</sup>T<sub>E</sub>X Math Symbols

There are a multitude of mathematical symbols available for L<sup>A</sup>T<sub>E</sub>X and it would take a great effort to learn the commands for them all. The most common ones you are likely to use are shown on this page: <http://www.sunilpatel.co.uk/latex-type/latex-math-symbols/>

You can use this page as a reference or crib sheet, the symbols are rendered as large, high quality images so you can quickly find the L<sup>A</sup>T<sub>E</sub>X command for the symbol you need.

### 1.2.4 L<sup>A</sup>T<sub>E</sub>X on a Mac

The L<sup>A</sup>T<sub>E</sub>X distribution is available for many systems including Windows, Linux and Mac OS X. The package for OS X is called MacTeX and it contains all the applications you need – bundled together and pre-customized – for a fully working L<sup>A</sup>T<sub>E</sub>X environment and work flow.

MacTeX includes a custom dedicated L<sup>A</sup>T<sub>E</sub>X editor called TeXShop for writing your ‘.tex’ files and BibDesk: a program to manage your references and create your bibliography section just as easily as managing songs and creating playlists in iTunes.

## 1.3 Getting Started with this Template

If you are familiar with L<sup>A</sup>T<sub>E</sub>X, then you should explore the directory structure of the template and then proceed to place your own information into the *THESIS INFORMATION* block of the **main.tex** file. You can then modify the rest of this file to your unique specifications based on your degree/university. Section 1.5 on page 5 will help you do this. Make sure you also read section 1.7 about thesis conventions to get the most out of this template.

If you are new to L<sup>A</sup>T<sub>E</sub>X it is recommended that you carry on reading through the rest of the information in this document.

Before you begin using this template you should ensure that its style complies with the thesis style guidelines imposed by your institution. In most cases this template style and layout will be suitable. If it is not, it may only require a small change to bring the template in line with your institution's recommendations. These modifications will need to be done on the **MastersDoctoralThesis.cls** file.

### 1.3.1 About this Template

This L<sup>A</sup>T<sub>E</sub>X Thesis Template is originally based and created around a L<sup>A</sup>T<sub>E</sub>X style file created by Steve R. Gunn from the University of Southampton (UK), department of Electronics and Computer Science. You can find his original thesis style file at his site, here: <http://www.ecs.soton.ac.uk/~srg/softwaretools/document/templates/>

Steve's **ecsthesis.cls** was then taken by Sunil Patel who modified it by creating a skeleton framework and folder structure to place the thesis files in. The resulting template can be found on Sunil's site here: <http://www.sunilpatel.co.uk/thesis-template>

Sunil's template was made available through <http://www.LaTeXTemplates.com>, where it was modified many times based on user requests and questions. Version 2.0 and onwards of this template represents a major modification to Sunil's template and is, in fact, hardly recognisable. The work to make version 2.0 possible was carried out by Vel and Johannes Böttcher.

Based on Sunil's Version 2.0, Matteo updated the template and incorporated ZHAW University thesis guidelines.

## 1.4 What this Template Includes

### 1.4.1 Folders

This template comes as a single zip file that expands out to several files and folders. The folder names are mostly self-explanatory:

**Appendices** – this is the folder where you put the appendices. Each appendix should go into its own separate **.tex** file. An example and template are included in the directory.

**Chapters** – this is the folder where you put the thesis chapters. A thesis usually has about six chapters, though there is no hard rule on this. Each chapter should go in its own separate **.tex** file and they can be split as:

- Chapter 1: Introduction to the thesis topic
- Chapter 2: Background information and theory
- Chapter 3: (Laboratory) experimental setup
- Chapter 4: Details of experiment 1
- Chapter 5: Details of experiment 2

- Chapter 6: Discussion of the experimental results
- Chapter 7: Conclusion and future directions

This chapter layout is specialised for the experimental sciences, your discipline may be different.

**Figures** – this folder contains all figures for the thesis. These are the final images that will go into the thesis document.

### 1.4.2 Files

Included are also several files, most of them are plain text and you can see their contents in a text editor. After initial compilation, you will see that more auxiliary files are created by L<sup>A</sup>T<sub>E</sub>X or BibTeX and which you don't need to delete or worry about:

**example.bib** – this is an important file that contains all the bibliographic information and references that you will be citing in the thesis for use with BibTeX. You can write it manually, but there are reference manager programs available that will create and manage it for you. Bibliographies in L<sup>A</sup>T<sub>E</sub>X are a large subject and you may need to read about BibTeX before starting with this. Many modern reference managers will allow you to export your references in BibTeX format which greatly eases the amount of work you have to do.

**MastersDoctoralThesis.cls** – this is an important file. It is the class file that tells L<sup>A</sup>T<sub>E</sub>X how to format the thesis.

**main.pdf** – this is your beautifully typeset thesis (in the PDF file format) created by L<sup>A</sup>T<sub>E</sub>X. It is supplied in the PDF with the template and after you compile the template you should get an identical version.

**main.tex** – this is an important file. This is the file that you tell L<sup>A</sup>T<sub>E</sub>X to compile to produce your thesis as a PDF file. It contains the framework and constructs that tell L<sup>A</sup>T<sub>E</sub>X how to layout the thesis. It is heavily commented so you can read exactly what each line of code does and why it is there. After you put your own information into the *THESIS INFORMATION* block – you have now started your thesis!

Files that are *not* included, but are created by L<sup>A</sup>T<sub>E</sub>X as auxiliary files include:

**main.aux** – this is an auxiliary file generated by L<sup>A</sup>T<sub>E</sub>X, if it is deleted L<sup>A</sup>T<sub>E</sub>X simply regenerates it when you run the main **.tex** file.

**main.bbl** – this is an auxiliary file generated by BibTeX, if it is deleted, BibTeX simply regenerates it when you run the **main.aux** file. Whereas the **.bib** file contains all the references you have, this **.bbl** file contains the references you have actually cited in the thesis and is used to build the bibliography section of the thesis.

**main.blg** – this is an auxiliary file generated by BibTeX, if it is deleted BibTeX simply regenerates it when you run the main **.aux** file.

**main.lof** – this is an auxiliary file generated by L<sup>A</sup>T<sub>E</sub>X, if it is deleted L<sup>A</sup>T<sub>E</sub>X simply regenerates it when you run the main **.tex** file. It tells L<sup>A</sup>T<sub>E</sub>X how to build the *List of*

*Figures* section.

**main.log** – this is an auxiliary file generated by L<sup>A</sup>T<sub>E</sub>X, if it is deleted L<sup>A</sup>T<sub>E</sub>X simply regenerates it when you run the main **.tex** file. It contains messages from L<sup>A</sup>T<sub>E</sub>X, if you receive errors and warnings from L<sup>A</sup>T<sub>E</sub>X, they will be in this **.log** file.

**main.lot** – this is an auxiliary file generated by L<sup>A</sup>T<sub>E</sub>X, if it is deleted L<sup>A</sup>T<sub>E</sub>X simply regenerates it when you run the main **.tex** file. It tells L<sup>A</sup>T<sub>E</sub>X how to build the *List of Tables* section.

**main.out** – this is an auxiliary file generated by L<sup>A</sup>T<sub>E</sub>X, if it is deleted L<sup>A</sup>T<sub>E</sub>X simply regenerates it when you run the main **.tex** file.

So from this long list, only the files with the **.bib**, **.cls** and **.tex** extensions are the most important ones. The other auxiliary files can be ignored or deleted as L<sup>A</sup>T<sub>E</sub>X and BibTeX will regenerate them.

## 1.5 Filling in Your Information in the **main.tex** File

You will need to personalise the thesis template and make it your own by filling in your own information. This is done by editing the **main.tex** file in a text editor or your favourite LaTeX environment.

Open the file and scroll down to the third large block titled *THESIS INFORMATION* where you can see the entries for *University Name*, *Department Name*, etc ...

Fill out the information about yourself, your group and institution. You can also insert web links, if you do, make sure you use the full URL, including the `http://` for this. If you don't want these to be linked, simply remove the `\href{url}{name}` and only leave the name.

When you have done this, save the file and recompile **main.tex**. All the information you filled in should now be in the PDF, complete with web links. You can now begin your thesis proper!

## 1.6 The **main.tex** File Explained

The **main.tex** file contains the structure of the thesis. There are plenty of written comments that explain what pages, sections and formatting the L<sup>A</sup>T<sub>E</sub>X code is creating. Each major document element is divided into commented blocks with titles in all capitals to make it obvious what the following bit of code is doing. Initially there seems to be a lot of L<sup>A</sup>T<sub>E</sub>X code, but this is all formatting, and it has all been taken care of so you don't have to do it.

Begin by checking that your information on the title page is correct. For the thesis declaration, your institution may insist on something different than the text given. If this is the case, just replace what you see with what is required in the *DECLARATION PAGE* block.

Then comes a page which contains a funny quote. You can put your own, or quote your favourite scientist, author, person, and so on. Make sure to put the name of the person who you took the quote from.

Following this is the abstract page which summarises your work in a condensed way and can almost be used as a standalone document to describe what you have done. The text you write will cause the heading to move up so don't worry about running out of space.

Next come the acknowledgements. On this page, write about all the people who you wish to thank (not forgetting parents, partners and your advisor/supervisor).

The contents pages, list of figures and tables are all taken care of for you and do not need to be manually created or edited. The next set of pages are more likely to be optional and can be deleted since they are for a more technical thesis: insert a list of abbreviations you have used in the thesis, then a list of the physical constants and numbers you refer to and finally, a list of mathematical symbols used in any formulae. Making the effort to fill these tables means the reader has a one-stop place to refer to instead of searching the internet and references to try and find out what you meant by certain abbreviations or symbols.

The list of symbols is split into the Roman and Greek alphabets. Whereas the abbreviations and symbols ought to be listed in alphabetical order (and this is *not* done automatically for you) the list of physical constants should be grouped into similar themes.

The next page contains a one line dedication. Who will you dedicate your thesis to?

Finally, there is the block where the chapters are included. Uncomment the lines (delete the % character) as you write the chapters. Each chapter should be written in its own file and put into the *Chapters* folder and named **Chapter1**, **Chapter2**, etc... Similarly for the appendices, uncomment the lines as you need them. Each appendix should go into its own file and placed in the *Appendices* folder.

After the preamble, chapters and appendices finally comes the bibliography. The bibliography style (called *authoryear*) is used for the bibliography and is a fully featured style that will even include links to where the referenced paper can be found online. Do not underestimate how grateful your reader will be to find that a reference to a paper is just a click away. Of course, this relies on you putting the URL information into the BibTeX file in the first place.

## 1.7 Thesis Features and Conventions

To get the best out of this template, there are a few conventions that you may want to follow.

One of the most important (and most difficult) things to keep track of in such a long document as a thesis is consistency. Using certain conventions and ways of doing things (such as using a Todo list) makes the job easier. Of course, all of these are optional and you can adopt your own method.

### 1.7.1 Printing Format

This thesis template is designed for double sided printing (i.e. content on the front and back of pages) as most theses are printed and bound this way. To switch to one sided printing, uncomment the *oneside* option of the `documentclass` command



at the top of the **main.tex** file. You may then wish to adjust the margins to suit specifications from your institution.

The headers for the pages contain the page number on the outer side (so it is easy to flick through to the page you want) and the chapter name on the inner side.

The text is set to 11 point by default with single line spacing, again, you can tune the text size and spacing should you want or need to using the options at the very start of **main.tex**. The spacing can be changed similarly by replacing the *singlespacing* with *onehalfspacing* or *doublespacing*.

### 1.7.2 Using US Letter Paper

The paper size used in the template is A4, which is the standard size in Europe. If you are using this thesis template elsewhere and particularly in the United States, then you may have to change the A4 paper size to the US Letter size. This can be done in the margins settings section in **main.tex**.

Due to the differences in the paper size, the resulting margins may be different to what you like or require (as it is common for institutions to dictate certain margin sizes). If this is the case, then the margin sizes can be tweaked by modifying the values in the same block as where you set the paper size. Now your document should be set up for US Letter paper size with suitable margins.

### 1.7.3 References

The **biblatex** package is used to format the bibliography and inserts references such as this one [1]. The inline citation style can be changed to e.g. authoryear in the **main.tex** file. [This documentation](#) lists and explains different standard citation styles. The options used in the **main.tex** file mean that the in-text citations of references are formatted with the author(s) listed with the date of the publication. Multiple references are separated by semicolons (e.g. [1, 2]) and references with more than three authors only show the first author with *et al.* indicating there are more authors (e.g. [3]). This is done automatically for you. To see how you use references, have a look at the **Chapter1.tex** source file. Many reference managers allow you to simply drag the reference into the document as you type.

Scientific references should come *before* the punctuation mark if there is one (such as a comma or period). The same goes for footnotes<sup>1</sup>. You can change this but the most important thing is to keep the convention consistent throughout the thesis. Footnotes themselves should be full, descriptive sentences (beginning with a capital letter and ending with a full stop). The APA6 states: "Footnote numbers should be superscripted, [...], following any punctuation mark except a dash." The Chicago manual of style states: "A note number should be placed at the end of a sentence or clause. The number follows any punctuation mark except the dash, which it precedes. It follows a closing parenthesis."

The bibliography is typeset with references listed in alphabetical order by the first author's last name. This is similar to the APA referencing style. To see how  $\text{\LaTeX}$  typesets the bibliography, have a look at the very end of this document (or just click on the reference number links in in-text citations).

---

<sup>1</sup>Such as this footnote, here down at the bottom of the page.

TABLE 1.1: The effects of treatments X and Y on the four groups studied.

Groups	Treatment X	Treatment Y
1	0.2	0.8
2	0.17	0.7
3	0.24	0.75
4	0.68	0.3

### A Note on bibtex

The bibtex backend used in the template by default does not correctly handle unicode character encoding (i.e. "international" characters). You may see a warning about this in the compilation log and, if your references contain unicode characters, they may not show up correctly or at all. The solution to this is to use the biber backend instead of the outdated bibtex backend. This is done by finding this in **main.tex**: *backend=bibtex* and changing it to *backend=biber*. You will then need to delete all auxiliary BibTeX files and navigate to the template directory in your terminal (command prompt). Once there, simply type `biber main` and biber will compile your bibliography. You can then compile **main.tex** as normal and your bibliography will be updated. An alternative is to set up your LaTeX editor to compile with biber instead of bibtex, see [here](#) for how to do this for various editors.

### 1.7.4 Tables

Tables are an important way of displaying your results, below is an example table which was generated with this code:

```
\begin{table}
\caption{The effects of treatments X and Y
on the four groups studied.}
\label{tab:treatments}
\centering
\begin{tabular}{l l l}
\toprule
\thead{Groups} & \thead{Treatment X} & \thead{Treatment Y} \\
\midrule
1 & 0.2 & 0.8 \\
2 & 0.17 & 0.7 \\
3 & 0.24 & 0.75 \\
4 & 0.68 & 0.3 \\
\bottomrule
\end{tabular}
\end{table}
```

You can reference tables with `\ref{<label>}` where the label is defined within the table environment. See **Chapter1.tex** for an example of the label and citation (e.g. Table 1.1).

### 1.7.5 Figures

There will hopefully be many figures in your thesis (that should be placed in the *Figures* folder). The way to insert figures into your thesis is to use a code template like this:

```
\begin{figure}  
\centering  
\includegraphics{Figures/Electron}  
\decoRule  
\caption[An Electron]{An electron (artist's impression).}  
\label{fig:Electron}  
\end{figure}
```

Also look in the source file. Putting this code into the source file produces the picture of the electron that you can see in the figure below.



---

FIGURE 1.1: An electron (artist's impression).

Sometimes figures don't always appear where you write them in the source. The placement depends on how much space there is on the page for the figure. Sometimes there is not enough room to fit a figure directly where it should go (in relation to the text) and so  $\LaTeX$  puts it at the top of the next page. Positioning figures is the job of  $\LaTeX$  and so you should only worry about making them look good!

Figures usually should have captions just in case you need to refer to them (such as in Figure 1.1). The `\caption` command contains two parts, the first part, inside the square brackets is the title that will appear in the *List of Figures*, and so should be short. The second part in the curly brackets should contain the longer and more descriptive caption text.

The `\decoRule` command is optional and simply puts an aesthetic horizontal line below the image. If you do this for one image, do it for all of them.

L<sup>A</sup>T<sub>E</sub>X is capable of using images in pdf, jpg and png format.

### 1.7.6 Typesetting mathematics

If your thesis is going to contain heavy mathematical content, be sure that L<sup>A</sup>T<sub>E</sub>X will make it look beautiful, even though it won't be able to solve the equations for you.

The “Not So Short Introduction to L<sup>A</sup>T<sub>E</sub>X” (available on [CTAN](http://www.ctan.org)) should tell you everything you need to know for most cases of typesetting mathematics. If you need more information, a much more thorough mathematical guide is available from the AMS called, “A Short Math Guide to L<sup>A</sup>T<sub>E</sub>X” and can be downloaded from: [ftp://ftp.ams.org/pub/tex/doc/amsmath/short-math-guide.pdf](http://ftp.ams.org/pub/tex/doc/amsmath/short-math-guide.pdf)

There are many different L<sup>A</sup>T<sub>E</sub>X symbols to remember, luckily you can find the most common symbols in [The Comprehensive L<sup>A</sup>T<sub>E</sub>X Symbol List](#).

You can write an equation, which is automatically given an equation number by L<sup>A</sup>T<sub>E</sub>X like this:

```
\begin{equation}
E = mc^2
\label{eqn:Einstein}
\end{equation}
```

This will produce Einstein's famous energy-matter equivalence equation:

$$E = mc^2 \tag{1.1}$$

All equations you write (which are not in the middle of paragraph text) are automatically given equation numbers by L<sup>A</sup>T<sub>E</sub>X. If you don't want a particular equation numbered, use the unnumbered form:

```
\[ a^2=4 \]
```

## 1.8 Sectioning and Subsectioning

You should break your thesis up into nice, bite-sized sections and subsections. L<sup>A</sup>T<sub>E</sub>X automatically builds a table of contents by looking at all `\chapter{}`, `\section{}` and `\subsection{}` commands you write in the source.

The Table of Contents should only list the sections to three (3) levels. A `\chapter{}` is level zero (0). A `\section{}` is level one (1) and so a `\subsection{}` is level two (2). In your thesis it is likely that you will even use a `\subsubsection{}`, which is level three (3). The depth to which the Table of Contents is formatted is set within **MastersDoctoralThesis.cls**. If you need this changed, you can do it in **main.tex**.

## 1.9 In Closing

You have reached the end of this mini-guide. You can now rename or overwrite this pdf file and begin writing your own **Chapter1.tex** and the rest of your thesis. The easy work of setting up the structure and framework has been taken care of for you. It's now your job to fill it out!

Good luck and have lots of fun!

Guide written by —  
Sunil Patel: [www.sunilpatel.co.uk](http://www.sunilpatel.co.uk)  
Vel: [LaTeXTemplates.com](http://LaTeXTemplates.com)

## Chapter 2

# Code Listings

The package `listings` permits to easily include existing code. Simply use the command `\lstinputlisting[language=name]{path/to/file}`. See [here](#) for a list of supported programming languages.

LISTING 2.1: External file: code/example.py

```

1 import numpy as np
2
3 def compute_pi(n):
4     """
5     Compute pi using Leibniz' formula:
6     1 - 1/3 + 1/5 - 1/7 + 1/9 - ... = pi/4
7     """
8     k = 1 # Denominator
9     s = 0 # Sum
10
11     for i in range(n):
12         if i % 2 == 0:
13             s += 4/k
14         else:
15             # odd index elements are negative
16             s -= 4/k
17         k += 2
18
19     return s
20
21 def main():
22     n = 1000
23     pi = compute_pi(n)
24     pi_ref = np.pi
25     print("Pi (computed):    %f (n=%d)" % (pi,n))
26     print("Pi (reference):   %f" % pi_ref)
27     print("Difference:       %f" % (pi_ref-pi))
28
29
30 main()

```

It is also possible to enter code directly into L<sup>A</sup>T<sub>E</sub>X:

```

1 #include <stdio>
2 void hello_world(void){
3     std::cout << "Hello World!" << std::endl;
4 }

```

Alternatively, one can use the syntax highlighting toolbox `Pygments` in combination with the  $\text{\LaTeX}$ -package `minted`. It provides slightly better results, as the code will actually be parsed.

To install `Pygments`, use the following command. For `minted` to work properly, run the `pdflatex` tool with the flag `-shell-escape`. If you are using a  $\text{\TeX}$  editor, you can modify the typesetting command somewhere in the settings.

```
1 # Make sure that Pygments is installed.
2 python -m pip install pygments
3
4 # Then add the --shell-escape flag to the command
5 # that is used to compile your LaTeX code.
6 pdflatex --output-dir="$BUILD_DIR" \
7           --file-line-error \
8           --shell-escape \
9           --synctex=1 "$1"
```

## Appendix A

# Frequently Asked Questions

### A.1 How do I change the colors of links?

The color of links can be changed to your liking using:

```
\hypersetup{urlcolor=red}, or
```

```
\hypersetup{citecolor=green}, or
```

```
\hypersetup{allcolor=blue}.
```

If you want to completely hide the links, you can use:

```
\hypersetup{allcolors=.}, or even better:
```

```
\hypersetup{hidelinks}.
```

If you want to have obvious links in the PDF but not the printed text, use:

```
\hypersetup{colorlinks=false}
```

### A.2 How can I add a Figure in the Appendix?

You can refer to a figure in the Appendix (like [A.1](#)) and it will show up as expected.



FIGURE A.1: Bart Simpson. (2023, May 17). In Wikipedia. [https://en.wikipedia.org/wiki/Bart\\_Simpson](https://en.wikipedia.org/wiki/Bart_Simpson)



## DECLARATION OF ORIGINALITY

### Master's Thesis for the School of Life Sciences and Facility Management

By submitting this Master's thesis, the student attests of the fact that all the work included in the assignment is their own and was written without the help of a third party.

The student declares that all sources in the text (including Internet pages) and appendices have been correctly disclosed. This means that there has been no plagiarism, i.e. no sections have been partially or wholly taken from other texts and represented as the student's own work or included without being correctly referenced.

Any misconduct will be dealt with according to paragraphs 39 and 40 of the General Academic Regulations for Bachelor's and Master's Degree Courses at the Zurich University of Applied Sciences (dated 29 Januar 2008) and subject to the provisions for disciplinary action stipulated in the University regulations (Rahmenprüfungsordnung ZHAW (RPO)).

Town/City, Date:

Signature:

.....

.....

The original signed and dated document (no copies) must be included in the appendix of the ZHAW version of all Master's theses submitted.

# Bibliography

- [1] C. J. Hawthorn, K. P. Weber, and R. E. Scholten. "Littrow Configuration Tunable External Cavity Diode Laser with Fixed Direction Output Beam". In: *Review of Scientific Instruments* 72.12 (Dec. 2001), pp. 4477–4479. URL: <http://link.aip.org/link/?RSI/72/4477/1>.
- [2] Carl E. Wieman and Leo Hollberg. "Using Diode Lasers for Atomic Physics". In: *Review of Scientific Instruments* 62.1 (Jan. 1991), pp. 1–20. URL: <http://link.aip.org/link/?RSI/62/1/1>.
- [3] A. S. Arnold et al. "A Simple Extended-Cavity Diode Laser". In: *Review of Scientific Instruments* 69.3 (Mar. 1998), pp. 1236–1239. URL: <http://link.aip.org/link/?RSI/69/1236/1>.