



Deresegn POS

Application Binary Submission

Binary Packaging Instructions

Document Version: 1.0

Application Version: 1.0.3+4

Date: August 5, 2026

Classification: Confidential

Prepared by: Micro Sun & Solution PLC

Email: amanuielt@mssethiopia.com

Phone: +251 911 058 179



Deresegn POS - Application Binary Submission Instructions

1. Binary Details

Property	Value
Application Name	Deresegn POS
Package Identifier	com.example.deresegn
Version	1.0.3+4
Framework	Flutter (Dart SDK ^3.12.2)
Target Platforms	Android (APK), iOS (IPA)
Build Type	Release

2. Building the Binary

2.1 Android APK

To generate the release APK, run the following command from the project root:

```
flutter build apk --release
```

The output APK will be located at:

```
build/app/outputs/flutter-apk/app-release.apk
```

2.2 iOS IPA

To generate the iOS build (requires macOS with Xcode):

```
flutter build ios --release
```

Then archive and export via Xcode to produce the IPA file.

3. Submission Package Structure

```
Mobile_App_Binary.zip
+-- app-release.apk      (Android release binary)
+-- BINARY_README.md    (This document)
+-- test_credentials.txt  (Test account credentials - if applicable)
```

Or for iOS:

```
Mobile_App_Binary.zip
+-- app.ipa              (iOS release binary)
```



```

+-- BINARY_README.md      (This document)
+-- test_credentials.txt   (Test account credentials - if applicable)
  
```

4. Test Configuration

4.1 Backend API

- API Base URL: `https://api.deresegn.com`
- Protocol: HTTPS (TLS 1.2+)
- The app is pre-configured to communicate with the production API endpoint.

4.2 Test Accounts

Test credentials must be provisioned separately by the application administrator. The assessment team will need:

- Company Owner Account:
 - Phone number
 - Password
 - Company ID
- Branch Account:
 - TIN number
 - Password
- MoR Credentials (auto-loaded from branch):
 - Client ID
 - Client Secret
 - API Key
 - Private key file (`.key`)
 - Certificate file (`.pem`)

Note: Contact the application administrator to provision test accounts. Do not use production accounts for security testing.

5. Version Correspondence

Component	Version
Mobile Application	1.0.3+4
Backend API	Laravel 8 (production)
SRS Document	1.0
SDD Document	1.0
TDD Document	1.0
User Guide	1.0

The submitted binary corresponds directly to the application version documented in all accompanying submission documents.



6. Security Attestation

The submitted binary:

- [x] Does NOT contain hardcoded production credentials in the final build
- [x] Development fallback values exist in `ConfigPreference` for MoR credentials but are overridden by values provisioned during branch setup
- [x] Does NOT contain private keys
- [x] Does NOT embed secrets in the APK/IPA bundle
- [] The following development defaults are present as fallbacks (documented in TDD Section 3.3):
 - Default Client ID: `127ae9ad-8de2-4856-ba88-4e6a49ad10d0`
 - Default Client Secret: `d3ddb848-9daa-44ab-8d96-374fcc8c9e6b`
 - Default API Key: `dc481579-a6e7-4594-abcf-5493e261685e`
 - Default TIN: `0000037187`

7. Minimum Device Requirements

Android

- OS: Android 5.0 (API 21) or higher
- RAM: 2 GB minimum
- Storage: 100 MB free space
- Permissions: Internet access, file system access (for PDF export)

iOS

- OS: iOS 12.0 or higher
- RAM: 2 GB minimum
- Storage: 100 MB free space