

# INF273 – ASSIGNMENT 3

---

Lukas Schramm

22nd February 2022

## 1 Functions

Currently, I am maintaining the following [helper](#) functions [in my Utils file](#).<sup>1</sup>

- `load_problem`: Given a path to a file, it reads the content of the file into a dictionary of information.
- `feasibility_check`: It takes a solution (list) and a problem dictionary and checks if the solution is feasible. If it is not feasible, it outputs the reason why. It does not check validity. This one got changed after Ahmed found a major mistake in it. I hope it now works correctly
- `cost_function`: It takes a solution (list) and a problem dictionary and calculates the cost of the function. As `feasibility_check` it does not check if the original solution was valid.
- `splitting_a_list_at_zeros`: Helper function which splits a solution into vehicles and if needed a dummy vehicle.
- `initial_solution`: Generates an initial default solution to start with. This is always a solution where the dummy vehicle handles all calls.
- `random_solution`: Generates a random solution. The generator itself is quite bad in my view because I overtuned it a bit. It automatically gives one vehicle exactly one call and the rest goes to the dummy vehicle. That way I got solutions for file 3 and 4 but the solutions for all files are quite bad.<sup>2</sup>
- `blind_random_search`: Takes a problem and a number of iterations to find the best out of  $n$  random feasible solutions if any is found.
- `blind_search_latex_generator`: This function runs the `blind_random_search` and writes the data into  $\text{\LaTeX}$  tables since I am obviously too lazy to do it myself.
- `latex_add_line`: Adds a new result line into an results table of this file.
- `latex_replace_line`: Change the optimal solution and its seed in that file.

If there are any questions or nice recommendations to get a better structure, just send me a message.

---

<sup>1</sup>The green ones are changes or additions from the last assignment

<sup>2</sup>But since we do not need that random solution generator any longer I keep it like that.

Moreover, there is a new file for Heuristics where I collect all of the important algorithms and their helper functions.

- `alter_solution_1insert`: A function which takes a current solution and outputs a next solution by using the 1-insert-operation. The output is not necessary feasible, but of course valid
- `alter_solution_2exchange`: A function which takes a current solution and outputs a next solution by using the 2-exchange-operation. The output is not necessary feasible, but of course valid
- `alter_solution_3exchange`: A function which takes a current solution and outputs a next solution by using the 3-exchange-operation. The output is not necessary feasible, but of course valid
- `local_search`: This function takes a problem, an initial solution, a number of iterations (10.000) and the allowed neighbouring function and performs a local search
- `simulated_annealing`: This function takes a problem, an initial solution, a number of iterations (10.000) and the allowed neighbouring function and performs a simulated annealing
- `local_search_sim_annealing_latex`: This function takes as input the allowed neighbouring function(s), the heuristics method, the problem and the number of iterations and performs the heuristics on randomly chosen seeds. It then calculates the average time and objective and runs the  $\text{\LaTeX}$  functions to change the tables of this PDF

## 2 Result tables

Table 1: Call\_7\_Vehicle\_3

Method	Average objective	Best objective	Improvement (%)	Running time
Random search	2289893.35	2120884	34.59%	0.62s
Local Search-1-insert	1416012.10	1134176	65.02%	0.96s
Local Search-2-exchange	1243141.90	1134176	65.02%	0.99s
Local Search-3-exchange	1238358.70	1134176	65.02%	0.88s
Simulated Annealing-1-insert	1301446.80	1134176	65.02%	1.16s
Simulated Annealing-2-exchange	1314847.60	1134176	65.02%	0.79s
Simulated Annealing-3-exchange	1240012.20	1134176	65.02%	0.74s

Listing 1: Optimal solution call\_7\_vehicle\_3

---

```
1 sol = [4, 4, 7, 7, 0, 2, 2, 0, 1, 5, 5, 3, 3, 1, 0, 6, 6]
2 seeds = [514451821, 307419318, 623032474, 625312418, 249696821,
          199931173, 413312881, 459875172, 763585513, 598106986]
```

---

Table 2: Call\_18\_Vehicle\_5

Method	Average objective	Best objective	Improvement (%)	Running time
Random search	7195792.08	6215552	29.80%	0.80s
Local Search-1-insert	2985468.70	2535568	71.70%	1.33s
Local Search-2-exchange	3114722.90	2512517	71.96%	1.17s
Local Search-3-exchange	3380136.20	2878735	67.87%	1.11s
Simulated Annealing-1-insert	3064756.80	2668336	70.22%	1.63s
Simulated Annealing-2-exchange	2911592.60	2525599	71.81%	1.34s
Simulated Annealing-3-exchange	3124333.50	2835545	68.35%	1.08s

Listing 2: Optimal solution call\_18\_vehicle\_5

---

```

1 sol = [4, 4, 15, 15, 11, 12, 11, 12, 0, 6, 6, 5, 5, 17, 17, 16, 16, 0,
        8, 18, 18, 8, 13, 13, 0, 7, 7, 3, 3, 10, 1, 10, 1, 0, 9, 9, 14, 14,
        0, 2, 2]
2 seeds = [40901331, 603936023, 588137156, 555485778, 240378915, 86409256,
          784030817, 646486771, 321892221, 856537296]

```

---

Table 3: Call\_35\_Vehicle\_7

Method	Average objective	Best objective	Improvement (%)	Running time
Random search	15924073.22	14436028	20.19%	1.09s
Local Search-1-insert	7495649.90	7005670	61.90%	1.18s
Local Search-2-exchange	8173130.50	6859563	62.70%	1.18s
Local Search-3-exchange	7846618.10	6819851	62.91%	1.23s
Simulated Annealing-1-insert	7649784.40	7089562	61.44%	1.37s
Simulated Annealing-2-exchange	7609380.90	6652294	63.82%	1.23s
Simulated Annealing-3-exchange	7956510.00	6870483	62.64%	1.37s

Listing 3: Optimal solution call\_35\_vehicle\_7

---

```

1 sol = [4, 4, 17, 17, 27, 27, 32, 32, 29, 29, 0, 11, 11, 35, 35, 28, 28,
        25, 25, 0, 9, 14, 14, 9, 33, 33, 22, 22, 31, 31, 0, 34, 15, 15, 30,
        30, 34, 13, 13, 0, 23, 8, 23, 8, 21, 26, 26, 21, 20, 20, 0, 16, 3, 3,
        1, 7, 7, 16, 18, 18, 5, 1, 2, 2, 5, 0, 12, 12, 10, 10, 0, 6, 6, 19,
        19, 24, 24]
2 seeds = [786500426, 959532847, 950894748, 230212893, 343586882,
          119208331, 613268842, 14355753, 119042580, 701538630]

```

---

Table 4: Call\_80\_Vehicle\_20

Method	Average objective	Best objective	Improvement (%)	Running time
Random search	39584864.24	37697832	18.28%	2.44s
Local Search-1-insert	17631174.10	16254766	65.25%	3.57s
Local Search-2-exchange	18107201.60	17381583	62.84%	3.00s
Local Search-3-exchange	18725020.20	16763949	64.16%	3.01s
Simulated Annealing-1-insert	17288988.70	15640209	66.56%	3.69s
Simulated Annealing-2-exchange	17611125.00	16291560	65.17%	2.82s
Simulated Annealing-3-exchange	18606671.00	16496296	64.73%	2.76s

Listing 4: Optimal solution call\_80\_vehicle\_20

---

```

1 sol = [70, 68, 62, 70, 68, 44, 62, 44, 0, 18, 63, 63, 18, 79, 27, 79,
        27, 0, 4, 4, 26, 26, 0, 30, 30, 71, 71, 67, 67, 28, 28, 0, 45, 46,
        46, 69, 45, 58, 58, 69, 0, 60, 60, 65, 65, 80, 80, 7, 50, 7, 56, 14,
        50, 56, 14, 0, 53, 40, 40, 35, 53, 42, 35, 42, 0, 64, 64, 20, 20, 0,
        8, 8, 17, 77, 17, 77, 0, 15, 15, 29, 29, 48, 48, 0, 41, 11, 11, 41,
        55, 12, 12, 55, 0, 23, 23, 9, 59, 9, 59, 0, 57, 57, 19, 19, 73, 73,
        0, 61, 74, 61, 37, 74, 3, 3, 75, 36, 37, 75, 36, 0, 25, 51, 25, 76,
        76, 5, 5, 2, 2, 51, 47, 47, 0, 32, 49, 32, 49, 24, 24, 6, 6, 0, 21,
        34, 34, 21, 16, 10, 10, 16,
2      0, 54, 1, 54, 1, 0, 39, 39, 78, 78, 72, 72, 33, 33, 0, 43, 43, 52,
        52, 0, 13, 13, 22, 22, 31, 31, 38, 38, 66, 66]
3 seeds = [860860095, 546161525, 245670279, 710560897, 529352907,
          636394771, 487810674, 242082782, 570412785, 44805149]

```

---

Table 5: Call\_130\_Vehicle\_40

Method	Average objective	Best objective	Improvement (%)	Running time
Random search	76627567.00	76627567	0.00%	4.52s
Local Search-1-insert	28309714.70	25950511	66.13%	6.63s
Local Search-2-exchange	28157453.50	26420742	65.52%	4.89s
Local Search-3-exchange	29951029.40	28441536	62.88%	5.52s
Simulated Annealing-1-insert	27700390.50	26539400	65.37%	5.41s
Simulated Annealing-2-exchange	28875623.30	27391443	64.25%	4.97s
Simulated Annealing-3-exchange	30539879.10	28741918	62.49%	4.87s

Listing 5: Optimal solution call\_130\_vehicle\_40

---

```

1  sol = [3, 3, 15, 15, 10, 10, 0, 16, 16, 4, 4, 26, 26, 0, 105, 105, 50,
        111, 50, 111, 0, 60, 44, 44, 60, 0, 126, 126, 18, 18, 0, 96, 61, 96,
        92, 61, 92, 0, 22, 22, 68, 37, 68, 37, 0, 5, 5, 117, 117, 39, 39, 0,
        84, 84, 29, 29, 48, 48, 0, 80, 80, 55, 55, 112, 112, 0, 130, 130, 35,
        94, 35, 53, 94, 53, 0, 106, 102, 106, 102, 40, 51, 51, 40, 12, 12,
        0, 121, 121, 99, 99, 83, 83, 0, 32, 32, 59, 56, 59, 56, 0, 54, 54, 0,
        66, 66, 30, 30, 0, 88, 88, 82, 82, 65, 101, 65, 101, 0, 123, 123,
        23, 23, 1, 1, 0, 33, 33, 104, 104, 81, 81, 36, 14, 36, 14, 0, 118,
        118, 7, 7, 46, 46, 0, 103, 120, 103, 120, 0, 113, 58, 58,
2    113, 0, 72, 72, 25, 25, 128, 128, 0, 86, 86, 24, 24, 0, 69, 97,
        69, 97, 76, 76, 0, 38, 38, 107, 109, 107, 109, 0, 27, 27, 129,
        90, 129, 90, 64, 64, 0, 74, 124, 124, 74, 119, 119, 110, 110,
        0, 2, 2, 108, 108, 47, 91, 47, 91, 0, 45, 9, 45, 9, 20, 20, 0,
        63, 78, 78, 63, 77, 77, 0, 100, 17, 100, 43, 17, 43, 0, 42, 34,
        42, 34, 0, 21, 114, 95, 114, 95, 125, 21, 127, 127, 125, 0,
        19, 73, 19, 62, 62, 73, 28, 28, 0, 52, 122, 52, 122, 0, 41, 41,
        31, 31, 57, 57, 0, 67, 67, 116, 70, 116, 70, 71, 71, 0, 11,
        11, 89, 79, 89, 79, 0, 75, 98, 98, 75, 0, 6, 6, 8, 8, 13, 13,
        49, 49, 85, 85, 87, 87, 93, 93, 115, 115]
3  seeds = [6099242, 216378353, 997469273, 624383985, 929003968, 562647128,
          214316800, 49334277, 278401680, 793220627]

```

---

Table 6: Call\_300\_Vehicle\_90

Method	Average objective	Best objective	Improvement (%)	Running time
Random search	170784643.00	170784643	0.00%	10.66s
Local Search-1-insert	67458950.70	65762201	61.49%	13.55s
Local Search-2-exchange	74664065.40	70120922	58.94%	13.57s
Local Search-3-exchange	81126275.60	76977667	54.93%	14.21s
Simulated Annealing-1-insert	68605376.90	66086167	61.30%	16.79s
Simulated Annealing-2-exchange	73965704.70	66507209	61.06%	18.59s
Simulated Annealing-3-exchange	79768971.10	76103903	55.44%	15.51s

Listing 6: Optimal solution call\_300\_vehicle\_90

```

1 sol = [96, 96, 268, 268, 259, 259, 73, 101, 101, 73, 0, 136, 136, 108,
        108, 5, 5, 186, 186, 0, 67, 67, 286, 300, 286, 300, 50, 50, 0, 95,
        70, 70, 95, 12, 12, 0, 133, 133, 288, 288, 84, 84, 0, 206, 206, 195,
        195, 11, 11, 0, 253, 253, 163, 292, 163, 292, 0, 250, 220, 220, 250,
        115, 115, 0, 32, 32, 51, 275, 275, 51, 0, 277, 277, 62, 62, 219, 219,
        0, 265, 265, 293, 293, 63, 63, 0, 172, 172, 157, 14, 157, 14, 0, 77,
        77, 0, 109, 194, 194, 109, 0, 233, 233, 291, 291, 297, 102, 297,
        140, 140, 102, 0, 25, 25, 23, 23, 0, 185, 294, 185, 294, 0, 245, 245,
        154, 154, 0, 280, 280, 266, 42, 266, 42, 0, 152, 35, 152, 295, 35,
        295, 0, 171, 123, 123, 212, 171, 212, 0, 272, 272, 112,
2      112, 22, 22, 0, 26, 26, 0, 173, 125, 125, 173, 106, 106, 0, 1, 98,
        98, 226, 1, 226, 0, 36, 261, 36, 261, 196, 196, 0, 264, 151,
        264, 151, 0, 248, 248, 207, 207, 283, 283, 0, 82, 215, 82, 246,
        215, 246, 18, 18, 0, 182, 182, 99, 99, 0, 273, 270, 273, 270,
        228, 228, 258, 258, 0, 193, 193, 285, 285, 0, 168, 168, 4, 4,
        0, 179, 179, 167, 167, 227, 227, 0, 254, 254, 81, 81, 0, 183,
        183, 44, 27, 27, 146, 146, 44, 0, 256, 256, 165, 165, 17, 17,
        0, 114, 72, 114, 184, 184, 72, 97, 97, 0, 208, 224, 210, 208,
        224, 210, 0, 10, 10, 129, 129, 107, 107, 0, 249, 249, 64, 64,
        33, 33, 0, 225, 225, 91, 91, 251, 251, 0, 269, 269, 30, 30, 20,
        20, 0, 134, 134, 144, 144, 236, 236, 197, 197, 0, 159, 159,
        60, 56, 56, 60, 0, 41, 287, 287, 41, 202, 202, 0, 188, 188,
        176, 53, 53, 176, 296, 296, 0, 24, 24, 257, 257, 0, 39, 39,
        235, 235, 132, 132, 0, 200, 118, 118, 200, 0, 271, 271, 61, 61,
        229, 229, 47, 47, 0, 237, 237, 189, 189, 0, 201, 121, 121,
        201, 0, 19, 19, 203, 153, 153, 203, 0, 232, 232, 230, 230, 90,
        104, 104, 90, 0, 218, 218, 16, 16, 156, 156, 0, 137, 137, 192,
        192, 231, 231, 0, 49, 49, 52, 52, 100, 100, 0, 48, 48, 9, 9, 0,
        37, 68, 68, 221, 37, 221, 0, 69, 181, 69, 120, 120, 34, 181,
        34, 0, 147, 147, 149, 149, 139, 139, 190, 190, 0, 214, 143,
        143, 45, 214, 45, 282, 282, 0, 94, 243, 94, 148, 243, 38, 148,
        38, 0, 105, 103, 105, 103, 58, 113, 58, 113, 0, 241, 217, 241,
        217, 124, 124, 187, 187, 0, 260, 40, 260, 40, 0, 76, 76, 199,

```



205, 205, 199, 298, 298, 0, 178, 178, 170, 46, 46, 170, 0, 238,  
79, 79, 238, 117, 117, 0, 177, 177, 55, 8, 55, 8, 0, 274, 274,  
119, 119, 267, 267, 0, 284, 160, 284, 160, 93, 93, 0, 174,  
255, 255, 174, 198, 198, 0, 65, 65, 59, 59, 130, 130, 0, 211,  
211, 252, 252, 0, 213, 88, 122, 213, 88, 122, 0, 180, 180, 290,  
290, 85, 85, 0, 29, 29, 234, 234, 0, 222, 74, 222, 21, 74, 21,  
0, 15, 15, 7, 204, 7, 204, 0, 263, 169, 169, 164, 131, 131,  
263, 164, 0, 247, 247, 281, 281, 3, 3, 0, 111, 111, 128, 128,  
0, 155, 155, 92, 92, 28, 191, 191, 28, 0, 86, 86, 262, 289,  
262, 289, 0, 135, 135, 141, 127, 209, 141, 127, 209, 0, 126,  
240, 126, 240, 80, 80, 13, 13, 0, 279, 279, 166, 166, 161, 161,  
0, 110, 89, 89, 110, 0, 2, 2, 6, 6, 31, 31, 43, 43, 54, 54,  
57, 57, 66, 66, 71, 71, 75, 75, 78, 78, 83, 83, 87, 87, 116,  
116, 138, 138, 142, 142, 145, 145, 150, 150, 158, 158, 162,  
162, 175, 175, 216, 216, 223, 223, 239, 239, 242, 242, 244,  
244, 276, 276, 278, 278, 299, 299]

3 seeds = [589998094, 96426108, 887972286, 891897509, 195314139, 57672935,  
733646253, 892184688, 2275308, 475418836]

---