
COMPSYCH DESIGN SYSTEM

Component Reference

A complete visual and technical reference for all 18 React Native components in the ComPsych Design System library. Each entry covers props, variants, states, and usage examples — all built on the four-tier [sys.*](#) token architecture.

Contents

01	Alert	402	Avatar	5
03	Badge	604	Breadcrumb	7
05	Button	806	Card	9
07	Checkbox	1008	Chip	11
09	Divider	1210	Empty State	13
11	Input	1412	Pagination	15
13	Progress Bar	1614	Progress Tracker	16
15	Radio Button	1716	Slider	18
17	Switch	1918	Tooltip	20

Inline feedback message with optional title, icon, action button, and dismiss control. Use to surface contextual information without interrupting the user's flow.

VARIANTS

Variant	Background	Use when
default	sysSurfaceContainerLow	Neutral, non-urgent
elevated	sysSurfaceContainerLowest + shadow	Floating / card context
informative	sysInfoContainer	Tips, guidance
warning	sysWarningContainer	Recoverable issues
positive	sysSuccessContainer	Success confirmation
danger	sysErrorContainer	Errors, destructive states

KEY PROPS

Prop	Type	Default
variant	AlertVariant	'default'
size	'sm' 'lg'	'lg'
description	string	required
title	string	—
actionLabel	string	—
dismissible	boolean	false
hideIcon	boolean	false

USAGE

```
// Basic <Alert variant="warning"
description="Session expires in 5 min." /> //
With title + action <Alert
variant="informative" size="lg" title="Update
available" description="New features are ready."
actionLabel="Update" onAction={handleUpdate}
/>
```

ComPsych

Molecules

Alert

[View documentation](#)

Base Component

Desktop

Elevated

Large

Small

Default

Warning

Positive

Negative

Mobile

Elevated

Default

Warning

Positive

Negative

Alert — all 6 variants × 2 sizes (lg + sm)

Circular user representation rendered as initials, a photo, or a fallback icon. Supports an activity ring and presence badge for status indication.

SIZES


xs — 24px sm — 32px md — 40px
lg — 48px xl — 56px 2xl — 80px
3xl — 96px

KEY PROPS

Prop	Type	Default
variant	'text' 'image' 'icon'	'text'
size	AvatarSize	'md'
initials	string	—
source	ImageSourcePropType	—
activityRing	boolean	false
presenceBadge	boolean	false

USAGE

```
<Avatar variant="text" initials="CP"
size="md" /> <Avatar variant="image"
source={{ uri: 'https://...' }} size="lg"
activityRing /> <Avatar variant="icon"
size="sm" presenceBadge />
```



Small status indicator rendered as a pill, count, or dot. Commonly overlaid on avatars, icons, or navigation items to signal unread counts or status.

STYLES x SIZES

Style	Background	Sizes
filled	sysPrimary	sm 16px · md 20px · lg 24px
positive	sysSuccess	sm · md · lg
danger	sysError	sm · md · lg
elevated	sysSurfaceContainerLowest	sm · md · lg
tonal	sysPrimaryContainer	sm · md · lg
dot	transparent + sysPrimary dot	sm · md · lg

USAGE

```
<Badge label={5} /> <Badge  
label="New" badgeStyle="positive" size="lg"  
/> <Badge badgeStyle="dot" size="sm"  
/> <Badge label={99}  
badgeStyle="danger" />
```

ComPsych

Molecules

Badge

[View documentation](#)

Base Component

SmallMediumLarge

Filled

1

2

3

4

5

6

7

8

9

Elevated

1

2

3

Total

1

2

3

Dot

1

2

3

Badge — all 6 styles across sm, md, lg sizes

Horizontal scrollable navigation trail with "/" dividers. The last item is always treated as the current page — rendered non-interactively in `sysOnSurface`.

ITEM TYPES


Prop	Renderers
<code>label</code>	Text crumb
<code>isHome: true</code>	Home icon
<code>isOverflow: true</code>	... (expand tap target)
<code>disabled: true</code>	Faded, non-interactive
No <code>onPress</code> + last	Current page (bold)

KEY PROPS

Prop	Type	Default
<code>items</code>	<code>BreadcrumbItem[]</code>	<code>required</code>
<code>size</code>	<code>'sm' 'lg'</code>	<code>'lg'</code>

USAGE

```
<Breadcrumb items={[ { isHome: true,  
onPress: goHome }, { label: 'Settings',  
onPress: goSettings }, { label: 'Profile' },  
]} />
```



Primary interaction element. Supports 7 visual variants, 4 sizes, leading/trailing icons, loading state, full-width layout, and icon-only mode.

VARIANTS


Variant	Background	Text
<code>filled</code>	<code>sysPrimary</code>	<code>sysOnPrimary</code>
<code>tonal</code>	<code>sysPrimaryFixedDim</code>	<code>sysOnPrimaryFixed</code>
<code>outlined</code>	transparent + border	<code>sysPrimary</code>
<code>elevated</code>	<code>sysSurfaceContainerLowest</code>	<code>sysPrimary</code>
<code>text</code>	transparent	<code>sysPrimary</code>
<code>danger</code>	<code>sysError</code>	<code>sysOnError</code>
<code>danger-outlined</code>	transparent	<code>sysError</code>

SIZES

Size	Height	Font
<code>sm</code>	32px	<code>labelSmall</code>
<code>md</code>	40px	<code>labelMedium</code>
<code>lg</code>	48px	<code>labelLarge</code>
<code>xl</code>	56px	<code>labelLarge</code>

USAGE

```
<Button label="Save" onPress={save} />
<Button label="Delete" variant="danger"
leadingIcon={ <Ionicons name="trash" size={16} /> } />
<Button label="Loading" loading />
```



Surface container for grouped content. Supports 3 visual variants and 4 padding densities. Cards can be made interactive with press feedback and a current state for selection.

VARIANTS

Variant	Background	Border
outlined	sysSurfaceContainerLowest	sysOutline 1px
filled	sysPrimaryContainer	none, elevated shadow
gradient	sysSurfaceContainerLowest	sysOutline 1px

SIZES (INNER PADDING)

Size	Padding	Radius
sm	24px	sysRadiusLg
md	32px	sysRadiusLg
lg	32px	sysRadiusLg
xl	48px	sysRadiusXl

USAGE

```
<Card> <Text> Basic card </Text>
</Card> <Card variant="filled"
interactive current onPress={select} >
<Text> Selected card </Text> </Card>
```

OUTLINED · MD

Card Title

Card body content goes here. Cards stretch to fit their content.

FILLED · MD

Filled Card

Uses sysPrimaryContainer background with an elevated shadow.

OUTLINED · CURRENT

Selected Card

The current prop applies a sysPrimary border + active ring.

Checkbox

07 / 18

Binary or indeterminate selection control.

Supports controlled and uncontrolled usage.

Focus ring appears as a sysPrimary08 halo via a 4px padding wrapper.

STATES


State	Visual
Unchecked	Empty box, sysOutline border
Checked	sysPrimary fill, white checkmark
Indeterminate	sysPrimary fill, white dash
Disabled	opacity 0.48
Focused	sysPrimary08 halo (4px spread)

KEY PROPS

Prop	Type	Default
checked	boolean 'indeterminate'	—
defaultChecked	boolean	false
onValueChange	function	—
size	'sm' 'md'	'md'
disabled	boolean	false

USAGE

```
// Controlled <Checkbox checked={val}
onValueChange={setVal} /> //
Indeterminate <Checkbox
checked="indeterminate" onValueChange=
{handle} />
```



Compact label pill for status, category, or filter display. Neutral chips carry an lv2 shadow; coloured chips use a sysWhite20 overlay for close and badge backgrounds.

USAGE × SIZE MATRIX

Usage	Background	Sizes
neutral	sysSurfaceContainerLowest + shadow	sm·md·lg·xl
informative	sysInfoContainer	
positive	sysSuccessContainer	
danger	sysErrorContainer	
warning	sysWarningContainer	

KEY PROPS

Prop	Type	Default
label	string	required
size	'sm' 'md' 'lg' 'xl'	'md'
usage	ChipUsage	'neutral'
dismissible	boolean	false
badge	number string	—

USAGE

```
<Chip label="In progress" usage="informative" />
<Chip label="Overdue" usage="danger" dismissible onDismiss={remove} />
<Chip label="Category" badge={3} />
```

ComPsych

Molecules

Chip

[View documentation](#)

Base Component

		Small	Medium	Large	XLarge
Tonal	Neutral				
	Informative				
	Positive				
	Danger				
	Warning				
Outlined	Neutral				
	Informative				
	Positive				
	Danger				
Filled	Neutral				
	Informative				
	Positive				
	Danger				
Inverse	Neutral				
	Warning				

Chip — all 5 usage types × 4 sizes (sm, md, lg, xl)

Decorative separator line — horizontal or vertical.
Rendered as a zero-size View with a single border, ensuring pixel-perfect 1px or 2px rendering at all densities. Always accessible={false}.

PROPS

Prop	Type	Default
variant	'horizontal' 'vertical'	'horizontal'
weight	'thin' 'thick'	'thin'
dashed	boolean	false

TOKEN MAPPING

Weight	Token	Value
thin	sysStrokeThin	1px
thick	sysStrokeThick	2px

Color is always sysOutlineVariant. Horizontal dividers use alignSelf: 'stretch'; vertical dividers stretch to parent height.

USAGE

```
<Divider />
<Divider weight="thick"
dashed />
<Divider variant="vertical"
/>
```

ComPsych

Molecules

Divider

[View documentation](#)

Base Component

Horizontal

Vertical

Thin

Thick

Thin

Thick

Solid

Dashed

Divider — horizontal and vertical, thin and thick, solid and dashed

Full-panel placeholder shown when a screen or list has no content. Two graphic styles: a simple icon circle, or a decorative card collage illustration built entirely from Views.

VIEWPORT DIFFERENCES


	desktop	mobile
Icon circle	60px / 32px icon	48px / 24px icon
Title	titleMedium (24px)	labelLarge (16px)
Description	bodyMedium (16px)	bodySmall (14px)
Button height	40px	32px

KEY PROPS

Prop	Type	Default
style	'icon' 'illustration'	'icon'
viewport	'desktop' 'mobile'	'mobile'
title	string	'No results'
actionLabel	string	—

USAGE

```
<EmptyState title="No messages"
description="Messages appear here."
actionLabel="Compose" onAction={compose}
/>
<EmptyState style="illustration"
title="Nothing here yet"
/>
```



Single-line text field with floating label, helper/error text, and leading/trailing icon slots. Focus ring implemented as a 4px sysPrimary08 halo via a padding wrapper.

STATES

State	Border
Default	sysOutlineVariant 1px
Focused	sysPrimary 1.5px + 4px halo
Filled	sysOutline 1px
Invalid	sysError 1.5px
Disabled	opacity 0.48

SIZES

Size	Height	Font
sm	40px	bodySmall
md	48px	bodyMedium
lg	56px	bodyMedium

USAGE

```
<Input label="Email"
placeholder="you@example.com" />
<Input label="Username" invalid={!error}
errorText={error} />
```

ComPsych

Molecules

Input Field

[View documentation](#)

Base Component

	Small	Medium	Large
Enabled			
Hovered			
Focused			
Filled			
Error			
Disabled			

Input — all states × sm, md, lg sizes

Page navigation control with smart truncation. Renders numbered pages with ellipsis items, or a compact prev/next-only mode for narrow mobile layouts.

TRUNCATION LOGIC

Always shows first and last pages. Current page $\pm$ siblingCount are shown; remaining gaps collapse to "...". Example at page 5 of 10 with siblingCount=1: 1 ... 4 5 6 ... 10

KEY PROPS

Prop	Type	Default
totalPages	number	required
currentPage	number	required
onPageChange	function	required
size	'sm' 'lg'	'lg'
siblingCount	number	1
compact	boolean	false

USAGE

```
<Pagination totalPages={12} currentPage={page} onPageChange={setPage} />
<Pagination compact totalPages={20} currentPage={page} onPageChange={setPage} />
```

ComPsych

Molecules

Pagination

View documentation

Base Component

Desktop

Mobile

Large

Small

< 1 2 3 4 ... 16 17 18 19 >

< 1 2 3 4 5 6 >

Parts

1 1 1 1 1

< < < < <

> > > > >

1 1 1 1 1

< < < < <

> > > > >

Pagination — large and small, desktop and mobile (compact) modes

ProgressBar is a thin horizontal track (sysSuccess fill, sysSurfaceContainerHighest track) that accepts a 0–100 percentage.

ProgressTracker renders a multi-step labelled flow on top of per-step ProgressBar.

PROGRESSBAR PROPS

Prop	Type
<code>progress</code>	number (0–100, clamped)

PROGRESSTRACKER PROPS

Prop	Type	Default
<code>steps</code>	TrackerStep[]	required
<code>size</code>	'sm' 'lg'	'lg'
<code>showLabels</code>	boolean	true

STEP STATES → FILL %

State	Fill
<code>completed</code>	100%
<code>active</code>	25% (in-progress indicator)
<code>pending</code>	0%

USAGE

```
<ProgressBar progress={65} />
<ProgressTracker steps={[ { label:
'Info', state: 'completed' }, { label:
'Review', state: 'active' }, { label:
'Submit', state: 'pending' }, ]} />
```

ComPsych

Molecules

Progress Tracker

[View documentation](#)

Base Component

Desktop

Mobile

Label

Label

Label

Label

Label

Parts

0%

25%

50%

75%

100%

Enabled

In progress

Label

Label

Label

Label

Large

Small

Progress Tracker — desktop and mobile, bar fill states, lg and sm sizes

Single-selection control. Use within a group where only one option may be chosen at a time. Supports controlled and uncontrolled usage with the same focus ring pattern as Checkbox.

STATES

State	Visual
Unselected	Empty ring, sysOutline border
Selected	sysPrimary outer ring + filled inner dot
Disabled	opacity 0.48
Focused	sysPrimary08 halo (4px spread)

KEY PROPS

Prop	Type	Default
<code>selected</code>	boolean	—
<code>defaultSelected</code>	boolean	<code>false</code>
<code>onValueChange</code>	function	—
<code>size</code>	<code>'sm'</code> <code>'md'</code>	<code>'md'</code>
<code>disabled</code>	boolean	<code>false</code>

USAGE

```
// Controlled group
const [sel, setSel] =
useState('a');
<RadioButton selected={sel
=== 'a'} onValueChange={() => setSel('a')}
/>
<RadioButton selected={sel === 'b'}
onValueChange={() => setSel('b')}
/>
```

ComPsych

Molecules

Radio Button

[View documentation](#)

Base Component

Medium

Small

Radio button label

Radio button label

Parts

Medium

Small

Unselected

Selected

Unselected

Selected

Enabled

Unselected

Selected

Unselected

Selected

Hovered

Unselected

Selected

Unselected

Selected

Focused

Unselected

Selected

Unselected

Selected

Pressed

Unselected

Selected

Unselected

Selected

Disabled

Unselected

Selected

Unselected

Selected

Danger

Unselected

Selected

Unselected

Selected

Radio Button — all states, unselected / selected, medium and small

Continuous value selector with draggable thumb and optional step snapping. Tapping anywhere on the track jumps the thumb. The parent ScrollView cannot steal the gesture once dragging starts.

ANATOMY


Part	Spec
Hit area container	48px tall (comfortable touch target)
Track background	8px, full width, sysSurfaceContainerHighest
Track fill	8px, sysPrimary, width = thumb centre X
Thumb	24×24px circle, sysSurface

KEY PROPS

Prop	Type	Default
<code>value</code>	number	—
<code>min / max</code>	number	<code>0 / 100</code>
<code>step</code>	number	<code>1</code>
<code>onValueChange</code>	function	—
<code>onSlidingComplete</code>	function	—
<code>label</code>	string	—
<code>showMinMax</code>	boolean	<code>true</code>
<code>disabled</code>	boolean	<code>false</code>

USAGE

```
<Slider label="Volume" value={vol}
onValueChange={setVol} />
<Slider
defaultValue={50} step={10} showMinMax />
<Slider value={40} disabled />
```



Binary toggle control with a 150ms animated thumb slide. Both track background and thumb colour interpolate between their on/off values during the transition.

COLORS

State	Track	Thumb
Off	sysSurfaceContainerHighest	sysSurface
On	sysPrimary	sysOnPrimary
Disabled	either at opacity 0.48	opacity 0.64
Focused	+ 1.5px focus ring	sysOnPrimaryFixedVariant

ANATOMY

Part	Spec
Track	56×32px, borderRadius 9999
Thumb	24×24px circle, 4px inset
Animation	150ms timing, translateX + bg interpolation

KEY PROPS

Prop	Type	Default
value	boolean	—
defaultValue	boolean	false
onValueChange	function	—
disabled	boolean	false

USAGE

```
<Switch value={on} onValueChange={setOn} />
<Switch value={true} disabled />
```

ComPsych

Molecules

Switch

[View documentation](#)

Base Component

Enabled

Hovered

Focused

Pressed

Disabled

Toggle On

Toggle Off

Switch — toggled on/off × enabled, hovered, focused, pressed, disabled

Short contextual label attached to a target, with a directional CSS-triangle arrow. The `direction` prop describes where the *target* is relative to the bubble — not where the bubble appears.

VARIANTS

Variant	Background	Text
<code>filled</code>	<code>sysInverseSurface (dark)</code>	<code>sysInverseOnSurface</code>
<code>elevated</code>	<code>sysSurfaceContainerLowest</code>	<code>sysOnSurface</code>

ARROW DIRECTIONS

direction	Arrow points	Bubble sits
<code>none</code>	—	standalone
<code>bottom</code>	↓ down	above target
<code>top</code>	↑ up	below target
<code>left</code>	← left	right of target
<code>right</code>	→ right	left of target

Arrow is a 16×6px CSS triangle rendered as a zero-size View with border-width trick.

USAGE

```
<Tooltip text="More options" />
<Tooltip text="Save your work" variant="elevated"
direction="bottom" />
```

ComPsych

Molecules

Tooltip

[View documentation](#)

Base Component

Desktop

Mobile

Filled

Elevated

Filled

Elevated

None

Bottom

Top

Right

Left

Tooltip

Tooltip

Tooltip

Tooltip

Tooltip

Tooltip

Tooltip

Tooltip

Tooltip

Tooltip

Tooltip

Tooltip

Tooltip

Tooltip

Tooltip

Tooltip

Tooltip

Tooltip

Tooltip

Tooltip

Tooltip — filled and elevated variants, all 5 arrow directions