

New repository · GitHub

github.com/new

Search

Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere?  
[Import a repository.](#)

Required fields are marked with an asterisk (\*).

Owner \*

Repository name \*

Great repository names are short and memorable. Need inspiration? How about fuzzy-computing-machine?

Description (optional)

Public

Private

Initialize this repository with:

Add .gitignore

Choose a license

Create repository

practi02-automatiza-redes

Set up GitHub Copilot

Invite collaborators

Quick setup — if you've done this kind of thing before

...or create a new repository on the command line

...or push an existing repository from the command line

...or import code from another repository

git commit -m "first commit"

git config --global user.email "you@example.com"

git config --global user.name "Your Name"



git remote add origin https://github.com/anzocitalli/practi02-automatiza-redes


git push -u origin main

Instalar - Microsoft Visual Studio Code (User)

Extrayendo archivos...

6:08 p.m. 22/06/2023





Personal Access Tokens (Classic) x Download Visual Studio Code x Git - Downloading Package x anzoctalli/pract02-automatiza- x Git Credential Manager - Authen- x anzoctalli/pract02-automatiza- x +

github.com/settings/tokens

Settings / Developer Settings

Some of the scopes you've selected are included in other scopes. Only the minimum set of necessary scopes has been saved.

GitHub Apps  
OAuth Apps  
Personal access tokens  
Fine-grained tokens (Beta)  
Tokens (classic)

### Personal access tokens (classic)

Generate new token Revoke all


Tokens you have generated that can be used to access the GitHub API.

Make sure to copy your personal access token now. You won't be able to see it again!

|  |        |
|--|--------|
| ghp_yr0eqh5qinhpzruZgeiQy6xJgvoha1Gk2N0  | Delete |
| repass --- repo<br>Expires on Wed, Jul 19 2023.<br>Last used within the last week          | Delete |
| nuova --- repo<br>Expires on Sun, Jul 16 2023.<br>Last used within the last week           | Delete |
| pract03 --- repo<br>Expires on Sun, Jul 16 2023.<br>Last used within the last week         | Delete |
| redes2 --- repo<br>Expires on Wed, Jul 5 2023.<br>Last used within the last 3 weeks        | Delete |
| Redes Ejemplo --- repo<br>Expires on Wed, Jul 5 2023.<br>Last used within the last 3 weeks | Delete |

Personal access tokens (classic) function like ordinary OAuth access tokens. They can be used instead of a password for Git over HTTPS, or can be used to authenticate to the API over Basic Authentication.

© 2023 GitHub, Inc. Terms Privacy Security Status Docs Contact GitHub Pricing API Training Blog About



Personal Access Tokens (Classic) x Download Visual Studio Code x Git - Downloading Package x anzoctalli/pract02-automatiza- x Git Credential Manager - Authen- x anzoctalli/pract02-automatiza- x at - x New repository - GitHub x +

github.com/new

### Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere? [Import a repository.](#)

Required fields are marked with an asterisk (\*).

Owner \* Repository name \*

anzoctalli / pract02-a

pract02-a is available.

Great repository names are short and memorable. Need inspiration? [How about upgraded lamp?](#)

Description (optional)

En el siguiente repositorio se cambiara de manera remota

☒ Public  
Anyone on the internet can see this repository. You choose who can commit.

☐ Private  
You choose who can see and commit to this repository.

Initialize this repository with:

☐ Add a README file  
This is where you can write a long description for your project. [Learn more about READMEs.](#)

Add .gitignore

.gitignore template: None

Choose a license

License: None

A license tells others what they can and can't do with your code. [Learn more about licenses.](#)

☐ You are creating a public repository in your personal account.

Create repository



```

% git init
% git add .
% git commit -m "1.0"
on branch main
% git branch -M main
% git remote add origin https://github.com/annexcl14/practic03/practic02 (main)
nothing to commit, working tree clean

% git branch -M main
% git remote add origin https://github.com/annexcl14/practic03/practic02 (main)
error: remote already exists.

% git remote add origin https://github.com/annexcl14/practic03/practic02-autotizma-redes.git
error: remote already exists.

% git remote add origin https://github.com/annexcl14/practic03/practic02-autotizma-redes.git
error: remote already exists.

% git push -u origin main
info: please complete authentication in your browser...
Counting objects: 28, done.
Writing objects: 100% (28/28), done.
Compressing objects: 100% (28/28), done.
Total 28 (delta 1), reused 0 (delta 0), pack-reused 0
remote HEAD detached at 1.0.0
remote branch 'main' set to track 'origin/main'.

% git commit -m "1.0"
% git push
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

% git branch -M main
% git remote add origin https://github.com/annexcl14/practic03/practic02 (main)
% git branch
% git remote -v
origin https://github.com/annexcl14/practic03/practic02 (main)
% git remote add origin https://github.com/annexcl14/practic03/practic02 (main)
error: remote already exists.

% git remote add origin https://github.com/annexcl14/practic03/practic02-autotizma-redes.git (fetch)
error: remote already exists.

% git remote add origin https://github.com/annexcl14/practic03/practic02-autotizma-redes.git (push)
error: remote already exists.

% git remote add origin https://github.com/annexcl14/practic03/practic02-autotizma-redes.git (fetch)
error: remote already exists.

% git remote add origin https://github.com/annexcl14/practic03/practic02-autotizma-redes.git (push)
error: remote already exists.

% git remote add origin https://github.com/annexcl14/practic03/practic02-autotizma-redes.git (fetch)
error: remote already exists.

% git remote add origin https://github.com/annexcl14/practic03/practic02-autotizma-redes.git (push)
error: remote already exists.

```