

WhatsApp

darredondoe/prac02-automatiza-redes

Angular, instala este frame...

← → ↻

https://github.com/darredondoe/prac02-automatiza-redes

☆

🔒

📄

🔗

👤

darredondoe / prac02-automatiza-redes

🔍 Type to search

+ 🔍 🔄 ⚙️

<> Code

🔍 Issues

🔍 Pull requests

🔍 Actions

🔍 Projects

🔍 Wiki

🔍 Security

🔍 Insights

⚙️ Settings

🌱 prac02-automatiza-redes

Public

🔍 Pin

👁️ Unwatch

🍴 Fork

★ Star 0

👤

Set up GitHub Copilot

Use GitHub's AI pair programmer to autocomplete suggestions as you code.

👤

Invite collaborators

Find people using their GitHub username or email address.

Quick setup — if you've done this kind of thing before

or

HTTPS

SSH

git@github.com:darredondoe/prac02-automatiza-redes.git

Get started by [creating a new file](#) or [uploading an existing file](#). We recommend every repository include a [README](#), [LICENSE](#), and [.gitignore](#).

...or create a new repository on the command line

```
echo "# prac02-automatiza-redes" >> README.md
git init
git add README.md
git commit -m "first commit"
git branch -M main
git remote add origin git@github.com:darredondoe/prac02-automatiza-redes.git
git push -u origin main
```

...or push an existing repository from the command line

```
git remote add origin git@github.com:darredondoe/prac02-automatiza-redes.git
git branch -M main
git push -u origin main
```

...or import code from another repository

You can initialize this repository with code from a Subversion, Mercurial, or TFS project.

🏠 📁 📄 📄 📄

🔍 📄 📄 📄 📄 📄

🔍 📄 📄 📄 📄 📄

14:29

Crear una aplicación con Angular

```
darredondo@linuxmint: ~/Documentos/pract02
darredondo@linuxmint:~$ cd Documentos/
darredondo@linuxmint:~/Documentos$ mkdir pract02 ^C
darredondo@linuxmint:~/Documentos$ cd pract02/
darredondo@linuxmint:~/Documentos/pract02$ ng new pract02
? Would you like to add Angular routing? Yes
? Which stylesheet format would you like to use? CSS
CREATE pract02/README.md (1061 bytes)
CREATE pract02/.editorconfig (274 bytes)
CREATE pract02/.gitignore (548 bytes)
CREATE pract02/angular.json (2705 bytes)
CREATE pract02/package.json (1038 bytes)
CREATE pract02/tsconfig.json (901 bytes)
CREATE pract02/tsconfig.app.json (263 bytes)
CREATE pract02/tsconfig.spec.json (273 bytes)
CREATE pract02/.vscode/extensions.json (130 bytes)
CREATE pract02/.vscode/launch.json (470 bytes)
CREATE pract02/.vscode/tasks.json (938 bytes)
CREATE pract02/src/main.ts (214 bytes)
CREATE pract02/src/favicon.ico (948 bytes)
CREATE pract02/src/index.html (293 bytes)
CREATE pract02/src/styles.css (80 bytes)
CREATE pract02/src/app/app-routing.module.ts (245 bytes)
CREATE pract02/src/app/app.module.ts (393 bytes)
CREATE pract02/src/app/app.component.css (0 bytes)
CREATE pract02/src/app/app.component.html (23115 bytes)
CREATE pract02/src/app/app.component.spec.ts (994 bytes)
CREATE pract02/src/app/app.component.ts (211 bytes)
CREATE pract02/src/assets/.gitkeep (0 bytes)
✓ Packages installed successfully.
hint: Using 'master' as the name for the initial branch. This default branch name
hint: is subject to change. To configure the initial branch name to use in all
hint: of your new repositories, which will suppress this warning, call:
hint:
hint:   git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:   git branch -m <name>
Successfully initialized git.
darredondo@linuxmint:~/Documentos/pract02$
```

```
darredondo@linuxmint: ~/Documentos/pract02/pract02
darredondo@linuxmint:~/Documentos/pract02$ cd pract02/
darredondo@linuxmint:~/Documentos/pract02/pract02$ ls -la
total 488
drwxrwxr-x 6 darredondo darredondo 4096 jun 22 14:35 .
drwxrwxr-x 3 darredondo darredondo 4096 jun 22 14:34 ..
-rw-rw-r-- 1 darredondo darredondo 2705 jun 22 14:34 angular.json
-rw-rw-r-- 1 darredondo darredondo 274 jun 22 14:34 .editorconfig
drwxrwxr-x 8 darredondo darredondo 4096 jun 22 14:35 .git
-rw-rw-r-- 1 darredondo darredondo 548 jun 22 14:34 .gitignore
drwxrwxr-x 560 darredondo darredondo 20480 jun 22 14:35 node_modules
-rw-rw-r-- 1 darredondo darredondo 1038 jun 22 14:34 package.json
-rw-rw-r-- 1 darredondo darredondo 424533 jun 22 14:35 package-lock.json
-rw-rw-r-- 1 darredondo darredondo 1061 jun 22 14:34 README.md
drwxrwxr-x 4 darredondo darredondo 4096 jun 22 14:34 src
-rw-rw-r-- 1 darredondo darredondo 263 jun 22 14:34 tsconfig.app.json
-rw-rw-r-- 1 darredondo darredondo 901 jun 22 14:34 tsconfig.json
-rw-rw-r-- 1 darredondo darredondo 273 jun 22 14:34 tsconfig.spec.json
drwxrwxr-x 2 darredondo darredondo 4096 jun 22 14:34 .vscode
darredondo@linuxmint:~/Documentos/pract02/pract02$
```

```
Archivo  Editar  Ver  Buscar  Terminal  Ayuda
darredondo@linuxmint: ~/Documentos/pract02/pract02
darredondo@linuxmint:~/Documentos/pract02/pract02$ git init
Reinitialized existing Git repository in /home/darredondo/Documentos/pract02/pract02/.git/
darredondo@linuxmint:~/Documentos/pract02/pract02$ ls -la
total 488
drwxrwxr-x  6 darredondo darredondo 4096 jun 22 14:35 .
drwxrwxr-x  3 darredondo darredondo 4096 jun 22 14:34 ..
-rw-rw-r--  1 darredondo darredondo 2705 jun 22 14:34 angular.json
-rw-rw-r--  1 darredondo darredondo  274 jun 22 14:34 .editorconfig
drwxrwxr-x  8 darredondo darredondo 4096 jun 22 14:37 .git
-rw-rw-r--  1 darredondo darredondo  548 jun 22 14:34 .gitignore
drwxrwxr-x 560 darredondo darredondo 20480 jun 22 14:35 node_modules
-rw-rw-r--  1 darredondo darredondo  1038 jun 22 14:34 package.json
-rw-rw-r--  1 darredondo darredondo 424533 jun 22 14:35 package-lock.json
-rw-rw-r--  1 darredondo darredondo  1061 jun 22 14:34 README.md
drwxrwxr-x  4 darredondo darredondo 4096 jun 22 14:34 src
-rw-rw-r--  1 darredondo darredondo  263 jun 22 14:34 tsconfig.app.json
-rw-rw-r--  1 darredondo darredondo   901 jun 22 14:34 tsconfig.json
-rw-rw-r--  1 darredondo darredondo   273 jun 22 14:34 tsconfig.spec.json
drwxrwxr-x  2 darredondo darredondo 4096 jun 22 14:34 .vscode
darredondo@linuxmint:~/Documentos/pract02/pract02$ cat .git
.git/
darredondo@linuxmint:~/Documentos/pract02/pract02$ cat .gitignore
.git/
.gitignore
# See http://help.github.com/ignore-files/ for more about ignoring files.

# Compiled output
/dist
/tmp
/out-tsc
/bazel-out

# Node
/node_modules
npm-debug.log
yarn-error.log

# IDEs and editors
.idea/
.project
.classpath
.c9/
*.launch
.settings/
*.sublime-workspace
```

```
Archivo  Editar  Ver  Buscar  Terminal  Ayuda
darredondo@linuxmint: ~/Documentos/pract02/pract02

# Compiled output
/dist
/tmp
/out-tsc
/bazel-out

# Node
/node_modules
npm-debug.log
yarn-error.log

# IDEs and editors
.idea/
.project
.classpath
.c9/
*.launch
.settings/
*.sublime-workspace

# Visual Studio Code
.vscode/*
!.vscode/settings.json
!.vscode/tasks.json
!.vscode/launch.json
!.vscode/extensions.json
!.history/*

# Miscellaneous
/.angular/cache
.sass-cache/
/connect.lock
/coverage
/libpeerconnection.log
testem.log
/typings

# System files
.DS_Store
Thumbs.db
darredondo@linuxmint:~/Documentos/pract02/pract02$
```

```
Archivo  Editor  Ver  Buscar  Terminal  Ayuda
darredondo@linuxmint: ~/Documentos/pract02/pract02
darredondo@linuxmint:~/Documentos/pract02/pract02$ git init
Reinitialized existing Git repository in /home/darredondo/Documentos/pract02/pract02/.git/
darredondo@linuxmint:~/Documentos/pract02/pract02$ git add .
darredondo@linuxmint:~/Documentos/pract02/pract02$ git commit -m "first commit"
[main d82ceef] first commit
 2 files changed, 9 insertions(+)
 create mode 100644 linux
 create mode 100644 linux.pub
darredondo@linuxmint:~/Documentos/pract02/pract02$ git remote add origin git@github.com:darredondoe/prac02-automatiza-redes.git
error: remote origin already exists.
darredondo@linuxmint:~/Documentos/pract02/pract02$ git push -u origin main
Enumerating objects: 35, done.
Counting objects: 100% (35/35), done.
Delta compression using up to 4 threads
Compressing objects: 100% (33/33), done.
Writing objects: 100% (35/35), 113.02 KiB | 1.55 MiB/s, done.
Total 35 (delta 4), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (4/4), done.
To github.com:darredondoe/prac02-automatiza-redes.git
 * [new branch]      main -> main
Branch 'main' set up to track remote branch 'main' from 'origin'.
darredondo@linuxmint:~/Documentos/pract02/pract02$
```

WhatsApp

darredondoe/prac02-automatiza-redes

Angular, instala este framework

https://github.com/darredondoe/prac02-automatiza-redes

darredondoe

prac02-automatiza-redes

CodeIssuesPull requestsActionsProjectsWikiSecurityInsightsSettings

prac02-automatiza-redes

Public

Go to fileAdd fileCode

main1 branch0 tags

darredondoe first commit

d82ceef2 minutes ago3 commits

.vscode

src

.editorconfig

.gitignore

README.md

angular.json

linux

linux.pub

package-lock.json

package.json

tsconfig.app.json

tsconfig.json

tsconfig.spec.json

initial commit

initial commit

initial commit

initial commit

Práctica-número-02

first commit

first commit

initial commit

initial commit

initial commit

initial commit

42 minutes ago

42 minutes ago

42 minutes ago

42 minutes ago

42 minutes ago

22 minutes ago

2 minutes ago

2 minutes ago

42 minutes ago

42 minutes ago

42 minutes ago

42 minutes ago

About

Este repositorio es para realizar la práctica número 2 de Automatización de redes

Readme

Activity

0 stars

1 watching

0 forks

Releases

No releases published

Create a new release

Packages

No packages published

Publish your first package

Languages

HTML91.6%

TypeScript8.1%

CSS0.3%



Suggested Workflows

Based on your tech stack

README.md

Pract02

This project was generated with Angular CLI version 16.1.1.




```
Archivo  Editar  Ver  Buscar  Terminal  Ayuda
darredondo@linuxmint: ~/Documentos/pract02/pract02
darredondo@linuxmint:~/Documentos/pract02/pract02$ git init
Reinitialized existing Git repository in /home/darredondo/Documentos/pract02/pract02/.git/
darredondo@linuxmint:~/Documentos/pract02/pract02$ git add .
darredondo@linuxmint:~/Documentos/pract02/pract02$ git commit -m "first commit"
[main d82ceef] first commit
 2 files changed, 9 insertions(+)
 create mode 100644 linux
 create mode 100644 linux.pub
darredondo@linuxmint:~/Documentos/pract02/pract02$ git remote add origin git@github.com:darredondoe/prac02-automatiza-redes.git
error: remote origin already exists.
darredondo@linuxmint:~/Documentos/pract02/pract02$ git push -u origin main
Enumerating objects: 35, done.
Counting objects: 100% (35/35), done.
Delta compression using up to 4 threads
Compressing objects: 100% (33/33), done.
Writing objects: 100% (35/35), 113.02 KiB | 1.55 MiB/s, done.
Total 35 (delta 4), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (4/4), done.
To github.com:darredondoe/prac02-automatiza-redes.git
 * [new branch]    main -> main
Branch 'main' set up to track remote branch 'main' from 'origin'.
darredondo@linuxmint:~/Documentos/pract02/pract02$ git remote -v
origin  git@github.com:darredondoe/prac02-automatiza-redes.git (fetch)
darredondo@linuxmint:~/Documentos/pract02/pract02$ git remote rm git@github.com:darredondoe/prac02-automatiza-redes.git
error: No such remote: 'git@github.com:darredondoe/prac02-automatiza-redes.git'
darredondo@linuxmint:~/Documentos/pract02/pract02$ git remote rm origin
darredondo@linuxmint:~/Documentos/pract02/pract02$ git remote -v
darredondo@linuxmint:~/Documentos/pract02/pract02$ git remote add origin git@github.com:darredondoe/prac02-a.git
darredondo@linuxmint:~/Documentos/pract02/pract02$ git push -u origin main
Enumerating objects: 35, done.
Counting objects: 100% (35/35), done.
Delta compression using up to 4 threads
Compressing objects: 100% (33/33), done.
Writing objects: 100% (35/35), 113.02 KiB | 1.34 MiB/s, done.
Total 35 (delta 4), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (4/4), done.
To github.com:darredondoe/prac02-a.git
 * [new branch]    main -> main
Branch 'main' set up to track remote branch 'main' from 'origin'.
darredondo@linuxmint:~/Documentos/pract02/pract02$
```

darredondoe/prac02-a: Est...

Angular, instala este frame: X

+

https://github.com/darredondoe/prac02-a

darredondoe / pract02-a

pract02-a Public

Pin Unwatch 1 Fork Star 0

main 1 branch 0 tags

Go to file Add file <> Code

darredondoe first commit

d82ceef 8 minutes ago 3 commits

.vscode

initial commit

48 minutes ago

src

initial commit

48 minutes ago

.editorconfig

initial commit

48 minutes ago

.gitignore

initial commit

48 minutes ago

README.md

initial commit

48 minutes ago

angular.json

Práctica-número-02

28 minutes ago

linux

first commit

8 minutes ago

linux.pub

first commit

8 minutes ago

package-lock.json

initial commit

48 minutes ago

package.json

initial commit

48 minutes ago

tsconfig.app.json

initial commit

48 minutes ago

tsconfig.json

initial commit

48 minutes ago

tsconfig.spec.json

initial commit

48 minutes ago

About

Este es un nuevo repositorio para la practica numero 2 llamda pract02-a

Readme

Activity

0 stars

1 watching

0 forks

Releases

No releases published

Create a new release

Packages

No packages published

Publish your first package

