

KÖMEKÇİ

BEAUTY & BARBER APPOINTMENTS

Product & Technical Specification

Part 1 — Client Side · Part 2 — Master Side

Version	1.0
Date	31 July 2026
Status	For review & estimation
Platforms	Android · iOS
Market	Turkmenistan
Languages	TK · RU · EN

Table of Contents

1. [Executive Summary](#)
 2. [Market & Competitive Research](#)
 3. [Product Principles & Hard Constraints](#)
 4. [Roles, Onboarding & Navigation Map](#)
 5. [PART 1 — CLIENT SIDE](#)
 6. [PART 2 — MASTER SIDE](#)
 7. [Booking Engine — Shared Rules](#)
 8. [Notification System](#)
 9. [Data Model](#)
 10. [API Surface](#)
 11. [Design System](#)
 12. [Motion & Animation Specification](#)
 13. [Non-Functional Requirements](#)
 14. [Screen Inventory](#)
 15. [Delivery Phasing](#)
 16. [Risks & Open Questions](#)
-

1. Executive Summary

1.1 What KÖMEKÇİ is

KÖMEKÇİ is a **two-sided mobile appointment application** for independent beauty and barber professionals ("masters") and their clients.

The application opens on a **role selection screen** — *Master or Client* — and from that point the two sides are effectively two different products sharing one backend, one design system and one codebase.

1.2 What makes it different from Fresha / Booksy / YCLIENTS

This is the single most important architectural decision in the product, and it must be understood before estimating cost:

KÖMEKÇİ is not a marketplace. It is a private client-book.

In Fresha, Booksy, Treatwell and DIKIDI, a client opens the app, searches a map or a category, discovers a salon they have never met, reads reviews and books. Discovery is the core product.

In KÖMEKÇİ there is **no discovery, no search catalogue, no map, no public ratings**. A client can only book with a master who has **explicitly approved them**. The connection flow is:

Client registers

- enters master's @nickname or phone number
- sends connection request
- master receives push notification
- master approves or declines
- only then does the client see that master's calendar, services and prices

This makes KÖMEKÇİ structurally closer to a **private CRM with a client-facing companion app** than to a booking marketplace. The consequences:

Consequence	Impact
No search / catalogue / geo-index	Removes significant backend and UI cost
No public reviews or star ratings	Removes moderation, abuse handling, review UI
No commission or payment processing between client and master	Removes PCI/escrow/payout complexity
Master approval gate on every relationship	Adds a request/approval subsystem and its notifications
Master monetisation is a flat subscription	Revenue is predictable; billing subsystem is required
Master's reputation lives outside the app (Instagram/TikTok links)	Profile is a landing page, not a ranked listing

1.3 Business model

The **client side is free**. The **master side is a paid subscription** — 20 TMT/month per the reference design (final figure to be confirmed).

The master tops up an in-app balance from **mobile phone balance** or **bank card**, in **any amount**. The system auto-debits the monthly subscription from that balance. If the balance is insufficient, the account enters a **restricted (paused) state** rather than being deleted — the master keeps read access to everything, but online booking is switched off and clients see "*The master is temporarily not accepting new bookings.*"

2. Market & Competitive Research

Research was carried out across three groups of comparable products: global Western platforms, CIS/regional platforms, and solo-professional niche tools.

2.1 Global platforms

Fresha — currently the largest beauty and wellness booking platform worldwide. Its distinguishing commercial choice is that it does not add booking charges that create friction for the client, which improves client adoption compared to Booksy's paid "Boost" acquisition channel. Feature-wise it is a full business suite: calendar, POS, inventory, payroll, marketing, client records.

Booksy — over 50 million clients use Booksy to find and book beauty and wellness professionals; it is one of the most-reviewed booking apps in the category. Its client app centres on: booking, rescheduling, paying and managing appointments in-app; browsing verified reviews and provider portfolios; buying and tracking gift cards; and booking on behalf of family and friends. Booksy's separate *Booksy Biz* app is the professional-side product.

Vagaro — broad SMB suite (salon, spa, fitness), strong on multi-staff and multi-location, with a marketplace layer.

Setmore / SimplyBook.me / Treatwell — lighter-weight scheduling tools; Setmore's positioning is free-tier salon scheduling.

2.2 CIS / regional platforms

YCLIENTS — the dominant beauty-industry ecosystem in the Russian-speaking market. It provides online booking, client-base management and CRM, notifications, and analytics, and it ships a dedicated **app for the individual master** (not only for salon chains). Its core professional tool is an "electronic journal": day-view of visits, staff access control, push notifications for new bookings, client visit history, and SMS/Email reminders. **This is the closest existing analogue to the KÖMEKÇİ master cabinet.**

DIKIDI Business — a free international CRM for online booking, automation, management and promotion of service businesses. Its free tier is the main competitive pressure in the region.

Altegio — positioned for chains: reduces administrator workload, centralises data across branches, automates payroll.

2.3 Solo-professional tools

GlossGenius — built for the independent stylist selling a personal brand. Client Profiles track past services, reference photos, client preferences, before/after images and birthdays. It reports 75 %+ rebooking rates driven by automated rebooking reminders built into checkout, plus automated reminders, confirmations and appointment updates to cut no-shows.

Squire — the only major platform built exclusively for barbershops rather than general salons, with an "Independent" tier for solo barbers / single-chair operations at roughly \$30/month.

2.4 The "earlier slot" feature — validated by market practice

The client-side feature in this specification — *"notify me if an earlier time becomes free"* — is a real, proven pattern. In existing platforms, stylists let clients tick a box asking to be notified if an earlier appointment becomes available, optionally with preferred days and times; the stated purpose is to **keep the schedule full when cancellations happen**, while giving the client flexibility.

Industry guidance is consistent that the most effective no-show reduction combines **automated reminders**, **deposits/prepayment**, and a **clear cancellation policy**. Some platforms trigger a deposit requirement automatically after a configured number of no-shows.

Recommendation: KÖMEKÇİ implements reminders and the waitlist in v1. Deposits are *not* in scope (no payment rail between client and master), so the no-show lever available to us is **reminders + a no-show counter on the client card + the master's ability to decline/remove a client**. A "no-show" outcome status is therefore added to the appointment lifecycle in §7.4.

2.5 Feature matrix — what we take and what we deliberately skip

Feature	Fresha	Booksy	YCLIENTS	GlossGenius	KÖMEKÇİ
Public discovery / marketplace	✓	✓	✓	—	✗ out of scope
Master-approved private connection	✗	✗	✗	✗	✓ differentiator
Online booking calendar	✓	✓	✓	✓	✓

Feature	Fresha	Booksy	YCLIENTS	GlossGenius	KÖMEKÇİ
Service list with price & duration	✓	✓	✓	✓	✓
Automated reminders	✓	✓	✓	✓	✓
Waitlist / earlier-slot alert	✓	✓	✓	✓	✓
Client reschedule & cancel	✓	✓	✓	✓	✓
Visit history + "book again"	✓	✓	✓	✓	✓
"I'm running late" signal	✗	✗	✗	✗	✓ differentiator
Manual (offline / phone) booking by master	✓	✓	✓	✓	✓ critical for this market
Master work schedule + vacation	✓	✓	✓	✓	✓
Client card with full history	✓	✓	✓	✓	✓
In-app payments / POS	✓	✓	✓	✓	✗ out of scope
Reviews & star ratings	✓	✓	✓	—	✗ out of scope
Inventory / payroll / multi-branch	✓	—	✓	—	✗ out of scope
Gift cards	✓	✓	—	✓	✗ out of scope
Master subscription billing	✓	✓	✓	✓	✓ (local rails)

2.6 Lessons applied to KÖMEKÇİ

- 1. The master app is the product; the client app is the companion.** YCLIENTS' master-focused app proves an individual professional will pay for a good electronic journal. Design investment should be weighted toward the master calendar.
- 2. Rebooking is the retention engine.** GlossGenius' 75 %+ rebooking rate comes from making rebooking one tap away from history. Our "Book again" button in history must pre-fill master + service and jump straight to slot selection.
- 3. Manual booking is not a secondary feature.** In a market with feature phones and low connectivity, the master must be able to enter a phone-call booking in under 15 seconds. This is a first-class flow, not a settings-buried form.
- 4. Do not copy the suite.** Fresha/Vagaro breadth (POS, inventory, payroll) is the wrong target for a 20 TMT/month product on low-RAM devices.

3. Product Principles & Hard Constraints

3.1 Constraints given by the client

#	Constraint	Engineering consequence
C-1	Must run well on low-RAM phones	Target 1 GB RAM / Android 8. No heavy animation libraries, no video, aggressive image downscaling, list virtualisation everywhere.
C-2	Must work on slow / unstable internet	Offline-first local cache, optimistic UI with rollback, small JSON payloads, image CDN with size variants, retry with backoff.
C-3	4 switchable colour themes	Full design-token architecture; no hard-coded colours anywhere in the codebase.
C-4	Luxury minimalist visual style	Reference design: serif wordmark, ivory/onyx palette, generous whitespace, thin strokes, gold accent.
C-5	Micro-animations only	See §12. Motion must never block input or delay a screen.

3.2 Design principles

1. **Nothing blocks on the network.** Every screen renders from cache first, then reconciles.
 2. **The truth about a time slot lives on the server.** The client UI may be stale; therefore every booking, move and confirm is re-validated server-side at the moment of the action (this is already mandated in the source requirements and is generalised here into a rule).
 3. **One tap from the calendar to any action.** The master's most frequent actions — mark done, call client, add manual booking — must be reachable from the day view.
 4. **Silence is a feature.** No badge spam, no promotional pushes, no animated banners.
-

4. Roles, Onboarding & Navigation Map

4.1 First-run flow



Role selection screen (per reference design): - Wordmark **KÖMEKÇİ** in serif type. - Caption: "Choose your role". - Two cards side by side: - **MASTER** — icon, caption "Manage your work and clients". - **CLIENT** — icon, caption "Book with your specialist". - Primary CTA: **Get Started** (pill button, dark chevron block on the right). - The role choice is persisted. It is **not** changeable in-app after registration; a user who needs both roles registers two accounts with different phone numbers. (Flagged as an open question in §16.)

4.2 Navigation — Client

Bottom tab bar, 4 tabs:

Tab	Screen
Home	Active master, next appointment card, quick "Book" CTA
Booking	Calendar → service → time → note → confirm
History	Past appointments, "Book again"
Profile	My masters, personal data, theme, language, notifications

4.3 Navigation — Master

Bottom tab bar, 5 tabs:

Tab	Screen
Calendar	Day / week view, queue, manual add (FAB)

Tab	Screen
Clients	My clients list, statuses, search, client card
Services	Service catalogue CRUD
Schedule	Working days, hours, breaks, days off, vacation
Profile	Public profile, subscription & balance, settings

5. PART 1 — CLIENT SIDE

5.1 Client registration

Screen: `client/register`

Fields:

Field	Required	Validation
Profile photo	Yes	Image, cropped to square, compressed to ≤ 200 KB before upload
Name	Yes	2–50 characters
Nickname	Yes	Unique across the whole system. 3–20 chars, <code>a–z 0–9 _</code> , lowercase, no leading digit
Phone number	Yes	Turkmenistan format <code>+993 XX XXXXXX</code> ; unique

Behaviour:

1. Client fills the form and presses **Register**.
2. The server checks **nickname uniqueness**. - If taken → inline error under the field: *"This nickname is already taken"* + 3 suggested alternatives. - If free → client profile is created.
3. Phone verification by SMS OTP (6 digits, 60-second resend cooldown). (*Required for account security; see §16 for SMS-gateway question.*)
4. On success → **Connect to your master** screen.

Screen: `client/connect-master`

- Single input: *"Enter your master's nickname or phone number"*.
- Live lookup as the client types (debounced 400 ms, minimum 3 characters).
- On match, a compact preview card appears: master's photo, name, `@nickname`, address.
- Button: **Send request**.
- The master receives a **push notification** about the new request and can **accept** or **decline**.
- Client-side states:

State	UI
Request sent	Card with Pending chip, subtitle "Waiting for confirmation"
Accepted	Push to client; master moves into "My masters"; calendar unlocked
Declined	Card removed, neutral message "Request was not accepted" — no reason shown

- Only after the master accepts is the client **automatically added to the master's client list** and granted access to the booking calendar.

Edge cases: - Nickname / phone not found → "No master found with these details". - Duplicate request to the same master → button disabled with **Pending** state. - Client may send requests to several masters in parallel.

5.2 Booking an appointment

Screen: `client/booking`

Available only after the master's confirmation. On entry the client receives a push notification confirming access.

5.2.1 What the calendar shows

- **Available dates** — derived from the master's working days, minus days off, minus vacation, minus fully booked days.
- **Available times** — slots free of existing bookings, respecting the selected service's duration and the master's break.
- **Service list** — every service the master publishes.
- **Price of each service** — displayed next to the service name in TMT.

Visual reference: horizontal week strip with the selected date in a filled circle, then a wrapped grid of time chips, then the service list. Unavailable dates/times are rendered at 35 % opacity and are not tappable.

5.2.2 Booking sequence

1. Select service → duration is now known
2. Select date → server returns slots valid for that duration
3. Select time
4. (optional) Note
5. (optional) ☐ Notify me if an earlier time frees up
6. Press "Book"
7. Server RE-VALIDATES availability
 - └ free → appointment created, confirmation ✓ animation
 - └ taken → error "Unfortunately, this time is already taken."
calendar refreshes, client picks again

5.2.3 The Note field

Optional free-text field, max 200 characters. Placeholder examples given by the client: *eyebrow shaping, ear cleaning, nose cleaning, and other requests*. The note is shown to the master on the appointment card in the calendar.

5.2.4 Earlier-slot waitlist

Checkbox on the booking screen: ☐ **Notify me if an earlier time becomes available.**

Server behaviour:

1. When the flag is on, the appointment is registered in a **waitlist queue** for that master.
2. The server monitors cancellations and moves.
3. When a slot **earlier than the client's current appointment** and **on or before the same date** frees up, and it fits the booked service's duration, the server sends a push:

"An earlier time has become available. Would you like to move your appointment?" with **Yes** / **No** buttons.

4. On **Yes** → the server **re-checks availability**. - Free → the appointment is **moved automatically**; confirmation push to client, notification to master. - Taken → message: "*Unfortunately, this time is already taken.*"
5. On **No** → the client keeps the waitlist flag active and remains eligible for the next freed slot.

Race-condition rule: the freed slot is offered to waitlisted clients **in order of booking creation time (FIFO)**, one at a time, with a **10-minute soft reservation** per offer. If the offer expires or is declined, it passes to the next client in the queue. (*This ordering rule is a design addition — it is required to make the feature deterministic; see §16.*)

5.3 Appointment reminders

Automatic push notifications:

Trigger	Message
On the day of the appointment (default 10:00)	"Reminder: you have an appointment with your master today at 18:00."
30 minutes before the start	"Your appointment starts in 30 minutes. Please arrive on time."

The send times must be configurable in the system — i.e. exposed as backend configuration (admin-level), not hard-coded. Configurable parameters:

- Day-of reminder hour (default 10:00)
- Pre-appointment lead time (default 30 min)
- Whether each reminder type is enabled globally
- Per-client opt-out in Profile → Notifications

5.4 Changing and cancelling an appointment

Available **any time before the appointment start time**. The appointment card exposes two buttons: **Change appointment** and **Cancel appointment**.

5.4.1 Change

1. Opens the calendar of free dates and times (same component as booking).
2. Client selects a new slot.
3. Server checks slot availability. - Free → appointment is moved. Push to master: "*[Client] moved their appointment to [date, time].*" - Taken → error, client picks again.
4. The old slot is released immediately and becomes available to the waitlist.

5.4.2 Cancel

1. Confirmation dialog: "*Cancel your appointment on [date] at [time]?*" — **Yes, cancel / Keep it.**
2. On confirmation: - The appointment is removed from the **client's** calendar. - The appointment is removed from the **master's** calendar. - The time slot is **freed**. - The master receives a **push notification about the cancellation**. - Waitlisted clients are evaluated for the freed slot (§5.2.4).
3. The appointment moves to history with status **Cancelled**.

5.5 Appointment history

Screen: `client/history`

Each row shows:

Field
Date
Time
Master
Service
Price

Plus a status chip (Completed / Cancelled / No-show) using the colour language defined in §11.5.

"Book again" button on every row: 1. Pre-fills master + service. 2. Server checks availability of the equivalent slot. 3. If that time is taken, the client is taken to the calendar to **choose another free slot**.

Sorting: newest first. Filters: by master, by status. Infinite scroll, 20 items per page.

5.6 Running late

Inside an **active appointment** (today, not yet completed) a button is shown: **I'm running late**.

Options: - **5 minutes** - **10 minutes**

On confirmation the master receives a **push notification with the expected delay**:

"[Client name] will be about 10 minutes late."

The appointment card in the master's calendar gains a **"Late"** status marker (see §6.6). The signal is informational — it does **not** automatically shift the schedule.

Rules: - The button appears from `start_time - 60 min` until `start_time + 30 min`. - The client may send the signal once; sending again replaces the previous value.

5.7 My masters

Screen: `client/profile/masters`

A client may be connected to **several masters**.

Capabilities:

Action	Description
View list	All connected masters with photo, name, <code>@nickname</code> , address
Select active master	Radio/highlight selection; one active at a time
Change active master	At any time, one tap
Remove master	With confirmation; also removes the connection on the master's side
Add master	Re-uses the <code>connect-master</code> flow

The active master drives the entire client experience — the booking calendar, the services and prices shown, the visit history filter, and the home screen card all reflect the currently active master.

Pending requests appear in the same list with a `Pending` chip and are not selectable as active.

5.8 Client profile & settings

Section	Contents
Personal data	Photo, name, nickname (editable, uniqueness re-checked), phone (change requires OTP)
My masters	§5.7
Notifications	Toggles: reminders, earlier-slot offers, master messages
Appearance	4 colour themes (§11.2), light/dark follow-system
Language	Turkmen / Russian / English
About	Version, terms, privacy, support contact
Log out / Delete account	Deletion removes personal data and anonymises history

6. PART 2 — MASTER SIDE

6.1 Subscription and payment

6.1.1 Pre-registration disclosure

After choosing the **Master** role and **before registration**, the user sees the paid-subscription screen (per reference design):

- Crown icon.
- Title: **FOR MASTERS**.
- Price: **20 manat / month** (*final figure to be confirmed*).
- Subtitle: "All the tools to manage bookings, clients and your schedule."
- Checklist: ✓ 24/7 online booking · ✓ Calendar and schedule · ✓ Clients and booking history · ✓ Notifications and reminders · ✓ Support
- CTA: **Get Started** .

6.1.2 Balance top-up

The master can top up the balance:

- From **mobile phone balance**.
- By **bank card**.
- **Any amount** (no fixed packages).

After a successful top-up the funds are credited to the master's balance. **Every month the system automatically debits the subscription price** from that balance.

6.1.3 "Subscription and payment" section

Displays:

Item
Current balance
Monthly subscription price
Date of the next automatic debit
End date of the paid period
History of top-ups and automatic debits

The history is a chronological ledger: date, type (**Top-up** / **Subscription charge**), amount, resulting balance, status.

6.1.4 Billing notifications

- After a **successful debit** → push notification.
- **7 days, 3 days and 1 day before** the debit → reminder notifications.
- On **failed debit** → immediate notification explaining the restriction.

6.1.5 Insufficient funds — restricted state

If there are not enough funds, the subscription is **suspended**. In this state:


Allowed	Blocked
✔ Master can log into the app	✗ New bookings cannot be created
✔ Can view profile, calendar, clients, booking history	✗ Online booking becomes inactive
✔ All existing bookings are preserved	✗ Manual booking creation is also blocked

Clients of a suspended master see: **"The master is temporarily not accepting new bookings."** Their existing appointments remain valid and reminders still fire.

A persistent banner is shown at the top of every master screen with a **Top up** CTA.

After the balance is topped up and the automatic debit succeeds, all functions become available again — immediately, without re-registration.

6.1.6 Billing state machine



6.2 Master registration

Multi-step wizard with a 4-dot progress indicator (per reference design).

Field	Required
Role: Master	Yes
Profile photo	Yes
Name	Yes
Nickname (unique)	Yes
Phone number	Yes

Field	Required
Address	Yes
Description	Yes
Instagram / TikTok and other links	Optional
Profile banner	Yes

After registration the master's profile is created.

Step grouping: 1. Photo, name, nickname 2. Phone (+ OTP), address 3. Description, social links 4. Banner, review & finish

6.3 Master profile

Screen: `master/profile`

The public-facing profile contains:

Element
Banner
Profile photo
Name
Nickname
Address
Contact information
Description
Social networks

This is exactly what a connected client sees when they open the master's page. All fields are editable in place.

6.4 Services

Screen: `master/services`

Operations: **add**, **edit**, **delete** a service.

Each service specifies:

Field	Required	Notes
Service photo	Yes	Thumbnail in lists, hero in detail
Service name	Yes	2–60 characters
Description	Optional	Up to 300 characters
Price	Yes	TMT, integer or 2 decimals
Duration (in minutes)	Yes	Drives all slot calculations

Rules: - Duration is the atomic unit of the booking grid. Recommended increments: 15 / 30 / 45 / 60 / 90 / 120 minutes, plus custom. - Deleting a service does **not** delete past appointments; historical records keep a snapshot of the service name, price and duration at the time of booking. - A service can be **hidden** rather than deleted (recommended addition, so a master can pause a service seasonally — see §16). - Reordering by drag handle.

6.5 Working schedule

Screen: `master/schedule`

The master can configure:

Setting
Working days of the week
Start time of the working day
End time of the working day
Break (optional)

Additionally the master can: - **Change the schedule** at any time. - **Mark a specific day as non-working**. - **Change the working hours for a specific date** (a one-off override).

6.5.1 Vacation

The master specifies a **vacation period** (start date – end date). For that period: - Booking is **automatically closed**. - After the period ends, booking **reopens according to the regular working schedule**.

6.5.2 Server rule

The server takes the **working schedule, days off and vacation** into account when computing available slots. No slot may be offered outside these boundaries.

Precedence, highest first:

- 1. Existing appointment (blocked)
- 2. Vacation period (blocked)
- 3. Date-specific override (non-working, or custom hours)
- 4. Break (blocked)
- 5. Weekly working schedule
- 6. Otherwise → unavailable

6.6 Calendar and client queue

Screen: `master/calendar` — the primary working screen of the app.

All bookings are automatically sorted by date and time.

Each appointment card shows:

Field
Client photo
Name or nickname
Phone number
Service name
Date and time of the appointment
Client's note (if any)
"Late" status

The list presents: - **Upcoming appointments** - **The current queue** (today) - **Completed appointments** — shown separately or at the bottom of the list

6.6.1 Day view layout

< Wednesday, 15 August >

● 10:00 Ali Haircut
+993 6X XXXXXX 45 min
▲ Late 10 min

○ 11:00 Myrat Beard
note: "shorter on the sides"

○ 12:00 Anna Colouring

▼ Completed (3)

date strip

← next up, accent border

← collapsed section

⊕ FAB → manual booking

6.6.2 Card actions

Tap a card → bottom sheet with: - **Mark as completed** (✓) - **Cancel appointment** - **Call client** (opens dialer) - **Move appointment** (opens slot picker) - **View client card**

6.7 My Clients

Screen: `master/clients`

This section consolidates the original "Clients" requirement and the "My clients" addendum.

6.7.1 The list

The master sees a list of all their clients. Each row shows:

Field	Source
Client photo	Client profile
Name or nickname	Client profile
Appointment date	Nearest relevant appointment
Appointment time	Nearest relevant appointment
Selected service	Nearest relevant appointment
Phone number	Client profile
Date of last visit	Derived
Total number of visits	Derived

6.7.2 Client status

Every client row carries a status reflecting their nearest appointment. The three statuses are:

Status	Meaning	Visual
Expected	The client is booked but has not arrived yet	Yellow indicator •
Completed	The client arrived and received the service	Green check ✓
Cancelled	The appointment was cancelled	Red indicator •

The statuses must be visually distinct from one another. Implementation: a coloured leading dot/icon *plus* a text label *plus* a tinted chip background — never colour alone, so the distinction survives on cheap low-gamut screens and for colour-blind users.

6.7.3 Sorting

By default the nearest appointments are shown first. Example:

10:00 – Ali
11:00 – Myrat
12:00 – Anna

After an appointment is completed, the client is automatically moved to the visit history. They leave the active queue and appear in the client's own history section and in the client card's history tab.

Additional sort options: by name, by last visit, by number of visits.

6.7.4 Search

The master can search a client by **name, nickname or phone number**. Search is local-first over the cached client list (works offline), then reconciles with the server.

6.7.5 Client card

Opening a client row shows the full client card:

- Header: photo, name, @nickname , phone, call button
- Stats: total visits, last visit, no-show count, total spend
- **Full history of bookings and visits:** dates, times, services rendered
- Master's private notes about the client (*recommended addition, see §16*)
- Actions: create booking for this client, remove client

6.8 Manual client booking

Screen: master/booking/manual — reached from the FAB on the calendar.

The master can create an appointment for a client themselves. This is necessary when:

- the client called by phone;
- the client uses an ordinary (feature) phone;
- the client does not use the internet;
- the master is queueing the client up personally.

6.8.1 Fields

Field	Required
Client name	Yes
Phone number	Optional
Service	Yes
Date	Yes
Time	Yes

If a phone number is entered and it matches an existing connected client, the app offers to link the booking to that client record instead of creating a new offline contact.

6.8.2 Behaviour after saving

After saving, the appointment appears in the master's general calendar and **blocks the selected time**.

That is: the slot is immediately removed from the availability set exposed to app clients, exactly like an online booking. Offline-created appointments participate in every calendar rule — sorting, statuses, completion, cancellation and the waitlist release on cancellation.

6.8.3 Offline client records

A manually created client without an app account is stored as an **offline contact** on the master's side only. It: - appears in "My clients" with a small **Offline** marker instead of a photo (initials avatar); - accumulates visit history exactly like an app client; - receives **no** push notifications (no account) — the master is responsible for calling them; - can later be **merged** into a real client account when that person registers and connects with the same phone number.

6.9 Master settings

Section	Contents
Subscription & payment	§6.1
Public profile	§6.3
Connection requests	Pending client requests, accept / decline
Notifications	Toggles per event type
Appearance	4 colour themes, light/dark
Language	Turkmen / Russian / English
Support	Contact channel

7. Booking Engine — Shared Rules

7.1 Slot computation

For a given master, date **D** and service duration **L**:

```
available_slots(D, L) =
  generate_grid(work_start(D), work_end(D), step = GRID_STEP)
  - break_intervals(D)
  - vacation(D)
  - existing_appointments(D) [inflated by L]
  - past_times(if D == today)
```


- **GRID_STEP** default **15 minutes**, configurable per master (*recommended; see §16*).
- A slot at time **T** is valid only if **[T, T+L]** fits entirely inside working hours and overlaps nothing.
- For today, slots earlier than **now + MIN_LEAD** are removed. **MIN_LEAD** default **30 minutes**, configurable.

7.2 Double-booking prevention

Every mutating operation (**create**, **move**, **waitlist accept**) executes inside a **database transaction with a uniqueness constraint on (master_id, time range)**. The server **re-validates availability at the moment of the action** and returns a typed conflict error if the slot was taken in the meantime. The client app then refreshes the calendar and asks the user to choose again.

This is the mechanism behind three separately stated requirements in the source specification: the re-check on **Book**, the re-check on **earlier-slot acceptance**, and the re-check on **Book again**.

7.3 Appointment lifecycle



Status	Set by	Colour
EXPECTED	System on creation	Yellow
COMPLETED	Master	Green

Status	Set by	Colour
CANCELLED	Client or master	Red
NO_SHOW	Master (suggested by system)	Grey-red

NO_SHOW is an addition beyond the source document — it is required to make the no-show counter on the client card meaningful (§2.4). If the client prefers, it can be folded into CANCELLED .

7.4 Timezone

All timestamps stored in **UTC**, displayed in **Asia/Ashgabat (UTC+5)**. No DST.

8. Notification System

8.1 Event catalogue

#	Event	Recipient	Trigger
N-01	New connection request	Master	Client sends request
N-02	Request accepted	Client	Master accepts
N-03	Request declined	Client	Master declines
N-04	New booking created	Master	Client books
N-05	Booking confirmed	Client	Server creates appointment
N-06	Day-of reminder (default 10:00)	Client	Scheduler
N-07	30-minute reminder	Client	Scheduler
N-08	Earlier slot available	Client	Slot freed + waitlist match
N-09	Appointment moved	Master & Client	Move committed
N-10	Appointment cancelled by client	Master	Client cancels
N-11	Appointment cancelled by master	Client	Master cancels
N-12	Client running late	Master	Client presses "I'm late"
N-13	Subscription debited successfully	Master	Billing job
N-14	Debit reminder — 7 days	Master	Scheduler
N-15	Debit reminder — 3 days	Master	Scheduler
N-16	Debit reminder — 1 day	Master	Scheduler
N-17	Subscription suspended	Master	Failed debit
N-18	Subscription reactivated	Master	Successful top-up + debit
N-19	Top-up successful	Master	Payment callback

8.2 Delivery strategy — market-specific

Push delivery through Firebase Cloud Messaging depends on Google Play Services, which is not uniformly available or reliable on all devices and networks in this market. The system therefore implements a **layered delivery strategy**:

Layer	Mechanism	Purpose
1	FCM push	Primary, when available

Layer	Mechanism	Purpose
2	Local notification scheduling	All time-based reminders (N-06, N-07, N-14...N-16) are <i>also</i> scheduled locally on the device at booking time, so they fire without any network
3	In-app inbox	Every event is persisted server-side and shown in an in-app notification list on next launch
4	SMS fallback (<i>optional, costed separately</i>)	Critical events only (N-02, N-08) if an SMS gateway is contracted

Local scheduling is cancelled/rescheduled whenever an appointment is moved or cancelled.

8.3 Message templates

All notification text is stored as **localised templates** with named placeholders, editable server-side without an app release:

```
N-06: "Reminder: you have an appointment with {master_name} today at {time}."
N-07: "Your appointment starts in 30 minutes. Please arrive on time."
N-08: "An earlier time has become available. Would you like to move your appointment?"
N-12: "{client_name} will be about {minutes} minutes late."
```

9. Data Model

9.1 Entities

User

id, role(CLIENT|MASTER), phone, nickname*, name, photo_url, locale, theme, created_at, status

MasterProfile

user_id, banner_url, address, description, instagram_url, tiktok_url, other_links[], subscription_status(ACTIVE|SUSPENDED), balance, next_charge_at, paid_until, grid_step_min, min_lead_min

Service

id, master_id, photo_url, name, description, price, duration_min, is_hidden, sort_order

WorkSchedule

master_id, weekday(0-6), is_working, start_time, end_time, break_start, break_end

ScheduleOverride

id, master_id, date, type(DAY_OFF|CUSTOM_HOURS), start_time, end_time

Vacation

id, master_id, start_date, end_date

Connection -- client ≠ master relationship

id, client_id, master_id, status(PENDING|ACCEPTED|DECLINED|REMOVED), requested_at, decided_at

OfflineClient -- manually added, no account

id, master_id, name, phone?, created_at, merged_into_user_id?

Appointment

id, master_id, client_id? | offline_client_id?, -- exactly one service_id, service_snapshot{name, price, duration_min}, starts_at, ends_at, status(EXPECTED|COMPLETED|CANCELLED|NO_SHOW), note, source(ONLINE|MANUAL), late_minutes?, waitlist_earlier bool, created_at, updated_at, cancelled_by?

WaitlistEntry

id, appointment_id, client_id, master_id, before_time, created_at, offered_at?, offer_expires_at?

BalanceTransaction

id, master_id, type(TOPUP|CHARGE|REFUND), amount, balance_after, method(MOBILE|CARD), external_ref, status, created_at

NotificationLog

id, user_id, event_code, payload, channel, sent_at, read_at

* nickname is unique across all users.

9.2 Key indexes

```
users(nickname) UNIQUE
users(phone) UNIQUE
appointments(master_id, starts_at)
appointments(client_id, starts_at DESC)
EXCLUDE constraint on (master_id, tstzrange(starts_at, ends_at))
    WHERE status IN ('EXPECTED', 'COMPLETED')
connections(master_id, status)
connections(client_id, status)
```

The exclusion constraint is what makes double-booking structurally impossible rather than merely unlikely.

10. API Surface

REST/JSON over HTTPS. All list endpoints are cursor-paginated and support `If-None-Match` for cheap revalidation on slow networks.

10.1 Auth

POST	/auth/register	role, name, nickname, phone, photo
POST	/auth/otp/request	phone
POST	/auth/otp/verify	phone, code → tokens
GET	/auth/nickname/available	?nickname=
POST	/auth/refresh	

10.2 Client

GET	/masters/lookup?q=	nickname or phone
POST	/connections	master_id → request
GET	/connections	my masters + status
PATCH	/connections/{id}/active	set active master
DELETE	/connections/{id}	
GET	/masters/{id}/services	
GET	/masters/{id}/availability?date=&service_id=	
POST	/appointments	service_id, starts_at, note, waitlist_earlier
PATCH	/appointments/{id}/move	starts_at
POST	/appointments/{id}/cancel	
POST	/appointments/{id}/late	minutes(5 10)
POST	/appointments/{id}/rebook	
GET	/appointments?scope=upcoming history	
POST	/waitlist/{id}/accept	
POST	/waitlist/{id}/decline	

10.3 Master

```
GET|PATCH /me/profile
GET|POST|PATCH|DELETE /me/services[/]{id}]
GET|PUT /me/schedule
POST|DELETE /me/schedule/overrides[/]{id}]
POST|DELETE /me/vacations[/]{id}]

GET /me/calendar?from=&to=
GET /me/clients?query=&sort=
GET /me/clients/{id}
POST /me/appointments manual booking
PATCH /me/appointments/{id}/status COMPLETED|CANCELLED|NO_SHOW

GET /me/connection-requests
POST /me/connection-requests/{id}/accept
POST /me/connection-requests/{id}/decline

GET /me/billing balance, next charge, paid_until
GET /me/billing/transactions
POST /me/billing/topup amount, method
```

10.4 Error contract

```
{
  "error": "SLOT_TAKEN",
  "message": "Unfortunately, this time is already taken.",
  "message_tk": "...",
  "message_ru": "...",
  "details": { "suggested_slots": ["11:30", "12:15"] }
}
```

Typed error codes: `SLOT_TAKEN` , `NICKNAME_TAKEN` , `NOT_CONNECTED` , `SUBSCRIPTION_SUSPENDED` ,
`OUTSIDE_WORKING_HOURS` , `PAST_TIME` , `OFFER_EXPIRED` .

11. Design System

11.1 Visual direction

Derived from the approved reference design: **luxury minimalism**.

- Serif wordmark (`KÖMEKÇİ`), wide letter-spacing.
- Ivory/off-white canvas, near-black ink, muted gold accent.
- Cards with 1 px hairline borders, very soft shadows, 16–20 px radii.
- Thin-stroke line icons (1.5 px), no filled/coloured icon sets.
- Generous whitespace; content breathes.
- Signature CTA: pill button, light body + dark chevron block on the right (`Get Started >>>>`).
- Photography (client avatars, service photos) is the only source of saturated colour.

11.2 The four themes

All colour is expressed as **semantic design tokens**. Themes swap token values only; no component may reference a raw hex value.

Token	1. Ivory (default)	2. Onyx (dark)	3. Champagne	4. Rose
<code>bg.canvas</code>	<code>#FBFAF7</code>	<code>#0E0E0F</code>	<code>#FAF6EE</code>	<code>#FCF7F6</code>
<code>bg.surface</code>	<code>#FFFFFF</code>	<code>#1A1A1C</code>	<code>#FFDFD8</code>	<code>#FFFFFF</code>
<code>bg.elevated</code>	<code>#FFFFFF</code>	<code>#232326</code>	<code>#FFFFFF</code>	<code>#FFFFFF</code>
<code>ink.primary</code>	<code>#111112</code>	<code>#F5F4F1</code>	<code>#1C1811</code>	<code>#1E1618</code>
<code>ink.secondary</code>	<code>#6B6B70</code>	<code>#A3A3A8</code>	<code>#7A7060</code>	<code>#7C6C70</code>
<code>ink.tertiary</code>	<code>#9C9CA1</code>	<code>#6E6E74</code>	<code>#A89C88</code>	<code>#A99598</code>
<code>border.hairline</code>	<code>#E8E6E1</code>	<code>#2E2E32</code>	<code>#EBE3D4</code>	<code>#F0E4E4</code>
<code>accent.primary</code>	<code>#111112</code>	<code>#F5F4F1</code>	<code>#B9963F</code>	<code>#B0757C</code>
<code>accent.on</code>	<code>#FFFFFF</code>	<code>#0E0E0F</code>	<code>#FFFFFF</code>	<code>#FFFFFF</code>
<code>accent.subtle</code>	<code>#F2F1ED</code>	<code>#26262A</code>	<code>#F5EBD6</code>	<code>#FAEDED</code>
<code>gold</code>	<code>#C9A961</code>	<code>#D4B876</code>	<code>#B9963F</code>	<code>#C9A961</code>

Status colours are shared across all four themes so that the queue reads identically everywhere:

Token	Light	Dark
<code>status.expected</code>	<code>#D9A21B</code>	<code>#E8B94A</code>

Token	Light	Dark
<code>status.completed</code>	#2E7D5B	#4CAF83
<code>status.cancelled</code>	#C0392B	#E06055
<code>status.late</code>	#D9741B	#E8934A

Every foreground/background pair listed above meets **WCAG AA** ($\geq 4.5:1$) for body text and $\geq 3:1$ for large text and icons.

Theme switching is instant, persisted locally, and applied without an app restart.

11.3 Typography

Role	Font	Size / Line height	Weight
Wordmark	Serif display (e.g. Playfair Display)	32 / 40	400, +8 % tracking
H1 screen title	Sans (Inter / SF)	24 / 32	600
H2 section	Sans	18 / 26	600
Body	Sans	15 / 22	400
Caption / meta	Sans	13 / 18	400
Numeric (time, price)	Sans, tabular figures	15 / 22	500

Turkmen requires full Latin-extended coverage (ä ö ü ç ñ ş ý ž). Fonts must be subset but must retain these glyphs. Cyrillic subset required for Russian.

11.4 Spacing & layout

- 4 px base grid; spacing scale 4 · 8 · 12 · 16 · 20 · 24 · 32 · 40 .
- Screen horizontal padding: **20 px**.
- Card radius **16 px**, button radius **28 px** (pill), chip radius **12 px**.
- Minimum touch target **44 × 44 px**.
- List row height: 72 px with avatar, 56 px without.

11.5 Status presentation

Statuses are never communicated by colour alone:

- | | | | |
|-------------|-------------|-----------------------|---------------|
| ● Expected | yellow dot | + label "Expected" | + tinted chip |
| ✓ Completed | green check | + label "Completed" | + tinted chip |
| ● Cancelled | red dot | + label "Cancelled" | + tinted chip |
| △ Late | orange | + label "Late 10 min" | + tinted chip |

11.6 Component inventory

Buttons (primary pill, secondary outline, text, icon) · Input field · OTP input · Avatar (image / initials) · Card · List row · Status chip · Date strip · Time-slot chip · Service row · Bottom sheet · Dialog · Toast · Empty state · Skeleton loader · Segmented control · Toggle · Checkbox · Stepper dots · Banner (subscription warning) · FAB · Tab bar.

12. Motion & Animation Specification

Direct translation of the client's animation brief into implementable values.

12.1 Principles

Requirement	Implementation
Short, smooth micro-animations on user actions	All durations 120–260 ms
Button reacts slightly to touch	Scale 0.97 , 120 ms, <code>easeOut</code> ; releases on <code>easeIn</code>
Selected element highlights smoothly	Background/border cross-fade 180 ms, <code>easeInOut</code>
Screen transitions smooth and fast	Shared-axis slide + fade, 220 ms , <code>easeOutCubic</code>
Success shows a short ✓ animation	Stroke-draw check, 400 ms total, then auto-dismiss after 800 ms
Animations must not delay the app or obstruct the user	No animation blocks input; all are interruptible and cancel on navigation
No excessive waves, strong effects or constant motion	Banned: ripple splash, parallax, bounce/spring overshoot, looping shimmer on idle content, confetti, particle effects, auto-playing carousels
Minimalist, smooth, premium (Luxury)	Opacity + subtle transform only. Never more than two properties animated at once.

12.2 Motion tokens

```
duration.instant    = 120 ms   → press feedback
duration.fast       = 180 ms   → selection, chip state
duration.base       = 220 ms   → screen transition, sheet
duration.slow       = 400 ms   → success check draw

easing.standard     = cubic-bezier(0.2, 0.0, 0.2, 1.0)
easing.decelerate   = cubic-bezier(0.0, 0.0, 0.2, 1.0)
easing.accelerate   = cubic-bezier(0.4, 0.0, 1.0, 1.0)
```

No spring physics. No easing with overshoot.

12.3 Per-interaction specification

Interaction	Animation
Button press	scale 1.0 → 0.97, 120 ms
Time-slot / date chip select	fill + ink colour cross-fade, 180 ms

Interaction	Animation
Tab switch	content fade 150 ms; no sliding indicator bounce
Push screen	new screen slides 24 px + fades in, 220 ms
Bottom sheet	slide up 220 ms, backdrop fade 180 ms
Booking confirmed	✓ stroke draw 400 ms + label fade, auto-dismiss 800 ms
List item appears	fade only, 150 ms, no stagger
Loading	static skeleton blocks; no shimmer sweep
Pull to refresh	thin 2 px progress line, no elastic bounce
Status change	chip colour cross-fade 180 ms

12.4 Low-end device policy

- If the device reports **< 2 GB RAM** or the OS "reduce motion" setting is on, **all transforms are disabled** and only opacity fades remain.
 - Frame budget: every animation must sustain 60 fps on the reference low-end device; if it cannot, it is removed rather than degraded.
-

13. Non-Functional Requirements

13.1 Performance targets (reference device: 1 GB RAM, Android 8)

Metric	Target
Cold start to first meaningful paint	≤ 2.0 s
Warm start	≤ 800 ms
Screen transition	≤ 300 ms
Calendar day view render (30 appointments)	≤ 16 ms/frame
Peak RAM usage	≤ 180 MB
APK size (Android, split per ABI)	≤ 25 MB

13.2 Network & offline behaviour

Requirement	Implementation
App opens and is usable with no connection	Local database (SQLite/Isar) caches profile, services, schedule, clients, calendar ±30 days
Slow network never blocks the UI	Cache-first render, background revalidate, skeletons only on true cold cache
Actions survive connection loss	Write queue with idempotency keys; retries with exponential backoff; booking actions are never optimistic (they require server validation) and show an explicit "Sending..." state
Payload size	List responses ≤ 30 KB; gzip/brotli; no nested over-fetching
Images	Server-side resizing, 3 size variants (64 , 256 , 1080), WebP, on-disk LRU cache capped at 60 MB
Data saver mode	Optional setting: avatars only, skip banners and service photos

13.3 Security & privacy

- Transport: TLS 1.2+, certificate pinning on the mobile client.
- Auth: short-lived JWT access token (15 min) + rotating refresh token; refresh token stored in Keystore/Keychain.
- Phone numbers of clients are visible **only** to masters they are connected to.
- No client can enumerate masters beyond exact nickname/phone lookup (rate-limited: 10 lookups/min/user).
- Payment credentials are never stored in the app; top-up is delegated to the provider's flow.
- Account deletion anonymises historical appointments rather than deleting the master's business records.
- Server-side rate limits on OTP request (3/hour/phone), connection requests (20/day/client).

13.4 Localisation

- Three languages: **Turkmen (tk)**, **Russian (ru)**, **English (en)**.
- All strings externalised; no concatenated sentences.
- Date/time formatting per locale; 24-hour clock everywhere.
- Currency: `20 TMT` / `20 манат` / `20 manat` per locale.
- Right-to-left not required.

13.5 Accessibility

- Minimum text size 13 px; supports OS font scaling to 130 % without clipping.
- All interactive elements have accessible labels.
- Status never conveyed by colour alone (§11.5).
- Contrast per §11.2.

13.6 Recommended technical stack

(Proposal — to be confirmed with the development team.)

Layer	Choice	Rationale
Mobile	Flutter	One codebase for Android + iOS; strong control over rendering; good low-end performance if animation discipline is kept
State	Riverpod / BLoC	Predictable, testable
Local DB	Isar or Drift (SQLite)	Fast, small, offline-first
Backend	Node.js (NestJS) or Go	Either is adequate at this scale
Database	PostgreSQL	Required for the range-exclusion constraint in §9.2
Jobs/scheduler	Redis + worker queue	Reminders, billing, waitlist offers
Push	FCM + local notifications	Layered per §8.2
Media	S3-compatible storage + resizing service	Image variants
Admin	Lightweight web panel	Notification templates, subscription price, reminder timings, user support

14. Screen Inventory

14.1 Shared (3)

1. Splash
2. Role selection
3. Language selection

14.2 Client (16)

4. Client registration (photo, name, nickname, phone)
5. OTP verification
6. Connect to master (search)
7. Master preview / send request
8. Request pending
9. Client home (active master, next appointment)
10. Master profile view (banner, description, services, socials)
11. Booking — service selection
12. Booking — date & time selection
13. Booking — note + waitlist + confirm
14. Booking success ✓
15. Appointment detail (change / cancel / I'm late)
16. Earlier-slot offer dialog
17. History list
18. History detail + Book again
19. My masters
20. Client profile & settings

14.3 Master (21)

21. Subscription information (pre-registration)
22. Master registration — step 1 (photo, name, nickname)
23. Master registration — step 2 (phone, OTP, address)
24. Master registration — step 3 (description, socials)
25. Master registration — step 4 (banner, finish)
26. Master home / calendar — day view
27. Calendar — week view
28. Appointment detail sheet
29. Manual booking form

- 30. Move appointment (slot picker)
- 31. My clients — list with statuses
- 32. Client search
- 33. Client card — profile + stats
- 34. Client card — visit history
- 35. Connection requests (accept / decline)
- 36. Services list
- 37. Service add / edit
- 38. Work schedule (weekly)
- 39. Schedule override / day-off
- 40. Vacation
- 41. Subscription & balance
- 42. Top-up (amount + method)
- 43. Transaction history
- 44. Master profile edit
- 45. Master settings

Total: ≈ 45 screens (excluding dialogs, sheets, empty and error states).

15. Delivery Phasing

Phase	Scope	Outcome
0 — Foundation	Design system, 4 themes, motion tokens, component library, API skeleton, database schema	Reviewable UI kit
1 — Core loop	Role selection, both registrations, connection request/approval, services, work schedule, availability engine, online booking, master calendar, statuses	A master can be booked and can run their day
2 — Retention	Reminders (local + push), change/cancel, history, "Book again", my masters, manual booking, client card	Feature-complete for daily use
3 — Monetisation	Subscription screen, balance, top-up (mobile + card), auto-debit, suspended state, billing notifications, transaction history	Revenue-ready
4 — Refinement	Waitlist / earlier-slot offers, "I'm running late", no-show handling, data-saver mode, admin panel	Full specification delivered
5 — Hardening	Low-end device optimisation, offline testing, localisation QA, store submission	Release

Phases 1 and 2 constitute a usable MVP. Phase 3 is required before commercial launch. Phase 4 items are individually separable and can be re-ordered or deferred to control cost.

16. Risks & Open Questions

16.1 Risks

#	Risk	Mitigation
R-1	Push delivery reliability in the target market (Google Play Services availability, network filtering)	Layered delivery per §8.2 — local notification scheduling means every time-based reminder works with zero connectivity
R-2	Payment integration with mobile-balance and card rails is the least-specified part of the project and depends entirely on the acquirer/operator contract	Isolate behind a payment-provider interface; treat integration as a separately-scoped work item once the provider is named
R-3	Low-RAM performance regressions creep in over time	Fixed reference device in CI; frame-time budget enforced in review
R-4	Waitlist offers cause disputes if two clients are offered the same slot	FIFO queue + 10-minute soft reservation (§5.2.4)
R-5	No discovery means empty-app problem for new clients	Product decision, accepted: growth comes from masters inviting their own clients
R-6	SMS OTP cost and gateway availability	Confirm gateway before Phase 1; fallback to call-based verification if needed

16.2 Questions requiring the client's decision

#	Question	Our recommendation
Q-1	Final subscription price? The reference design shows 20 TMT/month; the source document leaves it blank.	Confirm 20 TMT
Q-2	Which payment provider(s) for mobile-balance and card top-up?	Must be named before Phase 3 estimation
Q-3	Should a trial period exist for new masters (e.g. 14 days free)?	Yes — standard in the category, materially improves master acquisition
Q-4	Can one person be both client and master with one account?	No — separate accounts, simpler and safer
Q-5	Is a grace period allowed after a failed debit before suspension?	3 days recommended
Q-6	Should no-show be a distinct status, or folded into cancelled?	Distinct — needed for the client card counter
Q-7	Should masters be able to hide a service instead of deleting it?	Yes — low cost, avoids destroying history

#	Question	Our recommendation
Q-8	Should the master be able to add private notes on a client card?	Yes — proven retention feature in comparable products
Q-9	Is the booking grid step fixed at 15 min or per-master configurable?	Per-master, default 15
Q-10	Does the client need a chat with the master?	Not in v1 — the "call client" action plus the note field covers the need at far lower cost
Q-11	iOS in the first release, or Android first?	Android first; iOS in the same codebase one sprint later
Q-12	Is an admin web panel in scope?	Yes, minimal — needed to edit notification timings and subscription price without an app release

Appendix A — Requirements Traceability

Every requirement from the source documents, mapped to its section here.

Client section (Т3 Раздел: Клиент)

Source requirement	Section
Registration fields: photo, name, nickname, phone	§5.1
Nickname uniqueness check on server	§5.1
Client enters master's nickname/phone, sends request	§5.1
Master receives push, accepts or declines	§5.1, N-01
After confirmation client added to master's list, gets calendar access	§5.1
Calendar shows free dates, free times, services, prices	§5.2.1
Client selects date, time, service	§5.2.2
Optional "Note" field	§5.2.3
Checkbox: notify if earlier time frees up	§5.2.4
Server monitors cancellations, sends offer with Yes/No	§5.2.4
On Yes → re-check → move or "time already taken"	§5.2.4
On "Book" → server re-checks availability	§5.2.2, §7.2
Day-of reminder (e.g. 10:00)	§5.3, N-06
30-minute reminder	§5.3, N-07
Notification times configurable in system	§5.3

Source requirement	Section
Change / cancel before appointment time	§5.4
Change opens calendar, server checks, moves	§5.4.1
Cancel → confirm → removed both sides, time freed, master notified	§5.4.2
History: date, time, master, service, price	§5.5
"Book again" with availability check	§5.5
"I'm running late" — 5 / 10 minutes	§5.6
Master receives push about expected delay	§5.6, N-12
My masters: add several, list, select active, change, delete	§5.7
Active master used for booking, calendar, history	§5.7

Master section (Т3 Раздел: Мастер)

Source requirement	Section
Subscription info shown before registration	§6.1.1
Price ___ manat/month	§6.1.1, Q-1
Top up: mobile balance, bank card, any amount	§6.1.2
Monthly automatic debit	§6.1.2
Section shows balance, price, next debit, paid-until, history	§6.1.3
Push after successful debit	§6.1.4, N-13
Reminders 7, 3, 1 days before	§6.1.4, N-14–16
Insufficient funds → subscription suspended	§6.1.5
Suspended: login, view profile/calendar/clients/history, bookings kept	§6.1.5
Suspended: no new bookings, online booking inactive	§6.1.5
Client sees "Master is temporarily not accepting new bookings"	§6.1.5
After top-up + debit, all functions restored	§6.1.5
Registration: role, photo, name, unique nickname, phone, address, description, socials (optional), banner	§6.2
Profile: banner, photo, name, nickname, address, contacts, description, socials	§6.3
Services: add, edit, delete	§6.4
Service fields: photo, name, description (optional), price, duration (min)	§6.4
Schedule: working days, start, end, break (optional)	§6.5
Change schedule, mark day non-working, change hours for a date	§6.5

Source requirement	Section
Vacation: period, booking closed then reopened	§6.5.1
Server accounts for schedule, days off, vacation	§6.5.2
Calendar sorted by date and time	§6.6
Card: photo, name/nickname, phone, service, date/time, note, Late status	§6.6
Upcoming, current queue, completed; completed separate or at bottom	§6.6
Clients list: photo, name/nickname, phone, last visit, total visits	§6.7.1
Search by name, nickname, phone	§6.7.4
Client card with full history	§6.7.5

Master addendum (Дополнение)

Source requirement	Section
Separate "My clients" section	§6.7
List shows photo, name/nickname, appointment date, time, service	§6.7.1
Status: Expected / Completed / Cancelled	§6.7.2
Statuses visually distinct — green check, yellow, red	§6.7.2, §11.5
Nearest appointments first (10:00 Ali, 11:00 Myrat, 12:00 Anna)	§6.7.3
After completion, client auto-moved to visit history	§6.7.3, §7.3
Manual booking by master	§6.8
Reasons: phone call, feature phone, no internet, master queues client	§6.8
Fields: name, phone (optional), service, date, time	§6.8.1
After saving appears in calendar and blocks the time	§6.8.2

Animation brief

Source requirement	Section
Short smooth micro-animations on user actions	§12.1, §12.2
Button reacts slightly to touch	§12.3
Selected element highlights smoothly	§12.3
Screen transitions smooth and fast	§12.3
Short ✓ animation on success	§12.3
Animations must not delay or obstruct	§12.1, §12.4

Source requirement	Section
No excessive waves, strong effects, constant motion	§12.1 (banned list)
Minimalist, smooth, premium (Luxury)	§11.1, §12.1

Platform constraints

Source requirement	Section
4 switchable colour themes	§11.2
Must work on low-RAM phones	§13.1, §12.4
Must work on slow internet	§13.2

Appendix B — Sources

Market research was conducted against the following public sources:

- Fresha — [Best Salon Software 2026 comparison guide](#)
- GlossGenius — [Fresha vs Vagaro comparison](#)
- GlossGenius — [Client management / CRM features](#)
- GlossGenius — [Best barber software 2026](#)
- GlossGenius — [Salon booking and payment apps](#)
- Booksy — [Customer app features](#)
- Booksy — [Business tools and features](#)
- Booksy for Customers — [Google Play listing](#)
- YCLIENTS — [Application for the individual master](#)
- YCLIENTS — [Beauty salon software and online booking](#)
- a2is — [Altegio vs YCLIENTS feature and price comparison 2026](#)
- a2is — [Altegio vs DIKIDI Business comparison 2026](#)
- STX Software — [How salon scheduling software reduces no-shows and cancellations](#)
- CutieCure — [How to reduce salon no-shows: 2026 reminder playbook](#)
- Waitlist Me — [Salon appointment and waitlist app](#)
- The Digital Merchant — [Best appointment apps for barbers](#)
- Booking Pro AI — [Best salon software 2026: comparison of 9 platforms](#)

Visual references supplied by the client (Dribbble concepts and the approved KÖMEKÇİ role-selection / subscription / registration mockups) informed §11 and §12.

End of specification.