**PRUEBAS UNITARIAS PARA
ADMINISTRAR MIS DIRECCIONES**

Código de "CountryFixture" para "CountryModel"

```php
1   <?php
2   /**
3    * Country Fixture
4    */
5   class CountryFixture extends CakeTestFixture {
6
7   /**
8    * Import
9    *
10   * @var array
11   */
12      public $import = array('model' => 'Country', 'records' => true);
13
14  }
```

Código de "CountryTest"

```php
1   <?php
2   App::uses('Country', 'Model');
3
4   class CountryTest extends CakeTestCase {
5
6       public $useDbConfig = 'test';
7
8       public $fixtures = array(
9           'app.country',
10      );
11
12      public $autoFixtures = false;
13
14      public function setUp() {
15          parent::setUp();
16          $this->Country = ClassRegistry::init('Country');
17      }
18
19      public function testCountryModel() {
20          $result = $this->loadFixtures('Country');
21      }
22
23      public function tearDown() {
24          unset($this->Country);
25
26          parent::tearDown();
27      }
28
29  }
```

Código de "AddressFixture" para "AddressModel"

```php
1   <?php
2
3 ▼ class AddressFixture extends CakeTestFixture {
4
5       public $useDbConfig = 'test';
6
7       public $import = array(
8           'connection' => 'default',
9           'model' => 'Address',
10          'records' => true
11      );
12
13  }
```

Código de "AdressesControllerTest"

```php
1   <?php
2   App::uses('AddressesController', 'Controller');
3
4 ▼ class AddressesControllerTest extends ControllerTestCase {
5
6       public $fixtures = array(
7           'app.address',
8           'app.state',
9           'app.country'
10      );
11
12 ▼    public function testIndex() {
13          $result = $this->testAction('/addresses/index');
14          debug($result);
15      }
16
17 ▼    public function testView() {
18          $result = $this->testAction('/addresses/view/1');
19          debug($result);
20      }
21
22 ▼    public function testAdd() {
23          $result = $this->testAction('/addresses/add');
24          debug($result);
25      }
26
27 ▼    public function testEdit() {
28          $result = $this->testAction('/addresses/edit/1');
29          debug($result);
30      }
31
32 ▼    public function testDelete() {
33          $result = $this->testAction('/addresses/delete/1');
34          debug($result);
35      }
36
37  }
38  ?>
```

Código de "StateFixture" para "StateModel"

```php
1    <?php
2 ▼ /**
3     * State Fixture
4     */
5 ▼ class StateFixture extends CakeTestFixture {
6
7 ▼ /**
8     * Import
9     *
10    * @var array
11    */
12       public $import = array('model' => 'State', 'records' => true);
13
14  }
```

Resultado de las pruebas unitarias

Running CountryTest

1/1 test methods complete: **1** passes, **0** fails, **0** assertions and **0** exceptions.

Time: 0.069617033004761 seconds

Peak memory: 10,928,880 bytes

Resultado de la prueba para el Modelo Country (CountryTest)

Running AddressTest

1/1 test methods complete: **1** passes, **0** fails, **0** assertions and **0** exceptions.

Time: 0.78495407104492 seconds

Peak memory: 10,933,176 bytes

Resultado de la prueba para el Modelo Address (AddressTest)

Running AddressesControllerTest

5/5 test methods complete: **5** passes, **0** fails, **0** assertions and **0** exceptions.

Time: 0.53026962280273 seconds

Peak memory: 12,349,296 bytes

Resultado de la prueba para el Controlador Addresses (AddressesControllerTest)

Running StateTest

1/1 test methods complete: **1** passes, **0** fails, **0** assertions and **0** exceptions.

Time: 0.19357800483704 seconds

Peak memory: 10,933,176 bytes

Resultado de la prueba para el Modelo State (StateTest)