

Brendan Ewing
CSIT 537

hotel project
M6

07/27/18
Summer 2018

Brendan Ewing
CSIT 537 Web Development
section 1
Professor Jingfu


Table of content:

I. Description of hotel system	3
II. System design	4
III. Implementation	5
IV. Test runs	120
V. Discussion and conclusions	121

Description:

A hotel website that is modeled after the Sheraton hotel in Dubai. It take much use of the bootstrap carousel to portray images. There's images as links and a nav bar, that despite being set to sticky doesn't function that way for some unknown reason. The hotel works to do it's primary goal of attracting customers to make a reservation, thus the booking is listed on every page except the actual booking page. Thus its a black-hole approach that all roads lead to the center. After booking there is a confirmation page and redirection to the home page. On the server side script, its very simple sql insert. It doesn't have anything more complex or security or login, since building such things would detract from the front end customer luring. A more complex system could easily be inserted that would prevent injection or other exploits, but such system would need to be developed and would take more than the scope of a summer class, thus the development of this system was focused on the look and function over the security.

System design:



Implementation:

Index.php:

```
<!DOCTYPE html>
<!-- M5 project 5 -->
<!--Hotel reservation system-->
<!--so the goal is to make a really nice hotel start page with a drop down box that
```

takes reservations.

there should be pictures and links to everything.

so we got to make multi stage web page

so bar 1 will be

- the Logo, the name of the hotel, a fake rating of stars lets say its 5 star

- the address, a updating weather widget for the area

- current time in a clock, and phone numbers/fax

the 2nd bar will have giant pic of hotel, that auto scrolls between pics of the hotel

- in this box i want the hotel reservation instant book

 - links to the reservation page

then a (3rd) menu bar that has

- home

- Rooms

- amenities

- dining

- activities

- theater

- etc w.e u want to add or make... up to u if u want above and beyond.

not gonna go all out.
-since i do have to do machine learning and project 3 in less than 30 days, i'm probably

- booking

- gallery page

then a (4th) body bar

- blurb about the hotel

- welcoming message

- directions div element

-scrolling box of images that show activities or something etc that links to the other pages when clicked on

a (5th) one that just has a map plugin with directions to the hotel from common places (steal someone's??)

last end bar that has

- contact info again and copy right and bla bla stuff. u know a footer

-->

<!--WHAT'S LEFT-->

<!--got to do the dropdown in the instant book box.

fix up the database script passing form the instant book

scheme is instant book passes to rooms then rooms passes to reservation

then reservation connects to the database and redirects to confirmation screen with button to return to index.html.

If one skips instant book and goes to rooms, they can pick rooms and then pass to reservation which will have the instant book missing criteria to get

if one skips rooms AND instantbook then reservation page should have all details choosable. simple.

-->

```
<html>
  <head>
    <title> Drumpf Hotel</title>
    <meta name="description" content="hotel for idiots, made by an idiot">
    <meta name="author" content="Brendan Ewing">
    <meta charset="utf-8">
    <meta name="political veiws" content="ultra-progressive leftist">
    <!-- due lazieness and its free to use, i'm using w3's style sheet to do the slide show. so
its done and i don't have
        to deal with styling the stuff.-->
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <!--<link rel="stylesheet" href="https://www.w3schools.com/w3css/4/w3.css"-->
    <!-- at first i was building an image carousel based on w3schools, but theres a better one
and i went to that
        its bootstrap-->
    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">
    <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
    <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>
    <!-- fa fa external link-->
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
    <style>
/*first thing is to make a background for the page.
I want to do a animated one where its black and white.
I can't simply do this with css. i'd have to either download a gif, or make one
which is way more work than i'm willing ot put in.
so i should probably just dl a gif??*/
    body {
      background-image: url("http://www.thisiscolossal.com/wp-
content/uploads/2014/08/dots-new.gif");
      background-repeat: repeat;
    }
  </head>
```

```
table.center {
  width:70%;
  margin-left:25%;
  margin-right:25%;
}
.heder{ /*i named it heder to not conflict with "header"*/
  background-color: #01021C;
  align-self: center;
  position: relative;
  max-width: 1280px;
  overflow: auto;
  left: 50%;
  transform: translate(-50%);

}
* {
  -webkit-box-sizing: border-box;
  -moz-box-sizing: border-box;
  box-sizing: border-box;
  margin: 0;
  padding: 0;
}
.container {
  max-width: 100%;
  overflow: hidden;
  margin: 0 auto;
}
.fullwidth {
  background: black;
  overflow: hidden;
}
.imgSlidesA {
  margin: 0;
  position: relative;
  top: 50%;
  left: 50%;
  transform: translate(-50%, -38%); /*i did transform cause it was the best way to
ensure vert and horizontal alignment*/
}

.mydiv {

  min-height: 50px;
  min-width: 100%;
```



```
    max-height: 600px;
    overflow: hidden;

}

.mydiv2 {

    min-height: 50px;
    min-width: 100%;
    max-height: 600px;
    overflow: hidden;
    align-self: center;

}

/*
.mySlides {display:none}
.w3-left, .w3-right, .w3-badge {cursor:pointer}
.w3-badge {height:13px;width:13px;padding:0}
*/

ul.topnav {
    list-style-type: none;
    margin: 0;
    padding: 0;
    overflow: hidden;
    background-color: #333;
    position: -webkit-sticky; /* Safari */
    position: sticky;
}

ul.topnav li {float: left;}

ul.topnav li a {
    display: block;
    color: white;
    text-align: center;
    padding: 14px 16px;
    text-decoration: none;
}

ul.topnav li a:hover:not(.active) {background-color: #111;}
```

```
ul.topnav li a.active {background-color: #4CAF50;}

ul.topnav li.right {float: right;}
ul.topnav li.left {float: left;}

@media screen and (max-width: 600px){
  ul.topnav li.right,
  ul.topnav li {float: none;}
}

.reserveNow{
  display: block;
  z-index: 10;
  min-height: 85px;
  float: none;
  left: 250px;
  margin: 0px 0px 0px 0px;
  background: hotpink;
  text-decoration: none;
  min-width: 200px;
  overflow: auto;

  position: absolute;
}
.formBox{
  font-size: 18pt;
  color: white;
  background-color: black;
  position: relative;
  text-align: center;
  display: block;
margin: 0px auto;
z-index: 10;

}
.formheader{
  text-align: center;
  z-index: 10;
}
```

```
.daButton{
    color: black;
    position: relative;
    background: hotpink;
    text-align: center;
    display: block;
margin: 0px auto;
z-index: 10;
```

```

}
td.center1 {
    text-align: center;
    font-size: 18pt;
    font-family: serif;
    font: scriptina;
    min-width: 250px;
    color: white;
}
td.right{
    text-align: right;
    font: palatino;
    color: white;
    margin-right: 68px;
}
td.center{
    text-align: center;
    font: palatino;
    color: white;
    margin-right: 68px;
}
```

```
.center {
    margin: auto;
    width: 50%;

    padding: 10px;
}
```

```
td.mouthyWords{
    text-align: center;
    font-size: 18pt;
    font-family: serif;
```

```
        font:scriptina;
        -width: 200px;
        color: cyan;
    }
    .collapsible {
        background-color: hotpink;
        color: white;
        cursor: pointer;
        padding: 18px;
        width: 100%;
        border: none;
        text-align: left;
        outline: none;
        font-size: 18pt;
    }

    .active2, .collapsible:hover {
        background-color: magenta;
    }

    .content {
        padding: 0 18px;
        display: none;
        overflow: hidden;
        background-color: black;
    }

</style>
</head>

<body>
    <div id="home" class="heder">
    <TABLE class="center">
        <thead>
            <!--the frist section of the webpage
                this will just have the logo, some pertinent information, and will be at
the top of the page-->
            <tr>
                <td rowspan="4"> </td>
                <td> Drumpf Hotel, <small><i> &#9733 &#9733 &#9733
&#9733 &#9733 &#9733 Hotel</i></small></td>
```

```

        </tr>
        <tr>
            <td> 236 Deans Rhode Hall Rd South Brunswick Township, New
Jersey 08831</td>
            <!-- i wanted to do weather widet, but despite putting in correctly
it won't load. so i scrapped it-->
        </tr>
        <tr>
            <td> &#9742: +1 (609) 555-5555 FAX: +1 (609) 555-5556</td>
        </tr>
        <tr>
            <td> <span id="time"></span></td>
        </tr>
    </thead>
</TABLE>
</div>
<!--i changed my mind on the image carousel. i like bootstrap more and its practically
the same thing-->
<!--<div class="w3-content w3-display-container " style="max-width:100% max-
height:100%">
    
    
    
    
    
    
    
    

    <div class="w3-center w3-container w3-section w3-large w3-text-white w3-display-
bottommiddle" style="width:100%">
        <span class="w3-badge demo w3-border w3-transparent w3-hover-white"
onclick="currentDiv(1)"></span>

```

```
<span class="w3-badge demo w3-border w3-transparent w3-hover-white"
onclick="currentDiv(2)"></span>
<span class="w3-badge demo w3-border w3-transparent w3-hover-white"
onclick="currentDiv(3)"></span>
<span class="w3-badge demo w3-border w3-transparent w3-hover-white"
onclick="currentDiv(4)"></span>
<span class="w3-badge demo w3-border w3-transparent w3-hover-white"
onclick="currentDiv(5)"></span>
<span class="w3-badge demo w3-border w3-transparent w3-hover-white"
onclick="currentDiv(6)"></span>
<span class="w3-badge demo w3-border w3-transparent w3-hover-white"
onclick="currentDiv(7)"></span>
<span class="w3-badge demo w3-border w3-transparent w3-hover-white"
onclick="currentDiv(8)"></span>

</div>
<div class="w3-center w3-container w3-section w3-large w3-text-white w3-display-
middle" style="width:100%">
  <button class="w3-button w3-black w3-display-left" onclick="plusDivs(-
1)">&#10094;</button>
  <button class="w3-button w3-black w3-display-right"
onclick="plusDivs(1)">&#10095;</button>

</div>
</div>-->
<div class="container mydiv">
  <div id="myCarousel" class="carousel slide" data-ride="carousel">
    <!-- Indicators -->
    <ol class="carousel-indicators">
      <li data-target="#myCarousel" data-slide-to="0" class="active"></li>
      <li data-target="#myCarousel" data-slide-to="1"></li>
      <li data-target="#myCarousel" data-slide-to="2"></li>
      <li data-target="#myCarousel" data-slide-to="3"></li>
      <li data-target="#myCarousel" data-slide-to="4"></li>
      <li data-target="#myCarousel" data-slide-to="5"></li>
      <li data-target="#myCarousel" data-slide-to="6"></li>
      <li data-target="#myCarousel" data-slide-to="7"></li>
    </ol>
    <div class="reserveNow">
      <p class="formhder">RESERVE YOUR STAY</p>
      <TABLE class="formBox" border=0>
        <tr><td>
          </td></tr>
        <tr><td>
```

```
<form method="POST" action="booking.php">
    <label>Check-in date:<input type="date" id="checkindate"
name="checkindate" placeholder="Check-in Date" required style="color: black;"></label></p><br>
    <label>Check-out date:<input type="date" id="checkoutdate"
name="checkoutdate" placeholder="Check-out Date" required style="color: black;"></label><br>
    <!-- time to make the collapsable element-->

    <div class="collapsible" id="collapsible"> # of Rooms, Adults,
Children? &#8853 </div><!--for here it should be script output-->
    <div class="content" >
        Rooms:<br><input type="number" name="Rooms" value="1"
min="1" required id="roomType" style="color: black;"><br>
        Adults:<br><input type="number" name="Adults" value="1"
min="1" required id="adults" style="color: black;"><br>
        Children:<br><input type="number" name="Children" value="0"
min="0" required id="children" style="color: black;"><br>

    </div>
    <input class="daButton" type="submit" name="BookNow" value="Book
Now!">

</form>
</td></tr>
</TABLE>

</div>

<!-- Wrapper for slides -->
<div class="fullwidth mydiv">

    <div class="carousel-inner imgSlidesA ">
        <div class="item active ">
            
        </div>

        <div class="item">
            
        </div>

        <div class="item">
            
    </div>
    <div class="item">
        
    </div>
    <div class="item">
        
    </div>
    <div class="item">
        
    </div>
    <div class="item">
        
    </div>
    <div class="item">
        
    </div>
</div>

<!-- Left and right controls -->
<a class="left carousel-control" href="#myCarousel" data-slide="prev">
    <span class="glyphicon glyphicon-chevron-left"></span>
    <span class="sr-only">Previous</span>
</a>
<a class="right carousel-control" href="#myCarousel" data-slide="next">
    <span class="glyphicon glyphicon-chevron-right"></span>
    <span class="sr-only">Next</span>
</a>

</div>
</div>
```



```
</div>
<div style="position: sticky;">
<ul id="topnav" class="topnav">
  <li><a id="navBar" class="left active" href="#home">Home</a></li>
  <li><a id="navBar" class="left" href="rooms.html" >Room Offerings</a></li>
  <li><a id="navBar" class="left" href="dining.html">Dining</a></li>
  <li><a id="navBar" class="left" href="activities.html" >Activities</a></li>
  <li><a id="navBar" class="left" href="booking.php">Reservations</a></li>
  <li><a id="navBar" class="left" href="gallery.html" >Gallery</a></li>
  <li><a id="navBar" class="left" href="#directions" >Directions</a></li>
  <li class="right"><a id="navBar" href="#contact">Contact Us</a></li>
</ul>
</div>
<div class="heder ">
  <table border="0">
    <tbody>
```

```
      <tr ><td class="center1" rowspan=6>
        Your Crossroads in the Heart of the Swamp!
      </td><td class="center">
```

"We got the best HOTEL! nobody in the HISTORY of
HOTELS has a HOTEL better! believe me! best HOTEL EVER! the dems and LIBS are sad and
patheic cause i am the best! and i have the BEST i mean i was in IWOA and there i had the BEST pie
and this PIE was the best the BEST and i'm the BEST! i won! i mean i beat CROOKED HILARY! and
the BEST people have worked on proving i won and i was the BEST!"

```
    </td></tr>
    <tr><td class="right">
      <br>--John Barron
    </td></tr>
    <tr><td class="center">
```

"I stayed at this GREAT big BEAUTIFUL hotel. It was
GREAT! I say to MYSELF why is this so GREAT?! And i knew that i was just like, "I am like A very
stable genius!" And i tell YOU folks, sure can't beat THE corn. I was talking to Donny about THE corn
and i was like "Why do they even try to ship ACROSS the ocean?" ...[incoherent rambling] and
STRONG!"

```
    </td></tr>
    <tr><td class="right">
      <br>--John Miller
    </td></tr>
    <tr><td class="center">
```

"THIS HOTEL IS ATTRACTIVE BOTH INSIDE AND
OUT! AMAZING! not LIKE the FAILING fake hotel! Covfefe! SAD!"

```
    </td></tr>
    <tr><td class="right">
```

```

                                <br>--David Dennison
                                </td></tr>
                            </tbody>
                        </table>
                    </div>
    <div class=" heder ">
        <div id="myCarousel2" class="carousel slide" data-ride="carousel">
            <!-- Indicators -->
            <ol class="carousel-indicators">
                <li data-target="#myCarousel2" data-slide-to="0" class="active"
id="rooms"></li>
                <li data-target="#myCarousel2" data-slide-to="1" id="dining"></li>
                <li data-target="#myCarousel2" data-slide-to="2" id="activities" ></li>
                <li data-target="#myCarousel2" data-slide-to="3" id="gallery"></li>

            </ol>
            <div class="carousel-inner center ">
                <!--first one is the room offerings which should be a collage of rooms:
                -peasent (standard hotel)
                -barron (larger room)
                -Noble lord (very large room maybe wiht nice stuff)
                -King (something with kitchen etc extreme)
                -Mr. President (trump XC)
                All this should be clickable links going to the "rooms" page. -->
                <div class="item active imgSlidesA" id="rooms"><a
href="rooms.html"><table border="0">
                    <tr><td>
                        
                    </td><td class="mouthyWords">
                        See our exquisite rooms!
                    </td><td>
                        
                    </td></tr>
                    <tr><td>
                        
                    </td><td>
                        
                    </td><td>

```

```

</td></tr>
</table></a></div>
<!--second one is dining-->
<div class="item imgSlidesA" id="dining"><a href="dining.html"><table
border="0">
    <tr><td>
        
        </td><td class="mouthyWords">
            See our opulent dining facilities with incredible offerings!
        </td><td>
            
            </td></tr>
            <tr><td>
                
                </td><td>
                    
                    </td><td>
                        
                        </td></tr>
                    </table></a></div>
<!--3rd one is activities-->
<div class="item imgSlidesA " id="activities"><a
href="activities.html"><table border="0">
    <tr><td>
        
        </td><td class="mouthyWords">
            Relax in your own way with our offerings of activities!
        </td><td>
            
            </td></tr>
            <tr><td>
```

```

</td><td>

</td><td>

</td></tr>
</table></a></div>
<!--last is just CHECKOUT OUR GALLERY!-->
<div class="item imgSlidesA" id="gallery"><a href="gallery.html"><table
border="0">
<tr><td>

</td><td class="center1">
Look at our gallery of images!
</td></tr>
</table></a></div>

</div>
<!-- Left and right controls -->
<a class="left carousel-control" href="#myCarousel2" data-slide="prev">
<span class="glyphicon glyphicon-chevron-left"></span>
<span class="sr-only">Previous</span>
</a>
<a class="right carousel-control" href="#myCarousel2" data-slide="next">
<span class="glyphicon glyphicon-chevron-right"></span>
<span class="sr-only">Next</span>
</a>

</div>
</div>
<div class="heder " id="directions">
<table border="0" >
<tbody>

<tr><td class="center1" rowspan=6>

</td><td class="center1">
```

```

        Directions to our Eagle of the Swamp:
    </td></tr>
    <tr><td class="center">
        <br><a href="https://goo.gl/maps/aGguvhvQr22"> From
NYC, NY to Drumpf <i class="fa fa-external-link"></i></a>
    </td></tr>
    <tr><td class="center">
        <br><a href="https://goo.gl/maps/KZNSnBQCFq52">
From Trenton, NJ to Drumpf <i class="fa fa-external-link"></i></a>
    </td></tr>
    <tr><td class="center">
        <br><a href="https://goo.gl/maps/T1aLWAKxgJq"> From
Easton, PA to Drumpf <i class="fa fa-external-link"></i></a>
    </td></tr>
    <tr><td class="center">
        <br><a href="https://goo.gl/maps/22M34miB1TH2">
From Alantic City, NJ to Drumpf <i class="fa fa-external-link"></i></a>
    </td></tr>
    <tr><td class="center">
        <br>For more directions, Please call us! Our staff will
direct you personally over the phone, no matter where you are!
    </td></tr>
</tbody>
</table>
</div>
<div class="heder " id="contact">
    <table border="0" class="center" >
        <tfoot>

            <tr>
                <td rowspan="4"> </td>
                <td> Drumpf Hotel, <small><i> &#9733 &#9733 &#9733
&#9733 &#9733 &#9733 Hotel</i></small></td>
            </tr><tr>
                <td> 236 Deans Rhode Hall Rd South Brunswick Township, New
Jersey 08831</td>
            </tr>
            <!-- i wanted to do weather widet, but despite putting in correctly
it won't load. so i scrapped it-->
            <tr><tr>
                <td> &#9742: +1 (609) 555-5555 FAX: +1 (609) 555-5556</td>
            </tr><tr>
                <td>&#174 Drumpf Hotel, 2018. All rights reserved. <a
href="mailto:1116198669m@gmail.com" target="_top">&#9993: 1116198669m@gmail.com</a>
        </tfoot>
    </table>
</div>

```

```
        </tfoot>
    </table>
</div>
```

```
<script type="text/javascript">
    var monthNames = new Array('January', 'February', 'March', 'April', 'May', 'June',
    'July', 'August', 'September', 'October', 'November', 'December');
    var houraps = new Array(12, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 1, 2, 3, 4, 5, 6, 7,
    8, 9, 10, 11);

    function showTime(){
        var dateObj = new Date();
        var day = dateObj.getDate(), month = dateObj.getMonth(), year =
dateObj.getFullYear(), hour = dateObj.getHours(), minutes =
(dateObj.getMinutes()<=9?'0'+dateObj.getMinutes():dateObj.getMinutes());
        var string = monthNames[month]+
        '+'day+
        ', '+year+
        ' '+houraps[hour]+
        ':'+minutes+
        ' '+((hour<=11?'am':'pm'));
        var timeDiv = document.getElementById('time');
        if(timeDiv !== null) {
            timeDiv.innerHTML = string;
            timeDiv.setAttribute('datetime',year+'-'+(month+1<=9?'0'+
(month+1):month+1)+'-'+day+' '+hour+':'+minutes);

        };
    };
    setInterval(showTime,1000);

    /*i changed my minde on the slide show so i commented out the script*/
    /*var slideIndex = 1;
    showDivs(slideIndex);

    function plusDivs(n) {
        showDivs(slideIndex += n);
    }

    function currentDiv(n) {
        showDivs(slideIndex = n);
    }
}
```

```
function showDivs(n) {
    var i;
    var x = document.getElementsByClassName("mySlides");
    var dots = document.getElementsByClassName("demo");
    if (n > x.length) {slideIndex = 1}
    if (n < 1) {slideIndex = x.length}
    for (i = 0; i < x.length; i++) {
        x[i].style.display = "none";
    }
    for (i = 0; i < dots.length; i++) {
        dots[i].className = dots[i].className.replace(" w3-white", "");
    }
    x[slideIndex-1].style.display = "block";
    dots[slideIndex-1].className += " w3-white";
}

carousel();

function carousel() {
    var i;
    var x = document.getElementsByClassName("mySlides");
    var dots = document.getElementsByClassName("demo");
    for (i = 0; i < x.length; i++) {
        x[i].style.display = "none";
        dots[i].className = dots[i].className.replace(" w3-white", "");
    }
    slideIndex++;
    if (slideIndex > x.length) {slideIndex = 1}
    x[slideIndex-1].style.display = "block";
    dots[slideIndex-1].className += " w3-white";
    setTimeout(carousel, 2000); // Change image every 2 seconds
}

var btns= document.getElementById("navBar");
for (var i = 0; i < btns.length; i++) {
    btns[i].addEventListener("mouseup", function() {
        var current = document.getElementsByClassName("active");
        current[0].className = current[0].className.replace(" active", "");
        this.className += " active";
    });
}
```

```
    });  
  }  
  
  var coll = document.getElementsByClassName("collapsible");  
  var i;  
  
  for (i = 0; i < coll.length; i++) {  
    coll[i].addEventListener("click", function() {  
      this.classList.toggle("active2");  
      var content = this.nextElementSibling;  
      if (content.style.display === "block") {  
        content.style.display = "none";  
      } else {  
        content.style.display = "block";  
      }  
    });  
  }  
  
</script>  
  
</body>  
</html>
```


Rooms.html:

```
<!DOCTYPE html>
<!-- M5 project 5 -->
<!--Hotel reservation system-->
<!--rooms html should have script to load different stuff depending on how it was entered-->
<!-- scratch that. Changed my pattern to be a blackhole/all roads lead to x-->
```

```
<html>
  <head>
    <title> Drumpf Hotel</title>
    <meta name="description" content="hotel for idiots, made by an idiot">
    <meta name="author" content="Brendan Ewing">
    <meta charset="utf-8">
    <meta name="political veiws" content="ultra-progressive leftist">
    <!-- due lazieness and its free to use, i'm using w3's style sheet to do the slide show. so
its done and i don't have
        to deal with styling the stuff.-->
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <!--<link rel="stylesheet" href="https://www.w3schools.com/w3css/4/w3.css">-->
    <!-- at first i was building an image carousel based on w3schools, but theres a better one
and i went to that
        its bootstrap-->
    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">
    <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
    <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>
    <!-- fa fa external link-->
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
    <style>
/*first thing is to make a background for the page.
I want to do a animated one where its black and white.
I can't simply do this with css. i'd have to either download a gif, or make one
which is way more work than i'm willing ot put in.
so i should probably just dl a gif???*/
    body {
        background-image: url("http://www.thisiscolossal.com/wp-
content/uploads/2014/08/dots-new.gif");
        background-repeat: repeat;
    }
    img{
        max-width: 600px;
    }
    table.center {
        width:70%;
        margin-left:25%;
        margin-right:25%;
    }
    .heder{/*i named it heder to not conflict with "header"*/
        background-color: #01021C;
```

```
        align-self: center;
        position: relative;
        max-width: 1280px;
        overflow: auto;
        left: 50%;
        transform: translate(-50%);
    }
    * {
        -webkit-box-sizing: border-box;
        -moz-box-sizing: border-box;
        box-sizing: border-box;
        margin: 0;
        padding: 0;
    }
    .container {
        max-width: 100%;
        overflow: hidden;
        margin: 0 auto;
    }
    .fullwidth {
        background: black;
        overflow: hidden;
    }
    .imgSlidesA {
        margin: 0;
        position: relative;
        top: 50%;
        left: 50%;
        transform: translate(-50%, -38%); /*i did transform cause it was the best way to
ensure vert and horizontal alignment*/
    }

    .mydiv {

        min-height: 50px;
        min-width: 100%;
        max-height: 600px;
        overflow: hidden;

    }

    .mydiv2 {
```

```
    min-height: 50px;
    min-width: 100%;
    max-height: 600px;
    overflow: hidden;
    align-self: center;

}

/*
.mySlides {display:none}
.w3-left, .w3-right, .w3-badge {cursor:pointer}
.w3-badge {height:13px;width:13px;padding:0}
*/

ul.topnav {
    list-style-type: none;
    margin: 0;
    padding: 0;
    overflow: hidden;
    background-color: #333;
    position: -webkit-sticky; /* Safari */
position: sticky;
}

ul.topnav li {float: left;}

ul.topnav li a {
    display: block;
    color: white;
    text-align: center;
    padding: 14px 16px;
    text-decoration: none;
}

ul.topnav li a:hover:not(.active) {background-color: #111;}

ul.topnav li a.active {background-color: #4CAF50;}

ul.topnav li.right {float: right;}
ul.topnav li.left {float: left;}

@media screen and (max-width: 600px){
    ul.topnav li.right,
```

```
    ul.topnav li {float: none;}
  }

.reserveNow{
  display: block;
  z-index: 10;
  min-height: 85px;
  float: none;
  left:250px;
  margin: 0px 0px 0px 0px;
  background: hotpink;
  text-decoration: none;
  min-width: 200px;
  overflow: auto;

  position: absolute;
}
.formBox{
  font-size: 18pt;
  color: white;
  background-color: black;
  position: relative;
  text-align: center;
  display:block;
margin:0px auto;
z-index: 10;

}
.formheder{
  text-align: center;
  z-index: 10;
}

.daButton{
  color: black;
  position: relative;
  background: hotpink;
  text-align: center;
  display:block;
margin:0px auto;
```

z-index: 10;

```
    }
    td.center1 {
        text-align: center;
        font-size: 18pt;
        font-family: serif;
        font:scriptina;
        min-width: 250px;
        color: white;
    }
    td.right{
        text-align: right;
        font:palatino;
        color: white;
        margin-right: 68px;
    }
    td.center{
        text-align: center;
        font:palatino;
        color: white;
        margin-right: 68px;
    }
    .center {
        margin: auto;
        width: 50%;

        padding: 10px;
    }

    td.mouthyWords{
        text-align: center;
        font-size: 18pt;
        font-family: serif;
        font:scriptina;
        -width: 200px;
        color: cyan;
    }
    .collapsible {
        background-color: hotpink;
        color: white;
```

```
        cursor: pointer;
        padding: 18px;
        width: 100%;
        border: none;
        text-align: left;
        outline: none;
        font-size: 18pt;
    }

    .active2, .collapsible:hover {
        background-color: magenta;
    }

    .content {
        padding: 0 18px;
        display: none;
        overflow: hidden;
        background-color: black;
    }

</style>
</head>

<body>
    <div id="home" class="heder">
        <TABLE class="center">
            <thead>
                <!--the frist section of the webpage
                    this will just have the logo, some pertinent information, and will be at
the top of the page-->
                    <tr>
                        <td rowspan="4"> </td>
                        <td> Drumpf Hotel, <small><i> &#9733 &#9733 &#9733
&#9733 &#9733 &#9733 Hotel</i></small></td>
                    </tr>
                    <tr>
                        <td> 236 Deans Rhode Hall Rd South Brunswick Township, New
Jersey 08831</td>
                        <!-- i wanted to do weather widet, but despite putting in correctly
it won't load. so i scrapped it-->
                    </tr>
```

```

        <tr>
            <td> &#9742: +1 (609) 555-5555 FAX: +1 (609) 555-5556</td>
        </tr>
        <tr>
            <td> <span id="time"></span></td>
        </tr>
    </thead>
</TABLE>
</div>
<div class="container mydiv">
    <div id="myCarousel" class="carousel slide" data-ride="carousel">
        <!-- Indicators -->
        <ol class="carousel-indicators">
            <li data-target="#myCarousel" data-slide-to="0" class="active"></li>
            <li data-target="#myCarousel" data-slide-to="1"></li>
            <li data-target="#myCarousel" data-slide-to="2"></li>
            <li data-target="#myCarousel" data-slide-to="3"></li>
            <li data-target="#myCarousel" data-slide-to="4"></li>
        </ol>
        <div class="reserveNow">
            <p class="formheder">RESERVE YOUR STAY</p>
            <table class="formBox" border=0>

                <tr><td>
                    <form method="POST" action="booking.php">
                        <label>Check-in date:<input type="date" id="checkindate"
name="checkindate" placeholder="Check-in Date" required style="color: black;"></label></p><br>
                        <label>Check-out date:<input type="date" id="checkoutdate"
name="checkoutdate" placeholder="Check-out Date" required style="color: black;"></label><br>
                        <!-- time to make the collapsable element-->

                            <div class="collapsible" id="collapsible"> # of Rooms, Adults,
Children? &#8853 </div><!--for here it should be script output-->
                            <div class="content" >
                                Rooms:<br><input type="number" name="Rooms" value="1"
min="1" required id="roomType" style="color: black;"><br>
                                Adults:<br><input type="number" name="Adults" value="1"
min="1" required id="adults" style="color: black;"><br>
                                Children:<br><input type="number" name="Children" value="0"
min="0" required id="children" style="color: black;"><br>
                            </div>
                            <input class="daButton" type="submit" name="BookNow" value="Book

```


Now!">

```
</form>
</td></tr>
</table>
</div>
```

```
<!-- Wrapper for slides -->
<div class="fullwidth mydiv">
```

```

    <div class="carousel-inner imgSlidesA ">
        <div class="item active ">
            
        </div>

        <div class="item">
            
        </div>

        <div class="item">
            
        </div>
        <div class="item">
            
        </div>
        <div class="item">
            
        </div>

    </div>
```

```
<!-- Left and right controls -->
<a class="left carousel-control" href="#myCarousel" data-slide="prev">
    <span class="glyphicon glyphicon-chevron-left"></span>
    <span class="sr-only">Previous</span>
```

```
</a>
<a class="right carousel-control" href="#myCarousel" data-slide="next">
  <span class="glyphicon glyphicon-chevron-right"></span>
  <span class="sr-only">Next</span>
</a>

</div>
</div>

</div>
<div style="position: sticky;">
<ul id="topnav" class="topnav">
  <li><a id="navBar" class="left" href="index.php">Home</a></li>
  <li><a id="navBar" class="left active" href="#home" >Room Offerings</a></li>
  <li><a id="navBar" class="left" href="dining.html">Dining</a></li>
  <li><a id="navBar" class="left" href="activities.html" >Activities</a></li>
  <li><a id="navBar" class="left" href="booking.php">Reservations</a></li>
  <li><a id="navBar" class="left" href="gallery.html" >Gallery</a></li>

  <li class="right"><a id="navBar" href="#contact">Contact Us</a></li>
</ul>
</div>
<div class="heder ">
  <table border="0">
    <tbody>

      <tr ><td class="center1" colspan="2" >
        Our room offerings!
      </td></tr>
      <tr><td class="center">
        
        
      </td><td>
        Our peasant class room is economical and designed for
you people!
      </td>
    </tr>
  </tbody>
</table>
</div>
<ul>
  <li>Comes as a single queen bed or 2 twins</li>
  <li>Has one bathroom!</li>
  <li>Low cost of $100.00 a night!</li>
</ul>
```

```
</td></tr>
<tr><td class="center">


</td><td>
Our barron class room is designed to elevate your stay to
the modern level comfort!
<ul>
<li>Comes as a single queen, king, 2 queens, or 2
twins</li>
<li>Has one modern bathroom!</li>
<li>Only of $500.00 a night!</li>
</ul>
</td></tr>
<tr><td class="center">





</td><td>
Our Noble Lord class suite has everything for you to enjoy
a home away from home!
<ul>
<li>Comes with 2-4 bedrooms</li>
<li>Multiple styles available!<br> Contact us with
your reservation to pick from styles</li>
<li>bed options are endless</li>
<li>Has 2-3 bathrooms!</li>
<li>Unbeatable price of $2,500 a night!</li>
```

```
</ul>
</td></tr>
<tr><td class="center">





</td><td>
Our King class suite were designed for those who are
powerful!
<ul>
<li>Comes with 3-5 large bedrooms</li>
<li>Multiple styles available!<br> Contact us with
your reservation to pick from styles</li>
<li>bed options are endless</li>
<li>Has 2-3 bathrooms!</li>
<li>Legendary price of $7,000 a night!</li>
</ul>
</td></tr>
<tr><td class="center">





</td><td>
Our Mr. President class suite is only for the best!
<ul>
<li>Comes with 5-7 large bedrooms</li>
```

```

    <li>Multiple styles available!<br> Contact us with
your reservation to pick from styles</li>

    <li>bed options are endless</li>
    <li>Has 2-3 bathrooms!</li>
    <li>Comes with staff to wait on you

personally</li>

    <li>Legendary price of $15,000 a night!</li>
</ul>
</td></tr>

</tbody>
</table>
</div>
<div class=" heder " id="contact">
    <table border="0" class="center" >
        <tfoot>

            <tr>
                <td rowspan="4"> </td>
                <td> Drumpf Hotel, <small><i> &#9733 &#9733 &#9733
&#9733 &#9733 &#9733 Hotel</i></small></td>
            </tr><tr>
                <td> 236 Deans Rhode Hall Rd South Brunswick Township, New
Jersey 08831</td>
                <!-- i wanted to do weather widet, but despite putting in correctly
it won't load. so i scrapped it-->
            </tr><tr>
                <td> &#9742: +1 (609) 555-5555 FAX: +1 (609) 555-5556</td>
            </tr><tr>
                <td>&#174 Drumpf Hotel, 2018. All rights reserved. <a
href="mailto:1116198669m@gmail.com" target="_top">&#9993:
1116198669m@gmail.com</a></td></tr>

        </tfoot>
    </table>
</div>
<script type="text/javascript">
    var monthNames = new Array('January', 'Febuary', 'March', 'April', 'May', 'June',
'July', 'August', 'September', 'October', 'November', 'December');
    var houraps = new Array(12, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 1, 2, 3, 4, 5, 6, 7,
8, 9, 10, 11);

    function showTime(){
        var dateObj = new Date();

```

```
        var day = dateObj.getDate(), month = dateObj.getMonth(), year =  
dateObj.getFullYear(), hour = dateObj.getHours(), minutes =  
(dateObj.getMinutes()<=9?'0'+dateObj.getMinutes():dateObj.getMinutes());  
        var string = monthNames[month]+  
        '+'+day+  
        ','+year+  
        '+'+houraps[hour]+  
        ':'+minutes+  
        '+'+(hour<=11?'am':'pm');  
        var timeDiv = document.getElementById('time');  
        if(timeDiv !== null) {  
            timeDiv.innerHTML = string;  
            timeDiv.setAttribute('datetime',year+'-'+(month+1<=9?'0'+  
(month+1):month+1)+'-'+day+' '+'hour+':'+'minutes);  
  
        };  
    };  
    setInterval(showTime,1000);
```

```
var btns= document.getElementById("navBar");  
for (var i = 0; i < btns.length; i++) {  
    btns[i].addEventListener("mouseup", function() {  
        var current = document.getElementsByClassName("active");  
        current[0].className = current[0].className.replace(" active", "");  
        this.className += " active";  
    });  
}  
  
var coll = document.getElementsByClassName("collapsible");  
var i;  
  
for (i = 0; i < coll.length; i++) {  
    coll[i].addEventListener("click", function() {  
        this.classList.toggle("active2");  
        var content = this.nextElementSibling;  
        if (content.style.display === "block") {  
            content.style.display = "none";  
        } else {  
            content.style.display = "block";  
        }  
    });  
}
```

```
</script>  
  </body>  
</html>
```

activities.html:

```
<!DOCTYPE html>  
<!-- M5 project 5 -->  
<!--Hotel reservation system-->  
<!--activities html mostly style no script-->
```



```
<meta name="description" content="hotel for idiots, made by an idiot">
  <meta name="author" content="Brendan Ewing">
  <meta charset="utf-8">
  <meta name="political veiws" content="ultra-progressive leftist">
  <!-- due lazieness and its free to use, i'm using w3's style sheet to do the slide show. so
its done and i don't have
      to deal with styling the stuff.-->
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <!--<link rel="stylesheet" href="https://www.w3schools.com/w3css/4/w3.css">-->
  <!-- at first i was building an image carousel based on w3schools, but theres a better one
and i went to that
      its bootstrap-->
  <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">
  <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
  <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>
  <!-- fa fa external link-->
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
  <style>
/*first thing is to make a background for the page.
I want to do a animated one where its black and white.
I can't simply do this with css. i'd have to either download a gif, or make one
which is way more work than i'm willing ot put in.
so i should probably just dl a gif???*/
body {
    background-image: url("http://www.thisiscolossal.com/wp-
content/uploads/2014/08/dots-new.gif");
    background-repeat: repeat;
}
table.center {
    width:70%;
    margin-left:25%;
    margin-right:25%;
}
.heder{/*i named it heder to not conflict with "header"*/
    background-color: #01021C;
    align-self: center;
    position: relative;
    max-width: 1280px;
    overflow: auto;
    left: 50%;
    transform: translate(-50%);
```

```
}
* {
  -webkit-box-sizing: border-box;
  -moz-box-sizing: border-box;
  box-sizing: border-box;
  margin: 0;
  padding: 0;
}
.container {
  max-width: 100%;
  overflow: hidden;
  margin: 0 auto;
}
.fullwidth {
  background: black;
  overflow: hidden;
}
.imgSlidesA {
  margin: 0;
  position: relative;
  top: 50%;
  left: 50%;
  transform: translate(-50%, -25%); /*i did transform cause it was the best way to
ensure vert and horizontal alignment*/
}

.mydiv {

  min-height: 50px;
  min-width: 100%;
  max-height: 600px;
  overflow: hidden;

}

.mydiv2 {

  min-height: 50px;
  min-width: 100%;
  max-height: 600px;
  overflow: hidden;
  align-self: center;
```

```
}

/*
.mySlides {display:none}
.w3-left, .w3-right, .w3-badge {cursor:pointer}
.w3-badge {height:13px;width:13px;padding:0}
*/

ul.topnav {
  list-style-type: none;
  margin: 0;
  padding: 0;
  overflow: hidden;
  background-color: #333;
  position: -webkit-sticky; /* Safari */
  position: sticky;
}

ul.topnav li {float: left;}

ul.topnav li a {
  display: block;
  color: white;
  text-align: center;
  padding: 14px 16px;
  text-decoration: none;
}

ul.topnav li a:hover:not(.active) {background-color: #111;}

ul.topnav li a.active {background-color: #4CAF50;}

ul.topnav li.right {float: right;}
ul.topnav li.left {float: left;}

@media screen and (max-width: 600px){
  ul.topnav li.right,
  ul.topnav li {float: none;}
}

.reserveNow{
  display: block;
  z-index: 10;
}
```

```
        min-height: 85px;
        float: none;
        left: 250px;
        margin: 0px 0px 0px 0px;
        background: hotpink;
        text-decoration: none;
        min-width: 200px;
        overflow: auto;

        position: absolute;
    }
    .formBox {
        font-size: 18pt;
        color: white;
        background-color: black;
        position: relative;
        text-align: center;
        display: block;
margin: 0px auto;
z-index: 10;

    }
    .formHeader {
        text-align: center;
        z-index: 10;
    }

    .daButton {
        color: black;
        position: relative;
        background: hotpink;
        text-align: center;
        display: block;
margin: 0px auto;
z-index: 10;

    }
    td.center1 {
```

```
        text-align: center;
        font-size: 18pt;
        font-family: serif;
        font:scriptina;
        min-width: 250px;
        color: white;
    }
    td.right{
        text-align: right;
        font:palatino;
        color: white;
        margin-right: 68px;
    }
    td.center{
        text-align: center;
        font:palatino;
        color: white;
        margin-right: 68px;
    }
    }

    .center {
        margin: auto;
        width: 50%;

        padding: 10px;
    }

    td.mouthyWords{
        text-align: center;
        font-size: 18pt;
        font-family: serif;
        font:scriptina;
        -width: 200px;
        color: cyan;
    }
    }
    .collapsible {
        background-color: hotpink;
        color: white;
        cursor: pointer;
        padding: 18px;
        width: 100%;
        border: none;
        text-align: left;
        outline: none;
```

```
        font-size: 18pt;
    }

    .active2, .collapsible:hover {
        background-color: magenta;
    }

    .content {
        padding: 0 18px;
        display: none;
        overflow: hidden;
        background-color: black;
    }

</style>
</head>

<body>
    <div id="home" class="heder">
        <TABLE class="center">
            <thead>
                <!--the frist section of the webpage
                    this will just have the logo, some pertinent information, and will be at
the top of the page-->
                    <tr>
                        <td rowspan="4"> </td>
                        <td> Drumpf Hotel, <small><i> &#9733 &#9733 &#9733
&#9733 &#9733 &#9733 Hotel</i></small></td>
                    </tr>
                    <tr>
                        <td> 236 Deans Rhode Hall Rd South Brunswick Township, New
Jersey 08831</td>
                        <!-- i wanted to do weather widet, but despite putting in correctly
it won't load. so i scrapped it-->
                    </tr>
                    <tr>
                        <td> &#9742: +1 (609) 555-5555 FAX: +1 (609) 555-5556</td>
                    </tr>
                    <tr>
                        <td> <span id="time"></span></td>
                    </tr>
```

```
</thead>
</TABLE>
</div>
<!--for the most part we're just doing the main page just swapped out items-->
  <div class="container mydiv">
    <div id="myCarousel" class="carousel slide" data-ride="carousel">
      <!-- Indicators -->
      <ol class="carousel-indicators">
        <li data-target="#myCarousel" data-slide-to="0" class="active"></li>
        <li data-target="#myCarousel" data-slide-to="1"></li>
        <li data-target="#myCarousel" data-slide-to="2"></li>
        <li data-target="#myCarousel" data-slide-to="3"></li>
        <li data-target="#myCarousel" data-slide-to="4"></li>
        <li data-target="#myCarousel" data-slide-to="5"></li>
        <li data-target="#myCarousel" data-slide-to="6"></li>
        <li data-target="#myCarousel" data-slide-to="7"></li>
      </ol>
      <div class="reserveNow">
        <p class="formheder">RESERVE YOUR STAY</p>
        <TABLE class="formBox" border=0>
          <tr><td>
            </td></tr>
          <tr><td>
            <form method="POST" action="booking.php">
              <label>Check-in date:<input type="date" id="checkindate"
name="checkindate" placeholder="Check-in Date" required style="color: black;"></label></p><br>
              <label>Check-out date:<input type="date" id="checkoutdate"
name="checkoutdate" placeholder="Check-out Date" required style="color: black;"></label><br>
              <!-- time to make the collapsable element-->
              <div class="collapsible" id="collapsible"> # of Rooms, Adults,
Children? &#8853 </div><!--for here it should be script output-->
              <div class="content" >
                Rooms:<br><input type="number" name="Rooms" value="1"
min="1" required id="roomType" style="color: black;"><br>
                Adults:<br><input type="number" name="Adults" value="1"
min="1" required id="adults" style="color: black;"><br>
                Children:<br><input type="number" name="Children" value="0"
min="0" required id="children" style="color: black;"><br>
              </div>
              <input class="daButton" type="submit" name="BookNow" value="Book
Now!">
            </form>
          </td></tr>
        </TABLE>
      </div>
    </div>
  </div>
```

```
</td></tr>
</TABLE>

</div>

<!-- Wrapper for slides -->
<div class="fullwidth mydiv">

    <div class="carousel-inner imgSlidesA ">
        <div class="item active ">
            
        </div>

        <div class="item">
            
        </div>

        <div class="item">
            
        </div>
        <div class="item">
            
        </div>
        <div class="item">
            :C" style="width:100%;">
        </div>
        <div class="item">
            
        </div>
        <div class="item">
            
        </div>
        <div class="item">
```



```
        
    </div>
</div>
```

```
    <!-- Left and right controls -->
    <a class="left carousel-control" href="#myCarousel" data-slide="prev">
        <span class="glyphicon glyphicon-chevron-left"></span>
        <span class="sr-only">Previous</span>
    </a>
    <a class="right carousel-control" href="#myCarousel" data-slide="next">
        <span class="glyphicon glyphicon-chevron-right"></span>
        <span class="sr-only">Next</span>
    </a>

</div>
</div>
```

```
<!--AHAHAHAHAH A AHAHDHAH ROFL-->
<!-- seriously the jokes listed in this next section i think are rather clever and hilarious-->
</div>
<div style="position: sticky;">
<ul id="topnav" class="topnav">
    <li><a id="navBar" class="left" href="index.php">Home</a></li>
    <li><a id="navBar" class="left" href="rooms.html" data-target="#myCarousel2" data-
slide-to="0">Room Offerings</a></li>
    <li><a id="navBar" class="left" href="dining.html" data-target="#myCarousel2" data-
slide-to="1">Dining</a></li>
    <li><a id="navBar" class="left active" href="#home" data-target="#myCarousel2"
data-slide-to="2">Activities</a></li>
    <li><a id="navBar" class="left" href="booking.php">Reservations</a></li>
    <li><a id="navBar" class="left" href="gallery.html" data-target="#myCarousel2"
data-slide-to="3">Gallery</a></li>
    <!--may make some inpage links to various things-->

    <li class="right"><a id="navBar" href="#contact">Contact Us</a></li>
</ul>
</div>
<div class="heder ">
    <table border="0">
        <tbody>
```

```
<tr ><td class="center1" rowspan=5>
    Be your own Swamp Monster of fun!
</td><td class="center">
    Wheter it's fun in the sun or yoga in the dark, We got it all!
</td></tr>
<tr><td style="color: white;">
    Some offerings include:
    <ul style="color: white;">
        <li>Relaxing at our spa!</li>
        <li>Swimming in any of our many pools!</li>
        <li>Dancing in our many offered night events!</li>
        <li>Golfing at any of our 3 golf courses!</li>
        <li>Mountain biking around the various trails</li>
        <li>Express your beauty with our full body spray
tans!</li>
        <li>Watersports!</li>
    </ul>
</td></tr>
<tr><td class="center">
    Contact our conceirge to arrange anything with our lovely
receptionist, Karren McDoogle.<br>-- 555-150-0000 -- <!--AHAHAHH-->
</td></tr>
<tr><td class="center">
    Contact Watersports manager, Dossie Steele for anything
related<br>-- 555-733-8273 -- <!--AHAHAHH-->
</td></tr>
<tr><td class="center">
    For a more personal in suite massage or personal
beutifcation, contact our director of R&R, Stephan E. Clifford<br> -- 555-130-0000 -- <!--
AHAHAHH-->
</td></tr>
</tbody>
</table>
</div>
<div class=" heder ">
    
</div>
<div class=" heder " id="contact">
    <table border="0" class="center" >
        <tfoot>
```

```
<tr>
<td rowspan="4"> </td>
<td> Drumpf Hotel, <small><i> &#9733 &#9733 &#9733
&#9733 &#9733 &#9733 Hotel</i></small></td>
</tr><tr>
<td> 236 Deans Rhode Hall Rd South Brunswick Township, New
Jersey 08831</td>
<!-- i wanted to do weather widet, but despite putting in correctly
it won't load. so i scrapped it-->
</tr><tr>
<td> &#9742: +1 (609) 555-5555 FAX: +1 (609) 555-5556</td>
</tr><tr>
<td>&#174 Drumpf Hotel, 2018. All rights reserved. <a
href="mailto:1116198669m@gmail.com" target="_top">&#9993:
1116198669m@gmail.com</a></td></tr>

</tfoot>
</table>
</div>
```

```
<script type="text/javascript">
var monthNames = new Array('January', 'Febuary', 'March', 'April', 'May', 'June',
'July', 'August', 'September', 'October', 'November', 'December');
var houraps = new Array(12, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 1, 2, 3, 4, 5, 6, 7,
8, 9, 10, 11);

function showTime(){
var dateObj = new Date();
var day = dateObj.getDate(), month = dateObj.getMonth(), year =
dateObj.getFullYear(), hour = dateObj.getHours(), minutes =
(dateObj.getMinutes())<=9?'0'+dateObj.getMinutes():dateObj.getMinutes());
var string = monthNames[month]+
' '+day+
', '+year+
' '+houraps[hour]+
':'+minutes+
' '+((hour<=11?'am':'pm'));
var timeDiv = document.getElementById('time');
if(timeDiv !== null) {
timeDiv.innerHTML = string;
}
```

```
        timeDiv.setAttribute('datetime',year+'-'+(month+1<=9?'0'+
(month+1):month+1)+'-'+day+' '+hour+':'+minutes);

        };
    };
    setInterval(showTime,1000);

    /*i changed my minde on the slide show so i commented out the script*/
    /*var slideIndex = 1;
    showDivs(slideIndex);

    function plusDivs(n) {
        showDivs(slideIndex += n);
    }

    function currentDiv(n) {
        showDivs(slideIndex = n);
    }

    function showDivs(n) {
        var i;
        var x = document.getElementsByClassName("mySlides");
        var dots = document.getElementsByClassName("demo");
        if (n > x.length) {slideIndex = 1}
        if (n < 1) {slideIndex = x.length}
        for (i = 0; i < x.length; i++) {
            x[i].style.display = "none";
        }
        for (i = 0; i < dots.length; i++) {
            dots[i].className = dots[i].className.replace(" w3-white", "");
        }
        x[slideIndex-1].style.display = "block";
        dots[slideIndex-1].className += " w3-white";

    }

    carousel();

    function carousel() {
        var i;
        var x = document.getElementsByClassName("mySlides");
        var dots = document.getElementsByClassName("demo");
        for (i = 0; i < x.length; i++) {
```

```
        x[i].style.display = "none";
        dots[i].className = dots[i].className.replace(" w3-white", "");
    }
    slideIndex++;
    if (slideIndex > x.length) {slideIndex = 1}
    x[slideIndex-1].style.display = "block";
    dots[slideIndex-1].className += " w3-white";
    setTimeout(carousel, 2000); // Change image every 2 seconds

    }*/

var btns= document.getElementById("navBar");
for (var i = 0; i < btns.length; i++) {
    btns[i].addEventListener("mouseup", function() {
        var current = document.getElementsByClassName("active");
        current[0].className = current[0].className.replace(" active", "");
        this.className += " active";
    });
}

var coll = document.getElementsByClassName("collapsible");
var i;

for (i = 0; i < coll.length; i++) {
    coll[i].addEventListener("click", function() {
        this.classList.toggle("active2");
        var content = this.nextElementSibling;
        if (content.style.display === "block") {
            content.style.display = "none";
        } else {
            content.style.display = "block";
        }
    });
}

</script>

</body>
</html>
```


dining.html:

```
<!DOCTYPE html>  
<!-- M5 project 5 -->  
<!--Hotel reservation system-->  
<!--dining html basically all style not much scrip-->
```

```
<html>
  <head>
    <title> Drumpf Hotel</title>
    <meta name="description" content="hotel for idiots, made by an idiot">
    <meta name="author" content="Brendan Ewing">
    <meta charset="utf-8">
    <meta name="political veiws" content="ultra-progressive leftist">
    <!-- due lazieness and its free to use, i'm using w3's style sheet to do the slide show. so
its done and i don't have
        to deal with styling the stuff.-->
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <!--<link rel="stylesheet" href="https://www.w3schools.com/w3css/4/w3.css">-->
    <!-- at first i was building an image carousel based on w3schools, but theres a better one
and i went to that
        its bootstrap-->
    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">
    <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
    <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>
    <!-- fa fa external link-->
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
    <style>
/*first thing is to make a background for the page.
I want to do a animated one where its black and white.
I can't simply do this with css. i'd have to either download a gif, or make one
which is way more work than i'm willing ot put in.
so i should probably just dl a gif??*/
    body {
        background-image: url("http://www.thisiscolossal.com/wp-
content/uploads/2014/08/dots-new.gif");
        background-repeat: repeat;
    }
    table.center {
        width:70%;
        margin-left:25%;
        margin-right:25%;
    }
    .heder{ /*i named it heder to not conflict with "header"*/
        background-color: #01021C;
        align-self: center;
        position: relative;
```



```
        max-width: 1280px;
        overflow: auto;
        left: 50%;
        transform: translate(-50%);
    }
    * {
        -webkit-box-sizing: border-box;
        -moz-box-sizing: border-box;
        box-sizing: border-box;
        margin: 0;
        padding: 0;
    }
    .container {
        max-width: 100%;
        overflow: hidden;
        margin: 0 auto;
    }
    .fullwidth {
        background: black;
        overflow: hidden;
    }
    .imgSlidesA {
        margin: 0;
        position: relative;
        top: 50%;
        left: 50%;
        transform: translate(-50%, -22%); /*i did transform cause it was the best way to
ensure vert and horizontal alignment*/
    }

    .mydiv {

        min-height: 50px;
        min-width: 100%;
        max-height: 600px;
        overflow: hidden;

    }

    .mydiv2 {

        min-height: 50px;
        min-width: 100%;
```

```
max-height: 600px;
overflow: hidden;
align-self: center;

}

/*
.mySlides {display:none}
.w3-left, .w3-right, .w3-badge {cursor:pointer}
.w3-badge {height:13px;width:13px;padding:0}
*/

ul.topnav {
  list-style-type: none;
  margin: 0;
  padding: 0;
  overflow: hidden;
  background-color: #333;
  position: -webkit-sticky; /* Safari */
position: sticky;
}

ul.topnav li {float: left;}

ul.topnav li a {
  display: block;
  color: white;
  text-align: center;
  padding: 14px 16px;
  text-decoration: none;
}

ul.topnav li a:hover:not(.active) {background-color: #111;}

ul.topnav li a.active {background-color: #4CAF50;}

ul.topnav li.right {float: right;}
ul.topnav li.left {float: left;}

@media screen and (max-width: 600px){
  ul.topnav li.right,
  ul.topnav li {float: none;}
}
```

```
.reserveNow{
    display: block;
    z-index: 10;
    min-height: 85px;
    float: none;
    left:250px;
    margin: 0px 0px 0px 0px;
    background: hotpink;
    text-decoration: none;
    min-width: 200px;
    overflow: none;

    position: absolute;
}
.formBox {
    font-size: 18pt;
    color: white;
    background-color: black;
    position: relative;
    text-align: center;
    display: block;
margin: 0px auto;
z-index: 10;

}
.formheder{
    text-align: center;
    z-index: 10;
}

.daButton{
    color: black;
    position: relative;
    background: hotpink;
    text-align: center;
    display: block;
margin: 0px auto;
z-index: 10;
```

```
}
td.center1 {
    text-align: center;
    font-size: 18pt;
    font-family: serif;
    font:scriptina;
    min-width: 250px;
    color: white;
}
td.right{
    text-align: right;
    font:palatino;
    color: white;
    margin-right: 68px;
}
td.center{
    text-align: center;
    font:palatino;
    color: white;
    margin-right: 68px;
}

.center {
    margin: auto;
    width: 50%;

    padding: 10px;
}

td.mouthyWords{
    text-align: center;
    font-size: 18pt;
    font-family: serif;
    font:scriptina;
    -width: 200px;
    color: cyan;
}
.collapsible {
    background-color: hotpink;
    color: white;
    cursor: pointer;
    padding: 18px;
```

```
        width: 100%;
        border: none;
        text-align: left;
        outline: none;
        font-size: 18pt;
    }

    .active2, .collapsible:hover {
        background-color: magenta;
    }

    .content {
        padding: 0 18px;
        display: none;
        overflow: hidden;
        background-color: black;
    }

</style>
</head>

<body>
    <div id="home" class="heder">
    <TABLE class="center">
        <thead>
            <!--the frist section of the webpage
            this will just have the logo, some pertinent information, and will be at
the top of the page-->
            <tr>
                <td rowspan="4"> </td>
                <td> Drumpf Hotel, <small><i> &#9733 &#9733 &#9733
&#9733 &#9733 &#9733 Hotel</i></small></td>
            </tr>
            <tr>
                <td> 236 Deans Rhode Hall Rd South Brunswick Township, New
Jersey 08831</td>
                <!-- i wanted to do weather widet, but despite putting in correctly
it won't load. so i scrapped it-->
            </tr>
            <tr>
                <td> &#9742: +1 (609) 555-5555 FAX: +1 (609) 555-5556</td>
```

```

        </tr>
        <tr>
            <td> <span id="time"></span></td>
        </tr>
    </thead>
</TABLE>
</div>
<div class="container mydiv">
    <div id="myCarousel" class="carousel slide" data-ride="carousel">
        <!-- Indicators -->
        <ol class="carousel-indicators">
            <li data-target="#myCarousel" data-slide-to="0" class="active"></li>
            <li data-target="#myCarousel" data-slide-to="1"></li>
            <li data-target="#myCarousel" data-slide-to="2"></li>
            <li data-target="#myCarousel" data-slide-to="3"></li>
            <li data-target="#myCarousel" data-slide-to="4"></li>
            <li data-target="#myCarousel" data-slide-to="5"></li>
            <li data-target="#myCarousel" data-slide-to="6"></li>
            <li data-target="#myCarousel" data-slide-to="7"></li>
            <li data-target="#myCarousel" data-slide-to="8"></li>
        </ol>
        <div class="reserveNow">
            <p class="formheder">RESERVE YOUR STAY</p>
            <TABLE class="formBox" border=0>
                <tr><td>
                    </td></tr>
                <tr><td>
                    <form method="POST" action="booking.php">
                        <label>Check-in date:<input type="date" id="checkindate"
name="checkindate" placeholder="Check-in Date" required style="color: black;"></label><br>
                        <label>Check-out date:<input type="date" id="checkoutdate"
name="checkoutdate" placeholder="Check-out Date" required style="color: black;"></label><br>
                        <!-- time to make the collapsable element-->

                        <div class="collapsible" id="collapsible"> # of Rooms, Adults,
Children? &#8853 </div><!--for here it should be script output-->
                        <div class="content" >
                            Rooms:<br><input type="number" name="Rooms" value="1"
min="1" required id="roomType" style="color: black;"><br>
                            Adults:<br><input type="number" name="Adults" value="1"
min="1" required id="adults" style="color: black;"><br>
                            Children:<br><input type="number" name="Children" value="0"
min="0" required id="children" style="color: black;"><br>
                    </form>
                </td></tr>
            </TABLE>
        </div>
    </div>

```

```

        </div>
        <input class="daButton" type="submit" name="BookNow" value="Book
Now!">
    </form>
</td></tr>
</TABLE>

</div>

<!-- Wrapper for slides -->
<div class="fullwidth mydiv">

    <div class="carousel-inner imgSlidesA ">
        <div class="item active ">
            
        </div>

        <div class="item">
            
        </div>
        <div class="item">
            
        </div>

        <div class="item">
            
        </div>
        <div class="item">
            
        </div>
        <div class="item">
            
        </div>
    </div class="item">

```

```

</div>
<div class="item">
  
</div>
<div class="item">
  
</div>

</div>

<!-- Left and right controls -->
<a class="left carousel-control" href="#myCarousel" data-slide="prev">
  <span class="glyphicon glyphicon-chevron-left"></span>
  <span class="sr-only">Previous</span>
</a>
<a class="right carousel-control" href="#myCarousel" data-slide="next">
  <span class="glyphicon glyphicon-chevron-right"></span>
  <span class="sr-only">Next</span>
</a>

</div>
</div>

</div>
<div style="position: sticky;">
<ul id="topnav" class="topnav">
  <li><a id="navBar" class="left" href="index.php">Home</a></li>
  <li><a id="navBar" class="left" href="rooms.html" >Room Offerings</a></li>
  <li><a id="navBar" class="left active" href="#home" >Dining</a></li>
  <li><a id="navBar" class="left" href="activities.html" >Activities</a></li>
  <li><a id="navBar" class="left" href="booking.php">Reservations</a></li>
  <li><a id="navBar" class="left" href="gallery.html" >Gallery</a></li>
  <!--may make some inpage links to various things-->
```



```
<li class="right"><a id="navBar" href="#contact">Contact Us</a></li>
</ul>
</div>
<div class="heder">
  <table border="0">
    <tbody>

      <tr><td class="center1" rowspan=3>
        Eat to your heart's desire!
      </td><td class="center">
        Recently we've been rated as one of the top places to eat!
      <br>We have over 12 restaurants and bars! Serving all the creature comforts of home! <br>Wheter it's
      cavier with champange or cold one and burger, we got it!
      </td></tr>
      <tr><td class="center">
        We added a brand new fastfood experience to our room
      service menu!<br>
        Here you can order and have food that looks and tastes
        even better than real deal, straight to your hotel bed! <br> No need to get out of that bathrobe!
      </td></tr>
      <tr><td class="center">
        Lu Covfefe is a dinning extravaganza where you get a
        multiple course dinning experice from expert chefs like royalty!<br>
        <em>Reservation Required</em><br>
        Contact Maître des conneries for reservation and dining
        hall selections, Sera Hooka B. Saunders<br>-- 555- 472-5427 --
      </td></tr>

    </tbody>
  </table>
</div>
<div class="heder">
  <!--fun fact i wanted this satire to really sting here by having an elegant photo of
  an all black staff waiting on white people. the point to really do a subtle/"eye gouging" stab
  cause the photo looks so "innocous" at first. but sadly not even the intenet
  has such racism to make the satire hit home.-->
  
</div>
<div class="heder" id="contact">
  <table border="0" class="center">
    <tfoot>
```

```
<tr>
<td rowspan="4"> </td>
<td> Drumpf Hotel, <small><i> &#9733 &#9733 &#9733
&#9733 &#9733 &#9733 Hotel</i></small></td>
</tr><tr>
<td> 236 Deans Rhode Hall Rd South Brunswick Township, New
Jersey 08831</td>
<!-- i wanted to do weather widet, but despite putting in correctly
it won't load. so i scrapped it-->
</tr><tr>
<td> &#9742: +1 (609) 555-5555 FAX: +1 (609) 555-5556</td>
</tr><tr>
<td>&#174 Drumpf Hotel, 2018. All rights reserved. <a
href="mailto:1116198669m@gmail.com" target="_top">&#9993:
1116198669m@gmail.com</a></td></tr>

</tfoot>
</table>
</div>
```

```
<script type="text/javascript">
var monthNames = new Array('January', 'Febuary', 'March', 'April', 'May', 'June',
'July', 'August', 'September', 'October', 'November', 'December');
var houraps = new Array(12, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 1, 2, 3, 4, 5, 6, 7,
8, 9, 10, 11);
function showTime(){
var dateObj = new Date();
var day = dateObj.getDate(), month = dateObj.getMonth(), year =
dateObj.getFullYear(), hour = dateObj.getHours(), minutes =
(dateObj.getMinutes()<=9?'0'+dateObj.getMinutes():dateObj.getMinutes());
var string = monthNames[month]+
' '+day+
', '+year+
' '+houraps[hour]+
':'+minutes+
' '+((hour<=11?'am':'pm'));
var timeDiv = document.getElementById('time');
if(timeDiv !== null) {
timeDiv.innerHTML = string;
timeDiv.setAttribute('datetime',year+'-'+(month+1<=9?'0'+
```

```
(month+1):month+1)+'-'+day+' '+hour+':'+minutes);
```

```
    };  
};  
setInterval(showTime,1000);
```

```
var btns= document.getElementById("navBar");  
for (var i = 0; i < btns.length; i++) {  
    btns[i].addEventListener("mouseup", function() {  
        var current = document.getElementsByClassName("active");  
        current[0].className = current[0].className.replace(" active", "");  
        this.className += " active";  
    });  
}
```

```
var coll = document.getElementsByClassName("collapsible");  
var i;
```

```
for (i = 0; i < coll.length; i++) {  
    coll[i].addEventListener("click", function() {  
        this.classList.toggle("active2");  
        var content = this.nextElementSibling;  
        if (content.style.display === "block") {  
            content.style.display = "none";  
        } else {  
            content.style.display = "block";  
        }  
    });  
}
```

```
</script>
```

```
</body>  
</html>
```


gallery.html:

```
<!DOCTYPE html>  
<!-- M5 project 5 -->  
<!--Hotel reservation system-->  
<!--gallery html PICTURES!!! just lots of PICS! I'M PICKLE RICK!!!!!-->
```

```
<html>
  <head>
    <title> Drumpf Hotel</title>
    <meta name="description" content="hotel for idiots, made by an idiot">
    <meta name="author" content="Brendan Ewing">
    <meta charset="utf-8">
    <meta name="political veiws" content="ultra-progressive leftist">
    <!-- due lazieness and its free to use, i'm using w3's style sheet to do the slide show. so
its done and i don't have
        to deal with styling the stuff.-->
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <!--<link rel="stylesheet" href="https://www.w3schools.com/w3css/4/w3.css">-->
    <!-- at first i was building an image carousel based on w3schools, but theres a better one
and i went to that
        its bootstrap-->
    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">
    <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
    <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>
    <!-- fa fa external link-->
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
    <style>
/*first thing is to make a background for the page.
I want to do a animated one where its black and white.
I can't simply do this with css. i'd have to either download a gif, or make one
which is way more work than i'm willing ot put in.
so i should probably just dl a gif??*/
    body {
        background-image: url("http://www.thisiscolossal.com/wp-
content/uploads/2014/08/dots-new.gif");
        background-repeat: repeat;
    }
    table.center {
        width:70%;
        margin-left:25%;
        margin-right:25%;
    }
    .heder{/*i named it heder to not conflict with "header"*/
        background-color: #01021C;
        align-self: center;
        position: relative;
        max-width: 1280px;
```

```
        overflow: none;
        left: 50%;
        transform: translate(-50%);
    }
    * {
        -webkit-box-sizing: border-box;
        -moz-box-sizing: border-box;
        box-sizing: border-box;
        margin: 0;
        padding: 0;
    }
    .container {
        max-width: 100%;
        overflow: hidden;
        margin: 0 auto;
    }
    .fullwidth {
        background: black;
        overflow: hidden;
    }
    .imgSlidesA {
        margin: 0;
        position: relative;
        top: 50%;
        left: 50%;
        transform: translate(-50%, -38%); /*i did transform cause it was the best way to
ensure vert and horizontal alignment*/
    }

    .mydiv {

        min-height: 50px;
        min-width: 100%;
        max-height: 600px;
        overflow: hidden;

    }

    .mydiv2 {

        min-height: 50px;
        min-width: 100%;
        max-height: 600px;
```

```
        overflow: hidden;
        align-self: center;

    }

/*
.mySlides {display:none}
.w3-left, .w3-right, .w3-badge {cursor:pointer}
.w3-badge {height:13px;width:13px;padding:0}
*/

ul.topnav {
    list-style-type: none;
    margin: 0;
    padding: 0;
    overflow: hidden;
    background-color: #333;
    position: -webkit-sticky; /* Safari */
    position: sticky;
}

ul.topnav li {float: left;}

ul.topnav li a {
    display: block;
    color: white;
    text-align: center;
    padding: 14px 16px;
    text-decoration: none;
}

ul.topnav li a:hover:not(.active) {background-color: #111;}

ul.topnav li a.active {background-color: #4CAF50;}

ul.topnav li.right {float: right;}
ul.topnav li.left {float: left;}

@media screen and (max-width: 600px){
    ul.topnav li.right,
    ul.topnav li {float: none;}
}
```



```
.reserveNow{
    display: block;
    z-index: 10;
    min-height: 85px;
    float: none;
    left:250px;
    margin: 0px 0px 0px 0px;
    background: hotpink;
    text-decoration: none;
    min-width: 200px;
    overflow: auto;

    position: absolute;
}
.formBox{
    font-size: 18pt;
    color: white;
    background-color: black;
    position: relative;
    text-align: center;
    display:block;
margin:0px auto;
z-index: 10;

}
.formheder{
    text-align: center;
    z-index: 10;
}

.daButton{
    color: black;
    position: relative;
    background: hotpink;
    text-align: center;
    display:block;
margin:0px auto;
z-index: 10;
```

```
}
td.center1 {
    text-align: center;
    font-size: 18pt;
    font-family: serif;
    font:scriptina;
    min-width: 250px;
    color: white;
}
td.right{
    text-align: right;
    font:palatino;
    color: white;
    margin-right: 68px;
}
td.center{
    text-align: center;
    font:palatino;
    color: white;
    margin-right: 68px;
}

.center {
    margin: auto;
    width: 50%;

    padding: 10px;
}

td.mouthyWords{
    text-align: center;
    font-size: 18pt;
    font-family: serif;
    font:scriptina;
    -width: 200px;
    color: cyan;
}
.collapsible {
    background-color: hotpink;
    color: white;
    cursor: pointer;
    padding: 18px;
    width: 100%;
```

```
        border: none;
        text-align: left;
        outline: none;
        font-size: 18pt;
    }

    .active2, .collapsible:hover {
        background-color: magenta;
    }

    .content {
        padding: 0 18px;
        display: none;
        overflow: hidden;
        background-color: black;
    }
}

</style>
</head>

<body>
    <div id="home" class="heder">
        <TABLE class="center">
            <thead>
                <!--the frist section of the webpage
                this will just have the logo, some pertinent information, and will be at
the top of the page-->
                <tr>
                    <td rowspan="4"> </td>
                    <td> Drumpf Hotel, <small><i> &#9733 &#9733 &#9733
&#9733 &#9733 &#9733 Hotel</i></small></td>
                </tr>
                <tr>
                    <td> 236 Deans Rhode Hall Rd South Brunswick Township, New
Jersey 08831</td>
                <!-- i wanted to do weather widet, but despite putting in correctly
it won't load. so i scrapped it-->
                </tr>
                <tr>
                    <td> &#9742: +1 (609) 555-5555 FAX: +1 (609) 555-5556</td>
```

```

        </tr>
        <tr>
            <td> <span id="time"></span></td>
        </tr>
    </thead>
</TABLE>
</div>
<div class="container mydiv">
    <div id="myCarousel" class="carousel slide" data-ride="carousel">
        <!-- Indicators -->
        <ol class="carousel-indicators">
            <li data-target="#myCarousel" data-slide-to="0" class="active"></li>
            <li data-target="#myCarousel" data-slide-to="1"></li>
            <li data-target="#myCarousel" data-slide-to="2"></li>
            <li data-target="#myCarousel" data-slide-to="3"></li>
            <li data-target="#myCarousel" data-slide-to="4"></li>
            <li data-target="#myCarousel" data-slide-to="5"></li>
            <li data-target="#myCarousel" data-slide-to="6"></li>
            <li data-target="#myCarousel" data-slide-to="7"></li>
        </ol>
        <div class="reserveNow">
            <p class="formheder">RESERVE YOUR STAY</p>
            <table class="formBox" border=0>

                <tr><td>
                    <form method="POST" action="booking.php">
                        <label>Check-in date:<input type="date" id="checkindate"
name="checkindate" placeholder="Check-in Date" required style="color: black;"></label></p><br>
                        <label>Check-out date:<input type="date" id="checkoutdate"
name="checkoutdate" placeholder="Check-out Date" required style="color: black;"></label><br>
                        <!-- time to make the collapsable element-->

                            <div class="collapsible" id="collapsible"> # of Rooms, Adults,
Children? &#8853 </div><!--for here it should be script output-->
                            <div class="content" >
                                Rooms:<br><input type="number" name="Rooms" value="1"
min="1" required id="roomType" style="color: black;"><br>
                                Adults:<br><input type="number" name="Adults" value="1"
min="1" required id="adults" style="color: black;"><br>
                                Children:<br><input type="number" name="Children" value="0"
min="0" required id="children" style="color: black;"><br>

                            </div>
                                <input class="daButton" type="submit" name="BookNow" value="Book

```

Now!">

```
</form>
</td></tr>
</table>
</div>
```

```
<!-- Wrapper for slides -->
<div class="fullwidth mydiv">
```

```

    <div class="carousel-inner imgSlidesA ">
        <div class="item active ">
            
        </div>

        <div class="item">
            
        </div>

        <div class="item">
            
        </div>
        <div class="item">
            
        </div>
        <div class="item">
            
        </div>
        <div class="item">
            
        </div>
        <div class="item">
            
```

```
        </div>
        <div class="item">
            
        </div>
    </div>
```

```
<!-- Left and right controls -->
<a class="left carousel-control" href="#myCarousel" data-slide="prev">
    <span class="glyphicon glyphicon-chevron-left"></span>
    <span class="sr-only">Previous</span>
</a>
<a class="right carousel-control" href="#myCarousel" data-slide="next">
    <span class="glyphicon glyphicon-chevron-right"></span>
    <span class="sr-only">Next</span>
</a>
```

```
</div></div></div>
```

```
<!--div for the nav bar-->
```

```
<div style="position: sticky;">
<ul id="topnav" class="topnav">
    <li><a id="navBar" class="left" href="index.php">Home</a></li>
    <li><a id="navBar" class="left" href="rooms.html" >Room Offerings</a></li>
    <li><a id="navBar" class="left" href="dining.html">Dining</a></li>
    <li><a id="navBar" class="left" href="activities.html" >Activities</a></li>
    <li><a id="navBar" class="left" href="booking.php">Reservations</a></li>
    <li><a id="navBar" class="left active" href="#home" >Gallery</a></li>

    <li class="right"><a id="navBar" href="#contact">Contact Us</a></li>
</ul></div>
<div class="heder imgi" id="imageME"></div>
<script type="text/javascript">
    var images=["http://www.interiordesign777.com/wp-
content/uploads/2014/02/Luxury-palace-style-bathroom.jpg",
        "http://www.interiordesign777.com/wp-content/uploads/2014/02/Palace-
bathroom-interior-design-rendering.jpg",
        'http://stylux.net/magazine/en/wp-
content/uploads/sites/2/2016/03/Inaugurazione-cucine-reali_credits-Sven-Berggreen-3-750x400.jpg',
        'https://activerain-
store.s3.amazonaws.com/image_store/uploads/agents/languageofluxury/files/IMG_1819.jpg',
        'https://www.royalcollection.org.uk/sites/default/files/styles/rctr-scale-
```

1010w/public/whitedrawing-1010.jpg?itok=zcnZP0li',
'http://betweenthepages.club/wp-content/uploads/2017/09/palace-interior-
bedroom-luxury-master-bedroom-ideas-glamorous-ideas-design-bedroom-bedroom-interiors-
buckingham-palace-interior-rooms.jpg',
'https://awscloudfront.kempinski.com/1063/palace-suite-
bedroom.jpg;width=1905;height=794;mode=crop;anchor=middlecenter;autorotate=true;quality=90;scal
e=both;progressive=true;encoder=freeimage',
'https://i.pinimg.com/736x/ca/03/eb/ca03eb8dbf41dde5c34a56c59340c33b--
luxurious-bathrooms-master-bathrooms.jpg',
'http://www.sublipalawan.com/wp-content/uploads/2015/10/a-131.jpg',
'https://blueribbonbuilders.com/wp-content/gallery/kitchens-dining/mountain-
magic-custom-log-home-timber-frame-chefs-kitchen.jpg',
'http://kcleee.me/e/e/c/amazing-bathroom-design-programs-or-virtual-bathroom-
design-interesting-bathroom-design-software-or-bathroom-design-programs.jpg',
'http://peacid.com/img/2018/05/cabinet-ensuites-pictures-home-vanity-tile-great-
for-gallery-design-tubs-with-jacuzzi-corner-homes-and-dream-subway-standing-bathrooms-
contemporary-plans-bathroom-traditional-craft.jpg',
'http://www.biancacasady.com/wp-content/uploads/beach-decor-for-bathroom-
wall-mounted-white-ceramic-double-sink-black-stone-concrete-bathtub-wall-white-varnished-wooden-
frame-ventilation-glass-window-natural-stone-concrete-bathtub-wall-820x820.jpg',
'http://www.peper-zout.com/wp-content/uploads/2018/07/extraordinary-
bathroom-designs-images-24-modern-and-ideas-setup-l-dd92a0b78aedcf8d.jpg',
'http://lifecyclenepal.com/wp-content/uploads/2018/07/bathroom-beautiful-
small-bathrooms-design-ideas-homes-alternative-for-decor-13.jpg',
'https://s3-media3.fl.yelpcdn.com/bphoto/RtZMOS3p4fvcJkBZxRpuyA/o.jpg',
'https://s4.reutersmedia.net/resources/r/?
m=02&d=20180414&t=2&i=1251269139&r=LYNXMPPEE3D01X&w=1280',
'https://www.thefrugalnavywife.com/wp-content/uploads/2013/02/galleryimage-
1563849892-mar-7-2012-600x398.jpg',
'https://i2-
prod.manchestereveningnews.co.uk/incoming/article11092554.ece/ALTERNATES/s615/hotel-
suites.jpg',
'https://q-xx.bstatic.com/images/hotel/840x460/126/126148295.jpg',
'http://www.anp.hu/uploads/articles/image/Sz%C3%A1ll%C3%A1s_
%C3%A9tterem/fruktarium3.jpg',
'http://hospitalitystudy.eu/wp-content/uploads/2017/02/Concierge-1600x900-
1024x576.jpg",
'https://cdn.trendhunterstatic.com/phpthumbnails/18/18412/18412_1_800.jpeg',
'https://bestlifeonline.com/wp-content/uploads/2018/01/o-13-1024x768.jpg',
'https://media.timeout.com/images/105148486/630/472/image.jpg',
'https://palacestation.sclv.com/~media/Images/Page-Background-
Images/Palace/Dining/PS_Dining_Main.jpg?h=630&la=en&w=1080',
'https://static1.squarespace.com/static/5a6a64d8f43b557bb5bdab60/t/5ac31e0935
2f533cbdc92191/1522736652820/",

'https://www.goodfoodireland.ie/sites/default/files/places/photos/1521/HAYFIELD%20AFTERNOON%20TEA%20white%20glove%20service.jpg',
'https://images.dailykos.com/images/479724/story_image/donald-trump-unhealthy-diet.jpg?1512271145',
'https://d2v9y0dukr6mq2.cloudfront.net/video/thumbnail/4zx2oCU_lij13z600/vid_eoblocks-friendly-hotel-receptionist-meeting-newcomers-4k_rsz3fn7b_thumbnail-full08.png',
'https://media.newyorker.com/photos/5a6906293938e00b1039f914/master/w_727,c_limit/Olivarius-McAllister-Trump-Stormy-Daniels.jpg',
'https://i.ytimg.com/vi/4r4CaoErqMo/maxresdefault.jpg',
'https://encrypted-tbn0.gstatic.com/images?q=tbn:ANd9GcTF5H2ZiOJRqeY6egvGcm3iXXoTWAT6_vmhIiASurhgyCVG_qS4',
'https://encrypted-tbn0.gstatic.com/images?q=tbn:ANd9GcRwKHmmRgIcdEsPMRuWur6w-O7w0t-1VZiwn38tlNgJxfl1ESq3',
'http://svcdn.simpleviewinc.com/v3/cache/www_thisiscleveland_com/8D2E4309D5247A13FB0ECEDDC5DC0F37.jpg',
'https://pbs.twimg.com/media/DSE48MTWAAA5Wl8.jpg',
'http://www.chaletribot.com/media/1498863600/1500591600/1500624065-2bca07c5fb5e59168f0fd472ce1eb35c.jpg',
'http://www.benoawatersports.com/wp-content/uploads/2016/01/waterski-3.jpg',
'http://spraytanpro.net/wp-content/uploads/2013/09/Man-tan.jpg',
'http://www.thelighterperspective.com/wp-content/uploads/2011/07/spray-tan.jpg',
'https://www.whatsuplife.in/kolkata/blog/wp-content/uploads/2018/05/spa-2.jpg',
'https://static1.squarespace.com/static/55285efce4b0b20cbe06d3aa/t/57b5703e414fb5af39b32283/1471508552605/',
'https://cdn.pursuitist.com/wp-content/uploads/2016/01/Most-Expensive-meals-e1452568509525.jpg',
'https://ocdn.eu/pulscms-transforms/1/QSxktkpTURBXy8xOTYxNDgwYjkwZGM2NWFINGViMjZkNjMxZDgzOTNhMy5qcGeRkWIAzQHk',
'https://www.lehotels.com/getmedia/e742b66b-ecd2-4639-84ba-9891fde3155e/HotelAlhambraPalace_1920x1080_dining_gallery_3.jpg/?width=1920&height=1280&ext=.jpg&maxsize=1920',
'https://phgcdn.com/images/uploads/MAALP/corporatemasthead/MAALP_dining.jpg',
'https://taj.tajhotels.com/content/dam/luxury/hotels/Taj_Falaknuma_Palace/images/3x2/SE_101dining2-3x2.jpg',
'https://bernadettelivingston.com/13175/stunning-master-bedroom-from-our-modern-day-palace-collection.jpg',
'https://i0.wp.com/thetaste.ie/wp/wp-content/uploads/2017/11/The-Dylan-Hotel.png?fit=631%2C340',
'http://boardroommagazine.com/wp-content/uploads/2018/03/sitting-room-after-website-1.jpg',
'https://i.pinimg.com/originals/86/1f/8f/861f8fd6b0fc2cb97014602b2a1ffa5b.jpg'


```
];
var i;
for(i=0;i<images.length;i++){

    document.getElementById('imageME').innerHTML+="<img
src='"+images[i]+
    "' width='900px' style='margin:auto; top:50%;left: 50%;display: block;
margin-left: auto;margin-right: auto;'>";

}

</script>
<div class=" heder " id="contact">
    <table border="0" class="center" >
        <tfoot>

            <tr>
                <td rowspan="4"> </td>
                <td> Drumpf Hotel, <small><i> &#9733 &#9733 &#9733
&#9733 &#9733 &#9733 Hotel</i></small></td>
            </tr><tr>
                <td> 236 Deans Rhode Hall Rd South Brunswick Township, New
Jersey 08831</td>
                <!-- i wanted to do weather widet, but despite putting in correctly
it won't load. so i scrapped it-->
            </tr><tr>
                <td> &#9742: +1 (609) 555-5555 FAX: +1 (609) 555-5556</td>
            </tr><tr>
                <td>&#174 Drumpf Hotel, 2018. All rights reserved. <a
href="mailto:1116198669m@gmail.com" target="_top">&#9993:
1116198669m@gmail.com</a></td></tr>

        </tfoot>
    </table>
</div>

<script type="text/javascript">
    var monthNames = new Array('January', 'Febuary', 'March', 'April', 'May', 'June',
'July', 'August', 'September', 'October', 'November', 'December');
```

```
var houraps = new Array(12, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 1, 2, 3, 4, 5, 6, 7,
8, 9, 10, 11);

function showTime(){
    var dateObj = new Date();
    var day = dateObj.getDate(), month = dateObj.getMonth(), year =
dateObj.getFullYear(), hour = dateObj.getHours(), minutes =
(dateObj.getMinutes()<=9?'0'+dateObj.getMinutes():dateObj.getMinutes());
    var string = monthNames[month]+
    '+'day+
    ', '+year+
    ' '+houraps[hour]+
    ':'+minutes+
    ' '+((hour<=11?'am':'pm'));
    var timeDiv = document.getElementById('time');
    if(timeDiv !== null) {
        timeDiv.innerHTML = string;
        timeDiv.setAttribute('datetime',year+'-'+(month+1<=9?'0'+
(month+1):month+1)+'-'+day+' '+hour+':'+minutes);

    };
};
setInterval(showTime,1000);

var btns= document.getElementById("navBar");
for (var i = 0; i < btns.length; i++) {
    btns[i].addEventListener("mouseup", function() {
        var current = document.getElementsByClassName("active");
        current[0].className = current[0].className.replace(" active", "");
        this.className += " active";
    });
}

var coll = document.getElementsByClassName("collapsible");
var i;

for (i = 0; i < coll.length; i++) {
    coll[i].addEventListener("click", function() {
        this.classList.toggle("active2");
        var content = this.nextElementSibling;
        if (content.style.display === "block") {
            content.style.display = "none";
        } else {
            content.style.display = "block";
        }
    })
}
```

```
    });  
}
```

```
</script>
```

```
</body>  
</html>
```

booking.php

```
<html>  
<!--the booking is now the only route to the database and the form forms-->
```

```
<html>
  <head>
    <title> Drumpf Hotel</title>
    <meta name="description" content="hotel for idiots, made by an idiot">
    <meta name="author" content="Brendan Ewing">
    <meta charset="utf-8">
    <meta name="political veiws" content="ultra-progressive leftist">
    <!-- due lazieness and its free to use, i'm using w3's style sheet to do the slide show. so
its done and i don't have
        to deal with styling the stuff.-->
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <!--<link rel="stylesheet" href="https://www.w3schools.com/w3css/4/w3.css">-->
    <!-- at first i was building an image carousel based on w3schools, but theres a better one
and i went to that
        its bootstrap-->
    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">
    <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
    <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>
    <!-- fa fa external link-->
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
    <script src="http://ajax.googleapis.com/ajax/libs/jquery/1.9.1/jquery.min.js"></script>
    <script src="http://ajax.googleapis.com/ajax/libs/jqueryui/1.10.2/jquery-ui.min.js"></script>

    <script>
      $(document).ready(function() {
        function disableBack() { window.history.forward() }

        window.onload = disableBack();
        window.onpageshow = function(evt) { if (evt.persisted) disableBack() }
      });
    </script>
    <style>
/*first thing is to make a background for the page.
I want to do a animated one where its black and white.
I can't simply do this with css. i'd have to either download a gif, or make one
which is way more work than i'm willing ot put in.
so i should probably just dl a gif???*/*
    body {
      background-image: url("http://www.thisiscolossal.com/wp-
content/uploads/2014/08/dots-new.gif");
```

```
        background-repeat: repeat;
    }
    table.center {
        width:70%;
        margin-left:25%;
        margin-right:25%;
    }
    .heder{ /*i named it heder to not conflict with "header"*/
        background-color: #01021C;
        align-self: center;
        position: relative;
        max-width: 1280px;

        left: 50%;
        transform: translate(-50%);
    }
    * {
        -webkit-box-sizing: border-box;
        -moz-box-sizing: border-box;
        box-sizing: border-box;
        margin: 0;
        padding: 0;
    }
    .container {
        max-width: 100%;
        overflow: hidden;
        margin: 0 auto;
    }
    .fullwidth {
        background: black;
        overflow: hidden;
    }
    .imgSlidesA{
        margin: 0;
        position: relative;
        top: 50%;
        left: 50%;
        transform: translate(-50%, -38%); /*i did transform cause it was the best way to
ensure vert and horizontal alignment*/
    }

    .mydiv {
```

```
    min-height: 50px;
    min-width: 100%;
    max-height: 600px;
    overflow: hidden;

}

.mydiv2 {

    min-height: 50px;
    min-width: 100%;
    max-height: 600px;
    overflow: hidden;
    align-self: center;

}

/*
.mySlides {display:none}
.w3-left, .w3-right, .w3-badge {cursor:pointer}
.w3-badge {height:13px;width:13px;padding:0}
*/

ul.topnav {
    list-style-type: none;
    margin: 0;
    padding: 0;
    overflow: hidden;
    background-color: #333;
    position: -webkit-sticky; /* Safari */
position: sticky;
}

ul.topnav li {float: left;}

ul.topnav li a {
    display: block;
    color: white;
    text-align: center;
    padding: 14px 16px;
    text-decoration: none;
}
```

```
ul.topnav li a:hover:not(.active) {background-color: #111;}

ul.topnav li a.active {background-color: #4CAF50;}

ul.topnav li.right {float: right;}
ul.topnav li.left {float: left;}

@media screen and (max-width: 600px){
  ul.topnav li.right,
  ul.topnav li {float: none;}
}

.reserveNow{
  display: block;
  z-index: 10;
  min-height: 85px;
  float: none;
  left:250px;
  margin: 0px 0px 0px 0px;
  background: hotpink;
  text-decoration: none;
  min-width: 200px;
  overflow: auto;

  position: absolute;
}
.formBox{
  font-size: 18pt;
  color: white;
  background-color: black;
  position: relative;
  text-align: center;
  display:block;
margin:0px auto;
z-index: 10;

}
.formheder{
  text-align: center;
  z-index: 10;
```



```
    }

    .daButton{
        color: black;
        position: relative;
        background: hotpink;
        text-align: center;
        display: block;
margin: 0px auto;
z-index: 10;

    }
    td.center1 {
        text-align: center;
        font-size: 18pt;
        font-family: serif;
        font: scriptina;
        min-width: 250px;
        color: white;
    }
    td.right{
        text-align: right;
        font: palatino;
        color: white;
        margin-right: 68px;
    }
    td.center{
        text-align: center;
        font: palatino;
        color: white;
        margin-right: 68px;
        font-size: 14pt;
    }

    }

    .center {
        margin: auto;
        width: 50%;
        font-size: 10pt;
        padding: 10px;
    }
}
```

```
td.mouthyWords{
    text-align: center;
    font-size: 18pt;
    font-family: serif;
    font:scriptina;
    -width: 200px;
    color: cyan;
}
.collapsible {
    background-color: hotpink;
    color: white;
    cursor: pointer;
    padding: 18px;
    width: 100%;
    border: none;
    text-align: left;
    outline: none;
    font-size: 18pt;
}

.active2, .collapsible:hover {
    background-color: magenta;
}

.content {
    padding: 0 18px;
    display: none;
    overflow: hidden;
    background-color: black;
}

.subtotal{
    font-size: 26pt;
    color: cyan;
    background-color: black;
    text-align: center;
    font:palatino;
}

.imagesRteam{
```

```
    }
    .ohIgetit{
        background-color: hotpink;
        color: black;

    }
    .submit{
        font-size: 26pt;
        color: black;
        background-color: hotpink;
        text-align: center;
        margin: auto;
        width: 50%;

        padding: 10px;

    }

</style>
</head>

<body>
    <div id="home" class="heder">
        <table class="center">
            <thead>
                <!--the frist section of the webpage
                this will just have the logo, some pertinent information, and will be at
the top of the page-->
                <tr>
                    <td rowspan="4"> </td>
                    <td> Drumpf Hotel, <small><i> &#9733 &#9733 &#9733
&#9733 &#9733 &#9733 Hotel</i></small></td>
                </tr><tr>
                    <td> 236 Deans Rhode Hall Rd South Brunswick Township, New
Jersey 08831</td>
                    <!-- i wanted to do weather widet, but despite putting in correctly
it won't load. so i scrapped it-->
                </tr><tr>
                    <td> &#9742: +1 (609) 555-5555 FAX: +1 (609) 555-5556</td>
                </tr><tr>
```

```

        <td> <span id="time"></span></td>
    </tr></thead>
</table>
</div>

<div class="container mydiv">
    <div id="myCarousel" class="carousel slide" data-ride="carousel">
        <!-- Indicators -->
        <ol class="carousel-indicators">
            <li data-target="#myCarousel" data-slide-to="0" class="active"></li>
            <li data-target="#myCarousel" data-slide-to="1"></li>
            <li data-target="#myCarousel" data-slide-to="2"></li>
            <li data-target="#myCarousel" data-slide-to="3"></li>
            <li data-target="#myCarousel" data-slide-to="4"></li>
            <li data-target="#myCarousel" data-slide-to="5"></li>
            <li data-target="#myCarousel" data-slide-to="6"></li>
            <li data-target="#myCarousel" data-slide-to="7"></li>
        </ol>

        <!-- Wrapper for slides -->
        <div class="fullwidth mydiv">

            <div class="carousel-inner imgSlidesA ">
                <div class="item active ">
                    
                </div>

                <div class="item">
                    
                </div>

                <div class="item">
                    
                </div>
                <div class="item">
                    
</div>
<div class="item">
  
</div>
<div class="item">
  
</div>
<div class="item">
  
</div>
<div class="item">
  
</div>
</div>

<!-- Left and right controls -->
<a class="left carousel-control" href="#myCarousel" data-slide="prev">
  <span class="glyphicon glyphicon-chevron-left"></span>
  <span class="sr-only">Previous</span>
</a>
<a class="right carousel-control" href="#myCarousel" data-slide="next">
  <span class="glyphicon glyphicon-chevron-right"></span>
  <span class="sr-only">Next</span>
</a>

</div></div></div>

<!--div for the nav bar-->

<div style="position: sticky;">
<ul id="topnav" class="topnav">
  <li><a id="navBar" class="left" href="index.php">Home</a></li>
  <li><a id="navBar" class="left" href="rooms.html" >Room Offerings</a></li>
  <li><a id="navBar" class="left" href="dining.html">Dining</a></li>
  <li><a id="navBar" class="left" href="activities.html" >Activities</a></li>
  <li><a id="navBar" class="left active" href="#home">Reservations</a></li>
  <li><a id="navBar" class="left" href="gallery.html" >Gallery</a></li>
```

```
<li class="right"><a id="navBar" href="#contact">Contact Us</a></li>
</ul></div>
<!-- end of div for the nav bar-->
<!--div for the form-->
<div class=" heder " >
    <table border="0">
        <form method="POST" action="confirmation.php"
onsubmit="tooStringed()"><tbody>
            <tr><td>
                <?php
                if ( !empty($_POST) ) {
                    echo '<p><label>Check-in date:<input type="date"
id="checkindate" name="checkindate" value="'. $_POST["checkindate"].'" required></label></p>';

                    echo '<p><label>Check-out date:<input type="date"
id="checkoutdate" name="checkoutdate" value="'. $_POST["checkoutdate"].'"
required></label></p>';

                    echo '<p><label>Number of Rooms:<input type="number"
name="Rooms" id="Rooms" value="'. $_POST["Rooms"].'" required></label></p>';

                    echo '<p><label>Number of Adults:<input type="number"
name="Adults" value="'. $_POST["Adults"].'" required></label></p>';
                    echo '<p><label>Number of Children:<input type="number"
name="Children" value="'. $_POST["Children"].'" required></label></p>';

                } else{
                    echo '<p><label>Check-in date:<input type="date"
id="checkindate" name="checkindate" placeholder="Check-in Date" required
onchange="sumify();TDate();" style="color: black;"></label></p>';
                    echo '<p><label>Check-out date:<input type="date"
id="checkoutdate" name="checkoutdate" placeholder="Check-out Date" required
onchange="sumify();TDate2();" style="color: black;"></label></p>';
                    echo '<p><label>Number of Rooms:<input type="number"
id="Rooms" name="Rooms" min="1" required onload="roomify()" onchange="roomify()"
style="color: black;"></label></p>';
                    echo '<p><label>Number of Adults:<input type="number"
name="Adults" min="1" required id="adults" style="color: black;"></label></p>';
                    echo '<p><label>Number of Children:<input type="number"
name="Children" min="0" required id="children" style="color: black;"></label></p>';
                }
            }
        }
    }
</tbody></table>
</div>
```

?>

```
<script type="text/javascript">
    function TDate() {
        var UserDate = document.getElementById("checkindate").value;
        var ToDate = new Date();

        if (new Date(UserDate).getTime() <= ToDate.getTime()) {
            alert("The Check-in date must be greater than to today's date!");
            return false;
        }
        return true;
    }
    function TDate2() {
        var UserDate = document.getElementById("checkoutdate").value;
        var ToDate = document.getElementById("checkindate").value;

        if (new Date(UserDate).getTime() <= new Date(ToDate).getTime()) {
            alert("The Check-out date must be greater than the Check-in
date!");
            return false;
        }
        return true;
    }
}
```

```
</script>
<p><label>First Name: <input name="firstName" type="text"
size="25" required></label></p>
<p><label>Last Name: <input name="lastName" type="text"
size="25"required></label></p>
<p><label>E-mail Address: <input name="email" type="email"
required placeholder="name@domain.com" size="25" /></label></p>
<p><label>Phone Number: (123) 456-7890<input name="phone"
type="tel" size="25" required pattern="[()]\d{3}[\()]\s{1}\d{3}[-]\d{4}"
placeholder="(123) 456-7890" /></label></p>
<p><label>Address line 1: <input name="street" required
type="text" size="25" /></label></p>
<p><label>Address line 2: <input name="street2" required
type="text" size="25" /></label></p>
<p><label>City: <input name="city" type="text" required
size="25" /></label></p>
<p><label>State: <select name="state" required>
<option value="" selected disabled hidden>Choose here</option>
```

```
<option value="AL">Alabama</option>
  <option value="AK">Alaska</option>
  <option value="AZ">Arizona</option>
  <option value="AR">Arkansas</option>
  <option value="CA">California</option>
  <option value="CO">Colorado</option>
  <option value="CT">Connecticut</option>
  <option value="DE">Delaware</option>
  <option value="DC">District Of Columbia</option>
  <option value="FL">Florida</option>
  <option value="GA">Georgia</option>
  <option value="HI">Hawaii</option>
  <option value="ID">Idaho</option>
  <option value="IL">Illinois</option>
  <option value="IN">Indiana</option>
  <option value="IA">Iowa</option>
  <option value="KS">Kansas</option>
  <option value="KY">Kentucky</option>
  <option value="LA">Louisiana</option>
  <option value="ME">Maine</option>
  <option value="MD">Maryland</option>
  <option value="MA">Massachusetts</option>
  <option value="MI">Michigan</option>
  <option value="MN">Minnesota</option>
  <option value="MS">Mississippi</option>
  <option value="MO">Missouri</option>
  <option value="MT">Montana</option>
  <option value="NE">Nebraska</option>
  <option value="NV">Nevada</option>
  <option value="NH">New Hampshire</option>
  <option value="NJ">New Jersey</option>
  <option value="NM">New Mexico</option>
  <option value="NY">New York</option>
  <option value="NC">North Carolina</option>
  <option value="ND">North Dakota</option>
  <option value="OH">Ohio</option>
  <option value="OK">Oklahoma</option>
  <option value="OR">Oregon</option>
  <option value="PA">Pennsylvania</option>
  <option value="RI">Rhode Island</option>
  <option value="SC">South Carolina</option>
  <option value="SD">South Dakota</option>
  <option value="TN">Tennessee</option>
  <option value="TX">Texas</option>
```



```
<option value="UT">Utah</option>
<option value="VT">Vermont</option>
<option value="VA">Virginia</option>
<option value="WA">Washington</option>
<option value="WV">West Virginia</option>
<option value="WI">Wisconsin</option>
<option value="WY">Wyoming</option>
</select></label></p>
<p><label>Zipcode: <input name="zip" type="text"pattern="[0-9]
{5}" title="Five digit zip code" required size="25" /></label></p>
<!--first got to put out the number of types or rooms-->
</td><td >
  <div class="mydiv2" ><table border="0">
    <tr><td class="center">-- Peasent --<br> $100 per night!<br>
    
    </td><td class="mouthyWords">
      <a href="rooms.html">See our exquisite rooms!<br><i class="fa
fa-external-link"></i></a>
    </td><td class="center">
      -- Barron --<br>$500 per night!<br>
      
    </td></tr>
    <tr><td class="center">
      -- Noble Lord --<br> $2,500 per night!<br>
      
    </td><td class="center">
      -- King --<br>$7,000 per night!<br>
      
    </td><td class="center">
      -- Mr. President --<br>$15,000 per Night!<br>
      
    </td></tr>
  </table></div>
  <div id="roomSelect"></div>
</td></tr>
<tr><td colspan="2" class="subtotal">
  <div id="subtotal" ></div>
```

```
<input type="number" name="billin" id="billin" hidden
value="">
<input type="text" name="roomString" id="roomString" hidden
value="" onsubmit=" tooStringed()">
</td></tr>
<tr><td colspan="2" class="submit">
<input type="submit" value="Submit?" class="submit" />
</td></tr>
</tbody>
</form>
</table>
</div>
<!-- end ofdiv for the form-->

<div class=" heder ">


</div>

<div class=" heder " id="contact">
<table border="0" class="center" >
<tfoot>

<tr>
<td rowspan="4"> </td>
<td> Drumpf Hotel, <small><i> &#9733 &#9733 &#9733
&#9733 &#9733 &#9733 Hotel</i></small></td>
</tr><tr>
<td> 236 Deans Rhode Hall Rd South Brunswick Township, New
Jersey 08831</td>
<!-- i wanted to do weather widet, but despite putting in correctly
it won't load. so i scrapped it-->
</tr><tr>
<td> &#9742: +1 (609) 555-5555 FAX: +1 (609) 555-5556</td>
</tr><tr>
<td>&#174 Drumpf Hotel, 2018. All rights reserved. <a
href="mailto:1116198669m@gmail.com" target="_top">&#9993: 1116198669m@gmail.com</a>
</tfoot>
</table>
</div>
```

```
<script type="text/javascript">
    var monthNames = new Array('January', 'February', 'March', 'April', 'May', 'June',
    'July', 'August', 'September', 'October', 'November', 'December');
    var houraps = new Array(12, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 1, 2, 3, 4, 5, 6, 7,
    8, 9, 10, 11);

    function showTime(){
        var dateObj = new Date();
        var day = dateObj.getDate(), month = dateObj.getMonth(), year =
dateObj.getFullYear(), hour = dateObj.getHours(), minutes =
(dateObj.getMinutes()<=9?'0'+dateObj.getMinutes():dateObj.getMinutes());
        var string = monthNames[month]+
        ' '+day+
        ', '+year+
        ' '+houraps[hour]+
        ':'+minutes+
        ' '+((hour<=11?'am':'pm'));
        var timeDiv = document.getElementById('time');
        if(timeDiv !== null) {
            timeDiv.innerHTML = string;
            timeDiv.setAttribute('datetime',year+'-'+(month+1<=9?'0'+
(month+1):month+1)+'-'+day+' '+hour+'-'+minutes);

        };
    };
    setInterval(showTime,1000);
</script>
<script type="text/javascript">
    function roomify(){
        var i;
        var x= document.getElementById('Rooms');
        var y="";
        for (i = 0; i < x.value; i++){
            y+= "<div class='imagesRteam'
id='pictureditem"+i+"'></div><br><label>Select room :"+
            "<datalist id='roomSelector'>"+
            "<option value='Peasant'>$100 per Night</option>"+
            "<option value='Barron'>$500 per Night</option>"+
            "<option value='Noble Lord'>$2250 per Night</option>"+
            "<option value='King'>$7,000 per Night</option>"+
            "<option value='Mr. President'>$15,000 per Night</option>"+
            "</datalist>"+
            "<input list='roomSelector' class='ohIgetit' name=
'roomSelected'+i+' placeholder='Choose Here' id='roomSelected'+i+'required>"+
            "</label><br>";
        }
    }
    roomify();
</script>
```

```
    }
    var lois=document.getElementById('roomSelect');

    lois.innerHTML=y;
  }
  var i;

  var x= document.getElementById('Rooms');
  var y="";
  for (i = 0; i < x.value; i++){
    y+= "<div class='imagesRteam'
id='pictureditem"+i+"'></div><br><label>Select room :"+
    "<datalist id='roomSelector'>"+
    "<option value='Peasant'>$100 per Night</option>"+
    "<option value='Barron'>$500 per Night</option>"+
    "<option value='Noble Lord'>$2250 per Night</option>"+
    "<option value='King'>$7,000 per Night</option>"+
    "<option value='Mr. President'>$15,000 per Night</option>"+
    "</datalist>"+
    "<input list='roomSelector' class='ohIgetit' name=
'roomSelected'+i+'\" placeholder='Choose Here' id='roomSelected"+i+"required>"+
    "</label><br>";
  }
  var lois=document.getElementById('roomSelect');

  lois.innerHTML=y;


  function tooStringed(){
    var i;
    var daString="";
    var foobar= document.getElementsByClassName("ohIgetit");
    for (i = 0; i < foobar.length; i++) {
      daString+=foobar[i].value+" ";
    }
    document.getElementById("roomString").value=daString;

  }
```

</script>

<!--basic premis is to do the previous script of var i x=the input values do a comparison then array the values and then output that sum and multiple by nights-->

<script type="text/javascript">

```
function sumify(){
var foobar= document.getElementsByClassName("ohIgetit");
    var i;
    var monies=[];
    for (i = 0; i < foobar.length; i++) {

        if (foobar[i].value=="Peasant") {
            monies[i]=100;
        }
        else if (foobar[i].value=="Barron"){
            monies[i]=500;
        }
        else if (foobar[i].value=="Noble Lord"){
            monies[i]=2250;
        }
        else if (foobar[i].value=="King"){
            monies[i]=7000;
        }
        else if (foobar[i].value=="Mr. President"){
            monies[i]=15000;
        } else{

        }

    }

var sum=0;
    for (i=0;i < monies.length; i++ ) {
        sum+=monies[i];
    }
    var subby = document.getElementById("subtotal");
    /*so i got to do php to do a if/or for php vs non-php cause date is stupid*/

    var date1 = new Date(document.getElementById("checkindate").value);
    var date2 = new Date(document.getElementById("checkoutdate").value);

    var timeDiff = Math.abs(date2 - date1);
    var diffDays = Math.ceil(timeDiff / (1000 * 3600 * 24));
    var total= diffDays*sum;

    subby.innerHTML="Your Subtotal is: $" +total;
```

```
document.getElementById("billin").value=total;}  
setInterval(sumify,2000);
```

```
</script>
```

```
</script>  
</body>  
</html>
```

confrimation.php:

```
<?php
```

```
$servername = "localhost";  
$username = "brendanewing";  
$password = "brendanewingpass";  
$dbname = "csit101";
```

```
// Create connection  
$conn = new mysqli($servername, $username, $password, $dbname);  
// Check connection  
if ($conn->connect_error) {  
    die("Connection failed: " . $conn->connect_error);  
}
```

```
$sql = "INSERT INTO guests (firstName, lastName, eMail, phone, street, line2, city, zip, state,  
roomType, roomQuantity, adults, children, bill, checkIn, checkOut)  
VALUES ("
```

```
    $_POST['firstName'].", "  
    $_POST['lastName'].", "  
    $_POST['email'].", "  
    $_POST['phone'].", "  
    $_POST['street'].", "  
    $_POST['street2'].", "  
    $_POST['city'].", "  
    $_POST['zip'].", "  
    $_POST['state'].", "  
    $_POST['roomString'].", "  
    $_POST['Rooms'].", "  
    $_POST['Adults'].", "  
    $_POST['Children'].", "  
    $_POST['billin'].", "  
    $_POST['checkindate'].", "  
    $_POST['checkoutdate'].")";
```

```
if ($conn->query($sql) === TRUE) {  
    echo "New record created successfully";  
} else {  
    echo "Error: " . $sql . "<br>" . $conn->error;  
}
```

```
$conn->close();
```



```
?>
<html>
<!--the booking is now the only route to the database and the form forms-->

<head>
  <title> Drumpf Hotel</title>
  <meta name="description" content="hotel for idiots, made by an idiot">
  <meta name="author" content="Brendan Ewing">
  <meta charset="utf-8">
  <meta name="political veiws" content="ultra-progressive leftist">
  <!-- due lazieness and its free to use, i'm using w3's style sheet to do the slide show. so
its done and i don't have
      to deal with styling the stuff.-->
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <!--<link rel="stylesheet" href="https://www.w3schools.com/w3css/4/w3.css">-->
  <!-- at first i was building an image carousel based on w3schools, but theres a better one
and i went to that
      its bootstrap-->
  <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">
  <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
  <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>
  <!-- fa fa external link-->
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
  <script src="http://ajax.googleapis.com/ajax/libs/jquery/1.9.1/jquery.min.js"></script>
  <script src="http://ajax.googleapis.com/ajax/libs/jqueryui/1.10.2/jquery-ui.min.js"></script>

  <script>
    $(document).ready(function() {
      function disableBack() { window.history.forward() }

      window.onload = disableBack();
      window.onpageshow = function(evt) { if (evt.persisted) disableBack() }
    });
  </script>
  <style>
/*first thing is to make a background for the page.
I want to do a animated one where its black and white.
I can't simply do this with css. i'd have to either download a gif, or make one
which is way more work than i'm willing ot put in.
so i should probably just dl a gif???*/
```

```
body {
    background-image: url("http://www.thisiscolossal.com/wp-
content/uploads/2014/08/dots-new.gif");
    background-repeat: repeat;
}
table.center {
    width:70%;
    margin-left:25%;
    margin-right:25%;
}
.heder{ /*i named it heder to not conflict with "header"*/
    background-color: #01021C;
    align-self: center;
    position: relative;
    max-width: 1280px;

    left: 50%;
    transform: translate(-50%);

}
* {
    -webkit-box-sizing: border-box;
    -moz-box-sizing: border-box;
    box-sizing: border-box;
    margin: 0;
    padding: 0;
}
.container {
    max-width: 100%;
    overflow: hidden;
    margin: 0 auto;
}
.fullwidth {
    background: black;
    overflow: hidden;
}
.imgSlidesA {
    margin: 0;
    position: relative;
    top: 50%;
    left: 50%;
    transform: translate(-50%, -38%); /*i did transform cause it was the best way to
ensure vert and horizontal alignment*/
```

```
}

.mydiv {

    min-height: 50px;
    min-width: 100%;
    max-height: 600px;
    overflow: hidden;

}

.mydiv2 {

    min-height: 50px;
    min-width: 100%;
    max-height: 600px;
    overflow: hidden;
    align-self: center;

}

/*
.mySlides {display:none}
.w3-left, .w3-right, .w3-badge {cursor:pointer}
.w3-badge {height:13px;width:13px;padding:0}
*/

ul.topnav {
    list-style-type: none;
    margin: 0;
    padding: 0;
    overflow: hidden;
    background-color: #333;
    position: -webkit-sticky; /* Safari */
position: sticky;
}

ul.topnav li {float: left;}

ul.topnav li a {
    display: block;
    color: white;
    text-align: center;
```

```
        padding: 14px 16px;
        text-decoration: none;
    }

    ul.topnav li a:hover:not(.active) {background-color: #111;}

    ul.topnav li a.active {background-color: #4CAF50;}

    ul.topnav li.right {float: right;}
    ul.topnav li.left {float: left;}

    @media screen and (max-width: 600px){
        ul.topnav li.right,
        ul.topnav li {float: none;}
    }

    .reserveNow{
        display: block;
        z-index: 10;
        min-height: 85px;
        float: none;
        left: 250px;
        margin: 0px 0px 0px 0px;
        background: hotpink;
        text-decoration: none;
        min-width: 200px;
        overflow: auto;

        position: absolute;
    }
    .formBox{
        font-size: 18pt;
        color: white;
        background-color: black;
        position: relative;
        text-align: center;
        display: block;
    }
    margin: 0px auto;
    z-index: 10;
```

```
    }
    .formheader{
        text-align: center;
        z-index: 10;
    }

    .daButton{
        color: black;
        position: relative;
        background: hotpink;
        text-align: center;
        display: block;
margin: 0px auto;
z-index: 10;

    }
    td.center1 {
        text-align: center;
        font-size: 18pt;
        font-family: serif;
        font: scriptina;
        min-width: 250px;
        color: white;
    }
    td.right{
        text-align: right;
        font: palatino;
        color: white;
        margin-right: 68px;
    }
    td.center{
        text-align: center;
        font: palatino;
        color: white;
        margin-right: 68px;
        font-size: 14pt;
    }

    }

    .center {
        margin: auto;
        width: 50%;
```

```
padding: 10px;
}

td.mouthyWords{
    text-align: center;
    font-size: 18pt;
    font-family: serif;
    font:scriptina;
    -width: 200px;
    color: cyan;
}

.collapsible {
    background-color: hotpink;
    color: white;
    cursor: pointer;
    padding: 18px;
    width: 100%;
    border: none;
    text-align: left;
    outline: none;
    font-size: 18pt;
}

.active2, .collapsible:hover {
    background-color: magenta;
}

.content {
    padding: 0 18px;
    display: none;
    overflow: hidden;
    background-color: black;
}

.subtotal{
    font-size: 26pt;
    color: cyan;
    background-color: black;
    text-align: center;
    font:palatino;
```

```
    }

    .imagesRteam{

    }
    .ohIgetit{
        background-color: hotpink;
        color: black;

    }
    .submit{
        font-size: 26pt;
        color: black;
        background-color: hotpink;
        text-align: center;
        margin: auto;
        width: 50%;

        padding: 10px;

    }

</style>
</head>

<body>
    <div id="home" class="heder">
    <table class="center">
        <thead>
            <!--the frist section of the webpage
                this will just have the logo, some pertinent information, and will be at
the top of the page-->
            <tr>
                <td rowspan="4"> </td>
                <td> Drumpf Hotel, <small><i> &#9733 &#9733 &#9733
&#9733 &#9733 &#9733 Hotel</i></small></td>
            </tr><tr>
                <td> 236 Deans Rhode Hall Rd South Brunswick Township, New
Jersey 08831</td>
                <!-- i wanted to do weather widet, but despite putting in correctly
```

it won't load. so i scrapped it-->

```
</tr><tr>
  <td> &#9742: +1 (609) 555-5555 FAX: +1 (609) 555-5556</td>
</tr><tr>
  <td> <span id="time"></span></td>
</tr></thead>
</table>
</div>

<div class="container mydiv">
  <div id="myCarousel" class="carousel slide" data-ride="carousel">
    <!-- Indicators -->
    <ol class="carousel-indicators">
      <li data-target="#myCarousel" data-slide-to="0" class="active"></li>
      <li data-target="#myCarousel" data-slide-to="1"></li>
      <li data-target="#myCarousel" data-slide-to="2"></li>
      <li data-target="#myCarousel" data-slide-to="3"></li>
      <li data-target="#myCarousel" data-slide-to="4"></li>
      <li data-target="#myCarousel" data-slide-to="5"></li>
      <li data-target="#myCarousel" data-slide-to="6"></li>
      <li data-target="#myCarousel" data-slide-to="7"></li>
    </ol>

    <!-- Wrapper for slides -->
    <div class="fullwidth mydiv">

      <div class="carousel-inner imgSlidesA ">
        <div class="item active ">
          
        </div>

        <div class="item">
          
        </div>

        <div class="item">
          
```



```
</div>
<div class="item">
  
</div>
<div class="item">
  
</div>
<div class="item">
  
</div>
<div class="item">
  
</div>
<div class="item">
  
</div>
</div>

<!-- Left and right controls -->
<a class="left carousel-control" href="#myCarousel" data-slide="prev">
  <span class="glyphicon glyphicon-chevron-left"></span>
  <span class="sr-only">Previous</span>
</a>
<a class="right carousel-control" href="#myCarousel" data-slide="next">
  <span class="glyphicon glyphicon-chevron-right"></span>
  <span class="sr-only">Next</span>
</a>

</div></div></div>
<!--div for the nav bar-->

<div style="position: sticky;">
<ul id="topnav" class="topnav">
  <li><a id="navBar" class="left" href="index.php">Home</a></li>
  <li><a id="navBar" class="left" href="rooms.html" >Room Offerings</a></li>
```

```
<li><a id="navBar" class="left" href="dining.html">Dining</a></li>
<li><a id="navBar" class="left" href="activities.html" >Activities</a></li>
<li><a id="navBar" class="left active" href="#home">Confirmation</a></li>
<li><a id="navBar" class="left" href="gallery.html" >Gallery</a></li>
<li><a id="navBar" class="left" href="#directions" >Directions</a></li>
<li class="right"><a id="navBar" href="#contact">Contact Us</a></li>
</ul></div>
<!-- end of div for the nav bar-->
<!--div for the form-->
<div class="heder " >
    <h1>Thank you for Booking with Us!</h1>
    <p>Below are a confrimatio of infromation have in our system:</p>
    <ul>
        <li>You have selected your <u>check-in</u> date as: <?php echo
$_POST['checkindate'];?></li>
        <li>You have selected your <u>check-in</u> out date as: <?php echo
$_POST['checkoutdate'];?></li>
        <li>You have told us that you need <u><?php echo $_POST['Rooms'];?
></u> Rooms<br>With the following parameters: </li>
        <ul>
            <?php
            $pizza= $_POST['roomString'];
            $pieces = explode(",", $pizza);
            for ($x = 0; $x < $_POST['Rooms']; $x++) {

                echo "<li>Room number <u>".($x+1)."</u> is set reserved as a ".
$pieces[$x]."</li>";}
            ?></ul>
            <li>You have indicated that you will have <u><?php echo
$_POST['Adults'];?> Adults</u> staying with us.</li>
            <li>You have indicated that you will have <u><?php echo
$_POST['Children'];?> Children</u> staying with us.</li>
            <li>The <u>name on file</u> for the reservation
                and billing is <strong><?php echo $_POST['firstName'];?> <?php
echo $_POST['lastName'];?></strong></li>
            <li>The <u>email on file</u> is <?php echo $_POST['email'];?></li>
            <li>The <u>phone number on file</u> is <?php echo $_POST['phone'];?
></li>
            <li>Your <u>address</u> is: <?php echo $_POST['street'];?>, <?php
echo $_POST['street2'];?>,
                <?php echo $_POST['city'];?>, <?php echo $_POST['state'];?> <?
php echo $_POST['zip'];?></li>

            <li>Lastly, while we don't charge you now, you're perlimentary total billed
```

```
is <strong><?php echo $_POST['billin'];?></strong></li>
    </ul>
    <meta http-equiv="refresh" content="300;url=index.php" />
    <h1>Page will be redirected in 300 seconds...</h1>
</div>
<div class=" heder ">

    
</div>

<div class=" heder " id="contact">
    <table border="0" class="center" >
        <tfoot>
            <tr>
                <td rowspan="4"> </td>
                <td> Drumpf Hotel, <small><i> &#9733 &#9733 &#9733
&#9733 &#9733 &#9733 Hotel</i></small></td>
            </tr><tr>
                <td> 236 Deans Rhode Hall Rd South Brunswick Township, New
Jersey 08831</td>
            <!-- i wanted to do weather widet, but despite putting in correctly
it won't load. so i scrapped it-->
            </tr><tr>
                <td> &#9742: +1 (609) 555-5555 FAX: +1 (609) 555-5556</td>
            </tr><tr>
                <td>&#174 Drumpf Hotel, 2018. All rights reserved. <a
href="mailto:1116198669m@gmail.com" target="_top">&#9993:
1116198669m@gmail.com</a></td></tr>
        </tfoot></table>
    </div>
    <script type="text/javascript">
        var monthNames = new Array('January', 'Febuary', 'March', 'April', 'May', 'June',
'July', 'August', 'September', 'October', 'November', 'December');
        var houraps = new Array(12, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 1, 2, 3, 4, 5, 6, 7,
8, 9, 10, 11);

        function showTime(){
            var dateObj = new Date();
            var day = dateObj.getDate(), month = dateObj.getMonth(), year =
dateObj.getFullYear(), hour = dateObj.getHours(), minutes =
(dateObj.getMinutes()<=9?'0'+dateObj.getMinutes():dateObj.getMinutes());
            var string = monthNames[month]+
```

```
' '+day+
', '+year+
' '+houraps[hour]+
':'+minutes+
' '+ (hour<=11?'am':'pm');
var timeDiv = document.getElementById('time');
if(timeDiv !== null) {
    timeDiv.innerHTML = string;
    timeDiv.setAttribute('datetime',year+'-'+(month+1<=9?'0'+
(month+1):month+1)+'-'+day+' '+hour+':'+minutes);

};
};
setInterval(showTime,1000);
</script>
</body>
</html>
```

guests.sql:

```
-- phpMyAdmin SQL Dump
-- version 4.7.4
-- https://www.phpmyadmin.net/
--
-- Host: 127.0.0.1
-- Generation Time: Aug 03, 2018 at 11:09 PM
-- Server version: 10.1.29-MariaDB
-- PHP Version: 7.1.12
```

```
SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
SET AUTOCOMMIT = 0;
START TRANSACTION;
SET time_zone = "+00:00";
```

```
/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!40101 SET NAMES utf8mb4 */;
```

```
--
-- Database: `csit101`
--
```

```
-- -----  
  
--  
-- Table structure for table `guests`  
--  
  
CREATE TABLE `guests` (  
  `id` int(15) NOT NULL,  
  `firstName` varchar(255) NOT NULL,  
  `lastName` varchar(255) NOT NULL,  
  `eMail` varchar(255) NOT NULL,  
  `phone` varchar(255) NOT NULL,  
  `street` varchar(255) NOT NULL,  
  `line2` varchar(255) DEFAULT NULL,  
  `city` varchar(255) NOT NULL,  
  `zip` varchar(255) NOT NULL,  
  `state` varchar(255) NOT NULL,  
  `roomType` varchar(255) NOT NULL,  
  `roomQuantity` varchar(255) NOT NULL,  
  `adults` int(55) NOT NULL,  
  `children` int(55) NOT NULL,  
  `bill` decimal(65,2) NOT NULL,  
  `checkIn` date NOT NULL,  
  `checkOut` date NOT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=latin1;  
  
--  
-- Dumping data for table `guests`  
--  
  
INSERT INTO `guests` (`id`, `firstName`, `lastName`, `eMail`, `phone`, `street`, `line2`, `city`, `zip`,  
  `state`, `roomType`, `roomQuantity`, `adults`, `children`, `bill`, `checkIn`, `checkOut`) VALUES  
(13, 'Brendan', 'Ewing', 'bewing@scarletmail.rutgers.edu', '(609) 403-2950', '263 s 10th street,  
Apartment 1', 'Apartment 1', 'Newark', '07103', 'NJ', 'Barron, Peasent, Peasent, ', '3', 1, 1, '1400.00',  
'2018-08-01', '2018-08-03'),  
(14, 'Brendan', 'Ewing', 'bewing@scarletmail.rutgers.edu', '(609) 403-2950', '263 s 10th street,  
Apartment 1', 'Apartment 1', 'Newark', '07103', 'NJ', 'Mr. President, Peasent, Noble Lord, Barron, ', '4',  
3, 0, '35700.00', '2018-08-01', '2018-08-03'),  
(15, 'Brendan', 'Ewing', 'bewing@scarletmail.rutgers.edu', '(609) 403-2950', '263 s 10th street,  
Apartment 1', 'Apartment 1', 'Newark', '07103', 'NJ', 'Mr. President, Peasent, ', '2', 2, 2, '30200.00',  
'2018-08-01', '2018-08-03');  
  
--
```

```
-- Indexes for dumped tables
--

--
-- Indexes for table `guests`
--
ALTER TABLE `guests`
  ADD PRIMARY KEY (`id`);

--
-- AUTO_INCREMENT for dumped tables
--

--
-- AUTO_INCREMENT for table `guests`
--
ALTER TABLE `guests`
  MODIFY `id` int(15) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=16;
COMMIT;

/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
```

Tests:

A video of testing this can be found at:

<https://youtu.be/epVDmB5QM-M>

It can't be viewed by everyone. I set it to private cause I'm so late on this assignment, I have personal information set for information entered. And I would prefer if that information wasn't public. If you need this to be public, I'll do another video that is more formal and less rushed. Just contact me.

Discussion and conclusions:

I made the website to be a 1 part opulent hotel website like the Sheraton in Dubai, part political commentary, 1 part satire, and bunch of parts novice approach to HTML and web design. There are a bunch of interesting features. The bootstrap carousel-control really gives nice slide show of images. All the images are actually links that load the image. The reason I did this is to essentially give credit to image sources without having to do a 3 page reference page, since u can instantly see the source of the images this way in the code. It has a gif as the background and an updating clock. The video for testing really goes more into details of the website.

Limitations:

A lot of items were scrapped in development mainly due to time and lack of skill. Like directions were supposed to be a widget and the the pages were meant to communicate with each other. A few good deal of other things. The server-side script is very bare. There are no security implementations at all into the code. The server-side is merely a insert into tables. There was a lot to do for this to improve, but I really didn't have the time to do it. If this was a semester long project with group of four I could have split this work up and worked on making the security of the php scripting more robust or tantamount. I wanted to have tokens, login, and other stuff so that the php and sql were not so vulnerable, but early in development it seemed that would be a month just doing that and I still have html and java-script to create. If I could do it again, this would be greatly expanded on – the whole site. There is so much that could be done.

In conclusion, I set out to create a hotel that was part satire and part web design. I succeeded in getting a working prototype that looks pretty good.