

DaemonCore Academy Egress Rules

Network boundary rules for local ranges and authorized FieldOps work

DOCUMENT	RELEASE	STATUS	PUBLISHED
DC-DOC-900-C	9.0.0	Official	14 September 2026

Intended audience Operators, security leads, lab administrators, and approvers

These rules separate no-egress Academy ranges from authorization-bound FieldOps activity. They define mandatory stop conditions and prevent training environments from becoming unintended launch points.

Academy range rule

Academy Docker ranges are local, disposable, and egress-blocked. Their operator containers may communicate only with services on the generated internal network. They must not reach the public internet, host services, unrelated Docker networks, or private organizational systems.

Path	Academy policy
Operator to range service	Allowed on the internal generated network
Operator to public internet	Denied
Operator to host	Denied; no host mounts or published ports
Operator to another Docker network	Denied
Inbound traffic from host or LAN	Denied

FieldOps distinction

FieldOps is not an Academy range. It may communicate with exact systems included in an active, written authorization boundary. The license unlocks the workspace; it does not grant permission to test a target. Operators remain responsible for written authorization, approved timing, permitted methods, data handling, emergency contacts, and applicable law.

Mandatory stop conditions

Condition	Required action
Target resolves outside approved scope	Stop before execution and correct the engagement
Redirect leaves the exact target boundary	Block the redirect and preserve the event
Unexpected production impact	Use the kill switch and notify the approver
Authorization window expires	Stop all active work
Containment proof becomes inconclusive	Destroy the Academy range
Sensitive data exceeds collection need	Stop collection and follow the engagement handling plan

Diagnostic and resilience traffic

Use only traffic authorized by the active signed engagement. Professional rate, concurrency, and duration are operator-defined; exact target and port enforcement, run-specific confirmation, SLO abort criteria, emergency stop, and evidence logging remain active.

Operational record

Record the operator, approving authority, scope reference, exact target, resolved address, declared ports, testing window, selected module, start and stop times, and resulting evidence. Preserve cancellations and policy blocks; they are part of the audit record, not errors to hide.

Document control

This document describes DaemonCore Academy 9.0.0. When application behavior and this guide differ, stop the affected workflow and consult the release notes or support channel before continuing. Product and framework names belonging to third parties are used descriptively and do not imply endorsement.

Field	Value
Owner	DaemonCore Apps
Release	9.0.0
Classification	Public product documentation
Review trigger	Material product, policy, or credential-status change