

DaemonCore Mission OS Reference

Learning routes, diagnostics, evidence, storage, and practical handoffs

DOCUMENT	RELEASE	STATUS	PUBLISHED
DC-DOC-900-E	9.0.0	Official	14 September 2026

Intended audience Learners, instructors, support teams, and training administrators

Mission OS is the learning-orchestration layer that connects diagnostic decisions, role-based routes, lessons, workbenches, sealed ranges, mastery evidence, and the next useful action on the current device.

Learning model

Mission OS follows a Learn, Practice, Launch, Prove loop. Lessons establish the mental model, workbenches test decisions, live ranges require observable evidence, and the operator record turns completed work into transparent progress. The workflow dock identifies the next useful action without pretending that every text block is a live command.

Stage	Surface	Evidence
Learn	Academy lesson	Reading and knowledge checks
Practice	Workbench or drill	Scored decisions and explanations
Launch	Web Forge, Enterprise Forge, or Living Range	Live execution and ordered evidence gates
Prove	Mastery, capstone, or dossier readiness	Recorded outcomes tied to the current device

Routes and diagnostics

The entry diagnostic measures the learner's current decisions across scope, network analysis, web and API, identity, cloud and supply chain, and evidence and detection. It recommends a route; it is not a psychometric test, percentile, certification, or employer assessment.

Role-based routes organize the existing curriculum without removing access to other material. Progress is calculated from completed shipped activities rather than a fabricated peer leaderboard.

Storage and recovery

Mission OS stores operator identity, preferences, lesson progress, practical scores, mastery state, and activity locally through the desktop data store. Writes are atomic and recovery copies are maintained. Browser preview storage can migrate into the desktop record, but the preview cannot run Docker ranges.

Application upgrades retain the stable daemoncore-academy user-data path. Operators should still export important FieldOps case files and preserve backups before a major upgrade.

Range handoff

State	What the user should see	Meaning
Informational	Worked example label	Read the command; no live target is attached
Preparing	Containment proof in progress	Wait; the console is not ready
Sealed	Container prompt and verified boundary	Commands execute inside the disposable range
Rejected	Specific readiness or integrity error	Fix the cause; no completion credit is available

Telemetry and privacy

Mission OS telemetry is local application activity used to calculate the current operator's next action and progress. It is not a claim of anonymous industry benchmarking. Instructors may use the protected local Instructor Mode for cohorts and assignments; centralized cloud reporting is not implied unless separately deployed and documented.

Document control

This document describes DaemonCore Academy 9.0.0. When application behavior and this guide differ, stop the affected workflow and consult the release notes or support channel before continuing. Product and framework names belonging to third parties are used descriptively and do not imply endorsement.

Field	Value
Owner	DaemonCore Apps
Release	9.0.0
Classification	Public product documentation
Review trigger	Material product, policy, or credential-status change